

NEDS Secondary Analysis Briefing Toolkit

Module 16: NTIES Polydrug Users:
Alcohol & Crack

N = 489

CONTENTS

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

Module 16: Alcohol & Crack (N = 489)

Client Characteristics (INTAKE)

- Client's Gender
- Racial and Ethnic Background
- Highest Grade Attended
- Client's Age Group
- Current Marital & Child Rearing Status
- Who Client Lived With
- Residence in Year Before Treatment
- Reason for Client's Entry into Treatment

Treatment Characteristics (DURING TREATMENT)

- Treatment Modality
- Length of Stay in Treatment: Median Months
- Client Discharge / Treatment Status
- Client-Rated Helpfulness of Treatment, by Modality

Treatment Outcomes (FOLLOW-UP)


- Clients Using Alcohol in Past 30 Days

- Clients Using Cocaine in Past Year
- Clients Selling Drugs
- Clients Obtaining Majority of Income Illegally
- Clients Engaging in Prostitution
- Clients Who Shoplifted
- Clients Who Used Weapon or Force to Steal
- Clients Who Attacked or Threatened Someone
- Clients Who Had DUI/DWI Arrest
- Clients Receiving Outpatient Mental Health Treatment
- Clients Severely Depressed for Two Weeks or More
- Clients Who Attempted Suicide
- Self-Reported Health Status: % of Clients Saying "Good" to "Excellent"
- Clients Unable to Work Because of Drug Use
- Clients Currently Employed
- Clients Who Lived in Homeless Shelter
- Clients Who Had 10 or More Sex Partners in Past Year
- Clients Who Shared Needles
- Clients Who Gave or Received Sex for Drugs or Drugs for Sex

Client Characteristics: Intake

INTAKE


Client's Gender



SOURCE: NTIES ALCOHOL & CRACK

INTAKE


Racial and Ethnic Background



SOURCE: NTIES ALCOHOL & CRACK

INTAKE

Highest Grade Attended




Elementary (1st - 6th); Middle (7th - 9th);

High School (10th - 12th); College/Other (13+ yrs)

SOURCE: NTIES ALCOHOL & CRACK

INTAKE


Client's Age Group



SOURCE: NTIES ALCOHOL & CRACK

INTAKE

Current Marital & Child Rearing Status




*Client's own child or children

SOURCE: NTIES ALCOHOL & CRACK

INTAKE

Who Client Lived With

Adult Clients (Age 18 or Older)




*Client's own child or children

SOURCE: NTIES ALCOHOL & CRACK

INTAKE

Residence in Year Before Treatment*




*Multiple residences possible **Includes runaway & women's shelters

SOURCE: NTIES ALCOHOL & CRACK

INTAKE

Reason for Client's Entry into Treatment




SOURCE: NTIES ALCOHOL & CRACK

Treatment Characteristics: During Treatment

DURING TREATMENT

Treatment Modality




Short-Term Residential < 2 Months Long-Term Residential = 2+ Months

SOURCE: NTIES ALCOHOL & CRACK

DURING TREATMENT

Length of Stay in Treatment: Median Months




Short-Term Residential < 2 Months

Long-Term Residential = 2+ Months

SOURCE: NTIES ALCOHOL & CRACK

DURING TREATMENT

Client Discharge/Treatment Status




SOURCE: NTIES ALCOHOL & CRACK

DURING TREATMENT

Client-Rated Helpfulness of Treatment, by Modality

% of Clients Saying "Helpful" or "Very Helpful"




Short-Term Residential < 2 Months Long-Term Residential = 2+ Months

SOURCE: NTIES ALCOHOL & CRACK

Treatment Outcomes: Follow-up

FOLLOW-UP


Clients Using Alcohol in Past 30 Days



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Using Crack in Past Year



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Selling Drugs



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Obtaining Majority of Income Illegally



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Engaging in Prostitution



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Shoplifted



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Used Weapon or Force to Steal



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Attacked or Threatened Someone



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Had DUI/DWI Arrest



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Receiving Outpatient Mental Health Treatment



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Severely Depressed for Two Weeks or More



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP

Clients Who Attempted Suicide




SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP

Self-Reported Health Status


% of Clients Saying "Good" to "Excellent"



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Unable to Work Because of Drug Use



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Currently Employed



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Lived in Homeless Shelter



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Had 10 or More Sex Partners in Past Year



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP


Clients Who Shared Needles



SOURCE: NTIES ALCOHOL & CRACK

FOLLOW-UP

Clients Who Gave or Received Sex for Drugs or Drugs for Sex



SOURCE: NTIES ALCOHOL & CRACK

The perspective offered in this document is solely that of the author(s) and does not reflect the policies or views of the Federal government, or any of its Departments or Agencies.