

NEDS

NATIONAL EVALUATION DATA SERVICES

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

VOLUME 4

Module 11: NTIES Alcohol Users

Module 12: NTIES Cocaine Users

Module 13: NTIES Crack Users

Module 14: NTIES Heroin Users

Module 15: NTIES Marijuana Users

NEDS

NATIONAL EVALUATION DATA SERVICES

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

VOLUME 4

Module 11: NTIES Alcohol Users

Module 12: NTIES Cocaine Users

Module 13: NTIES Crack Users

Module 14: NTIES Heroin Users

Module 15: NTIES Marijuana Users

FOREWORD

The Center for Substance Abuse Treatment (CSAT) works to improve the lives of those affected by alcohol and other substance abuse, and, through treatment, to reduce the ill effects of substance abuse on individuals, families, communities, and society at large. Thus, one important mission of CSAT is to expand the knowledge about and the availability of effective substance abuse treatment and recovery services. To aid in accomplishing that mission, CSAT has invested and continues to invest significant resources in the development and acquisition of high quality data about substance abuse treatment services, clients, and outcomes. Sound scientific analysis of this data provides evidence upon which to base answers to questions about what kinds of treatment are most effective for what groups of clients, and about which treatment approaches are cost-effective methods for curbing addiction and addiction-related behaviors.

In support of these efforts, the Program Evaluation Branch (PEB) of CSAT established the National Evaluation Data Services (NEDS) contract to provide a wide array of data management and scientific support services across various programmatic and evaluation activities and to mine existing data whose potential has not been fully explored. Essentially, NEDS is a pioneering effort for CSAT in that the Center previously had no mechanism established to pull together databases for broad analytic purposes or to house databases produced under a wide array of activities. One of the specific objectives of the NEDS project is to provide CSAT with a flexible analytic capability to use existing data to address policy-relevant questions about substance abuse treatment..

The purpose of the *NEDS Secondary Analysis Briefing Toolkit* is to provide a ready-reference tool for senior CSAT managers and staff to use in preparing and making presentations on analytic results related to treatment effectiveness and efficiency. The initial Modules provide descriptions of the treatment experiences and outcomes for clients that participated in the National Treatment Improvement Evaluation Study (NTIES), a large-scale evaluation of treatment effectiveness in CSAT funded demonstration programs during 1992-1993. Future modules of the briefing toolkit will be based on additional NEDS data holdings that include: the Job Corps Evaluation database, Addiction Severity Index (ASI) database, national treatment admissions databases, and several large state and national databases containing client services and/or outcomes data.

Sharon Bishop
Project Director
National Evaluation Data Services

ACKNOWLEDGMENTS

We wish to acknowledge our reliance upon the guidance and direction of Ron Smith, Ph.D., Program Evaluation Branch, the Government Project Officer for the NEDS contract in producing these documents. Caliber Associates is the prime contractor for NEDS in partnership with Battelle Centers for Public Health Research and Evaluation (CPHRE); the Lewin Group; National Opinion Research Corporation (NORC) and Computech, Inc. Many individuals at Caliber contributed significantly to the development of this volume, including Richard Finkbiner, Ph.D., Gayle Wisdom, Ph.D., Kirsten Lundeberg, Penny Tinsman, Eugenie Brinkema, George Akpakli, Betty Elsea, Marsha Morahan, Patricia Devine and Sharon Bishop.

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT: INTRODUCTION AND OVERVIEW

The Center for Substance Abuse Treatment (CSAT) works to improve the lives of those affected by alcohol and other substance abuse, and, through treatment, to reduce the ill effects of substance abuse on individuals, families, communities, and society at large. Thus, one important CSAT mission is to expand the knowledge about effective substance abuse treatment and recovery services. In support of these efforts, CSAT established the National Evaluation Data Services (NEDS) contract to provide a wide array of secondary data analysis products to the substance abuse treatment field.

1. NEDS

The NEDS project is focused upon providing CSAT with an analytic capability to use existing data to address policy- and practice-relevant topics as well as future research and evaluation activities. In addition to its emphasis on mining existing data resources, NEDS has developed several product lines designed to provide analytic findings to substance abuse treatment policy makers, service providers, services researchers and evaluators in a format that is most useful to the end user.

2. SECONDARY ANALYSIS BRIEFING TOOLKIT

The Secondary Analysis Briefing Toolkit (hereafter, simply referred to as the *briefing toolkit*) is one of the NEDS product lines. The purpose of the briefing toolkit is to provide a ready-reference tool for senior CSAT managers and staff to use in preparing and making presentations on analytic results related to treatment effectiveness and efficiency.

NEDS data holdings that will be used to produce briefing toolkit modules include: the National Treatment Improvement Evaluation Study (NTIES) database, Job Corps evaluation database, Addiction Severity Index (ASI) database, national treatment admissions databases, and several large state and national databases containing client services and/or outcomes data.

The briefing toolkit is designed to provide tailored materials that can be accessed by senior CSAT managers and staff to inform other professionals on topics related to substance abuse treatment and its broad range of impacts. The briefing toolkit will be a dynamic document. Its open-ended design permits the development of new modules on evolving NEDS analytic topics and products.

3. THE BRIEFING TOOLKIT PROVIDES MAXIMUM PRESENTATION FLEXIBILITY

The toolkit is designed in a modular format that gives the presenter maximum flexibility in developing briefings. Modules can be used on a “stand-alone” basis, but often a presenter may choose to combine pages from different modules for a more tailored presentation.

For example, a presenter may wish to show an audience of law enforcement professionals that treatment can reduce criminal behaviors (post-treatment) across a wide range of substance abusing clients. In this case, the presenter could choose to present several criminal behavior outcomes (e.g., drunk driving and shoplifting) across several demographic categories of clients (males versus females,

adolescents versus adults, Hispanic versus white, etc.). The organization of the briefing toolkit makes the development of such a presentation quite simple.

Each page within a module is designed to be self-explanatory and easily comprehensible to presenters and audiences alike. Familiar terminology is employed throughout the briefing toolkit modules—jargon and technical language has been explicitly avoided. In order to maintain maximum flexibility for presenters, individual slides within briefing modules are *not* numbered. Instead, an index of the contents of each module is provided at the beginning of the module. In addition, all slides will contain footers indicating the data source(s) for that particular graphic.

The toolkit modules have been constructed around specific treatment populations and/or topical areas within the substance abuse treatment field. In addition, modules are often specific to one or more clinical settings, treatment effectiveness or efficiency databases in the NEDS inventory, or NEDS analyses.

4. BRIEFING TOOLKIT MODULE TOPICS

The initial Modules (approximately 16) provide summaries of treatment experiences and outcomes for clients that participated in the NTIES, a large-scale evaluation of treatment effectiveness in CSAT funded demonstration programs during 1992-1993.

Although not listed in the exact order the modules will be produced, the modules that are currently planned are:

- # An Overview of the NTIES Study Design
- # Total NTIES Outcomes Analysis Cohort
- # Male Clients in NTIES
- # Female Clients in NTIES
- # White (Non-Hispanic) Clients in NTIES
- # Black (Non-Hispanic) Clients in NTIES
- # Hispanic Clients in NTIES
- # Adolescents in NTIES
- # Young Adults in NTIES
- # Adults in NTIES
- # NTIES Clients by Substance Abused: Alcohol
- # NTIES Clients by Substance Abused: Heroin
- # NTIES Clients by Substance Abused: Crack/Cocaine
- # NTIES Clients by Substance Abused: Marijuana
- # Treatment Services Provided by Modality in NTIES
- # Clinician Characteristics in NTIES

Additional modules will present targeted findings from other NEDS analyses, as they are completed. Possible modules that are currently being considered include:

- # Economic Costs and Benefits of Substance Abuse Treatment
- # High-Risk Behaviors Reduced Through Substance Abuse Treatment
- # Prevalence of Substance Use Disorders in the United States
- # Reductions in Criminal and Violent Behaviors Linked to Substance Abuse Treatment
- # Substance Abuse Treatment Outcomes: Results from Four Large-Scale Evaluations

5. BRIEFING TOOLKIT DISTRIBUTION

The intended audience for this product is senior CSAT managers and staff, therefore the briefing toolkit distribution will be limited. The modules will be available on the NEDS website (<http://neds.calib.com>) and will be made available to any CSAT staff person who requests a copy. The initial distribution will be made in several 1” binder-style volumes. As each new set of (2 to 4) modules is completed, it will be distributed in a separate volume.

For More Information

Questions related to the briefing toolkit, the modules, or individual slides and their interpretation may be directed to the NEDS GPO, Dr. Ron Smith, or Dr. Richard Finkbiner (finkbine@calib.com) or Kirsten Lundeberg (lundeber@calib.com) at Caliber Associates (703) 385-3200.

NEDS Secondary Analysis Briefing Toolkit

Module 11: NTIES Alcohol Users

N = 463

CONTENTS

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

Module 11: Alcohol Users (N = 463)

Client Characteristics (INTAKE)

- Client's Gender
- Racial and Ethnic Background
- Highest Grade Attended
- Client's Age Group
- Current Marital & Child Rearing Status
- Who Client Lived with: Adult Clients
- Who Client Lived with: Adolescent Clients
- Residence in Year Before Treatment
- Reason for Client's Entry into Treatment

Treatment Characteristics (DURING TREATMENT)

- Treatment Modality
- Length of Stay in Treatment: Median Months
- Client Discharge / Treatment Status
- Client-Rated Helpfulness of Treatment, by Modality

Treatment Outcomes (FOLLOW-UP)


- Clients Using Alcohol in Past 30 Days

- Clients Selling Drugs
- Clients Obtaining Majority of Income Illegally
- Clients Engaging in Prostitution
- Clients Who Shoplifted
- Clients Who Used Weapon or Force to Steal
- Clients Who Attacked or Threatened Someone
- Clients Who Had DUI/DWI Arrest
- Clients Receiving Outpatient Mental Health Treatment
- Clients Severely Depressed for Two Weeks or More
- Clients Who Attempted Suicide
- Self-Reported Health Status: % of Clients Saying "Good" to "Excellent"
- Clients Unable to Work Because of Drug Use
- Clients Currently Employed
- Clients Who Lived in Homeless Shelter
- Clients Who Had 10 or More Sex Partners in Past Year
- Clients Who Shared Needles
- Clients Who Gave or Received Sex for Drugs or Drugs for Sex

Client Characteristics: Intake

INTAKE


Client's Gender



SOURCE: NTIES ALCOHOL

INTAKE


Racial and Ethnic Background



SOURCE: NTIES ALCOHOL

INTAKE


Highest Grade Attended



SOURCE: NTIES ALCOHOL

INTAKE


Client's Age Group



SOURCE: NTIES ALCOHOL

INTAKE

Current Marital & Child Rearing Status




*Client's own child or children

SOURCE: NTIES ALCOHOL

INTAKE

Who Client Lived With

Adult Clients (Age 18 or Older)




*Client's own child or children

SOURCE: NTIES ALCOHOL

INTAKE

Who Client Lived With

Adolescent Clients (Under Age 18)




*Client's own child or children

SOURCE: NTIES ALCOHOL

INTAKE

Residence in Year Before Treatment*




*Multiple residences possible **Includes runaway & women's shelters

SOURCE: NTIES ALCOHOL

INTAKE

Reason for Client's Entry into Treatment




SOURCE: NTIES ALCOHOL

Treatment Characteristics: During Treatment

DURING TREATMENT

Treatment Modality




Short-Term Residential < 2 Months

Long-Term Residential = 2+ Months

SOURCE: NTIES ALCOHOL

DURING TREATMENT


Length of Stay in Treatment: Median Months



SOURCE: NTIES ALCOHOL

DURING TREATMENT

Client Discharge/Treatment Status




SOURCE: NTIES ALCOHOL

DURING TREATMENT

Client-Rated Helpfulness of Treatment, by Modality

% of Clients Saying "Helpful" or "Very Helpful"



Short-Term Residential < 2 Months


Long-Term Residential = 2+ Months

SOURCE: NTIES ALCOHOL

Treatment Outcomes: Follow-up

FOLLOW-UP


Clients Using Alcohol in Past 30 Days



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Selling Drugs



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Obtaining Majority of Income Illegally



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Engaging in Prostitution



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Shoplifted



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Used Weapon or Force to Steal



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Attacked or Threatened Someone



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Had DUI/DWI Arrest



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Receiving Outpatient Mental Health Treatment



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Severely Depressed for Two Weeks or More



SOURCE: NTIES ALCOHOL

FOLLOW-UP

Clients Who Attempted Suicide




SOURCE: NTIES ALCOHOL

FOLLOW-UP

Self-Reported Health Status


% of Clients Saying "Good" to "Excellent"



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Unable to Work Because of Drug Use



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Currently Employed



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Lived in Homeless Shelter



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Had 10 or More Sex Partners in Past Year



SOURCE: NTIES ALCOHOL

FOLLOW-UP


Clients Who Shared Needles



SOURCE: NTIES ALCOHOL

FOLLOW-UP

Clients Who Gave or Received Sex for Drugs or Drugs for Sex



SOURCE: NTIES ALCOHOL

NEDS Secondary Analysis Briefing Toolkit

Module 12: NTIES Cocaine Users

N = 363

CONTENTS

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

Module 12: Cocaine Users (N = 363)

Client Characteristics (INTAKE)

- Client's Gender
- Racial and Ethnic Background
- Highest Grade Attended
- Client's Age Group
- Current Marital & Child Rearing Status
- Who Client Lived with: Adult Clients
- Residence in Year Before Treatment
- Reason for Client's Entry into Treatment

Treatment Characteristics (DURING TREATMENT)

- Treatment Modality
- Length of Stay in Treatment: Median Months
- Client Discharge / Treatment Status
- Client-Rated Helpfulness of Treatment, by Modality

Treatment Outcomes (FOLLOW-UP)


- Clients Using Cocaine in Past Year

- Clients Selling Drugs
- Clients Obtaining Majority of Income Illegally
- Clients Engaging in Prostitution
- Clients Who Shoplifted
- Clients Who Used Weapon or Force to Steal
- Clients Who Attacked or Threatened Someone
- Clients Who Had DUI/DWI Arrest
- Clients Receiving Outpatient Mental Health Treatment
- Clients Severely Depressed for Two Weeks or More
- Clients Who Attempted Suicide
- Self-Reported Health Status: % of Clients Saying "Good to Excellent"
- Clients Unable to Work Because of Drug Use
- Clients Currently Employed
- Clients Who Lived in Homeless Shelter
- Clients Who Had 10 or More Sex Partners in Past Year
- Clients Who Shared Needles
- Clients Who Gave or Received Sex for Drugs or Drugs for Sex

Client Characteristics: Intake

INTAKE


Client's Gender



SOURCE: NTIES COCAINE

INTAKE


Racial and Ethnic Background



SOURCE: NTIES COCAINE

INTAKE


Highest Grade Attended



SOURCE: NTIES COCAINE

INTAKE


Client's Age Category



SOURCE: NTIES COCAINE

INTAKE

Current Marital & Child Rearing Status




SOURCE: NTIES COCAINE

INTAKE

Who Client Lived With:

Adult Clients (Age 18 or Older)




*Client's own child or children

SOURCE: NTIES COCAINE

INTAKE

Residence in Year Before Treatment*




*Multiple residences possible **Includes runaway & women's shelters

SOURCE: NTIES COCAINE

INTAKE

Reason for Client's Entry into Treatment




SOURCE: NTIES COCAINE

Treatment Characteristics: During Treatment

DURING TREATMENT

Treatment Modality




Short-Term Residential < 2 Months Long-Term Residential = 2 + Months

SOURCE: NTIES COCAINE

DURING TREATMENT

Client-Rated Helpfulness of Treatment, by Modality

% of Clients Saying "Helpful" or "Very Helpful"




Short-Term Residential < 2 Months Long-Term Residential = 2 + Months

SOURCE: NTIES COCAINE

DURING TREATMENT

Length of Stay in Treatment: Median Months




Short-Term Residential < 2 Months Long-Term Residential = 2 + Months

SOURCE: NTIES COCAINE

DURING TREATMENT

Client Discharge/Treatment Status




SOURCE: NTIES COCAINE

Treatment Outcomes: Follow-up

FOLLOW-UP


Clients Using Cocaine in Past Year



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Selling Drugs



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Obtaining Majority of Income Illegally



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Engaging in Prostitution



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Shoplifted



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Used Weapon or Force to Steal



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Attacked or Threatened Someone



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Had DUI/DWI Arrest



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Receiving Outpatient Mental Health Treatment



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Severely Depressed for Two Weeks or More



SOURCE: NTIES COCAINE

FOLLOW-UP

Clients Who Attempted Suicide




SOURCE: NTIES COCAINE

FOLLOW-UP

Client Self-Reported Health Status:


% of Clients Saying "Good" to "Excellent"



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Unable to Work Because of Drug Use



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Currently Employed



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Lived in Homeless Shelter



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Had 10 or More Sex Partners in Past Year



SOURCE: NTIES COCAINE

FOLLOW-UP


Clients Who Shared Needles



SOURCE: NTIES COCAINE

FOLLOW-UP

Clients Who Gave or Received Sex for Drugs or Drugs for Sex



SOURCE: NTIES COCAINE

NEDS Secondary Analysis Briefing Toolkit

Module 13: NTIES Crack Users

N = 545

CONTENTS

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

Module 13: Crack Users (N = 545)

Client Characteristics (INTAKE)

- Client's Gender
- Racial and Ethnic Background
- Highest Grade Attended
- Client's Age Group
- Current Marital & Child Rearing Status
- Who Client Lived with: Adult Clients
- Residence in Year Before Treatment
- Reason for Client's Entry into Treatment

Treatment Characteristics (DURING TREATMENT)

- Treatment Modality
- Length of Stay in Treatment: Median Months
- Client Discharge / Treatment Status
- Client-Rated Helpfulness of Treatment, by Modality

Treatment Outcomes (FOLLOW-UP)


- Clients Using Crack in Past Year

- Clients Selling Drugs
- Clients Obtaining Majority of Income Illegally
- Clients Engaging in Prostitution
- Clients Who Shoplifted
- Clients Who Used Weapon or Force to Steal
- Clients Who Attacked or Threatened Someone
- Clients Who Had DUI/DWI Arrest
- Clients Receiving Outpatient Mental Health Treatment
- Clients Severely Depressed for Two Weeks or More
- Clients Who Attempted Suicide
- Self-Reported Health Status: % of Clients Saying "Good" to "Excellent"
- Clients Unable to Work Because of Drug Use
- Clients Currently Employed
- Clients Who Lived in Homeless Shelter
- Clients Who Had 10 or More Sex Partners in Past Year
- Clients Who Shared Needles
- Clients Who Gave or Received Sex for Drugs or Drugs for Sex

Client Characteristics: Intake

INTAKE


Client's Gender



SOURCE: NTIES CRACK

INTAKE


Racial and Ethnic Background



SOURCE: NTIES CRACK

INTAKE


Highest Grade Attended



SOURCE: NTIES CRACK

INTAKE


Client's Age Group



SOURCE: NTIES CRACK

INTAKE

Current Marital & Child Rearing Status




*Client's own child or children

SOURCE: NTIES CRACK

INTAKE

Who Client Lived With

Adults (Age 18 or Older)




*Client's own child or children

SOURCE: NTIES CRACK

INTAKE

Residence in Year Before Treatment*




*Multiple residences possible

**Includes runaway & women's shelters

SOURCE: NTIES CRACK

INTAKE

Reason for Client's Entry into Treatment




SOURCE: NTIES CRACK

Treatment Characteristics: During Treatment

DURING TREATMENT

Treatment Modality




Short-Term Residential < 2 Months Long-Term Residential = 2 + Months

SOURCE: NTIES CRACK

DURING TREATMENT


Client Length of Stay in Treatment: Median Months



SOURCE: NTIES CRACK

DURING TREATMENT

Client Discharge/Treatment Status




SOURCE: NTIES CRACK

DURING TREATMENT

Client-Rated Helpfulness of Treatment, by Modality

% of Clients Saying "Helpful" or "Very Helpful"



Short-Term Residential < 2 Months


Long-Term Residential = 2 + Months

SOURCE: NTIES CRACK

Treatment Outcomes: Follow-up

FOLLOW-UP


Clients Using Crack in Past Year



SOURCE: NTIES CRACK

FOLLOW-UP


Client Selling Drugs



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Obtaining Majority of Income Illegally



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Engaging in Prostitution



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Shoplifted



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Used Weapon or Force to Steal



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Attacked or Threatened Someone



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Had DUI/DWI Arrest



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Receiving Outpatient Mental Health Treatment



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Severely Depressed for Two Weeks or More



SOURCE: NTIES CRACK

FOLLOW-UP

Clients Who Attempted Suicide




SOURCE: NTIES CRACK

FOLLOW-UP

Self-Reported Health Status:


% of Clients Saying "Good" to "Excellent"



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Unable to Work Because of Drug Use



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Currently Employed



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Lived in Homeless Shelter



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Had 10 or More Sex Partners in Past Year



SOURCE: NTIES CRACK

FOLLOW-UP


Clients Who Shared Needles



SOURCE: NTIES CRACK

FOLLOW-UP

Clients Who Gave or Received Sex for Drugs or Drugs for Sex



SOURCE: NTIES CRACK

NEDS Secondary Analysis Briefing Toolkit

Module 14: NTIES Heroin Users

N = 400

CONTENTS

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

Module 14: Heroin Users (N = 400)

Client Characteristics (INTAKE)

- Client's Gender
- Racial and Ethnic Background
- Highest Grade Attended
- Client's Age Group
- Current Marital & Child Rearing Status
- Who Client Lived with: Adult Clients
- Residence in Year Before Treatment
- Reason for Client's Entry into Treatment

Treatment Characteristics (DURING TREATMENT)

- Treatment Modality
- Length of Stay in Treatment: Median Months
- Client Discharge / Treatment Status
- Client-Rated Helpfulness of Treatment, by Modality

Treatment Outcomes (FOLLOW-UP)


- Clients Using Heroin in Past Year

- Clients Selling Drugs
- Clients Obtaining Majority of Income Illegally
- Clients Engaging in Prostitution
- Clients Who Shoplifted
- Clients Who Used Weapon or Force to Steal
- Clients Who Attacked or Threatened Someone
- Clients Who Had DUI/DWI Arrest
- Clients Receiving Outpatient Mental Health Treatment
- Clients Severely Depressed for Two Weeks or More
- Clients Who Attempted Suicide
- Self-Reported Health Status: % of Clients Saying "Good to Excellent"
- Clients Unable to Work Because of Drug Use
- Clients Currently Employed
- Clients Who Lived in Homeless Shelter
- Clients Who Had 10 or More Sex Partners in Past Year
- Clients Who Shared Needles
- Clients Who Gave or Received Sex for Drugs or Drugs for Sex

Client Characteristics: Intake

INTAKE


Client's Gender



SOURCE: NTIES HEROIN

INTAKE


Racial and Ethnic Background



SOURCE: NTIES HEROIN

INTAKE


Highest Grade Attended



SOURCE: NTIES HEROIN

INTAKE


Client's Age Group



SOURCE: NTIES HEROIN

INTAKE

Current Marital & Child Rearing Status




*Client's own child or children

SOURCE: NTIES HEROIN

INTAKE

Who Client Lived With

Adults (Age 18 or Older)




*Client's own child or children

SOURCE: NTIES HEROIN

INTAKE

Residence in Year Before Treatment*




*Multiple residences possible

**Includes runaway & women's shelters

SOURCE: NTIES HEROIN

INTAKE

Reason for Client's Entry into Treatment




SOURCE: NTIES HEROIN

Treatment Characteristics: During Treatment

DURING TREATMENT

Treatment Modality




Short-Term Residential < 2 Months Long-Term Residential = 2+ Months

SOURCE: NTIES HEROIN

DURING TREATMENT

Client Length of Stay in Treatment: Median Months




Short-Term Residential < 2 Months Long-Term Residential = 2+ Months

SOURCE: NTIES HEROIN

DURING TREATMENT

Client Discharge/Treatment Status




SOURCE: NTIES HEROIN

Treatment Outcomes: Follow-up

FOLLOW-UP


Clients Using Heroin in Past Year



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Selling Drugs



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Obtaining Majority of Income Illegally



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Engaging in Prostitution



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Shoplifted



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Used Weapon or Force to Steal



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Attacked or Threatened Someone



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Had DUI/DWI Arrest



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Receiving Outpatient Mental Health Treatment



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Severely Depressed for Two Weeks or More



SOURCE: NTIES HEROIN

FOLLOW-UP

Clients Who Attempted Suicide




SOURCE: NTIES HEROIN

FOLLOW-UP

Self-Reported Health Status:


% of Clients Saying "Good" to "Excellent"



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Unable to Work Because of Drug Use



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Currently Employed



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Lived in Homeless Shelter



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Had 10 or More Sex Partners in Past Year



SOURCE: NTIES HEROIN

FOLLOW-UP


Clients Who Shared Needles



SOURCE: NTIES HEROIN

FOLLOW-UP

Clients Who Gave or Received Sex for Drugs or Drugs for Sex



SOURCE: NTIES HEROIN

NEDS Secondary Analysis Briefing Toolkit

Module 15: NTIES Marijuana Users

N = 156

CONTENTS

NEDS SECONDARY ANALYSIS BRIEFING TOOLKIT

Module 15: Marijuana Users (N = 156)

Client Characteristics (INTAKE)

- Client's Gender
- Racial and Ethnic Background
- Highest Grade Attended
- Client's Age Group
- Current Marital & Child Rearing Status
- Who Client Lived with: Adult Clients
- Who Client Lived with: Adolescent Clients
- Residence in Year Before Treatment
- Reason for Client's Entry into Treatment

Treatment Characteristics (DURING TREATMENT)

- Treatment Modality
- Length of Stay in Treatment: Median Months
- Client Discharge / Treatment Status
- Client-Rated Helpfulness of Treatment, by Modality

Treatment Outcomes (FOLLOW-UP)


- Clients Using Marijuana in Past Year

- Clients Selling Drugs
- Clients Obtaining Majority of Income Illegally
- Clients Engaging in Prostitution
- Clients Who Shoplifted
- Clients Who Used Weapon or Force to Steal
- Clients Who Attacked or Threatened Someone
- Clients Who Had DUI/DWI Arrest
- Clients Receiving Outpatient Mental Health Treatment
- Clients Severely Depressed for Two Weeks or More
- Clients Who Attempted Suicide
- Self-Reported Health Status: % of Clients Saying "Good to Excellent"
- Clients Unable to Work Because of Drug Use
- Clients Currently Employed
- Clients Who Lived in Homeless Shelter
- Clients Who Had 10 or More Sex Partners in Past Year
- Clients Who Shared Needles
- Clients Who Gave or Received Sex for Drugs or Drugs for Sex

Client Characteristics: Intake

INTAKE


Client's Gender



SOURCE: NTIES MARIJUANA

INTAKE


Racial and Ethnic Background



SOURCE: NTIES MARIJUANA

INTAKE


Highest Grade Attended



SOURCE: NTIES MARIJUANA

INTAKE


Client's Age Group



SOURCE: NTIES MARIJUANA

INTAKE

Current Marital & Child Rearing Status




"Child" refers to child or children

SOURCE: NTIES MARIJUANA

INTAKE

Who Client Lived With

Adult Clients (Age 18 or Older)




*Client's own child or children

SOURCE: NTIES MARIJUANA

INTAKE

Who Client Lived With

Adolescent Clients (Under Age 18)




*Client's own child or children

SOURCE: NTIES MARIJUANA

INTAKE

Residence in Year Before Treatment*




*Multiple residences possible **Includes runaway & women's shelters

SOURCE: NTIES MARIJUANA

INTAKE

Reason for Client's Entry into Treatment




SOURCE: NTIES MARIJUANA

Treatment Characteristics: During Treatment

DURING TREATMENT

Treatment Modality




Short-Term Residential < 2 Months

Long-Term Residential = 2+ Months

SOURCE: NTIES MARIJUANA

DURING TREATMENT


Client Length of Stay in Treatment: Median Months



SOURCE: NTIES MARIJUANA

DURING TREATMENT

Client Discharge/Treatment Status




SOURCE: NTIES MARIJUANA

DURING TREATMENT

Client-Rated Helpfulness of Treatment, by Modality

% of Clients Saying "Helpful" or "Very Helpful"



Short-Term Residential < 2 Months


Long-Term Residential = 2+ Months

SOURCE: NTIES MARIJUANA

Treatment Outcomes: Follow-up

FOLLOW-UP


Clients Using Marijuana in Past Year



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Selling Drugs



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Obtaining Majority of Income Illegally



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Engaging in Prostitution



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Shoplifted



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Used Weapon or Force to Steal



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Attacked or Threatened Someone



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Had DUI/DWI Arrest



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Receiving Outpatient Mental Health Treatment



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Severely Depressed for Two Weeks or More



SOURCE: NTIES MARIJUANA

FOLLOW-UP

Clients Who Attempted Suicide




SOURCE: NTIES MARIJUANA

FOLLOW-UP

Self-Reported Health Status


% of Clients Saying "Good" to "Excellent"



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Unable to Work Because of Drug Use



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Currently Employed



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Lived in Homeless Shelter



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Had 10 or More Sex Partners in Past Year



SOURCE: NTIES MARIJUANA

FOLLOW-UP


Clients Who Shared Needles



SOURCE: NTIES MARIJUANA

FOLLOW-UP

Clients Who Gave or Received Sex for Drugs or Drugs for Sex



SOURCE: NTIES MARIJUANA

The perspective offered in this document is solely that of the author(s) and does not reflect the policies or views of the Federal government, or any of its Departments or Agencies.