

ICPSR 13579

**Project on Human Development
in Chicago Neighborhoods
(PHDCN): Infant Assessment
Unit, Wave 1, 1995-1997**

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
Harvard University. Department of Sociology

Codebook for Assessment Debriefing Form

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

The following codebook notes will be added for all Wave 1 Cohort studies.

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., *). ICPSR standardized the numbering of the responses across all files in the study to facilitate

comparison across files. The following character variables were recoded to numeric variables for this data collection:

ADFFILE
ADF2L

5. The following abbreviations are used in the codebook and setup files:

PC = Primary Caregiver
SUB = Subject
IAU = Infant Assessment Unit
HOME = Home Observation for Measurement of the Environment
DCS = Infant Day Care Screen
IBQ = Infant Behavior Questionnaire
GAF = Growth Assessment Form
MSSI = Maternal Social Support Index
YASR = Young Adult Self Report
MIH = Maternal and Infant Health Survey
IBR = Infant Behavior Ratings
VRM = Visual Recognition Memory Paradigm
IDPH = Illinois Department of Public Health
ADF = Assessment Debriefing Form

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Assessment Debriefing Form

Variable Name and Label (Total Cases = 404)	Percent of Cases with Missing Values	
7.5% (4 of 53 variables)	have 0% Missing Values	
0.0% (0 of 53 variables)	have 0% - 1% Missing Values	
1.9% (1 of 53 variables)	have 1% - 3% Missing Values	
5.7% (3 of 53 variables)	have 3% - 5% Missing Values	
0.0% (0 of 53 variables)	have 5% - 10% Missing Values	
0.0% (0 of 53 variables)	have 10% - 20% Missing Values	
0.0% (0 of 53 variables)	have 20% - 40% Missing Values	
66.0% (35 of 53 variables)	have 40% - 99% Missing Values	
ADF2	part/all assessment in Spanish/Polish?	68.3%
ADF2L	language of assessment	68.3%
ADF2_1	translated version used?	68.6%
ADF4	person who assisted in translation	98.0%
ADF5	# measures not administered in English	68.3%
ADF8_1	HOME administered in private?	69.6%
ADF8_1A	person present during HOME	84.4%
ADF8_1B	person present during HOME	96.5%
ADF8_1C	person present during HOME	98.8%
ADF8_2	IBQ administered in private?	69.8%
ADF8_2A	person present during IBQ	86.6%
ADF8_2B	person present during IBQ	97.0%
ADF8_3	VRM administered in private?	70.3%
ADF8_3A	person present during VRM	91.3%
ADF8_3B	person present during VRM	98.0%
ADF8_4	Latency Task administered in private?	70.5%
ADF8_4A	person present during Latency Task	92.3%

Table 1: Distribution of Variables by Percentage of Missing Values--Assessment Debriefing Form

Variable Name and Label (Total Cases = 404)		Percent of Cases with Missing Values
ADF8_4B	person present during Latency Task	97.3%
ADF8_5	Kagan Mobile administered in private?	71.3%
ADF8_5A	person present during Kagan Mobile	95.0%
ADF8_5B	person present during Kagan Mobile	98.5%
ADF8_6	Weighing administered in private?	71.0%
ADF8_6A	person present during Weighing	92.8%
ADF8_6B	person present during Weighing	96.8%
ADF8_7	MSSI administered in private?	70.3%
ADF8_7A	person present during MSSI	91.3%
ADF8_7B	person present during MSSI	97.8%
ADF8_8	D.C. Screen administered in private?	69.8%
ADF8_8A	person present during D.C. Screen	90.6%
ADF8_8B	person present during D.C. Screen	98.8%
ADF8_9	YASR administered in private?	69.6%
ADF8_9A	person present during YASR	95.5%
ADF8_10	Health Survey administered in private?	69.8%
ADF8_10A	person present during Health Survey	93.6%
ADF8_10B	person present during Health Survey	98.8%
18.9% (10 of 53 variables)	have 100% missing values	
ADF8_2C	person present during IBQ	99.3%
ADF8_3C	person present during VRM	99.5%
ADF8_4C	person present during Latency Task	99.3%
ADF8_5C	person present during Kagan Mobile	99.5%
ADF8_6C	person present during Weighing	99.5%
ADF8_7C	person present during MSSI	99.3%
ADF8_8C	person present during D.C. Screen	99.3%
ADF8_9B	person present during YASR	100%
ADF8_9C	person present during YASR	100%
ADF8_10C	person present during Health Survey	99.5%

Codebook for ICPSR 13579

Project on Human Development in Chicago Neighborhoods (PHDCN): Infant Assessment Unit, Wave 1, 1995-1997

Dataset0013: Assessment Debriefing Form

Variable Variable Description

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID subject id

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
404	1001381.00	1106431.00	1053946.22	26975.42

WAVE wave #

Start: 8
End: 8
Width: 1
Type: numeric (ISO)
Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	404	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
404	1.00	1.00	1.00	0.00

COHORT cohort age

Start: 9
End: 9
Width: 1
Type: numeric (ISO)
Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	404	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
404	0.00	0.00	0.00	0.00

ADDFILE source file for Subject ADF data

Start: 10
End: 11
Width: 2
Type: numeric (ISO)
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1:adf16ma	404	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
404	1.00	1.00	1.00	0.00

ADF1 entire assessment in English?

Start: 12
End: 14

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.5 %	-

Variable	Variable Description
----------	----------------------

ADF1	entire assessment in English? (cont.)
------	---------------------------------------

Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	127	31.4 %	31.9%
1	1:yes	271	67.1 %	68.1%
. (M)	-	4	1.0 %	-

Valid	Min	Max	Mean	Stdev
398	0.00	1.00	0.68	0.47

ADF2	part/all assessment in Spanish/Polish?
------	----------------------------------------

Start: 15
End: 15
Width: 1
Type: numeric (ISO)
Interval: discrete

Value	Label	Frequency	%	Valid %
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	0	0.0 %	0.0%
1	1:yes	128	31.7 %	100.0%
. (M)	-	276	68.3 %	-

Valid	Min	Max	Mean	Stdev
128	1.00	1.00	1.00	0.00

ADF2L	language of assessment
-------	------------------------

Start: 16
End: 17
Width: 2
Type: numeric (ISO)
Interval: discrete

Value	Label	Frequency	%	Valid %
1	1:Polish	10	2.5 %	7.8%
2	2:Spanish	118	29.2 %	92.2%
. (M)	-	276	68.3 %	-

Valid	Min	Max	Mean	Stdev
128	1.00	2.00	1.92	0.27

ADF2_1	translated version used?
--------	--------------------------

Start: 18
End: 18
Width: 1
Type: numeric (ISO)
Interval: discrete

Value	Label	Frequency	%	Valid %
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	7	1.7 %	5.5%
1	1:yes	120	29.7 %	94.5%
. (M)	-	277	68.6 %	-

Variable	Variable Description
----------	----------------------

ADF2_1	translated version used? (cont.)
--------	----------------------------------

Valid	Min	Max	Mean	Stdev
127	0.00	1.00	0.94	0.23

ADF4	person who assisted in translation
------	------------------------------------

Start: 19
End: 19
Width: 1
Type: numeric (ISO)
Interval: discrete

Value	Label	Frequency	%	Valid %
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
1	1:RA	6	1.5 %	75.0%
2	2:parent	0	0.0 %	0.0%
3	3:spouse	0	0.0 %	0.0%
4	4:other family	2	0.5 %	25.0%
5	5:oth household	0	0.0 %	0.0%
6	6:other	0	0.0 %	0.0%
. (M)	-	396	98.0 %	-

Valid	Min	Max	Mean	Stdev
8	1.00	4.00	1.75	1.39

ADF5	# measures not administered in English
------	----------------------------------------

Start: 20
End: 20
Width: 1
Type: numeric (ISO)
Interval: discrete

Value	Label	Frequency	%	Valid %
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
1	1:< 1/4	5	1.2 %	3.9%
2	2:1/4 to 1/2	0	0.0 %	0.0%
3	3:1/2 to 3/4	0	0.0 %	0.0%
4	4:> 3/4	3	0.7 %	2.3%
5	5:all	120	29.7 %	93.8%
. (M)	-	276	68.3 %	-

Valid	Min	Max	Mean	Stdev
128	1.00	5.00	4.82	0.79

ADF6	PC difficulty in understanding language
------	-----------------------------------------

Start: 21
End: 23
Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	10	2.5 %	-

Variable	Variable Description
----------	----------------------

ADF6	PC difficulty in understanding language (cont.)
------	-------------------------------------------------

Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:very difficult	4	1.0 %	1.0%
2	2:fair difficult	7	1.7 %	1.8%
3	3:fairly easy	83	20.5 %	21.3%
4	4:very easy	296	73.3 %	75.9%
. (M)	-	4	1.0 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
390	1.00	4.00	3.72	0.55

ADF7	assessment private?
------	---------------------

Start: 24
End: 26
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	8	2.0 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	102	25.2 %	26.2%
1	1:yes	287	71.0 %	73.8%
. (M)	-	7	1.7 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
389	0.00	1.00	0.74	0.44

ADF8_1	HOME administered in private?
--------	-------------------------------

Start: 27
End: 29
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	65	16.1 %	52.8%
1	1:yes	58	14.4 %	47.2%
. (M)	-	280	69.3 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
123	0.00	1.00	0.47	0.50

Variable	Variable Description
----------	----------------------

ADF8_1A	person present during HOME
---------	----------------------------

Start: 30
 End: 32
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	4	1.0 %	6.3%
2	2:spouse	25	6.2 %	39.7%
3	3:sibling	5	1.2 %	7.9%
4	4:other adult	8	2.0 %	12.7%
5	5:other child	17	4.2 %	27.0%
6	6:friend	3	0.7 %	4.8%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	1	0.2 %	1.6%
. (M)	-	340	84.2 %	-

Valid	Min	Max	Mean	Stdev
63	1.00	8.00	3.37	1.61

ADF8_1B	person present during HOME
---------	----------------------------

Start: 33
 End: 35
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	1	0.2 %	7.1%
3	3:sibling	1	0.2 %	7.1%
4	4:other adult	4	1.0 %	28.6%
5	5:other child	8	2.0 %	57.1%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	389	96.3 %	-

Valid	Min	Max	Mean	Stdev
14	2.00	5.00	4.36	0.93

Variable **Variable Description**

ADF8_1C person present during HOME

Start: 36
End: 38
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other adult	1	0.2 %	20.0%
5	5:other child	3	0.7 %	60.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	1	0.2 %	20.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	398	98.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	4.00	7.00	5.20	1.10

ADF8_2 IBQ administered in private?

Start: 39
End: 41
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	56	13.9 %	45.9%
1	1:yes	66	16.3 %	54.1%
. (M)	-	281	69.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
122	0.00	1.00	0.54	0.50

ADF8_2A person present during IBQ

Start: 42
End: 44
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	4	1.0 %	7.4%
2	2:spouse	23	5.7 %	42.6%

Variable	Variable Description
----------	----------------------

ADF8_2A	person present during IBQ (cont.)
---------	-----------------------------------

Value	Label	Frequency	%	Valid %
3	3:sibling	3	0.7 %	5.6%
4	4:other adult	4	1.0 %	7.4%
5	5:other child	17	4.2 %	31.5%
6	6:friend	2	0.5 %	3.7%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	1	0.2 %	1.9%
. (M)	-	349	86.4 %	-

Valid	Min	Max	Mean	Stdev
54	1.00	8.00	3.33	1.67

ADF8_2B	person present during IBQ
---------	---------------------------

Start: 45
 End: 47
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	1	0.2 %	8.3%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	8.3%
4	4:other adult	4	1.0 %	33.3%
5	5:other child	6	1.5 %	50.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	391	96.8 %	-

Valid	Min	Max	Mean	Stdev
12	1.00	5.00	4.17	1.19

ADF8_2C	person present during IBQ
---------	---------------------------

Start: 48
 End: 50
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

ADF8_2C	person present during IBQ (cont.)
---------	-----------------------------------

Value	Label	Frequency	%	Valid %
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other adult	1	0.2 %	33.3%
5	5:other child	2	0.5 %	66.7%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	400	99.0 %	-

Valid	Min	Max	Mean	Stdev
3	4.00	5.00	4.67	0.58

ADF8_3	VRM administered in private?
--------	------------------------------

Start: 51
 End: 53
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.7 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	35	8.7 %	29.2%
1	1:yes	85	21.0 %	70.8%
. (M)	-	281	69.6 %	-

Valid	Min	Max	Mean	Stdev
120	0.00	1.00	0.71	0.46

ADF8_3A	person present during VRM
---------	---------------------------

Start: 54
 End: 56
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	4	1.0 %	11.4%
2	2:spouse	16	4.0 %	45.7%
3	3:sibling	4	1.0 %	11.4%
4	4:other adult	3	0.7 %	8.6%
5	5:other child	7	1.7 %	20.0%

Variable	Variable Description
----------	----------------------

ADF8_3A	person present during VRM (cont.)
---------	-----------------------------------

Value	Label	Frequency	%	Valid %
6	6:friend	1	0.2 %	2.9%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	368	91.1 %	-

Valid	Min	Max	Mean	Stdev
35	1.00	6.00	2.89	1.45

ADF8_3B	person present during VRM
---------	---------------------------

Start: 57
 End: 59
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	1	0.2 %	12.5%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	2	0.5 %	25.0%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	4	1.0 %	50.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	1	0.2 %	12.5%
8	8:other	0	0.0 %	0.0%
. (M)	-	395	97.8 %	-

Valid	Min	Max	Mean	Stdev
8	1.00	7.00	4.25	1.83

ADF8_3C	person present during VRM
---------	---------------------------

Start: 60
 End: 62
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

ADF8_3C	person present during VRM (<i>cont.</i>)
---------	--------------------------------------------

Value	Label	Frequency	%	Valid %
4	4:other adult	0	0.0 %	0.0%
5	5:other child	2	0.5 %	100.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	401	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	5.00	5.00	5.00	0.00

ADF8_4	Latency Task administered in private?
--------	---------------------------------------

Start: 63
 End: 65
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.7 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	32	7.9 %	26.9%
1	1:yes	87	21.5 %	73.1%
. (M)	-	282	69.8 %	-

Valid	Min	Max	Mean	Stdev
119	0.00	1.00	0.73	0.45

ADF8_4A	person present during Latency Task
---------	------------------------------------

Start: 66
 End: 68
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99, -98

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	5	1.2 %	16.1%
2	2:spouse	15	3.7 %	48.4%
3	3:sibling	2	0.5 %	6.5%
4	4:other adult	2	0.5 %	6.5%
5	5:other child	6	1.5 %	19.4%
6	6:friend	1	0.2 %	3.2%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

ADF8_4A	person present during Latency Task (cont.)
---------	--------------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	371	91.8 %	-
Valid	Min	Max	Mean	Stdev
31	1.00	6.00	2.74	1.50

ADF8_4B	person present during Latency Task
---------	------------------------------------

Start: 69
 End: 71
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	1	0.2 %	9.1%
2	2:spouse	1	0.2 %	9.1%
3	3:sibling	4	1.0 %	36.4%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	5	1.2 %	45.5%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	392	97.0 %	-
Valid	Min	Max	Mean	Stdev
11	1.00	5.00	3.64	1.43

ADF8_4C	person present during Latency Task
---------	------------------------------------

Start: 72
 End: 74
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other adult	2	0.5 %	66.7%
5	5:other child	1	0.2 %	33.3%
6	6:friend	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

ADF8_4C	person present during Latency Task (cont.)
---------	--------------------------------------------

Value	Label	Frequency	%	Valid %
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	400	99.0 %	-

Valid	Min	Max	Mean	Stdev
3	4.00	5.00	4.33	0.58

ADF8_5	Kagan Mobile administered in private?
--------	---------------------------------------

Start: 75
End: 77
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	4	1.0 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	21	5.2 %	18.1%
1	1:yes	95	23.5 %	81.9%
. (M)	-	284	70.3 %	-

Valid	Min	Max	Mean	Stdev
116	0.00	1.00	0.82	0.39

ADF8_5A	person present during Kagan Mobile
---------	------------------------------------

Start: 78
End: 80
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99, -98

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	3	0.7 %	15.0%
2	2:spouse	10	2.5 %	50.0%
3	3:sibling	3	0.7 %	15.0%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	3	0.7 %	15.0%
6	6:friend	1	0.2 %	5.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	382	94.6 %	-

Valid	Min	Max	Mean	Stdev
20	1.00	6.00	2.65	1.46

Variable **Variable Description**

ADF8_5B person present during Kagan Mobile

Start: 81
End: 83
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	1	0.2 %	16.7%
2	2:spouse	1	0.2 %	16.7%
3	3:sibling	2	0.5 %	33.3%
4	4:other adult	1	0.2 %	16.7%
5	5:other child	1	0.2 %	16.7%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	397	98.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6	1.00	5.00	3.00	1.41

ADF8_5C person present during Kagan Mobile

Start: 84
End: 86
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	50.0%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	1	0.2 %	50.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	401	99.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	3.00	5.00	4.00	1.41

Variable	Variable Description
----------	----------------------

ADF8_6	Weighing administered in private?
--------	-----------------------------------

Start: 87
End: 89
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	5	1.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	31	7.7 %	26.5%
1	1:yes	86	21.3 %	73.5%
. (M)	-	282	69.8 %	-

Valid	Min	Max	Mean	Stdev
117	0.00	1.00	0.74	0.44

ADF8_6A	person present during Weighing
---------	--------------------------------

Start: 90
End: 92
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99, -98

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	2	0.5 %	6.9%
2	2:spouse	14	3.5 %	48.3%
3	3:sibling	2	0.5 %	6.9%
4	4:other adult	2	0.5 %	6.9%
5	5:other child	8	2.0 %	27.6%
6	6:friend	1	0.2 %	3.4%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	373	92.3 %	-

Valid	Min	Max	Mean	Stdev
29	1.00	6.00	3.10	1.52

ADF8_6B	person present during Weighing
---------	--------------------------------

Start: 93
End: 95
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	1	0.2 %	7.7%
2	2:spouse	2	0.5 %	15.4%

Variable	Variable Description
----------	----------------------

ADF8_6B	person present during Weighing (cont.)
---------	----------------------------------------

Value	Label	Frequency	%	Valid %
3	3:sibling	3	0.7 %	23.1%
4	4:other adult	1	0.2 %	7.7%
5	5:other child	6	1.5 %	46.2%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	390	96.5 %	-

Valid	Min	Max	Mean	Stdev
13	1.00	5.00	3.69	1.44

ADF8_6C	person present during Weighing
---------	--------------------------------

Start: 96
 End: 98
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	50.0%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	1	0.2 %	50.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	401	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	3.00	5.00	4.00	1.41

ADF8_7	MSSI administered in private?
--------	-------------------------------

Start: 99
 End: 101
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.7 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	35	8.7 %	29.2%

Variable	Variable Description
----------	----------------------

ADF8_7	MSSI administered in private? (cont.)
--------	---------------------------------------

Value	Label	Frequency	%	Valid %
1	1:yes	85	21.0 %	70.8%
. (M)	-	281	69.6 %	-

Valid	Min	Max	Mean	Stdev
120	0.00	1.00	0.71	0.46

ADF8_7A	person present during MSSI
---------	----------------------------

Start: 102
 End: 104
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	4	1.0 %	11.4%
2	2:spouse	13	3.2 %	37.1%
3	3:sibling	3	0.7 %	8.6%
4	4:other adult	3	0.7 %	8.6%
5	5:other child	8	2.0 %	22.9%
6	6:friend	3	0.7 %	8.6%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	1	0.2 %	2.9%
. (M)	-	368	91.1 %	-

Valid	Min	Max	Mean	Stdev
35	1.00	8.00	3.34	1.81

ADF8_7B	person present during MSSI
---------	----------------------------

Start: 105
 End: 107
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	2	0.5 %	22.2%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	11.1%
4	4:other adult	1	0.2 %	11.1%
5	5:other child	4	1.0 %	44.4%

Variable	Variable Description
----------	----------------------

ADF8_7B	person present during MSSl (cont.)
---------	------------------------------------

Value	Label	Frequency	%	Valid %
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	1	0.2 %	11.1%
8	8:other	0	0.0 %	0.0%
. (M)	-	394	97.5 %	-

Valid	Min	Max	Mean	Stdev
9	1.00	7.00	4.00	2.00

ADF8_7C	person present during MSSl
---------	----------------------------

Start: 108
 End: 110
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	3	0.7 %	100.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	400	99.0 %	-

Valid	Min	Max	Mean	Stdev
3	5.00	5.00	5.00	0.00

ADF8_8	D.C. Screen administered in private?
--------	--------------------------------------

Start: 111
 End: 113
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	43	10.6 %	35.2%
1	1:yes	79	19.6 %	64.8%
. (M)	-	281	69.6 %	-

Variable **Variable Description**

ADF8_8 D.C. Screen administered in private? (cont.)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
122	0.00	1.00	0.65	0.48

ADF8_8A person present during D.C. Screen

Start: 114
End: 116
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.5 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	2	0.5 %	5.3%
2	2:spouse	17	4.2 %	44.7%
3	3:sibling	5	1.2 %	13.2%
4	4:other adult	5	1.2 %	13.2%
5	5:other child	7	1.7 %	18.4%
6	6:friend	2	0.5 %	5.3%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	364	90.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
38	1.00	6.00	3.11	1.43

ADF8_8B person present during D.C. Screen

Start: 117
End: 119
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	2	0.5 %	40.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other adult	1	0.2 %	20.0%
5	5:other child	1	0.2 %	20.0%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	1	0.2 %	20.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	398	98.5 %	-

- ICPSR 13579 -

Variable	Variable Description
----------	----------------------

ADF8_8B	person present during D.C. Screen (<i>cont.</i>)
---------	----------------------------------------------------

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	2.00	7.00	4.00	2.12

ADF8_8C	person present during D.C. Screen
---------	-----------------------------------

Start: 120
 End: 122
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	33.3%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	2	0.5 %	66.7%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	400	99.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
3	3.00	5.00	4.33	1.15

ADF8_9	YASR administered in private?
--------	-------------------------------

Start: 123
 End: 125
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	19	4.7 %	15.4%
1	1:yes	104	25.7 %	84.6%
. (M)	-	280	69.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
123	0.00	1.00	0.85	0.36

ADF8_9A	person present during YASR
---------	----------------------------

Start: 126
 End: 128
 Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-

Variable **Variable Description**

ADF8_9A person present during YASR (*cont.*)

Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	3	0.7 %	16.7%
2	2:spouse	8	2.0 %	44.4%
3	3:sibling	3	0.7 %	16.7%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	4	1.0 %	22.2%
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	385	95.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
18	1.00	5.00	2.67	1.41

ADF8_9B person present during YASR

Start: 129
End: 131
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	1	0.2 %
-98	-98:doesn't know	0	0.0 %
0	.u:not understnd	0	0.0 %
1	1:parent	0	0.0 %
2	2:spouse	0	0.0 %
3	3:sibling	0	0.0 %
4	4:other adult	0	0.0 %
5	5:other child	0	0.0 %
6	6:friend	0	0.0 %
7	7:neighbor	0	0.0 %
8	8:other	0	0.0 %
. (M)	-	403	99.8 %

ADF8_9C person present during YASR

Start: 132
End: 134
Width: 3
Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	1	0.2 %
-98	-98:doesn't know	0	0.0 %

Variable	Variable Description
----------	----------------------

ADF8_9C	person present during YASR (cont.)
---------	------------------------------------

Interval: discrete
Missing: -99

Value	Label	Frequency	%
0	.u:not understnd	0	0.0 %
1	1:parent	0	0.0 %
2	2:spouse	0	0.0 %
3	3:sibling	0	0.0 %
4	4:other adult	0	0.0 %
5	5:other child	0	0.0 %
6	6:friend	0	0.0 %
7	7:neighbor	0	0.0 %
8	8:other	0	0.0 %
. (M)	-	403	99.8 %

ADF8_10	Health Survey administered in private?
---------	----------------------------------------

Start: 135
End: 137
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	0:no	30	7.4 %	24.6%
1	1:yes	92	22.8 %	75.4%
. (M)	-	281	69.6 %	-

Valid	Min	Max	Mean	Stdev
122	0.00	1.00	0.75	0.43

ADF8_10A	person present during Health Survey
----------	-------------------------------------

Start: 138
End: 140
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	1	0.2 %	3.8%
2	2:spouse	12	3.0 %	46.2%
3	3:sibling	2	0.5 %	7.7%
4	4:other adult	3	0.7 %	11.5%
5	5:other child	7	1.7 %	26.9%
6	6:friend	1	0.2 %	3.8%
7	7:neighbor	0	0.0 %	0.0%

- ICPSR 13579 -

Variable	Variable Description
----------	----------------------

ADF8_10A	person present during Health Survey (<i>cont.</i>)
----------	------------------------------------------------------

Value	Label	Frequency	%	Valid %
8	8:other	0	0.0 %	0.0%
. (M)	-	377	93.3 %	-

Valid	Min	Max	Mean	Stdev
26	1.00	6.00	3.23	1.48

ADF8_10B	person present during Health Survey
----------	-------------------------------------

Start: 141
 End: 143
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	1	0.2 %	20.0%
4	4:other adult	1	0.2 %	20.0%
5	5:other child	2	0.5 %	40.0%
6	6:friend	1	0.2 %	20.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	398	98.5 %	-

Valid	Min	Max	Mean	Stdev
5	3.00	6.00	4.60	1.14

ADF8_10C	person present during Health Survey
----------	-------------------------------------

Start: 144
 End: 146
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98	-98:doesn't know	0	0.0 %	0.0%
0	.u:not understnd	0	0.0 %	0.0%
1	1:parent	0	0.0 %	0.0%
2	2:spouse	0	0.0 %	0.0%
3	3:sibling	0	0.0 %	0.0%
4	4:other adult	0	0.0 %	0.0%
5	5:other child	1	0.2 %	50.0%

Variable	Variable Description
----------	----------------------

ADF8_10C	person present during Health Survey (cont.)
----------	---------------------------------------------

Value	Label	Frequency	%	Valid %
6	6:friend	0	0.0 %	0.0%
7	7:neighbor	0	0.0 %	0.0%
8	8:other	1	0.2 %	50.0%
. (M)	-	401	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	5.00	8.00	6.50	2.12

ADF9	standard order administration followed?
------	-----------------------------------------

Start: 147
 End: 149
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99, -98

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	9	2.2 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
0	0:no	286	70.8 %	74.1%
1	1:yes	100	24.8 %	25.9%
. (M)	-	7	1.7 %	-

Valid	Min	Max	Mean	Stdev
386	0.00	1.00	0.26	0.44