

ICPSR 13585

**Project on Human Development  
in Chicago Neighborhoods  
(PHDCN): Deviance of Peers,  
Wave 1, 1994-1997**

Felton J. Earls  
*Harvard Medical School*

Jeanne Brooks-Gunn  
*Scientific Director. Columbia University.  
Teacher's College. Center for the Study of  
Children and Families*

Stephen W. Raudenbush  
*Scientific Director. University of Michigan.  
School of Education and Survey Research  
Center*

Robert J. Sampson  
*Scientific Director. Harvard University.  
Department of Sociology*

Codebook for Cohort 12

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
  - verified that respondent confidentiality was protected
  - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
  - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
  - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
  - reformatted date and time variables to make them compatible across statistical packages
  - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
  - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
  - Data Completeness Reports summarizing the amount of missing data in each file
  - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
  - processing notes and appendices documenting additional information, as necessary.
4. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., \*). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:

DOPFILE	source file for DOP data
DOPRAID	RA id for DOP measure

5. The following abbreviations are used in the codebook and setup files:

DOP = Deviance of Peers  
PC = Primary Caregiver  
SUB = Subject

## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

Variable Name and Label (Total Cases = 806 )	Percent of Cases with Missing Values
9.8% ( 5 of 51 variables)	have 0% Missing Values
21.6% ( 11 of 51 variables)	have 0% - 1% Missing Values
39.2% ( 20 of 51 variables)	have 1% - 3% Missing Values
7.8% ( 4 of 51 variables)	have 3% - 5% Missing Values
2.0% ( 1 of 51 variables)	have 5% - 10% Missing Values
DP12	# in trouble at home 5.5%
2.0% ( 1 of 51 variables)	have 10% - 20% Missing Values
DP30	# had sexual intercourse 10.4%
0.0% ( 0 of 51 variables)	have 20% - 40% Missing Values
17.6% ( 9 of 51 variables)	have 40% - 100% Missing Values
BASISID	basis id for multi-subject household 99.6%
DOPRAID	RA id for DOP measure 95.7%
MONTH	month of DOP measure 95.7%
DAY	day of DOP measure 95.7%
YEAR	year of DOP measure 95.7%
HRSDOPS	hours - time DOP measure started 95.8%
MINDOPS	mins - time DOP measure started 95.8%
HRSDOPE	hours - time DOP measure ended 95.8%
MINDOPE	mins - time DOP measure ended 95.8%



## Codebook for ICPSR 13585

### Project on Human Development in Chicago Neighborhoods (PHDCN): Deviance of Peers, Wave 1, 1994-1997

#### Dataset0002: Cohort 12

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID	subject id
-------	------------

Start: 1  
End: 7  
Width: 7  
Type: numeric (ISO)  
Interval: discrete

Valid	Min	Max	Mean	Stdev
806	1000091.00	1107681.00	1057816.98	28856.11

BASISID	basis id for multi-subject household
---------	--------------------------------------

Start: 8  
End: 14  
Width: 7  
Type: numeric (ISO)  
Interval: discrete

Value	Frequency	%	Valid %
1023351	1	0.1 %	33.3%
1077521	1	0.1 %	33.3%
1085791	1	0.1 %	33.3%
. (M)	803	99.6 %	-

Valid	Min	Max	Mean	Stdev
3	1023351.00	1085791.00	1062221.00	33915.42

WAVE	wave #
------	--------

Start: 15  
End: 15  
Width: 1  
Type: numeric (ISO)  
Interval: discrete

Value	Frequency	%	Valid %
1	806	100.0 %	100.0%

Valid	Min	Max	Mean	Stdev
806	1.00	1.00	1.00	0.00

COHORT	cohort age
--------	------------

Start: 16  
End: 17  
Width: 2  
Type: numeric (ISO)  
Interval: discrete

Value	Frequency	%	Valid %
12	806	100.0 %	100.0%

Valid	Min	Max	Mean	Stdev
806	12.00	12.00	12.00	0.00

Variable	Variable Description
----------	----------------------

SOURCE	field copy #
--------	--------------

Start: 18 End: 18 Width: 1 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>	
	1	35	4.3 %	4.3%	
	2	771	95.7 %	95.7%	
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	806	1.00	2.00	1.96	0.20

DOPFILE	source file for DOP data
---------	--------------------------

Start: 19 End: 19 Width: 1 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	1	1:dp11s1	35	4.3 %	4.3%
	2	2:dp21n2	485	60.2 %	60.2%
	3	3:dp21s9	0	0.0 %	0.0%
	4	4:dp21s12	286	35.5 %	35.5%
	5	5:dp21s15	0	0.0 %	0.0%
	6	6:dp21s18	0	0.0 %	0.0%
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	806	1.00	4.00	2.67	1.01

DOPRAID	RA id for DOP measure
---------	-----------------------

Start: 20 End: 23 Width: 4 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	1	2	0.2 %	5.7%
	3	1	0.1 %	2.9%
	4	1	0.1 %	2.9%
	5	1	0.1 %	2.9%
	6	1	0.1 %	2.9%
	9	1	0.1 %	2.9%
	11	1	0.1 %	2.9%
	13	1	0.1 %	2.9%
	17	1	0.1 %	2.9%
	18	1	0.1 %	2.9%
	19	1	0.1 %	2.9%
	20	1	0.1 %	2.9%
	22	1	0.1 %	2.9%
	23	1	0.1 %	2.9%



Variable	Variable Description
----------	----------------------

DOPRAID	RA id for DOP measure (cont.)
---------	-------------------------------

Value	Frequency	%	Valid %
26	1	0.1 %	2.9%
27	1	0.1 %	2.9%
28	2	0.2 %	5.7%
29	1	0.1 %	2.9%
30	1	0.1 %	2.9%
31	1	0.1 %	2.9%
32	2	0.2 %	5.7%
33	2	0.2 %	5.7%
35	1	0.1 %	2.9%
36	1	0.1 %	2.9%
37	1	0.1 %	2.9%
41	3	0.4 %	8.6%
43	2	0.2 %	5.7%
45	1	0.1 %	2.9%
. (M)	771	95.7 %	-

Valid	Min	Max	Mean	Stdev
35	1.00	45.00	24.66	13.42

MONTH	month of DOP measure
-------	----------------------

Start: 24  
 End: 25  
 Width: 2  
 Type: numeric (ISO)  
 Interval: discrete

Value	Frequency	%	Valid %
1	5	0.6 %	14.3%
2	5	0.6 %	14.3%
3	8	1.0 %	22.9%
4	3	0.4 %	8.6%
5	4	0.5 %	11.4%
6	2	0.2 %	5.7%
11	6	0.7 %	17.1%
12	2	0.2 %	5.7%
. (M)	771	95.7 %	-

Valid	Min	Max	Mean	Stdev
35	1.00	12.00	4.94	3.74

Variable	Variable Description
----------	----------------------

DAY	day of DOP measure
-----	--------------------

Start: 26  
 End: 27  
 Width: 2  
 Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1	0.1 %	2.9%
3	2	0.2 %	5.7%
4	1	0.1 %	2.9%
6	4	0.5 %	11.4%
7	2	0.2 %	5.7%
9	1	0.1 %	2.9%
10	1	0.1 %	2.9%
12	2	0.2 %	5.7%
13	2	0.2 %	5.7%
15	3	0.4 %	8.6%
16	1	0.1 %	2.9%
19	3	0.4 %	8.6%
20	1	0.1 %	2.9%
21	2	0.2 %	5.7%
22	3	0.4 %	8.6%
23	1	0.1 %	2.9%
24	1	0.1 %	2.9%
25	3	0.4 %	8.6%
26	1	0.1 %	2.9%
. (M)	771	95.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
35	2.00	26.00	14.66	7.62

YEAR	year of DOP measure
------	---------------------

Start: 28  
 End: 31  
 Width: 4  
 Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1994	8	1.0 %	22.9%
1995	27	3.3 %	77.1%
. (M)	771	95.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
35	1994.00	1995.00	1994.77	0.43

Variable	Variable Description
----------	----------------------

HRSDOPS	hours - time DOP measure started
---------	----------------------------------

Start: 32  
 End: 33  
 Width: 2  
 Type: numeric (ISO)  
 Interval: discrete

Value	Frequency	%	Valid %
1	4	0.5 %	11.8%
2	3	0.4 %	8.8%
3	4	0.5 %	11.8%
4	9	1.1 %	26.5%
5	3	0.4 %	8.8%
6	4	0.5 %	11.8%
7	1	0.1 %	2.9%
8	1	0.1 %	2.9%
11	2	0.2 %	5.9%
12	3	0.4 %	8.8%
. (M)	772	95.8 %	-

Valid	Min	Max	Mean	Stdev
34	1.00	12.00	5.00	3.27

MINDOPS	mins - time DOP measure started
---------	---------------------------------

Start: 34  
 End: 35  
 Width: 2  
 Type: numeric (ISO)  
 Interval: discrete

Value	Frequency	%	Valid %
0	1	0.1 %	2.9%
2	1	0.1 %	2.9%
5	2	0.2 %	5.9%
6	1	0.1 %	2.9%
10	1	0.1 %	2.9%
15	1	0.1 %	2.9%
16	1	0.1 %	2.9%
18	2	0.2 %	5.9%
19	1	0.1 %	2.9%
21	1	0.1 %	2.9%
23	1	0.1 %	2.9%
25	1	0.1 %	2.9%
30	1	0.1 %	2.9%
31	1	0.1 %	2.9%
33	1	0.1 %	2.9%
35	1	0.1 %	2.9%
36	1	0.1 %	2.9%

Variable	Variable Description
----------	----------------------

MINDOPS	mins - time DOP measure started ( <i>cont.</i> )
---------	--

Value	Frequency	%	Valid %
37	1	0.1 %	2.9%
38	1	0.1 %	2.9%
40	4	0.5 %	11.8%
44	2	0.2 %	5.9%
45	1	0.1 %	2.9%
46	1	0.1 %	2.9%
50	1	0.1 %	2.9%
54	1	0.1 %	2.9%
57	2	0.2 %	5.9%
59	1	0.1 %	2.9%
. (M)	772	95.8 %	-

Valid	Min	Max	Mean	Stdev
34	0.00	59.00	30.56	17.07

HRSDOPE	hours - time DOP measure ended
---------	--------------------------------

Start: 36  
 End: 37  
 Width: 2  
 Type: numeric (ISO)  
 Interval: discrete

Value	Frequency	%	Valid %
1	2	0.2 %	5.9%
2	5	0.6 %	14.7%
3	2	0.2 %	5.9%
4	10	1.2 %	29.4%
5	3	0.4 %	8.8%
6	4	0.5 %	11.8%
7	2	0.2 %	5.9%
8	1	0.1 %	2.9%
11	2	0.2 %	5.9%
12	3	0.4 %	8.8%
. (M)	772	95.8 %	-

Valid	Min	Max	Mean	Stdev
34	1.00	12.00	5.21	3.18

Variable	Variable Description
----------	----------------------

MINDOPE	mins - time DOP measure ended
---------	-------------------------------

Start: 38  
 End: 39  
 Width: 2  
 Type: numeric (ISO)  
 Interval: discrete

Value	Frequency	%	Valid %
0	3	0.4 %	8.8%
4	1	0.1 %	2.9%
5	2	0.2 %	5.9%
6	1	0.1 %	2.9%
9	1	0.1 %	2.9%
10	3	0.4 %	8.8%
13	1	0.1 %	2.9%
21	2	0.2 %	5.9%
24	2	0.2 %	5.9%
26	2	0.2 %	5.9%
30	2	0.2 %	5.9%
32	1	0.1 %	2.9%
36	1	0.1 %	2.9%
37	2	0.2 %	5.9%
40	1	0.1 %	2.9%
45	4	0.5 %	11.8%
49	1	0.1 %	2.9%
50	3	0.4 %	8.8%
51	1	0.1 %	2.9%
. (M)	772	95.8 %	-

Valid	Min	Max	Mean	Stdev
34	0.00	51.00	26.06	17.42

DP1A0	any friends in school?
-------	------------------------

Start: 40  
 End: 42  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -96

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	1	0.1 %	-
0	0:no	10	1.2 %	1.3%
1	1:yes	777	96.4 %	98.7%
. (M)	-	18	2.2 %	-

Valid	Min	Max	Mean	Stdev
787	0.00	1.00	0.99	0.11

**Variable** **Variable Description**

**DP1** **# involved in non-sport school activity**

Start: 43  
 End: 45  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	1	0.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	75	9.3 %	9.5%
2	2:some	591	73.3 %	74.7%
3	3:all	125	15.5 %	15.8%
. (M)	-	14	1.7 %	-
<i>Valid</i>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	791	1.00	3.00	2.06
				0.50

**DP2** **# involved in school sports**

Start: 46  
 End: 46  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98	-98:doesn't know	0	0.0 %	0.0%
-96	-96:refused	0	0.0 %	0.0%
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	71	8.8 %	9.0%
2	2:some	480	59.6 %	60.6%
3	3:all	241	29.9 %	30.4%
. (M)	-	14	1.7 %	-
<i>Valid</i>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	792	1.00	3.00	2.21
				0.59

**DP3** **# got along well with teachers**

Start: 47  
 End: 47  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1:none	47	5.8 %	5.9%
2	2:some	515	63.9 %	64.9%
3	3:all	231	28.7 %	29.1%
. (M)	-	13	1.6 %	-
<i>Valid</i>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	793	1.00	3.00	2.23
				0.55

**Variable** **Variable Description**

**DP4** **# considered good students**

Start: 48  
End: 48  
Width: 1  
Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1:none	36	4.5 %	4.5%
2	2:some	581	72.1 %	73.3%
3	3:all	176	21.8 %	22.2%
. (M)	-	13	1.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
793	1.00	3.00	2.18	0.49

**DP5** **# obeyed school rules**

Start: 49  
End: 49  
Width: 1  
Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1:none	58	7.2 %	7.3%
2	2:some	514	63.8 %	64.8%
3	3:all	221	27.4 %	27.9%
. (M)	-	13	1.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
793	1.00	3.00	2.21	0.56

**DP6** **# skipped school without excuse**

Start: 50  
End: 52  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	2	0.2 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	483	59.9 %	61.6%
2	2:some	271	33.6 %	34.6%
3	3:all	30	3.7 %	3.8%
. (M)	-	20	2.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
784	1.00	3.00	1.42	0.57

**DP7** **# gotten in trouble in school**

Start: 53  
End: 55  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	doesn't know	1	0.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	104	12.9 %	13.1%

Variable	Variable Description
----------	----------------------

DP7	# gotten in trouble in school (cont.)
-----	---------------------------------------

Missing: -98

Value	Label	Frequency	%	Valid %
2	2:some	559	69.4 %	70.6%
3	3:all	129	16.0 %	16.3%
. (M)	-	13	1.6 %	-

  

Valid	Min	Max	Mean	Stdev
792	1.00	3.00	2.03	0.54

DP8	# involved in community activities
-----	------------------------------------

Start: 56  
End: 58  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	2	0.2 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	122	15.1 %	15.3%
2	2:some	487	60.4 %	61.2%
3	3:all	187	23.2 %	23.5%
. (M)	-	8	1.0 %	-

  

Valid	Min	Max	Mean	Stdev
796	1.00	3.00	2.08	0.62

DP9	# involved in religious activities
-----	------------------------------------

Start: 59  
End: 61  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	8	1.0 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	202	25.1 %	26.0%
2	2:some	477	59.2 %	61.3%
3	3:all	99	12.3 %	12.7%
. (M)	-	20	2.5 %	-

  

Valid	Min	Max	Mean	Stdev
778	1.00	3.00	1.87	0.61

DP10	# considered good citizens
------	----------------------------

Start: 62  
End: 64  
Width: 3  
Type: numeric (ISO)

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	1	0.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%



- ICPSR 13585 -

Variable	Variable Description
----------	----------------------

DP10	# considered good citizens ( <i>cont.</i> )
------	---

Interval: discrete Missing: -98		<i>Value</i>	<i>Label</i>	<i>Frequency</i>	%	<i>Valid %</i>
		1	1:none	56	6.9 %	7.0%
		2	2:some	475	58.9 %	59.4%
		3	3:all	268	33.3 %	33.5%
		. (M)	-	6	0.7 %	-
		<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
		799	1.00	3.00	2.27	0.58

DP11	# involved in family activities
------	---------------------------------

Start: 65 End: 67 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -98, -95		<i>Value</i>	<i>Label</i>	<i>Frequency</i>	%	<i>Valid %</i>
		-98 (M)	-98:doesn't know	6	0.7 %	-
		-95 (M)	-95:doesn't understand	1	0.1 %	-
		1	1:none	68	8.4 %	8.7%
		2	2:some	336	41.7 %	43.2%
		3	3:all	374	46.4 %	48.1%
		. (M)	-	21	2.6 %	-
		<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
		778	1.00	3.00	2.39	0.64

DP12	# in trouble at home
------	----------------------

Start: 68 End: 70 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -98		<i>Value</i>	<i>Label</i>	<i>Frequency</i>	%	<i>Valid %</i>
		-98 (M)	-98:doesn't know	16	2.0 %	-
		-95	-95:doesn't understand	0	0.0 %	0.0%
		1	1:none	137	17.0 %	18.0%
		2	2:some	452	56.1 %	59.3%
		3	3:all	173	21.5 %	22.7%
		. (M)	-	28	3.5 %	-
		<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
		762	1.00	3.00	2.05	0.64

DP13	# generally honest and tell truth
------	-----------------------------------

Start: 71 End: 73		<i>Value</i>	<i>Label</i>	<i>Frequency</i>	%	<i>Valid %</i>
		-98 (M)	-98:doesn't know	1	0.1 %	-

Variable	Variable Description
----------	----------------------

DP13	# generally honest and tell truth (cont.)
------	---

Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

Value	Label	Frequency	%	Valid %
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	99	12.3 %	12.4%
2	2:some	536	66.5 %	67.1%
3	3:all	164	20.3 %	20.5%
. (M)	-	6	0.7 %	-

Valid	Min	Max	Mean	Stdev
799	1.00	3.00	2.08	0.57

DP14	# lied/disobeyed adults
------	-------------------------

Start: 74  
End: 76  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	1	0.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	162	20.1 %	20.9%
2	2:some	504	62.5 %	65.0%
3	3:all	109	13.5 %	14.1%
. (M)	-	30	3.7 %	-

Valid	Min	Max	Mean	Stdev
775	1.00	3.00	1.93	0.59

DP15	# purposefully damaged property
------	---------------------------------

Start: 77  
End: 79  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	2	0.2 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	420	52.1 %	52.5%
2	2:some	342	42.4 %	42.8%
3	3:all	38	4.7 %	4.8%
. (M)	-	4	0.5 %	-

Valid	Min	Max	Mean	Stdev
800	1.00	3.00	1.52	0.59

Variable	Variable Description
----------	----------------------

DP16	# stolen something worth <=\$5
------	--------------------------------

Start: 80  
 End: 82  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98, -95

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	6	0.7 %	-
-95 (M)	-95:doesn't understand	1	0.1 %	-
1	1:none	501	62.2 %	63.7%
2	2:some	259	32.1 %	32.9%
3	3:all	27	3.3 %	3.4%
. (M)	-	12	1.5 %	-

  

Valid	Min	Max	Mean	Stdev
787	1.00	3.00	1.40	0.56

DP17	# stolen something worth >\$5,<=\$500
------	---------------------------------------

Start: 83  
 End: 85  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	9	1.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	634	78.7 %	80.7%
2	2:some	137	17.0 %	17.4%
3	3:all	15	1.9 %	1.9%
. (M)	-	11	1.4 %	-

  

Valid	Min	Max	Mean	Stdev
786	1.00	3.00	1.21	0.45

DP18	# stolen something worth >\$500
------	---------------------------------

Start: 86  
 End: 88  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	9	1.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	752	93.3 %	95.7%
2	2:some	26	3.2 %	3.3%
3	3:all	8	1.0 %	1.0%
. (M)	-	11	1.4 %	-

  

Valid	Min	Max	Mean	Stdev
786	1.00	3.00	1.05	0.27

Variable	Variable Description
----------	----------------------

DP19	# entered building to steal
------	-----------------------------

Start: 89  
 End: 91  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	11	1.4 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	648	80.4 %	82.8%
2	2:some	124	15.4 %	15.8%
3	3:all	11	1.4 %	1.4%
. (M)	-	12	1.5 %	-

  

Valid	Min	Max	Mean	Stdev
783	1.00	3.00	1.19	0.42

DP20	# taken motor vehicle w/o permission
------	--------------------------------------

Start: 92  
 End: 94  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	3	0.4 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	730	90.6 %	91.7%
2	2:some	61	7.6 %	7.7%
3	3:all	5	0.6 %	0.6%
. (M)	-	7	0.9 %	-

  

Valid	Min	Max	Mean	Stdev
796	1.00	3.00	1.09	0.31

DP21	# gotten in fist fights with others
------	-------------------------------------

Start: 95  
 End: 95  
 Width: 1  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%	Valid %
-98	-98:doesn't know	0	0.0 %	0.0%
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	138	17.1 %	17.2%
2	2:some	551	68.4 %	68.7%
3	3:all	113	14.0 %	14.1%
. (M)	-	4	0.5 %	-

  

Valid	Min	Max	Mean	Stdev
802	1.00	3.00	1.97	0.56

Variable	Variable Description
----------	----------------------

DP22	# hit someone in order to hurt
------	--------------------------------

Start: 96  
 End: 98  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	1	0.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	294	36.5 %	36.8%
2	2:some	446	55.3 %	55.8%
3	3:all	60	7.4 %	7.5%
. (M)	-	5	0.6 %	-

  

Valid	Min	Max	Mean	Stdev
800	1.00	3.00	1.71	0.60

DP23	# attacked someone with a weapon
------	----------------------------------

Start: 99  
 End: 101  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	2	0.2 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	683	84.7 %	85.7%
2	2:some	96	11.9 %	12.0%
3	3:all	18	2.2 %	2.3%
. (M)	-	7	0.9 %	-

  

Valid	Min	Max	Mean	Stdev
797	1.00	3.00	1.17	0.43

DP24	# used weapon/force to get money
------	----------------------------------

Start: 102  
 End: 104  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	2	0.2 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	728	90.3 %	91.7%
2	2:some	60	7.4 %	7.6%
3	3:all	6	0.7 %	0.8%
. (M)	-	10	1.2 %	-

  

Valid	Min	Max	Mean	Stdev
794	1.00	3.00	1.09	0.31

Variable	Variable Description
----------	----------------------

DP25	# sold drugs (not marijuana)
------	------------------------------

Start: 105  
End: 107  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98, -95

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	5	0.6 %	-
-95 (M)	-95:doesn't understand	1	0.1 %	-
1	1:none	714	88.6 %	90.5%
2	2:some	68	8.4 %	8.6%
3	3:all	7	0.9 %	0.9%
. (M)	-	11	1.4 %	-

  

Valid	Min	Max	Mean	Stdev
789	1.00	3.00	1.10	0.33

DP26	# used marijuana or pot
------	-------------------------

Start: 108  
End: 110  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98, -95

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	5	0.6 %	-
-95 (M)	-95:doesn't understand	3	0.4 %	-
1	1:none	668	82.9 %	85.5%
2	2:some	103	12.8 %	13.2%
3	3:all	10	1.2 %	1.3%
. (M)	-	17	2.1 %	-

  

Valid	Min	Max	Mean	Stdev
781	1.00	3.00	1.16	0.40

DP27	# used any form of alcohol
------	----------------------------

Start: 111  
End: 113  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -98

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	4	0.5 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	552	68.5 %	69.5%
2	2:some	226	28.0 %	28.5%
3	3:all	16	2.0 %	2.0%
. (M)	-	8	1.0 %	-

  

Valid	Min	Max	Mean	Stdev
794	1.00	3.00	1.32	0.51

**Variable** **Variable Description**

**DP28** **# used drugs (not marijuana)**

Start: 114  
 End: 116  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98, -95

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	9	1.1 %	-
-95 (M)	-95:doesn't understand	2	0.2 %	-
1	1:none	723	89.7 %	92.3%
2	2:some	57	7.1 %	7.3%
3	3:all	3	0.4 %	0.4%
. (M)	-	12	1.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
783	1.00	3.00	1.08	0.29

**DP29** **# used tobacco**

Start: 117  
 End: 119  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	9	1.1 %	-
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:none	605	75.1 %	77.1%
2	2:some	170	21.1 %	21.7%
3	3:all	10	1.2 %	1.3%
. (M)	-	12	1.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
785	1.00	3.00	1.24	0.46

**DP30** **# had sexual intercourse**

Start: 120  
 End: 122  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -98, -96, -95

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	21	2.6 %	-
-96 (M)	-	1	0.1 %	-
-95 (M)	-95:doesn't understand	11	1.4 %	-
1	1:none	575	71.3 %	79.6%
2	2:some	134	16.6 %	18.6%
3	3:all	13	1.6 %	1.8%
. (M)	-	51	6.3 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
722	1.00	3.00	1.22	0.46

Variable	Variable Description
----------	----------------------

DP31	how often asked you to go drinking
------	------------------------------------

Start: 123  
End: 123  
Width: 1  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:never	732	90.8 %	91.2%
2	2:once/twice	55	6.8 %	6.8%
3	3:several times	10	1.2 %	1.2%
4	4:often	6	0.7 %	0.7%
. (M)	-	3	0.4 %	-

  

Valid	Min	Max	Mean	Stdev
803	1.00	4.00	1.12	0.42

DP32	how often pressured you to drink
------	----------------------------------

Start: 124  
End: 124  
Width: 1  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:never	721	89.5 %	89.8%
2	2:once/twice	51	6.3 %	6.4%
3	3:several times	19	2.4 %	2.4%
4	4:often	12	1.5 %	1.5%
. (M)	-	3	0.4 %	-

  

Valid	Min	Max	Mean	Stdev
803	1.00	4.00	1.16	0.52

DP33	how often said had to drink to enjoy
------	--------------------------------------

Start: 125  
End: 125  
Width: 1  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-98	-98:doesn't know	0	0.0 %	0.0%
-95	-95:doesn't understand	0	0.0 %	0.0%
1	1:never	760	94.3 %	94.6%
2	2:once/twice	30	3.7 %	3.7%
3	3:several times	8	1.0 %	1.0%
4	4:often	5	0.6 %	0.6%
. (M)	-	3	0.4 %	-

  

Valid	Min	Max	Mean	Stdev
803	1.00	4.00	1.08	0.36



**Variable** **Variable Description**

DP34 how often offered you marijuana/pot

Start: 126  
End: 128  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -95

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98	-98:doesn't know	0	0.0 %	0.0%
-95 (M)	-95:doesn't understand	3	0.4 %	-
1	1:never	758	94.0 %	94.8%
2	2:once/twice	30	3.7 %	3.8%
3	3:several times	8	1.0 %	1.0%
4	4:often	4	0.5 %	0.5%
. (M)	-	3	0.4 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
800	1.00	4.00	1.07	0.34

DP35 how often said had to get high to enjoy

Start: 129  
End: 131  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -95

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-95 (M)	-95:doesn't understand	1	0.1 %	-
1	1:never	765	94.9 %	95.4%
2	2:once/twice	25	3.1 %	3.1%
3	3:several times	2	0.2 %	0.2%
4	4:often	10	1.2 %	1.2%
. (M)	-	3	0.4 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
802	1.00	4.00	1.07	0.38

DP36 how often pressured you to use drugs

Start: 132  
End: 134  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -95

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-95 (M)	-95:doesn't understand	2	0.2 %	-
1	1:never	758	94.0 %	94.9%
2	2:once/twice	29	3.6 %	3.6%
3	3:several times	7	0.9 %	0.9%
4	4:often	5	0.6 %	0.6%
. (M)	-	5	0.6 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
799	1.00	4.00	1.07	0.35