

ICPSR 13643

**Project on Human Development in
Chicago Neighborhoods (PHDCN):
Perceptions of Drug Risk, Wave 2,
1997-2000**

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 18

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID2 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director, National Archive of Criminal Justice Data,

Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. The following abbreviations are used in the codebook and setup files:
 - PC = Primary Caregiver
 - PDR = Perceptions of Drug Risk
 - SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 18

Variable Name and Label (Total Cases = 427)	Percent of Cases with Missing Values	
26.7% (8 of 30 variables)	have 0% Missing Values	
33.3% (10 of 30 variables)	have 0% - 1% Missing Values	
20.0% (6 of 30 variables)	have 1% - 3% Missing Values	
10.0% (3 of 30 variables)	have 3% - 5% Missing Values	
0.0% (0 of 30 variables)	have 5% - 10% Missing Values	
6.7% (2 of 30 variables)	have 10% - 20% Missing Values	
PB23	ease/difficulty getting LSD	17.8%
PB24	ease/difficulty getting PCP	15.7%
0.0% (0 of 30 variables)	have 20% - 40% Missing Values	
0.0% (0 of 30 variables)	have 40% - 99% Missing Values	
3.3% (1 of 30 variables)	have 100% missing values	
PB20	ease/difficulty getting cigarettes	100%

Codebook for ICPSR 13643

**Project on Human Development in Chicago Neighborhoods (PHDCN):
Perceptions of Drug Risk, Wave 2, 1997-2000**

Dataset0004: Cohort 18

Variable Variable Description

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID2 ICPSR Wave 2 subject ID

Start: 1 End: 7 Width: 7 Type: numeric (ISO) Interval: discrete	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	427	2000025.00	2006219.00	2003075.85	1781.18

WAVE wave #

Start: 8 End: 10 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	2	-	427	100.0 %	100.0%
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	427	2.00	2.00	2.00	0.00

COHORT cohort

Start: 11 End: 13 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	18	-	427	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (cont.)
--------	----------------

Valid	Min	Max	Mean	Stdev
427	18.00	18.00	18.00	0.00

PB1	hurt by smoking 1 or more packs cigarettes/day?
-----	---

Start: 14
End: 16
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	26	6.1 %	6.1%
2	2:probably no	38	8.9 %	8.9%
3	3:probably yes	154	36.1 %	36.1%
4	4:definitely yes	209	48.9 %	48.9%

Valid	Min	Max	Mean	Stdev
427	1.00	4.00	3.28	0.86

PB2	hurt by smoking marijuana once or twice?
-----	--

Start: 17
End: 19
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	98	23.0 %	23.1%
2	2:probably no	167	39.1 %	39.3%
3	3:probably yes	91	21.3 %	21.4%
4	4:definitely yes	69	16.2 %	16.2%

Variable	Variable Description
----------	----------------------

PB2 hurt by smoking marijuana once or twice? (cont.)

Valid	Min	Max	Mean	Stdev
425	1.00	4.00	2.31	1.00

PB3 hurt by smoking marijuana now and then?

Start: 20
End: 22
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	49	11.5 %	11.5%
2	2:probably no	136	31.9 %	32.0%
3	3:probably yes	146	34.2 %	34.4%
4	4:definitely yes	94	22.0 %	22.1%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
425	1.00	4.00	2.67	0.95

PB4 hurt by smoking marijuana regularly?

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	20	4.7 %	4.7%
2	2:probably no	39	9.1 %	9.2%
3	3:probably yes	128	30.0 %	30.0%
4	4:definitely yes	239	56.0 %	56.1%

Variable	Variable Description
----------	----------------------

PB4	hurt by smoking marijuana regularly? (cont.)
-----	--

Valid	Min	Max	Mean	Stdev
426	1.00	4.00	3.38	0.84

PB5	hurt by trying inhalants once or twice?
-----	---

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	5	1.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	18	4.2 %	4.3%
2	2:probably no	76	17.8 %	18.1%
3	3:probably yes	176	41.2 %	41.9%
4	4:definitely yes	150	35.1 %	35.7%

Valid	Min	Max	Mean	Stdev
420	1.00	4.00	3.09	0.84

PB6	hurt by using inhalants regularly?
-----	------------------------------------

Start: 29
End: 31
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	4	0.9 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	1	0.2 %	0.2%
2	2:probably no	9	2.1 %	2.1%
3	3:probably yes	95	22.2 %	22.6%
4	4:definitely yes	316	74.0 %	75.1%

Variable	Variable Description
----------	----------------------

PB6	hurt by using inhalants regularly? (<i>cont.</i>)
-----	---

Valid	Min	Max	Mean	Stdev
421	1.00	4.00	3.72	0.51

PB7	hurt by trying heroin once or twice?
-----	--------------------------------------

Start: 32
End: 34
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	8	1.9 %	1.9%
2	2:probably no	32	7.5 %	7.5%
3	3:probably yes	162	37.9 %	38.2%
4	4:definitely yes	222	52.0 %	52.4%

Valid	Min	Max	Mean	Stdev
424	1.00	4.00	3.41	0.71

PB8	hurt by using heroin regularly?
-----	---------------------------------

Start: 35
End: 37
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	1	0.2 %	0.2%
2	2:probably no	3	0.7 %	0.7%
3	3:probably yes	31	7.3 %	7.3%
4	4:definitely yes	389	91.1 %	91.7%

Variable	Variable Description
----------	----------------------

PB8	hurt by using heroin regularly? (cont.)
-----	---

Valid	Min	Max	Mean	Stdev
424	1.00	4.00	3.91	0.34

PB9	hurt by trying cocaine once or twice?
-----	---------------------------------------

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	9	2.1 %	2.1%
2	2:probably no	60	14.1 %	14.1%
3	3:probably yes	149	34.9 %	35.1%
4	4:definitely yes	207	48.5 %	48.7%

Valid	Min	Max	Mean	Stdev
425	1.00	4.00	3.30	0.79

PB10	hurt by using cocaine now and then?
------	-------------------------------------

Start: 41
End: 43
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	4	0.9 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	0	0.0 %	0.0%
2	2:probably no	23	5.4 %	5.4%
3	3:probably yes	92	21.5 %	21.7%
4	4:definitely yes	308	72.1 %	72.8%

Variable	Variable Description
----------	----------------------

PB10	hurt by using cocaine now and then? (cont.)
------	---

Valid	Min	Max	Mean	Stdev
423	2.00	4.00	3.67	0.57

PB11	hurt by using cocaine regularly?
------	----------------------------------

Start: 44
 End: 46
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	0	0.0 %	0.0%
2	2:probably no	1	0.2 %	0.2%
3	3:probably yes	31	7.3 %	7.3%
4	4:definitely yes	394	92.3 %	92.5%

Valid	Min	Max	Mean	Stdev
426	2.00	4.00	3.92	0.28

PB12	hurt by trying crack once or twice?
------	-------------------------------------

Start: 47
 End: 49
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	6	1.4 %	1.4%
2	2:probably no	30	7.0 %	7.1%
3	3:probably yes	149	34.9 %	35.3%
4	4:definitely yes	237	55.5 %	56.2%

Variable	Variable Description
----------	----------------------

PB12	hurt by trying crack once or twice? (cont.)
------	---

Valid	Min	Max	Mean	Stdev
422	1.00	4.00	3.46	0.69

PB13	hurt by using crack now and then?
------	-----------------------------------

Start: 50
 End: 52
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	0	0.0 %	0.0%
2	2:probably no	13	3.0 %	3.1%
3	3:probably yes	98	23.0 %	23.2%
4	4:definitely yes	311	72.8 %	73.7%

Valid	Min	Max	Mean	Stdev
422	2.00	4.00	3.71	0.52

PB14	hurt by using crack regularly?
------	--------------------------------

Start: 53
 End: 55
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	0	0.0 %	0.0%
2	2:probably no	0	0.0 %	0.0%
3	3:probably yes	20	4.7 %	4.8%
4	4:definitely yes	400	93.7 %	95.2%
. (M)	-	2	0.5 %	-

Variable	Variable Description
----------	----------------------

PB14	hurt by using crack regularly? (cont.)
------	--

Valid	Min	Max	Mean	Stdev
420	3.00	4.00	3.95	0.21

PB15	hurt by using steroids now and then?
------	--------------------------------------

Start: 56
 End: 58
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	11	2.6 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	7	1.6 %	1.7%
2	2:probably no	73	17.1 %	17.6%
3	3:probably yes	208	48.7 %	50.2%
4	4:definitely yes	126	29.5 %	30.4%

Valid	Min	Max	Mean	Stdev
414	1.00	4.00	3.09	0.74

PB16	hurt by using steroids regularly?
------	-----------------------------------

Start: 59
 End: 61
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	11	2.6 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	2	0.5 %	0.5%
2	2:probably no	13	3.0 %	3.1%
3	3:probably yes	106	24.8 %	25.6%
4	4:definitely yes	293	68.6 %	70.8%

Variable	Variable Description
----------	----------------------

PB16	hurt by using steroids regularly? (cont.)
------	---

Valid	Min	Max	Mean	Stdev
414	1.00	4.00	3.67	0.56

PB17	hurt by 1-2 drinks alcohol/day?
------	---------------------------------

Start: 62
End: 64
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	33	7.7 %	7.7%
2	2:probably no	113	26.5 %	26.5%
3	3:probably yes	186	43.6 %	43.6%
4	4:definitely yes	95	22.2 %	22.2%

Valid	Min	Max	Mean	Stdev
427	1.00	4.00	2.80	0.87

PB18	hurt by 4-5 drinks alcohol/day?
------	---------------------------------

Start: 65
End: 67
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	4	0.9 %	0.9%
2	2:probably no	32	7.5 %	7.5%
3	3:probably yes	150	35.1 %	35.1%
4	4:definitely yes	241	56.4 %	56.4%

Variable	Variable Description
----------	----------------------

PB18	hurt by 4-5 drinks alcohol/day? (cont.)
------	---

Valid	Min	Max	Mean	Stdev
427	1.00	4.00	3.47	0.68

PB19	hurt by 5 or more drinks alcohol/twice week?
------	--

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:definitely no	15	3.5 %	3.5%
2	2:probably no	86	20.1 %	20.1%
3	3:probably yes	169	39.6 %	39.6%
4	4:definitely yes	157	36.8 %	36.8%

Valid	Min	Max	Mean	Stdev
427	1.00	4.00	3.10	0.84

PB20	ease/difficulty getting cigarettes
------	------------------------------------

Start: 71
End: 73
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:impossible	0	0.0 %
2	2:very hard	0	0.0 %
3	3:pretty easy	0	0.0 %
4	4:very easy	0	0.0 %
. (M)	-	427	100.0 %

Variable	Variable Description
----------	----------------------

PB21	ease/difficulty getting alcohol
------	---------------------------------

Start: 74
 End: 76
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:impossible	19	4.4 %	4.5%
2	2:very hard	39	9.1 %	9.2%
3	3:pretty easy	106	24.8 %	24.9%
4	4:very easy	262	61.4 %	61.5%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
426	1.00	4.00	3.43	0.84

PB22	ease/difficulty getting marijuana
------	-----------------------------------

Start: 77
 End: 79
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:impossible	38	8.9 %	8.9%
2	2:very hard	52	12.2 %	12.2%
3	3:pretty easy	122	28.6 %	28.7%
4	4:very easy	213	49.9 %	50.1%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
425	1.00	4.00	3.20	0.97

Variable	Variable Description
----------	----------------------

PB23	ease/difficulty getting LSD
------	-----------------------------

Start: 80
 End: 82
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	42	9.8 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	34	8.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:impossible	99	23.2 %	28.2%
2	2:very hard	132	30.9 %	37.6%
3	3:pretty easy	75	17.6 %	21.4%
4	4:very easy	45	10.5 %	12.8%

Valid	Min	Max	Mean	Stdev
351	1.00	4.00	2.19	0.99

PB24	ease/difficulty getting PCP
------	-----------------------------

Start: 83
 End: 85
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	37	8.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	30	7.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:impossible	119	27.9 %	33.1%
2	2:very hard	145	34.0 %	40.3%
3	3:pretty easy	52	12.2 %	14.4%
4	4:very easy	44	10.3 %	12.2%

Valid	Min	Max	Mean	Stdev
360	1.00	4.00	2.06	0.98

Variable	Variable Description
----------	----------------------

PB25	ease/difficulty getting cocaine/crack
------	---------------------------------------

Start: 86
 End: 88
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	10	2.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:impossible	84	19.7 %	20.2%
2	2:very hard	96	22.5 %	23.1%
3	3:pretty easy	113	26.5 %	27.2%
4	4:very easy	123	28.8 %	29.6%
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
416	1.00	4.00	2.66	1.11

PB26	ease/difficulty getting heroin
------	--------------------------------

Start: 89
 End: 91
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	17	4.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:impossible	106	24.8 %	26.0%
2	2:very hard	140	32.8 %	34.3%
3	3:pretty easy	72	16.9 %	17.6%
4	4:very easy	90	21.1 %	22.1%
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
408	1.00	4.00	2.36	1.09

Variable	Variable Description
----------	----------------------

PB27	someone tried to sell you drugs? past month
------	---

Start: 92
 End: 94
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	284	66.5 %	66.5%
1	1:yes	143	33.5 %	33.5%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
427	0.00	1.00	0.33	0.47