

ICPSR 13659

**Project on Human Development in  
Chicago Neighborhoods (PHDCN):  
Substance Use, Wave 2, 1997-2000**

Felton J. Earls  
*Harvard Medical School*

Jeanne Brooks-Gunn  
*Scientific Director. Columbia University.  
Teacher's College. Center for the Study of  
Children and Families*

Stephen W. Raudenbush  
*Scientific Director. University of Michigan.  
School of Education and Survey Research  
Center*

Robert J. Sampson  
*Scientific Director. Harvard University.  
Department of Sociology*

Codebook for Cohort 15

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
  - verified that respondent confidentiality was protected
  - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
  - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
  - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
  - reformatted date and time variables to make them compatible across statistical packages
  - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
  - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
  - Data Completeness Reports summarizing the amount of missing data in each file
  - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
  - processing notes and appendices documenting additional information, as necessary.
4. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., \*). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:

SX16B\_1 drug injected/1<sup>st</sup>  
SX16B\_1 drug injected/2<sup>nd</sup>  
SX16B\_1 drug injected/3<sup>rd</sup>

5. Users should note that the values for variable SUBID2 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.
6. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
7. The following abbreviations are used in the codebook and setup files:  
PC = Primary Caregiver  
SUB = Subject  
SUBU = Substance Use
8. The following continuous variables have values that appear to be out of a valid range:  
SX3E avg # beers/day, last month - value of 50 (1 case)  
SX5E avg # drinks of liquor/day, last month - value of 20 (1 case)

## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15**

Variable Name and Label (Total Cases = 555 )	Percent of Cases with Missing Values
4.8% ( 6 of 125 variables)	have 0% Missing Values
4.8% ( 6 of 125 variables)	have 0% - 1% Missing Values
3.2% ( 4 of 125 variables)	have 1% - 3% Missing Values
0.0% ( 0 of 125 variables)	have 3% - 5% Missing Values
0.0% ( 0 of 125 variables)	have 5% - 10% Missing Values
0.0% ( 0 of 125 variables)	have 10% - 20% Missing Values
1.6% ( 2 of 125 variables)	have 20% - 40% Missing Values
SX2B	# days drank alcohol, whole life 33.7%
SX2C	# days drank alcohol, last year 33.7%
56.0% ( 70 of 125 variables)	have 40% - 99% Missing Values
SX1B	# days smoked cigarettes, whole life 43.4%
SX1C	# days smoked cigarettes, last year 43.6%
SX1D	# days smoked cigarettes, last month 58.9%
SX1E	avg # cigarettes/day, last month 69.4%
SX2D	# days drunk/very high, past year 47.0%
SX2E	# days drank alcohol, last month 45.9%
SX2F	# days drank 5 or more drinks in row, last month 67.7%
SX3A	ever drank beer? 93.7%
SX3B	# days drank beer, whole life 95.5%
SX3C	# days drank beer, last year 95.5%
SX3D	# days drank beer, last month 97.3%
SX3E	avg # beers/day, last month 98.0%
SX4A	ever drank wine/wine coolers? 93.5%
SX4B	# days drank wine, whole life 96.8%
SX4C	# days drank wine, last year 96.8%
SX4D	# days drank wine, last month 98.0%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15**

Variable Name and Label (Total Cases = 555 )	Percent of Cases with Missing Values
SX5A	ever drank liquor? 93.5%
SX5B	# days drank liquor, whole life 96.0%
SX5C	# days drank liquor, last year 96.0%
SX5D	# days drank liquor, last month 96.6%
SX5E	avg # drinks of liquor/day, last month 98.0%
SX6B	# days used marijuana, whole life 57.7%
SX6C	# days used marijuana, last year 57.7%
SX6D	# days used marijuana, last month 68.3%
SX7B	# days used cocaine, whole life 96.9%
SX7C	# days used cocaine, last year 96.8%
SX7D	# days used cocaine, last month 97.8%
SX8A	ever used crack? 92.1%
SX9B	# days inhaled glue, whole life 98.6%
SX9C	# days inhaled glue, last year 98.6%
SX10B	# days used psychedelics, whole life 93.3%
SX10C	# days used psychedelics, last year 93.3%
SX10D	# days used psychedelics, last month 95.9%
SX14B	# days used amphetamines, whole life 98.7%
SX14C	# days used amphetamines, last year 98.7%
SX17A	cigarettes,spent much time getting? past yr 60.5%
SX17B	alcohol,spent much time getting? past yr 46.5%
SX17C	marijuana,spent much time getting?pst yr 69.4%
SX17D	cocaine,spent much time getting? past yr 98.0%
SX17G	drugs, spent much time getting? past yr 96.0%
SX18A	cigarettes, used much more often? past yr 59.5%
SX18B	alcohol, used much more often? past yr 46.3%
SX18C	marijuana, used much more often? past yr 69.0%
SX18D	cocaine, used much more often? past yr 97.5%
SX18G	drugs, used much more often? past yr 95.7%
SX19A	cigarettes, had less effect? past yr 59.6%
SX19B	alcohol, had less effect? past yr 46.5%
SX19C	marijuana, had less effect? past yr 68.8%
SX19D	cocaine, had less effect? past yr 97.8%
SX19G	drugs, had less effect? past yr 95.7%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15**

Variable Name and Label (Total Cases = 555 )		Percent of Cases with Missing Values
SX20A	cigarettes, threatened safety? past yr	60.0%
SX20B	alcohol, threatened safety? past yr	46.7%
SX20C	marijuana, threatened safety? past yr	68.8%
SX20D	cocaine, threatened safety? past yr	97.8%
SX20G	drugs, threatened safety? past yr	95.9%
SX21A	cigarettes, emotional problems? past yr	60.2%
SX21B	alcohol, emotional problems? past yr	46.7%
SX21C	marijuana, emotional problems? past yr	69.0%
SX21D	cocaine, emotional problems? past yr	97.8%
SX21G	drugs, emotional problems? past yr	96.0%
SX22A	cigarettes, wanted to stop use? past yr	53.7%
SX23A	cigarettes, able to stop use? past yr	73.5%
SX22B	alcohol, wanted to stop use? past yr	42.2%
SX23B	alcohol, able to stop use? past yr	76.9%
SX22C	marijuana, wanted to stop use? past yr	63.8%
SX23C	marijuana, able to stop use? past yr	82.2%
SX22D	cocaine, wanted to stop use? past yr	97.5%
SX23D	cocaine, able to stop use? past yr	98.2%
SX22G	drugs, wanted to stop use? past yr	95.3%
SX23G	drugs, able to stop use? past yr	97.3%
29.6% ( 37 of 125 variables)	have 100% missing values	
SX4E	avg # drinks of wine/day, last month	99.1%
SX8B	# days used crack, whole life	99.8%
SX8C	# days used crack, last year	99.8%
SX8D	# days used crack, last month	99.8%
SX9D	# days inhaled glue, last month	99.6%
SX11B	# days used heroin, whole life	100%
SX11C	# days used heroin, last year	100%
SX11D	# days used heroin, last month	100%
SX12B	# days used barbiturates, whole life	99.5%
SX12C	# days used barbiturates, last year	99.5%
SX12D	# days used barbiturates, last month	99.6%
SX13B	# days used tranquilizers, whole life	99.8%
SX13C	# days used tranquilizers, last year	99.8%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15**

<b>Variable Name and Label (Total Cases = 555 )</b>		<b>Percent of Cases with Missing Values</b>
SX13D	# days used tranquilizers, last month	99.8%
SX14D	# days used amphetamines, last month	99.5%
SX15B	# days used steroids, whole life	100%
SX15C	# days used steroids, last year	100%
SX15D	# days used steroids, last month	100%
SX16B_1	drug injected/1st	99.8%
SX16B_2	drug injected/2nd	99.8%
SX16B_3	drug injected/3rd	99.8%
SX16C	# times ever injected drugs thru skin	100%
SX16D	# times injected drugs, past year	100%
SX17E	crack, spent much time getting? past yr	99.8%
SX17F	inhalant,spent much time getting?past yr	99.6%
SX18E	crack, used much more often? past yr	99.6%
SX18F	inhalant, used much more often? past yr	99.6%
SX19E	crack, had less effect? past yr	99.6%
SX19F	inhalant, had less effect? past yr	99.6%
SX20E	crack, threatened safety? past yr	99.8%
SX20F	inhalant, threatened safety? past yr	99.8%
SX21E	crack, emotional problems? past yr	99.8%
SX21F	inhalant, emotional problems? past yr	99.8%
SX22E	crack, wanted to stop use? past yr	99.6%
SX23E	crack, able to stop use? past yr	99.6%
SX22F	inhalant, wanted to stop use? past yr	99.6%
SX23F	inhalant, able to stop use? past yr	99.5%



## Codebook for ICPSR 13659

### Project on Human Development in Chicago Neighborhoods (PHDCN): Substance Use, Wave 2, 1997-2000

#### Dataset0003: Cohort 15

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID2	ICPSR Wave 2 subject ID
--------	-------------------------

Start: 1  
End: 7  
Width: 7  
Type: numeric (ISO)  
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
555	2000008.00	2006214.00	2003213.34	1785.91

WAVE	wave #
------	--------

Start: 8  
End: 10  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
2	-	555	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
555	2.00	2.00	2.00	0.00

COHORT	cohort
--------	--------

Start: 11  
End: 13  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	555	100.0 %	100.0%

**Variable** **Variable Description**

COHORT cohort (*cont.*)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
555	15.00	15.00	15.00	0.00

SUBUCLND any variable changed in SUBUSE cleaning?

Start: 14  
End: 16  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	456	82.2 %	82.2%
1	1:yes	99	17.8 %	17.8%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
555	0.00	1.00	0.18	0.38

SX1A ever smoked cigarettes?

Start: 17  
End: 19  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	236	42.5 %	42.5%
1	1:yes	319	57.5 %	57.5%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
555	0.00	1.00	0.57	0.49

SX1B # days smoked cigarettes, whole life

Start: 20  
End: 22  
Width: 3  
Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	4	0.7 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX1B	# days smoked cigarettes, whole life (cont.)
------	--

Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	63	11.4 %	20.1%
3	3: 3-5	44	7.9 %	14.0%
4	4: 6-11	33	5.9 %	10.5%
5	5: 12-24	25	4.5 %	8.0%
6	6: 25-50	23	4.1 %	7.3%
7	7: 51-99	26	4.7 %	8.3%
8	8: 100-199	14	2.5 %	4.5%
9	9: >=200	86	15.5 %	27.4%
. (M)	-	236	42.5 %	-

Valid	Min	Max	Mean	Stdev
314	2.00	9.00	5.48	2.73

SX1C	# days smoked cigarettes, last year
------	-------------------------------------

Start: 23  
End: 25  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	4	0.7 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	84	15.1 %	26.8%
2	2: 1-2	39	7.0 %	12.5%
3	3: 3-5	25	4.5 %	8.0%
4	4: 6-11	25	4.5 %	8.0%
5	5: 12-24	25	4.5 %	8.0%
6	6: 25-50	29	5.2 %	9.3%

Variable	Variable Description
----------	----------------------

SX1C	# days smoked cigarettes, last year (cont.)
------	---

Value	Label	Frequency	%	Valid %
7	7: 51-99	15	2.7 %	4.8%
8	8: 100-199	5	0.9 %	1.6%
9	9: >=200	66	11.9 %	21.1%
. (M)	-	237	42.7 %	-

Valid	Min	Max	Mean	Stdev
313	1.00	9.00	4.39	3.05

SX1D	# days smoked cigarettes, last month
------	--------------------------------------

Start: 26  
 End: 28  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	63	11.4 %	27.6%
2	2:1-2	43	7.7 %	18.9%
3	3:3-5	11	2.0 %	4.8%
4	4:6-9	11	2.0 %	4.8%
5	5:10-14	17	3.1 %	7.5%
6	6:15-20	19	3.4 %	8.3%
7	7:>=21	64	11.5 %	28.1%
. (M)	-	326	58.7 %	-

Valid	Min	Max	Mean	Stdev
228	1.00	7.00	3.83	2.49

SX1E	avg # cigarettes/day, last month
------	----------------------------------

Start: 29  
 End: 31  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX1E	avg # cigarettes/day, last month (cont.)
------	--

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1: <1	51	9.2 %	30.0%
2	2: 1-5	74	13.3 %	43.5%
3	3: 6-15	29	5.2 %	17.1%
4	4: 16-25	10	1.8 %	5.9%
5	5: >=25	6	1.1 %	3.5%
. (M)	-	384	69.2 %	-

Valid	Min	Max	Mean	Stdev
170	1.00	5.00	2.09	1.01

SX2A	ever drank alcohol?
------	---------------------

Start: 32  
 End: 34  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	180	32.4 %	32.4%
1	1:yes	375	67.6 %	67.6%

Valid	Min	Max	Mean	Stdev
555	0.00	1.00	0.68	0.47

SX2B	# days drank alcohol, whole life
------	----------------------------------

Start: 35  
 End: 37  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX2B	# days drank alcohol, whole life (cont.)
------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	62	11.2 %	16.8%
3	3: 3-5	78	14.1 %	21.2%
4	4: 6-11	58	10.5 %	15.8%
5	5: 12-24	55	9.9 %	14.9%
6	6: 25-50	46	8.3 %	12.5%
7	7: 51-99	32	5.8 %	8.7%
8	8: 100-199	15	2.7 %	4.1%
9	9: >=200	22	4.0 %	6.0%
. (M)	-	187	33.7 %	-

Valid	Min	Max	Mean	Stdev
368	2.00	9.00	4.57	2.04

SX2C	# days drank alcohol, last year
------	---------------------------------

Start: 38  
 End: 40  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	58	10.5 %	15.8%
2	2: 1-2	100	18.0 %	27.2%
3	3: 3-5	61	11.0 %	16.6%
4	4: 6-11	44	7.9 %	12.0%
5	5: 12-24	42	7.6 %	11.4%
6	6: 25-50	34	6.1 %	9.2%
7	7: 51-99	14	2.5 %	3.8%
8	8: 100-199	9	1.6 %	2.4%

- ICPSR 13659 -

Variable	Variable Description
----------	----------------------

SX2C	# days drank alcohol, last year ( <i>cont.</i> )
------	--

Value	Label	Frequency	%	Valid %
9	9: >=200	6	1.1 %	1.6%
. (M)	-	187	33.7 %	-

  

Valid	Min	Max	Mean	Stdev
368	1.00	9.00	3.41	1.99

SX2D	# days drunk/very high, past year
------	-----------------------------------

Start: 41  
 End: 43  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	3	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	119	21.4 %	40.5%
1	-	44	7.9 %	15.0%
2	-	42	7.6 %	14.3%
3	-	20	3.6 %	6.8%
4	-	11	2.0 %	3.7%
5	-	10	1.8 %	3.4%
6	-	5	0.9 %	1.7%
7	-	3	0.5 %	1.0%
8	-	4	0.7 %	1.4%
9	-	1	0.2 %	0.3%
10	-	3	0.5 %	1.0%
12	-	5	0.9 %	1.7%
14	-	2	0.4 %	0.7%
15	-	3	0.5 %	1.0%
16	-	1	0.2 %	0.3%
20	-	3	0.5 %	1.0%
22	-	1	0.2 %	0.3%
24	-	2	0.4 %	0.7%
25	-	1	0.2 %	0.3%
30	-	4	0.7 %	1.4%

Variable	Variable Description
----------	----------------------

SX2D	# days drunk/very high, past year (cont.)
------	---

Value	Label	Frequency	%	Valid %
40	-	1	0.2 %	0.3%
50	-	4	0.7 %	1.4%
52	-	1	0.2 %	0.3%
65	-	1	0.2 %	0.3%
75	-	2	0.4 %	0.7%
80	-	1	0.2 %	0.3%
. (M)	-	254	45.8 %	-

Valid	Min	Max	Mean	Stdev
294	0.00	80.00	4.81	11.72

SX2E	# days drank alcohol, last month
------	----------------------------------

Start: 44  
 End: 46  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	127	22.9 %	42.3%
2	2:1-2	87	15.7 %	29.0%
3	3:3-5	44	7.9 %	14.7%
4	4:6-9	20	3.6 %	6.7%
5	5:10-14	13	2.3 %	4.3%
6	6:15-20	6	1.1 %	2.0%
7	7:>=21	3	0.5 %	1.0%
. (M)	-	252	45.4 %	-

Valid	Min	Max	Mean	Stdev
300	1.00	7.00	2.12	1.34



Variable	Variable Description
----------	----------------------

SX2F	# days drank 5 or more drinks in row, last month
------	--

Start: 47  
 End: 49  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	91	16.4 %	50.8%
2	2:once	28	5.0 %	15.6%
3	3:twice	21	3.8 %	11.7%
4	4: 3-5	27	4.9 %	15.1%
5	5: 6-9	7	1.3 %	3.9%
6	6: >=10	5	0.9 %	2.8%
. (M)	-	374	67.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
179	1.00	6.00	2.14	1.42

SX3A	ever drank beer?
------	------------------

Start: 50  
 End: 52  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	25.7%
1	1:yes	26	4.7 %	74.3%
. (M)	-	520	93.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
35	0.00	1.00	0.74	0.44

**Variable** **Variable Description**

SX3B # days drank beer, whole life

Start: 53  
End: 55  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	8	1.4 %	32.0%
3	3: 3-5	3	0.5 %	12.0%
4	4: 6-11	3	0.5 %	12.0%
5	5: 12-24	3	0.5 %	12.0%
6	6: 25-50	3	0.5 %	12.0%
7	7: 51-99	3	0.5 %	12.0%
8	8: 100-199	1	0.2 %	4.0%
9	9: >=200	1	0.2 %	4.0%
. (M)	-	529	95.3 %	-

Valid	Min	Max	Mean	Stdev
25	2.00	9.00	4.32	2.19

SX3C # days drank beer, last year

Start: 56  
End: 58  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	9	1.6 %	36.0%
2	2: 1-2	2	0.4 %	8.0%
3	3: 3-5	2	0.4 %	8.0%
4	4: 6-11	6	1.1 %	24.0%

Variable	Variable Description
----------	----------------------

SX3C	# days drank beer, last year (cont.)
------	--------------------------------------

Value	Label	Frequency	%	Valid %
5	5: 12-24	2	0.4 %	8.0%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	1	0.2 %	4.0%
8	8: 100-199	2	0.4 %	8.0%
9	9: >=200	1	0.2 %	4.0%
. (M)	-	529	95.3 %	-

Valid	Min	Max	Mean	Stdev
25	1.00	9.00	3.40	2.50

SX3D	# days drank beer, last month
------	-------------------------------

Start: 59  
 End: 61  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	4	0.7 %	26.7%
2	2:1-2	4	0.7 %	26.7%
3	3:3-5	3	0.5 %	20.0%
4	4:6-9	2	0.4 %	13.3%
5	5:10-14	1	0.2 %	6.7%
6	6:15-20	1	0.2 %	6.7%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	539	97.1 %	-

Valid	Min	Max	Mean	Stdev
15	1.00	6.00	2.67	1.54

SX3E	avg # beers/day, last month
------	-----------------------------

Start: 62  
 End: 64  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-

Variable	Variable Description
----------	----------------------

SX3E	avg # beers/day, last month ( <i>cont.</i> )
------	--

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
2	-	2	0.4 %	18.2%
3	-	3	0.5 %	27.3%
5	-	1	0.2 %	9.1%
6	-	2	0.4 %	18.2%
7	-	1	0.2 %	9.1%
10	-	1	0.2 %	9.1%
50	-	1	0.2 %	9.1%
. (M)	-	543	97.8 %	-

Valid	Min	Max	Mean	Stdev
11	2.00	50.00	8.82	13.88

SX4A	ever drank wine/wine coolers?
------	-------------------------------

Start: 65  
End: 67  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	17	3.1 %	47.2%
1	1:yes	19	3.4 %	52.8%
. (M)	-	519	93.5 %	-

Valid	Min	Max	Mean	Stdev
36	0.00	1.00	0.53	0.51

Variable	Variable Description
----------	----------------------

SX4B	# days drank wine, whole life
------	-------------------------------

Start: 68  
 End: 70  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	8	1.4 %	44.4%
3	3: 3-5	6	1.1 %	33.3%
4	4: 6-11	2	0.4 %	11.1%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	1	0.2 %	5.6%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	1	0.2 %	5.6%
. (M)	-	536	96.6 %	-

Valid	Min	Max	Mean	Stdev
18	2.00	9.00	3.17	1.79

SX4C	# days drank wine, last year
------	------------------------------

Start: 71  
 End: 73  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	6	1.1 %	33.3%
2	2: 1-2	6	1.1 %	33.3%
3	3: 3-5	2	0.4 %	11.1%
4	4: 6-11	1	0.2 %	5.6%

Variable	Variable Description
----------	----------------------

SX4C	# days drank wine, last year (cont.)
------	--------------------------------------

Value	Label	Frequency	%	Valid %
5	5: 12-24	1	0.2 %	5.6%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	1	0.2 %	5.6%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	1	0.2 %	5.6%
. (M)	-	536	96.6 %	-

Valid	Min	Max	Mean	Stdev
18	1.00	9.00	2.72	2.24

SX4D	# days drank wine, last month
------	-------------------------------

Start: 74  
 End: 76  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	6	1.1 %	54.5%
2	2:1-2	3	0.5 %	27.3%
3	3:3-5	1	0.2 %	9.1%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	1	0.2 %	9.1%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	543	97.8 %	-

Valid	Min	Max	Mean	Stdev
11	1.00	5.00	1.82	1.25

SX4E	avg # drinks of wine/day, last month
------	--------------------------------------

Start: 77  
 End: 79  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-

Variable	Variable Description
----------	----------------------

SX4E	avg # drinks of wine/day, last month (cont.)
------	--

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	-	1	0.2 %	20.0%
2	-	3	0.5 %	60.0%
6	-	1	0.2 %	20.0%
. (M)	-	549	98.9 %	-

Valid	Min	Max	Mean	Stdev
5	1.00	6.00	2.60	1.95

SX5A	ever drank liquor?
------	--------------------

Start: 80  
End: 82  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	2.3 %	36.1%
1	1:yes	23	4.1 %	63.9%
. (M)	-	519	93.5 %	-

Valid	Min	Max	Mean	Stdev
36	0.00	1.00	0.64	0.49

SX5B	# days drank liquor, whole life
------	---------------------------------

Start: 83  
End: 85  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX5B	# days drank liquor, whole life (cont.)
------	---

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	9	1.6 %	40.9%
3	3: 3-5	2	0.4 %	9.1%
4	4: 6-11	1	0.2 %	4.5%
5	5: 12-24	3	0.5 %	13.6%
6	6: 25-50	5	0.9 %	22.7%
7	7: 51-99	1	0.2 %	4.5%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	1	0.2 %	4.5%
. (M)	-	532	95.9 %	-

Valid	Min	Max	Mean	Stdev
22	2.00	9.00	4.05	2.13

SX5C	# days drank liquor, last year
------	--------------------------------

Start: 86  
 End: 88  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	3	0.5 %	13.6%
2	2: 1-2	7	1.3 %	31.8%
3	3: 3-5	2	0.4 %	9.1%
4	4: 6-11	3	0.5 %	13.6%
5	5: 12-24	4	0.7 %	18.2%
6	6: 25-50	1	0.2 %	4.5%
7	7: 51-99	1	0.2 %	4.5%



**Variable**                      **Variable Description**

**SX5C**                              **# days drank liquor, last year (cont.)**

Value	Label	Frequency	%	Valid %
8	8: 100-199	1	0.2 %	4.5%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	532	95.9 %	-

Valid	Min	Max	Mean	Stdev
22	1.00	8.00	3.45	1.99

**SX5D**                              **# days drank liquor, last month**

Start: 89  
 End: 91  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	6	1.1 %	31.6%
2	2:1-2	8	1.4 %	42.1%
3	3:3-5	2	0.4 %	10.5%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	1	0.2 %	5.3%
6	6:15-20	1	0.2 %	5.3%
7	7:>=21	1	0.2 %	5.3%
. (M)	-	535	96.4 %	-

Valid	Min	Max	Mean	Stdev
19	1.00	7.00	2.42	1.74

**SX5E**                              **avg # drinks of liquor/day, last month**

Start: 92  
 End: 94  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

**Variable**                      **Variable Description**

SX5E                              avg # drinks of liquor/day, last month (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	-	2	0.4 %	18.2%
3	-	3	0.5 %	27.3%
5	-	1	0.2 %	9.1%
6	-	4	0.7 %	36.4%
20	-	1	0.2 %	9.1%
. (M)	-	542	97.7 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	1.00	20.00	5.45	5.20

SX6A                              ever used marijuana?

Start: 95  
End: 97  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	313	56.4 %	56.5%
1	1:yes	241	43.4 %	43.5%
. (M)	-	1	0.2 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
554	0.00	1.00	0.44	0.50

SX6B                              # days used marijuana, whole life

Start: 98  
End: 100  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX6B	# days used marijuana, whole life (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	45	8.1 %	19.1%
3	3: 3-5	37	6.7 %	15.7%
4	4: 6-11	27	4.9 %	11.5%
5	5: 12-24	29	5.2 %	12.3%
6	6: 25-50	28	5.0 %	11.9%
7	7: 51-99	16	2.9 %	6.8%
8	8: 100-199	16	2.9 %	6.8%
9	9: >=200	37	6.7 %	15.7%
. (M)	-	317	57.1 %	-

Valid	Min	Max	Mean	Stdev
235	2.00	9.00	5.09	2.45

SX6C	# days used marijuana, last year
------	----------------------------------

Start: 101  
 End: 103  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	59	10.6 %	25.1%
2	2: 1-2	47	8.5 %	20.0%
3	3: 3-5	30	5.4 %	12.8%
4	4: 6-11	20	3.6 %	8.5%
5	5: 12-24	20	3.6 %	8.5%
6	6: 25-50	24	4.3 %	10.2%
7	7: 51-99	12	2.2 %	5.1%
8	8: 100-199	4	0.7 %	1.7%

**Variable**                      **Variable Description**

**SX6C**                              **# days used marijuana, last year (cont.)**

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9	9: >=200	19	3.4 %	8.1%
. (M)	-	317	57.1 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>
235		1.00	9.00	3.63
			<i>Stdev</i>	
			2.52	

**SX6D**                              **# days used marijuana, last month**

Start: 104  
 End: 106  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	65	11.7 %	36.9%
2	2:1-2	43	7.7 %	24.4%
3	3:3-5	15	2.7 %	8.5%
4	4:6-9	9	1.6 %	5.1%
5	5:10-14	13	2.3 %	7.4%
6	6:15-20	9	1.6 %	5.1%
7	7:>=21	22	4.0 %	12.5%
. (M)	-	378	68.1 %	-
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>
176		1.00	7.00	2.87
			<i>Stdev</i>	
			2.13	

**SX7A**                              **ever used cocaine?**

Start: 107  
 End: 109  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX7A	ever used cocaine? (cont.)
------	----------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	532	95.9 %	96.6%
1	1:yes	19	3.4 %	3.4%
. (M)	-	4	0.7 %	-

Valid	Min	Max	Mean	Stdev
551	0.00	1.00	0.03	0.18

SX7B	# days used cocaine, whole life
------	---------------------------------

Start: 110  
 End: 112  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	10	1.8 %	58.8%
3	3: 3-5	2	0.4 %	11.8%
4	4: 6-11	2	0.4 %	11.8%
5	5: 12-24	1	0.2 %	5.9%
6	6: 25-50	2	0.4 %	11.8%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	537	96.8 %	-

Valid	Min	Max	Mean	Stdev
17	2.00	6.00	3.00	1.46

SX7C	# days used cocaine, last year
------	--------------------------------

Start: 113  
 End: 115  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-

**Variable** **Variable Description**

**SX7C** # days used cocaine, last year (*cont.*)

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	6	1.1 %	33.3%
2	2: 1-2	9	1.6 %	50.0%
3	3: 3-5	2	0.4 %	11.1%
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	1	0.2 %	5.6%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	536	96.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
18	1.00	6.00	2.00	1.19

**SX7D** # days used cocaine, last month

Start: 116  
End: 118  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	8	1.4 %	66.7%
2	2:1-2	3	0.5 %	25.0%
3	3:3-5	1	0.2 %	8.3%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX7D	# days used cocaine, last month (cont.)
------	---

Value	Label	Frequency	%	Valid %
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	542	97.7 %	-

Valid	Min	Max	Mean	Stdev
12	1.00	3.00	1.42	0.67

SX8A	ever used crack?
------	------------------

Start: 119  
 End: 121  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	42	7.6 %	95.5%
1	1:yes	2	0.4 %	4.5%
. (M)	-	511	92.1 %	-

Valid	Min	Max	Mean	Stdev
44	0.00	1.00	0.05	0.21

SX8B	# days used crack, whole life
------	-------------------------------

Start: 122  
 End: 124  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	0	0.0 %	0.0%
3	3: 3-5	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX8B	# days used crack, whole life (cont.)
------	---------------------------------------

Value	Label	Frequency	%	Valid %
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	1	0.2 %	100.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	553	99.6 %	-

Valid	Min	Max	Mean	Stdev
1	6.00	6.00	6.00	0.00

SX8C	# days used crack, last year
------	------------------------------

Start: 125  
 End: 127  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	0	0.0 %	0.0%
3	3: 3-5	0	0.0 %	0.0%
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	1	0.2 %	100.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	553	99.6 %	-

Valid	Min	Max	Mean	Stdev
1	6.00	6.00	6.00	0.00



Variable	Variable Description
----------	----------------------

SX8D	# days used crack, last month
------	-------------------------------

Start: 128  
 End: 130  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	1	0.2 %	100.0%
2	2:1-2	0	0.0 %	0.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
.(M)	-	553	99.6 %	-

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

SX9A	ever inhaled glue?
------	--------------------

Start: 131  
 End: 133  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	543	97.8 %	98.4%
1	1:yes	9	1.6 %	1.6%
.(M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
552	0.00	1.00	0.02	0.13

**Variable** **Variable Description**

SX9B # days inhaled glue, whole life

Start: 134  
 End: 136  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	5	0.9 %	62.5%
3	3: 3-5	0	0.0 %	0.0%
4	4: 6-11	1	0.2 %	12.5%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	1	0.2 %	12.5%
7	7: 51-99	1	0.2 %	12.5%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	546	98.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
8	2.00	7.00	3.38	2.07

SX9C # days inhaled glue, last year

Start: 137  
 End: 139  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	6	1.1 %	75.0%
2	2: 1-2	1	0.2 %	12.5%
3	3: 3-5	1	0.2 %	12.5%
4	4: 6-11	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX9C	# days inhaled glue, last year (cont.)
------	--

Value	Label	Frequency	%	Valid %
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	546	98.4 %	-

Valid	Min	Max	Mean	Stdev
8	1.00	3.00	1.38	0.74

SX9D	# days inhaled glue, last month
------	---------------------------------

Start: 140  
 End: 142  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	2	0.4 %	100.0%
2	2:1-2	0	0.0 %	0.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	552	99.5 %	-

Valid	Min	Max	Mean	Stdev
2	1.00	1.00	1.00	0.00

SX10A	ever used psychedelics?
-------	-------------------------

Start: 143  
 End: 145  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX10A	ever used psychedelics? (cont.)
-------	---------------------------------

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	5	0.9 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	511	92.1 %	93.1%
1	1:yes	38	6.8 %	6.9%
<b>Valid</b>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	549	0.00	1.00	0.07
				0.25

SX10B	# days used psychedelics, whole life
-------	--------------------------------------

Start: 146  
End: 148  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	20	3.6 %	54.1%
3	3: 3-5	10	1.8 %	27.0%
4	4: 6-11	4	0.7 %	10.8%
5	5: 12-24	2	0.4 %	5.4%
6	6: 25-50	1	0.2 %	2.7%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	517	93.2 %	-
<b>Valid</b>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	37	2.00	6.00	2.76
				1.04

**Variable** **Variable Description**

SX10C # days used psychedelics, last year

Start: 149  
 End: 151  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	14	2.5 %	37.8%
2	2: 1-2	17	3.1 %	45.9%
3	3: 3-5	4	0.7 %	10.8%
4	4: 6-11	1	0.2 %	2.7%
5	5: 12-24	1	0.2 %	2.7%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	517	93.2 %	-

Valid	Min	Max	Mean	Stdev
37	1.00	5.00	1.86	0.92

SX10D # days used psychedelics, last month

Start: 152  
 End: 154  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	18	3.2 %	78.3%
2	2:1-2	4	0.7 %	17.4%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	1	0.2 %	4.3%

Variable	Variable Description
----------	----------------------

SX10D	# days used psychedelics, last month (cont.)
-------	--

Value	Label	Frequency	%	Valid %
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	531	95.7 %	-

Valid	Min	Max	Mean	Stdev
23	1.00	4.00	1.30	0.70

SX11A	ever used heroin?
-------	-------------------

Start: 155  
 End: 157  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	550	99.1 %	99.8%
1	1:yes	1	0.2 %	0.2%
. (M)	-	2	0.4 %	-

Valid	Min	Max	Mean	Stdev
551	0.00	1.00	0.00	0.04

SX11B	# days used heroin, whole life
-------	--------------------------------

Start: 158  
 End: 160  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	1	0.2 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:never	0	0.0 %
2	2: 1-2	0	0.0 %

Variable	Variable Description
----------	----------------------

SX11B	# days used heroin, whole life (cont.)
-------	--

Value	Label	Frequency	%
3	3: 3-5	0	0.0 %
4	4: 6-11	0	0.0 %
5	5: 12-24	0	0.0 %
6	6: 25-50	0	0.0 %
7	7: 51-99	0	0.0 %
8	8: 100-199	0	0.0 %
9	9: >=200	0	0.0 %
. (M)	-	554	99.8 %

SX11C	# days used heroin, last year
-------	-------------------------------

Start: 161  
 End: 163  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	1	0.2 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:never	0	0.0 %
2	2: 1-2	0	0.0 %
3	3: 3-5	0	0.0 %
4	4: 6-11	0	0.0 %
5	5: 12-24	0	0.0 %
6	6: 25-50	0	0.0 %
7	7: 51-99	0	0.0 %
8	8: 100-199	0	0.0 %
9	9: >=200	0	0.0 %
. (M)	-	554	99.8 %

SX11D	# days used heroin, last month
-------	--------------------------------

Start: 164  
 End: 166  
 Width: 3  
 Type: numeric (ISO)

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	1	0.2 %
-98 (M)	-98:doesn't know	0	0.0 %

**Variable** **Variable Description**

**SX11D** # days used heroin, last month (*cont.*)

Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:>=21	0	0.0 %
. (M)	-	554	99.8 %

**SX12A** ever used barbiturates?

Start: 167  
End: 169  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	7	1.3 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	541	97.5 %	99.3%
1	1:yes	4	0.7 %	0.7%
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
545	0.00	1.00	0.01	0.09

**SX12B** # days used barbiturates, whole life

Start: 170  
End: 172  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-



Variable	Variable Description
----------	----------------------

SX12B	# days used barbiturates, whole life (cont.)
-------	--

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	1	0.2 %	33.3%
3	3: 3-5	1	0.2 %	33.3%
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	1	0.2 %	33.3%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	551	99.3 %	-

Valid	Min	Max	Mean	Stdev
3	2.00	6.00	3.67	2.08

SX12C	# days used barbiturates, last year
-------	-------------------------------------

Start: 173  
 End: 175  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	1	0.2 %	33.3%
2	2: 1-2	0	0.0 %	0.0%
3	3: 3-5	1	0.2 %	33.3%
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX12C	# days used barbiturates, last year (cont.)
-------	---

Value	Label	Frequency	%	Valid %
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	1	0.2 %	33.3%
. (M)	-	551	99.3 %	-

Valid	Min	Max	Mean	Stdev
3	1.00	9.00	4.33	4.16

SX12D	# days used barbiturates, last month
-------	--------------------------------------

Start: 176  
 End: 178  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	1	0.2 %	50.0%
2	2:1-2	0	0.0 %	0.0%
3	3:3-5	1	0.2 %	50.0%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	552	99.5 %	-

Valid	Min	Max	Mean	Stdev
2	1.00	3.00	2.00	1.41

SX13A	ever used tranquilizers?
-------	--------------------------

Start: 179  
 End: 181  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.4 %	-

Variable	Variable Description
----------	----------------------

SX13A	ever used tranquilizers? (cont.)
-------	----------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	548	98.7 %	99.6%
1	1:yes	2	0.4 %	0.4%
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
550	0.00	1.00	0.00	0.06

SX13B	# days used tranquilizers, whole life
-------	---------------------------------------

Start: 182  
 End: 184  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	0	0.0 %	0.0%
3	3: 3-5	0	0.0 %	0.0%
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	1	0.2 %	100.0%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	553	99.6 %	-

Valid	Min	Max	Mean	Stdev
1	5.00	5.00	5.00	0.00

**Variable**                      **Variable Description**

**SX13C**                              **# days used tranquilizers, last year**

Start: 185  
 End: 187  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	0	0.0 %	0.0%
3	3: 3-5	0	0.0 %	0.0%
4	4: 6-11	1	0.2 %	100.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	553	99.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	4.00	4.00	4.00	0.00

**SX13D**                              **# days used tranquilizers, last month**

Start: 188  
 End: 190  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2:1-2	0	0.0 %	0.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	1	0.2 %	100.0%

Variable	Variable Description
----------	----------------------

SX13D	# days used tranquilizers, last month (cont.)
-------	---

Value	Label	Frequency	%	Valid %
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	553	99.6 %	-

Valid	Min	Max	Mean	Stdev
1	4.00	4.00	4.00	0.00

SX14A	ever used amphetamines?
-------	-------------------------

Start: 191  
 End: 193  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	5	0.9 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	539	97.1 %	98.5%
1	1:yes	8	1.4 %	1.5%
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
547	0.00	1.00	0.01	0.12

SX14B	# days used amphetamines, whole life
-------	--------------------------------------

Start: 194  
 End: 196  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	0	0.0 %	0.0%
2	2: 1-2	4	0.7 %	57.1%

Variable	Variable Description
----------	----------------------

SX14B	# days used amphetamines, whole life (cont.)
-------	--

Value	Label	Frequency	%	Valid %
3	3: 3-5	1	0.2 %	14.3%
4	4: 6-11	1	0.2 %	14.3%
5	5: 12-24	1	0.2 %	14.3%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	547	98.6 %	-

Valid	Min	Max	Mean	Stdev
7	2.00	5.00	2.86	1.21

SX14C	# days used amphetamines, last year
-------	-------------------------------------

Start: 197  
 End: 199  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	4	0.7 %	57.1%
2	2: 1-2	2	0.4 %	28.6%
3	3: 3-5	1	0.2 %	14.3%
4	4: 6-11	0	0.0 %	0.0%
5	5: 12-24	0	0.0 %	0.0%
6	6: 25-50	0	0.0 %	0.0%
7	7: 51-99	0	0.0 %	0.0%
8	8: 100-199	0	0.0 %	0.0%
9	9: >=200	0	0.0 %	0.0%
. (M)	-	547	98.6 %	-

Valid	Min	Max	Mean	Stdev
7	1.00	3.00	1.57	0.79

Variable	Variable Description
----------	----------------------

SX14D	# days used amphetamines, last month
-------	--------------------------------------

Start: 200  
 End: 202  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:not understand	0	0.0 %	0.0%
1	1:never	1	0.2 %	33.3%
2	2:1-2	1	0.2 %	33.3%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	1	0.2 %	33.3%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:>=21	0	0.0 %	0.0%
. (M)	-	551	99.3 %	-

Valid	Min	Max	Mean	Stdev
3	1.00	4.00	2.33	1.53

SX15A	ever used steroids?
-------	---------------------

Start: 203  
 End: 205  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	549	98.9 %	99.8%
1	1:yes	1	0.2 %	0.2%
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
550	0.00	1.00	0.00	0.04

- ICPSR 13659 -

Variable	Variable Description
----------	----------------------

<b>SX15B</b>	<b># days used steroids, whole life</b>
--------------	---

Start: 206 End: 208 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 5px;"><i>Value</i></th> <th style="text-align: left; padding: 5px;"><i>Label</i></th> <th style="text-align: right; padding: 5px;"><i>Frequency</i></th> <th style="text-align: right; padding: 5px;"><i>%</i></th> </tr> </thead> <tbody> <tr><td style="padding: 2px 5px;">-99 (M)</td><td style="padding: 2px 5px;">-99:interviewer missed</td><td style="text-align: right; padding: 2px 5px;">1</td><td style="text-align: right; padding: 2px 5px;">0.2 %</td></tr> <tr><td style="padding: 2px 5px;">-98 (M)</td><td style="padding: 2px 5px;">-98:doesn't know</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-96 (M)</td><td style="padding: 2px 5px;">-96:refused</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-95 (M)</td><td style="padding: 2px 5px;">-95:doesn't understand</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-94 (M)</td><td style="padding: 2px 5px;">-94:no money</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-93 (M)</td><td style="padding: 2px 5px;">-93:uncodeable</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">0</td><td style="padding: 2px 5px;">0:not understand</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">1</td><td style="padding: 2px 5px;">1:never</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">2</td><td style="padding: 2px 5px;">2: 1-2</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">3</td><td style="padding: 2px 5px;">3: 3-5</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">4</td><td style="padding: 2px 5px;">4: 6-11</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">5</td><td style="padding: 2px 5px;">5: 12-24</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">6</td><td style="padding: 2px 5px;">6: 25-50</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">7</td><td style="padding: 2px 5px;">7: 51-99</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">8</td><td style="padding: 2px 5px;">8: 100-199</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">9</td><td style="padding: 2px 5px;">9: &gt;=200</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">. (M)</td><td style="padding: 2px 5px;">-</td><td style="text-align: right; padding: 2px 5px;">554</td><td style="text-align: right; padding: 2px 5px;">99.8 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	-99 (M)	-99:interviewer missed	1	0.2 %	-98 (M)	-98:doesn't know	0	0.0 %	-96 (M)	-96:refused	0	0.0 %	-95 (M)	-95:doesn't understand	0	0.0 %	-94 (M)	-94:no money	0	0.0 %	-93 (M)	-93:uncodeable	0	0.0 %	0	0:not understand	0	0.0 %	1	1:never	0	0.0 %	2	2: 1-2	0	0.0 %	3	3: 3-5	0	0.0 %	4	4: 6-11	0	0.0 %	5	5: 12-24	0	0.0 %	6	6: 25-50	0	0.0 %	7	7: 51-99	0	0.0 %	8	8: 100-199	0	0.0 %	9	9: >=200	0	0.0 %	. (M)	-	554	99.8 %
<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>																																																																						
-99 (M)	-99:interviewer missed	1	0.2 %																																																																						
-98 (M)	-98:doesn't know	0	0.0 %																																																																						
-96 (M)	-96:refused	0	0.0 %																																																																						
-95 (M)	-95:doesn't understand	0	0.0 %																																																																						
-94 (M)	-94:no money	0	0.0 %																																																																						
-93 (M)	-93:uncodeable	0	0.0 %																																																																						
0	0:not understand	0	0.0 %																																																																						
1	1:never	0	0.0 %																																																																						
2	2: 1-2	0	0.0 %																																																																						
3	3: 3-5	0	0.0 %																																																																						
4	4: 6-11	0	0.0 %																																																																						
5	5: 12-24	0	0.0 %																																																																						
6	6: 25-50	0	0.0 %																																																																						
7	7: 51-99	0	0.0 %																																																																						
8	8: 100-199	0	0.0 %																																																																						
9	9: >=200	0	0.0 %																																																																						
. (M)	-	554	99.8 %																																																																						

<b>SX15C</b>	<b># days used steroids, last year</b>
--------------	--

Start: 209 End: 211 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 5px;"><i>Value</i></th> <th style="text-align: left; padding: 5px;"><i>Label</i></th> <th style="text-align: right; padding: 5px;"><i>Frequency</i></th> <th style="text-align: right; padding: 5px;"><i>%</i></th> </tr> </thead> <tbody> <tr><td style="padding: 2px 5px;">-99 (M)</td><td style="padding: 2px 5px;">-99:interviewer missed</td><td style="text-align: right; padding: 2px 5px;">1</td><td style="text-align: right; padding: 2px 5px;">0.2 %</td></tr> <tr><td style="padding: 2px 5px;">-98 (M)</td><td style="padding: 2px 5px;">-98:doesn't know</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-96 (M)</td><td style="padding: 2px 5px;">-96:refused</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-95 (M)</td><td style="padding: 2px 5px;">-95:doesn't understand</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-94 (M)</td><td style="padding: 2px 5px;">-94:no money</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">-93 (M)</td><td style="padding: 2px 5px;">-93:uncodeable</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">0</td><td style="padding: 2px 5px;">0:not understand</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">1</td><td style="padding: 2px 5px;">1:never</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">2</td><td style="padding: 2px 5px;">2: 1-2</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">3</td><td style="padding: 2px 5px;">3: 3-5</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">4</td><td style="padding: 2px 5px;">4: 6-11</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">5</td><td style="padding: 2px 5px;">5: 12-24</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> <tr><td style="padding: 2px 5px;">6</td><td style="padding: 2px 5px;">6: 25-50</td><td style="text-align: right; padding: 2px 5px;">0</td><td style="text-align: right; padding: 2px 5px;">0.0 %</td></tr> </tbody> </table>	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	-99 (M)	-99:interviewer missed	1	0.2 %	-98 (M)	-98:doesn't know	0	0.0 %	-96 (M)	-96:refused	0	0.0 %	-95 (M)	-95:doesn't understand	0	0.0 %	-94 (M)	-94:no money	0	0.0 %	-93 (M)	-93:uncodeable	0	0.0 %	0	0:not understand	0	0.0 %	1	1:never	0	0.0 %	2	2: 1-2	0	0.0 %	3	3: 3-5	0	0.0 %	4	4: 6-11	0	0.0 %	5	5: 12-24	0	0.0 %	6	6: 25-50	0	0.0 %
<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>																																																						
-99 (M)	-99:interviewer missed	1	0.2 %																																																						
-98 (M)	-98:doesn't know	0	0.0 %																																																						
-96 (M)	-96:refused	0	0.0 %																																																						
-95 (M)	-95:doesn't understand	0	0.0 %																																																						
-94 (M)	-94:no money	0	0.0 %																																																						
-93 (M)	-93:uncodeable	0	0.0 %																																																						
0	0:not understand	0	0.0 %																																																						
1	1:never	0	0.0 %																																																						
2	2: 1-2	0	0.0 %																																																						
3	3: 3-5	0	0.0 %																																																						
4	4: 6-11	0	0.0 %																																																						
5	5: 12-24	0	0.0 %																																																						
6	6: 25-50	0	0.0 %																																																						



**Variable**                      **Variable Description**

**SX15C**                              **# days used steroids, last year (cont.)**

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
7	7: 51-99	0	0.0 %
8	8: 100-199	0	0.0 %
9	9: >=200	0	0.0 %
. (M)	-	554	99.8 %

**SX15D**                              **# days used steroids, last month**

Start: 212  
 End: 214  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	1	0.2 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:not understand	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:>=21	0	0.0 %
. (M)	-	554	99.8 %

**SX16A**                              **ever injected any drug thru skin?**

Start: 215  
 End: 217  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	544	98.0 %	100.0%
1	1:yes	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX16A	ever injected any drug thru skin? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	10	1.8 %	-
Valid	Min	Max	Mean	Stdev
544	0.00	0.00	0.00	0.00

SX16B_1	drug injected/1st
---------	-------------------

Start: 218  
End: 220  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-90	-90:blanked	1	0.2 %	100.0%
. (M)	-	554	99.8 %	-
Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

SX16B_2	drug injected/2nd
---------	-------------------

Start: 221  
End: 223  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-90	-90:blanked	1	0.2 %	100.0%
. (M)	-	554	99.8 %	-
Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

SX16B_3	drug injected/3rd
---------	-------------------

Start: 224  
End: 226  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-90	-90:blanked	1	0.2 %	100.0%
. (M)	-	554	99.8 %	-
Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

SX16C	# times ever injected drugs thru skin
-------	---------------------------------------

Start: 227  
End: 229  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	1	0.2 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %

- ICPSR 13659 -

Variable	Variable Description
----------	----------------------

SX16C	# times ever injected drugs thru skin ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0: 0	0	0.0 %
1	1: 1-2	0	0.0 %
2	2: 3-5	0	0.0 %
3	3: 6-9	0	0.0 %
4	4: 10-19	0	0.0 %
5	5: 20-39	0	0.0 %
6	6: 40-99	0	0.0 %
7	7: >=100	0	0.0 %
. (M)	-	554	99.8 %

SX16D	# times injected drugs, past year
-------	-----------------------------------

Start: 230  
 End: 232  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	1	0.2 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0: 0	0	0.0 %
1	1: 1-2	0	0.0 %
2	2: 3-5	0	0.0 %
3	3: 6-9	0	0.0 %
4	4: 10-19	0	0.0 %
5	5: 20-39	0	0.0 %
6	6: 40-99	0	0.0 %
7	7: >=100	0	0.0 %
. (M)	-	554	99.8 %

SX17A	cigarettes,spent much time getting? past yr
-------	---

Start: 233  
 End: 235  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	4	0.7 %	-

**Variable**                      **Variable Description**

**SX17A**                                      cigarettes,spent much time getting? past yr (*cont.*)

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	168	30.3 %	76.7%
1	1:yes	51	9.2 %	23.3%
. (M)	-	331	59.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
219	0.00	1.00	0.23	0.42

**SX17B**                                      alcohol,spent much time getting? past yr

Start: 236  
End: 238  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	5	0.9 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	256	46.1 %	86.2%
1	1:yes	41	7.4 %	13.8%
. (M)	-	253	45.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
297	0.00	1.00	0.14	0.35

**SX17C**                                      marijuana,spent much time getting?pst yr

Start: 239  
End: 241  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX17C	marijuana,spent much time getting?pst yr (cont.)
-------	--

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	131	23.6 %	77.1%
1	1:yes	39	7.0 %	22.9%
. (M)	-	384	69.2 %	-

Valid	Min	Max	Mean	Stdev
170	0.00	1.00	0.23	0.42

SX17D	cocaine,spent much time getting? past yr
-------	--

Start: 242  
 End: 244  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.8 %	90.9%
1	1:yes	1	0.2 %	9.1%
. (M)	-	544	98.0 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.09	0.30

SX17E	crack, spent much time getting? past yr
-------	---

Start: 245  
 End: 247  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	0.2 %	100.0%
. (M)	-	554	99.8 %	-

Variable	Variable Description
----------	----------------------

SX17E	crack, spent much time getting? past yr ( <i>cont.</i> )
-------	--

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

SX17F	inhalant,spent much time getting?past yr
-------	--

Start: 248  
End: 250  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%
. (M)	-	553	99.6 %	-

Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

SX17G	drugs, spent much time getting? past yr
-------	---

Start: 251  
End: 253  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	3.2 %	81.8%
1	1:yes	4	0.7 %	18.2%
. (M)	-	533	96.0 %	-

Valid	Min	Max	Mean	Stdev
22	0.00	1.00	0.18	0.39

**Variable** **Variable Description**

**SX18A** cigarettes, used much more often? past yr

Start: 254  
 End: 256  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	148	26.7 %	65.8%
1	1:yes	77	13.9 %	34.2%
. (M)	-	327	58.9 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
225	0.00	1.00	0.34	0.48

**SX18B** alcohol, used much more often? past yr

Start: 257  
 End: 259  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	6	1.1 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	242	43.6 %	81.2%
1	1:yes	56	10.1 %	18.8%
. (M)	-	251	45.2 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
298	0.00	1.00	0.19	0.39

**SX18C** marijuana, used much more often? past yr

Start: 260  
 End: 262  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

**Variable** **Variable Description**

SX18C marijuana, used much more often? past yr (*cont.*)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	120	21.6 %	69.8%
1	1:yes	52	9.4 %	30.2%
. (M)	-	381	68.6 %	-

Valid	Min	Max	Mean	Stdev
172	0.00	1.00	0.30	0.46

SX18D cocaine, used much more often? past yr

Start: 263  
End: 265  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	2.0 %	78.6%
1	1:yes	3	0.5 %	21.4%
. (M)	-	541	97.5 %	-

Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.21	0.43

SX18E crack, used much more often? past yr

Start: 266  
End: 268  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%



Variable	Variable Description
----------	----------------------

SX18E	crack, used much more often? past yr (cont.)
-------	--

Value	Label	Frequency	%	Valid %
. (M)	-	553	99.6 %	-
Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

SX18F	inhalant, used much more often? past yr
-------	---

Start: 269  
 End: 271  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%
. (M)	-	553	99.6 %	-
Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

SX18G	drugs, used much more often? past yr
-------	--------------------------------------

Start: 272  
 End: 274  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	4.0 %	91.7%
1	1:yes	2	0.4 %	8.3%
. (M)	-	531	95.7 %	-
Valid	Min	Max	Mean	Stdev
24	0.00	1.00	0.08	0.28

**Variable**                      **Variable Description**

**SX19A**                      cigarettes, had less effect? past yr

Start: 275  
 End: 277  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	178	32.1 %	79.5%
1	1:yes	46	8.3 %	20.5%
. (M)	-	328	59.1 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
224	0.00	1.00	0.21	0.40

**SX19B**                      alcohol, had less effect? past yr

Start: 278  
 End: 280  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	6	1.1 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	240	43.2 %	80.8%
1	1:yes	57	10.3 %	19.2%
. (M)	-	252	45.4 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
297	0.00	1.00	0.19	0.39

**SX19C**                      marijuana, had less effect? past yr

Start: 281  
 End: 283  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX19C	marijuana, had less effect? past yr (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	130	23.4 %	75.1%
1	1:yes	43	7.7 %	24.9%
. (M)	-	380	68.5 %	-

Valid	Min	Max	Mean	Stdev
173	0.00	1.00	0.25	0.43

SX19D	cocaine, had less effect? past yr
-------	-----------------------------------

Start: 284  
 End: 286  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	2.0 %	91.7%
1	1:yes	1	0.2 %	8.3%
. (M)	-	543	97.8 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.08	0.29

SX19E	crack, had less effect? past yr
-------	---------------------------------

Start: 287  
 End: 289  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%

- ICPSR 13659 -

Variable	Variable Description
----------	----------------------

SX19E	crack, had less effect? past yr ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%	Valid %
. (M)	-	553	99.6 %	-

  

Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

SX19F	inhalant, had less effect? past yr
-------	------------------------------------

Start: 290  
 End: 292  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%
. (M)	-	553	99.6 %	-

  

Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

SX19G	drugs, had less effect? past yr
-------	---------------------------------

Start: 293  
 End: 295  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	3.8 %	87.5%
1	1:yes	3	0.5 %	12.5%
. (M)	-	531	95.7 %	-

  

Valid	Min	Max	Mean	Stdev
24	0.00	1.00	0.12	0.34

**Variable** **Variable Description**

**SX20A** cigarettes, threatened safety? past yr

Start: 296  
 End: 298  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	214	38.6 %	96.4%
1	1:yes	8	1.4 %	3.6%
. (M)	-	330	59.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
222	0.00	1.00	0.04	0.19

**SX20B** alcohol, threatened safety? past yr

Start: 299  
 End: 301  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	6	1.1 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	262	47.2 %	88.5%
1	1:yes	34	6.1 %	11.5%
. (M)	-	253	45.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
296	0.00	1.00	0.11	0.32

**SX20C** marijuana, threatened safety? past yr

Start: 302  
 End: 304  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX20C	marijuana, threatened safety? past yr (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	146	26.3 %	84.4%
1	1:yes	27	4.9 %	15.6%
. (M)	-	380	68.5 %	-

Valid	Min	Max	Mean	Stdev
173	0.00	1.00	0.16	0.36

SX20D	cocaine, threatened safety? past yr
-------	-------------------------------------

Start: 305  
 End: 307  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.8 %	83.3%
1	1:yes	2	0.4 %	16.7%
. (M)	-	543	97.8 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.17	0.39

SX20E	crack, threatened safety? past yr
-------	-----------------------------------

Start: 308  
 End: 310  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX20E	crack, threatened safety? past yr (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	554	99.8 %	-

  

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SX20F	inhalant, threatened safety? past yr
-------	--------------------------------------

Start: 311  
 End: 313  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	554	99.8 %	-

  

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SX20G	drugs, threatened safety? past yr
-------	-----------------------------------

Start: 314  
 End: 316  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	3.6 %	87.0%
1	1:yes	3	0.5 %	13.0%
. (M)	-	532	95.9 %	-

  

Valid	Min	Max	Mean	Stdev
23	0.00	1.00	0.13	0.34

**Variable**                      **Variable Description**

SX21A                      cigarettes, emotional problems? past yr

Start: 317  
End: 319  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	212	38.2 %	95.9%
1	1:yes	9	1.6 %	4.1%
. (M)	-	331	59.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
221	0.00	1.00	0.04	0.20

SX21B                      alcohol, emotional problems? past yr

Start: 320  
End: 322  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	6	1.1 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	271	48.8 %	91.6%
1	1:yes	25	4.5 %	8.4%
. (M)	-	253	45.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
296	0.00	1.00	0.08	0.28

SX21C                      marijuana, emotional problems? past yr

Start: 323  
End: 325  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-



**Variable** **Variable Description**

SX21C marijuana, emotional problems? past yr (*cont.*)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	148	26.7 %	86.0%
1	1:yes	24	4.3 %	14.0%
. (M)	-	381	68.6 %	-

Valid	Min	Max	Mean	Stdev
172	0.00	1.00	0.14	0.35

SX21D cocaine, emotional problems? past yr

Start: 326  
End: 328  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	75.0%
1	1:yes	3	0.5 %	25.0%
. (M)	-	543	97.8 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.25	0.45

SX21E crack, emotional problems? past yr

Start: 329  
End: 331  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%

**Variable**                      **Variable Description**

SX21E                      crack, emotional problems? past yr (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
. (M)	-	554	99.8 %	-
<i>Valid</i>				
1	0.00	0.00	0.00	0.00

SX21F                      inhalant, emotional problems? past yr

Start: 332  
End: 334  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	554	99.8 %	-
<i>Valid</i>				
1	0.00	0.00	0.00	0.00

SX21G                      drugs, emotional problems? past yr

Start: 335  
End: 337  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	3.6 %	90.9%
1	1:yes	2	0.4 %	9.1%
. (M)	-	533	96.0 %	-
<i>Valid</i>				
22	0.00	1.00	0.09	0.29

**Variable** **Variable Description**

SX22A cigarettes, wanted to stop use? past yr

Start: 338  
 End: 340  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	5	0.9 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	115	20.7 %	44.7%
1	1:yes	142	25.6 %	55.3%
. (M)	-	293	52.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
257	0.00	1.00	0.55	0.50

SX23A cigarettes, able to stop use? past yr

Start: 341  
 End: 343  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	47	8.5 %	32.0%
1	1:yes	100	18.0 %	68.0%
. (M)	-	406	73.2 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
147	0.00	1.00	0.68	0.47

SX22B alcohol, wanted to stop use? past yr

Start: 344  
 End: 346  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	6	1.1 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX22B	alcohol, wanted to stop use? past yr ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	205	36.9 %	63.9%
1	1:yes	116	20.9 %	36.1%
. (M)	-	228	41.1 %	-

Valid	Min	Max	Mean	Stdev
321	0.00	1.00	0.36	0.48

SX23B	alcohol, able to stop use? past yr
-------	------------------------------------

Start: 347  
 End: 349  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	15	2.7 %	11.7%
1	1:yes	113	20.4 %	88.3%
. (M)	-	425	76.6 %	-

Valid	Min	Max	Mean	Stdev
128	0.00	1.00	0.88	0.32

SX22C	marijuana, wanted to stop use? past yr
-------	--

Start: 350  
 End: 352  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	3	0.5 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	109	19.6 %	54.2%
1	1:yes	92	16.6 %	45.8%

- ICPSR 13659 -

Variable	Variable Description
----------	----------------------

SX22C	marijuana, wanted to stop use? past yr ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	351	63.2 %	-

  

Valid	Min	Max	Mean	Stdev
201	0.00	1.00	0.46	0.50

SX23C	marijuana, able to stop use? past yr
-------	--------------------------------------

Start: 353  
 End: 355  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	16	2.9 %	16.2%
1	1:yes	83	15.0 %	83.8%
. (M)	-	454	81.8 %	-

  

Valid	Min	Max	Mean	Stdev
99	0.00	1.00	0.84	0.37

SX22D	cocaine, wanted to stop use? past yr
-------	--------------------------------------

Start: 356  
 End: 358  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	1.1 %	42.9%
1	1:yes	8	1.4 %	57.1%
. (M)	-	539	97.1 %	-

  

Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.57	0.51

**Variable**                      **Variable Description**

SX23D                      cocaine, able to stop use? past yr

Start: 359  
End: 361  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.4 %	20.0%
1	1:yes	8	1.4 %	80.0%
. (M)	-	543	97.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
10	0.00	1.00	0.80	0.42

SX22E                      crack, wanted to stop use? past yr

Start: 362  
End: 364  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%
. (M)	-	551	99.3 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	0.00	1.00	0.50	0.71

SX23E                      crack, able to stop use? past yr

Start: 365  
End: 367  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

**Variable** **Variable Description**

SX23E crack, able to stop use? past yr (*cont.*)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	50.0%
1	1:yes	1	0.2 %	50.0%
. (M)	-	551	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

SX22F inhalant, wanted to stop use? past yr

Start: 368  
End: 370  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	2	0.4 %	100.0%
. (M)	-	551	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	1.00	1.00	1.00	0.00

SX23F inhalant, able to stop use? past yr

Start: 371  
End: 373  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	33.3%
1	1:yes	2	0.4 %	66.7%

Variable	Variable Description
----------	----------------------

SX23F	inhalant, able to stop use? past yr ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%	Valid %
. (M)	-	550	99.1 %	-

  

Valid	Min	Max	Mean	Stdev
3	0.00	1.00	0.67	0.58

SX22G	drugs, wanted to stop use? past yr
-------	------------------------------------

Start: 374  
 End: 376  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	2.5 %	53.8%
1	1:yes	12	2.2 %	46.2%
. (M)	-	526	94.8 %	-

  

Valid	Min	Max	Mean	Stdev
26	0.00	1.00	0.46	0.51

SX23G	drugs, able to stop use? past yr
-------	----------------------------------

Start: 377  
 End: 379  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.4 %	13.3%
1	1:yes	13	2.3 %	86.7%
. (M)	-	538	96.9 %	-

  

Valid	Min	Max	Mean	Stdev
15	0.00	1.00	0.87	0.35