



ICPSR 13670

## Project on Human Development in Chicago Neighborhoods (PHDCN): Addendum (Primary Caregiver), Wave 3, 2000-2002

Felton J. Earls  
*Harvard Medical School*

Jeanne Brooks-Gunn  
*Scientific Director. Columbia University. Teacher's  
College. Center for the Study of Children and  
Families*

Stephen W. Raudenbush  
*Scientific Director. University of Michigan. School  
of Education and Survey Research Center*

Robert J. Sampson  
*Scientific Director. Harvard University. Department  
of Sociology*

Codebook for Cohort 12



National Institute of Justice  
Data Resources Program

# ICPSR

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
  - verified that respondent confidentiality was protected
  - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
  - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
  - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
  - reformatted date and time variables to make them compatible across statistical packages
  - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
  - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
  - Data Completeness Reports summarizing the amount of missing data in each file
  - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
  - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.

6. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., \*). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:

HH1C	relationship(other) to subject,member 1
HH2C	relationship(other) to subject,member 2
HH3C	relationship(other) to subject,member 3
HH4C	relationship(other) to subject,member 4
HH5C	relationship(other) to subject,member 5
HH6C	relationship(other) to subject,member 6
HH7C	relationship(other) to subject,member 7
HH8C	relationship(other) to subject,member 8
HH9C	relationship(other) to subject,member 9
HH10C	relationship(other) to subject,member 10
HH11C	relationship(other) to subject,member 11
HH12C	relationship(other) to subject,member 12
HH13C	relationship(other) to subject,member 13
HH14C	relationship(other) to subject,member 14
HH15C	relationship(other) to subject,member 15
HH16C	relationship(other) to subject,member 16
HH17C	relationship(other) to subject,member 17
FS3A	relationship(other) of suicide to SP
DD86	amount time birth mom spends w subject
PR22A	reason SP 2nd hospitalized
PR23A	reason SP 3rd hospitalized
PR24A	reasons for other SP hospitalizations
PR25C	frequency of ear infections since 1 <sup>st</sup>

7. The following abbreviations are used in the codebook and setup files:  
ADDP = Addendum (Primary Caregiver)  
PC = Primary Caregiver  
SUB = Subject

8. Users should note that, for confidentiality reasons, the following variables have been blanked in the public use files. The data are available by requesting the restricted use data files (see note #4):

MONTH	month assessment completed
DAY	day assessment completed
YEAR	year assessment completed
DD47A	race 1 (> 1), subject
DD47B	race 2 (> 1), subject
DD47C	race 3 (> 1), subject
DD47D	race 4 (> 1), subject
DD47E	race 5 (> 1), subject
DD49	race (only 1), PC
DD50A	race 1 (> 1), PC
DD50B	race 2 (> 1), PC
DD50C	race 3 (> 1), PC
DD50D	race 4 (> 1), PC
DD50E	race 5 (> 1), PC
DD52	racial group representing PC more than others
DD81	race (only 1), subject's dad
DD82A	race 1 (> 1), subject's dad
DD82B	race 2 (> 1), subject's dad
DD82C	race 3 (> 1), subject's dad
DD82D	race 4 (> 1), subject's dad
DD82E	race 5 (> 1), subject's dad
DD84	race group representing subject's dad more than others
DD88	race (only 1), subject's mom
DD89A	race 1 (> 1), subject's mom
DD89B	race 21 (> 1), subject's mom
DD89C	race 3 (> 1), subject's mom
DD89D	race 4 (> 1), subject's mom
DD89E	race 5 (> 1), subject's mom
DD91	race group representing subject's mom more than others

9. The following categorical variables have undocumented codes:  
PR7 - values of 0



## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

Variable Name and Label (Total Cases = 22 )	Percent of Cases with Missing Values
8.6% ( 19 of 222 variables)	have 0% Missing Values
0.0% ( 0 of 222 variables)	have 0% - 1% Missing Values
0.0% ( 0 of 222 variables)	have 1% - 3% Missing Values
11.3% ( 25 of 222 variables)	have 3% - 5% Missing Values
1.4% ( 3 of 222 variables)	have 5% - 10% Missing Values
RA_ID	RA ID 9.1%
HH1B	relationship to subject, member 1 9.1%
HU32	ever tutoring for other subjects? 9.1%
5.0% ( 11 of 222 variables)	have 10% - 20% Missing Values
HH1E	gender, member 1 13.6%
HH2B	relationship to subject, member 2 18.2%
HH2D	age, member 2 13.6%
HH2E	gender, member 2 18.2%
DD48	# racial groups to which PC belongs 13.6%
DD49	race (only 1), PC 18.2%
DD53	PC of Hispanic/Spanish/Latino origin? 13.6%
DD55	racial group in which PC puts self 18.2%
DD80	# racial groups to which subject's dad belongs 13.6%
DD81	race (only 1), subject's dad 13.6%
HU33	ever any other services/help? 13.6%
1.4% ( 3 of 222 variables)	have 20% - 40% Missing Values
HH3B	relationship to subject, member 3 27.3%
HH3D	age, member 3 22.7%
HH3E	gender, member 3 27.3%
36.9% ( 82 of 222 variables)	have 40% - 99% Missing Values
EDITOR	editor ID 95.5%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

<b>Variable Name and Label (Total Cases = 22 )</b>		<b>Percent of Cases with Missing Values</b>
EC1C	age first saw someone chased to hurt	77.3%
EC2C	age first chased to hurt	95.5%
EC3C	age first saw someone hit	72.7%
EC4C	age first hit	77.3%
EC5C	age first saw someone attacked w/ weapon	77.3%
EC6C	age first attacked w/ weapon	95.5%
EC9C	age first saw someone shot at	86.4%
EC11C	age first heard gunfire nearby	59.1%
EC12C	age first saw serious accident/hurt	77.3%
EC13C	age first in serious accident	90.9%
EC16C	age first saw someone threatened/hurt	86.4%
EC17C	age first threatened/seriously hurt	90.9%
EC18A	age first found dead body	95.5%
EC19A	age first in natural disaster	90.9%
EC20C	age first in frightful situation	90.9%
HH3C	relationship(other) to subject,member 3	95.5%
HH4B	relationship to subject, member 4	63.6%
HH4D	age, member 4	59.1%
HH4E	gender, member 4	63.6%
HH5B	relationship to subject, member 5	95.5%
HH5D	age, member 5	90.9%
HH5E	gender, member 5	95.5%
HH6B	relationship to subject, member 6	95.5%
HH6D	age, member 6	95.5%
HH6E	gender, member 6	95.5%
HH7B	relationship to subject, member 7	95.5%
HH7D	age, member 7	95.5%
HH7E	gender, member 7	95.5%
FS3	relationship of suicide to SP	86.4%
FS5A	method of suicide	90.9%
FS6	medical care for suicide before dying?	90.9%
DD47A	race 1 (> 1), subject	95.5%
DD47B	race 2 (> 1), subject	95.5%
DD50A	race 1 (> 1), PC	95.5%



**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

Variable Name and Label (Total Cases = 22 )	Percent of Cases with Missing Values	
DD50B	race 2 (> 1), PC	95.5%
DD50C	race 3 (> 1), PC	95.5%
DD51	1 racial group represents PC more than others?	95.5%
DD52	racial group representing PC more than others	95.5%
DD85	subject has contact with birth mother?	63.6%
DD86	amount time birth mom spends w/ subject	72.7%
DD86A	amount time birth mom spends with subject	68.2%
DD87	# racial groups to which subject's mom belongs	63.6%
DD88	race (only 1), subject's mom	72.7%
DD89A	race 1 (> 1), subject's mom	95.5%
DD89B	race 2 (> 1), subject's mom	95.5%
DD90	1 race grp represents subj's mom >oths?	95.5%
DD91	race group representing subject's mom more than others	95.5%
HU25A	special education classes, past year?	81.8%
HU26A	ESL classes, past year?	86.4%
HU27A	speech therapy, past year?	95.5%
HU28A	occupational therapy, past year?	95.5%
HU29A	physical therapy, past year?	86.4%
HU30A	special transportation, past year?	90.9%
HU31A	tutoring for reading, past year?	77.3%
HU32A	tutoring for other subjects, past year?	72.7%
PR1	prenatal care during pregnancy?	81.8%
PR1A	month of pregnancy of first prenatal visit	90.9%
PR2	any medical problems during pregnancy?	81.8%
PR3	# times hospitalized while pregnant	81.8%
PR5	want to become pregnant?	81.8%
PR6	want to become pregnant earlier also?	95.5%
PR7	# drinks alcohol after knew pregnant	81.8%
PR8	# cigarettes/day after knew pregnant	81.8%
PR9	# people smoking in home other than self	81.8%
PR10	use drugs during pregnancy?	81.8%
PR11	SP born when expected, early or late?	81.8%
PR12	# weeks premature	90.9%
PR13	# pounds mother gained during pregnancy	86.4%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

Variable Name and Label (Total Cases = 22 )		Percent of Cases with Missing Values
PR15	any serious problems during delivery?	81.8%
PR17A	length of time mother in hospital	86.4%
PR17B	length of time (unit) mother in hospital	86.4%
PR18A	length of time SP in hospital	86.4%
PR18B	length of time (unit) SP in hospital	86.4%
PR19	SP ever in hospital overnite since born?	86.4%
PR20	# times SP hospitalized since born?	90.9%
PR21B	length of time SP first hospitalized	95.5%
PR21C	length of time (unit) SP first hospitalized	95.5%
PR22A	reason SP 2nd hospitalized	95.5%
PR22B	length of time SP 2nd hospitalized	95.5%
PR22C	length of time(unit) SP 2nd hospitalized	95.5%
PR25	SP had any ear infections?	86.4%
35.6% ( 79 of 222 variables) have 100% missing values		
EC7C	age first saw someone shot	100.0%
EC8C	age first shot	100.0%
EC10C	age first shot at	100.0%
EC14C	age first saw someone killed	100.0%
EC15C	age first sexually assaulted	100.0%
HH1C	relationship(other) to subject,member 1	100.0%
HH2C	relationship(other) to subject,member 2	100.0%
HH4C	relationship(other) to subject,member 4	100.0%
HH5C	relationship(other) to subject,member 5	100.0%
HH6C	relationship(other) to subject,member 6	100.0%
HH7C	relationship(other) to subject,member 7	100.0%
HH8B	relationship to subject, member 8	100.0%
HH8C	relationship(other) to subject,member 8	100.0%
HH8D	age, member 8	100.0%
HH8E	gender, member 8	100.0%
HH9B	relationship to subject, member 9	100.0%
HH9C	relationship(other) to subject,member 9	100.0%
HH9D	age, member 9	100.0%
HH9E	gender, member 9	100.0%
HH10B	relationship to subject, member 10	100.0%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

Variable Name and Label (Total Cases = 22 )	Percent of Cases with Missing Values	
HH10C	relationship(other) to subject,member 10	100.0%
HH10D	age, member 10	100.0%
HH10E	gender, member 10	100.0%
HH11B	relationship to subject, member 11	100.0%
HH11C	relationship(other) to subject,member 11	100.0%
HH11D	age, member 11	100.0%
HH11E	gender, member 11	100.0%
HH12B	relationship to subject, member 12	100.0%
HH12C	relationship(other) to subject,member 12	100.0%
HH12D	age, member 12	100.0%
HH12E	gender, member 12	100.0%
HH13B	relationship to subject, member 13	100.0%
HH13C	relationship(other) to subject,member 13	100.0%
HH13D	age, member 13	100.0%
HH13E	gender, member 13	100.0%
HH14B	relationship to subject, member 14	100.0%
HH14C	relationship(other) to subject,member 14	100.0%
HH14D	age, member 14	100.0%
HH14E	gender, member 14	100.0%
HH15B	relationship to subject, member 15	100.0%
HH15C	relationship(other) to subject,member 15	100.0%
HH15D	age, member 15	100.0%
HH15E	gender, member 15	100.0%
HH16B	relationship to subject, member 16	100.0%
HH16C	relationship(other) to subject,member 16	100.0%
HH16D	age, member 16	100.0%
HH16E	gender, member 16	100.0%
HH17B	relationship to subject, member 17	100.0%
HH17C	relationship(other) to subject,member 17	100.0%
HH17D	age, member 17	100.0%
HH17E	gender, member 17	100.0%
FS3A	relationship(other) of suicide to SP	100.0%
DD47C	race 3 (> 1), subject	100.0%
DD47D	race 4 (> 1), subject	100.0%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12**

Variable Name and Label (Total Cases = 22 )		Percent of Cases with Missing Values
DD47E	race 5 (> 1), subject	100.0%
DD50D	race 4 (> 1), PC	100.0%
DD50E	race 5 (> 1), PC	100.0%
DD82A	race 1 (> 1), subject's dad	100.0%
DD82B	race 2 (> 1), subject's dad	100.0%
DD82C	race 3 (> 1), subject's dad	100.0%
DD82D	race 4 (> 1), subject's dad	100.0%
DD82E	race 5 (> 1), subject's dad	100.0%
DD83	1 race grp represents subj's dad >oths?	100.0%
DD84	race group representing subject's dad more than others	100.0%
DD89C	race 3 (> 1), subject's mom	100.0%
DD89D	race 4 (> 1), subject's mom	100.0%
DD89E	race 5 (> 1), subject's mom	100.0%
PR23A	reason SP 3rd hospitalized	100.0%
PR23B	length of time SP 3rd hospitalized	100.0%
PR23C	length of time(unit) SP 3rd hospitalized	100.0%
PR24A	reasons for other SP hospitalizations	100.0%
PR25A_Y	age (yrs), SP's first ear infection	100.0%
PR25A_M	age (months), SP's first ear infection	100.0%
PR25B	frequency of ear infections since first	100.0%
PR25C	frequency of ear infections since first	100.0%
PR25D	ever fluid build-up in SP's ears?	100.0%
PR25E	MD ever diagnose SP hearing loss?	100.0%
PR25F	SP ever antibiotics for ear infections?	100.0%
PR25G	SP ever tubes for ear infections?	100.0%

**Codebook for ICPSR 13670**

**Project on Human Development in Chicago Neighborhoods (PHDCN): Addendum  
(Primary Caregiver), Wave 3, 2000-2002**

**Dataset0005: Cohort 12**

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1  
End: 7  
Width: 7  
Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3000232	1	4.5 %	4.5%
3000292	1	4.5 %	4.5%
3000311	1	4.5 %	4.5%
3000692	1	4.5 %	4.5%
3001114	1	4.5 %	4.5%
3001824	1	4.5 %	4.5%
3001925	1	4.5 %	4.5%
3002039	1	4.5 %	4.5%
3002121	1	4.5 %	4.5%
3002436	1	4.5 %	4.5%
3002616	1	4.5 %	4.5%
3003120	1	4.5 %	4.5%
3003690	1	4.5 %	4.5%
3003769	1	4.5 %	4.5%
3004014	1	4.5 %	4.5%
3004094	1	4.5 %	4.5%
3004314	1	4.5 %	4.5%
3004360	1	4.5 %	4.5%
3004823	1	4.5 %	4.5%
3005114	1	4.5 %	4.5%
3005305	1	4.5 %	4.5%
3006103	1	4.5 %	4.5%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	3000232.00	3006103.00	3002923.09	1763.34

- ICPSR 13670 -

**Variable**                      **Variable Description**

**WAVE**                              **wave #**

Start: 8 End: 10 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	3	-	22	100.0 %	100.0%
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	3.00	3.00	3.00	0.00	

**COHORT**                              **cohort**

Start: 11 End: 13 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	12	-	22	100.0 %	100.0%
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	12.00	12.00	12.00	0.00	

**MONTH**                              **month assessment completed**

Start: 14 End: 16 Width: 3 Type: numeric (ISO) Interval: discrete	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99	-99:interviewer missed	0	0.0 %	0.0%
	-98	-98:doesn't know	0	0.0 %	0.0%
	-96	-96:refused	0	0.0 %	0.0%
	-95	-95:doesn't understand	0	0.0 %	0.0%
	-94	-94:no money	0	0.0 %	0.0%
	-93	-93:uncodeable	0	0.0 %	0.0%
	-90	-90:blanked	22	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

MONTH	month assessment completed ( <i>cont.</i> )
-------	---

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	-90.00	-90.00	-90.00	0.00

DAY	day assessment completed
-----	--------------------------

Start: 17  
End: 19  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
-96	-96:refused	0	0.0 %	0.0%
-95	-95:doesn't understand	0	0.0 %	0.0%
-94	-94:no money	0	0.0 %	0.0%
-93	-93:uncodeable	0	0.0 %	0.0%
-90	-90:blanked	22	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	-90.00	-90.00	-90.00	0.00

YEAR	year assessment completed
------	---------------------------

Start: 20  
End: 23  
Width: 4  
Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99	-99:interviewer missed	0	0.0 %	0.0%
-98	-98:doesn't know	0	0.0 %	0.0%
-96	-96:refused	0	0.0 %	0.0%
-95	-95:doesn't understand	0	0.0 %	0.0%
-94	-94:no money	0	0.0 %	0.0%
-93	-93:uncodeable	0	0.0 %	0.0%
-90	-90:blanked	22	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	-90.00	-90.00	-90.00	0.00

RA_ID	RA ID
-------	-------

Start: 24  
End: 26  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

RA_ID	RA ID (cont.)
-------	---------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
13	-	3	13.6 %	15.0%
21	-	2	9.1 %	10.0%
29	-	3	13.6 %	15.0%
30	-	2	9.1 %	10.0%
32	-	1	4.5 %	5.0%
50	-	1	4.5 %	5.0%
55	-	1	4.5 %	5.0%
64	-	1	4.5 %	5.0%
190	-	1	4.5 %	5.0%
212	-	1	4.5 %	5.0%
231	-	1	4.5 %	5.0%
233	-	1	4.5 %	5.0%
238	-	1	4.5 %	5.0%
242	-	1	4.5 %	5.0%
. (M)	-	2	9.1 %	-

Valid	Min	Max	Mean	Stdev
20	13.00	242.00	88.75	92.55

EDITOR	editor ID
--------	-----------

Start: 27  
 End: 29  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
21	-	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	21.00	21.00	21.00	0.00



Variable	Variable Description
----------	----------------------

TYPE	type of interview
------	-------------------

Start: 30 End: 32 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>1</td> <td>1:standard</td> <td>13</td> <td>59.1 %</td> <td>61.9%</td> </tr> <tr> <td>2</td> <td>2:proxy</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> </tr> <tr> <td>3</td> <td>3:phone</td> <td>8</td> <td>36.4 %</td> <td>38.1%</td> </tr> <tr> <td>4</td> <td>4:lang abbr</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> </tr> <tr> <td>5</td> <td>5:Polish translation</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	1	1:standard	13	59.1 %	61.9%	2	2:proxy	0	0.0 %	0.0%	3	3:phone	8	36.4 %	38.1%	4	4:lang abbr	0	0.0 %	0.0%	5	5:Polish translation	0	0.0 %	0.0%	. (M)	-	1	4.5 %	-
Value	Label	Frequency	%	Valid %																																																														
-99 (M)	-99:interviewer missed	0	0.0 %	-																																																														
-98 (M)	-98:doesn't know	0	0.0 %	-																																																														
-96 (M)	-96:refused	0	0.0 %	-																																																														
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																														
-94 (M)	-94:no money	0	0.0 %	-																																																														
-93 (M)	-93:uncodeable	0	0.0 %	-																																																														
1	1:standard	13	59.1 %	61.9%																																																														
2	2:proxy	0	0.0 %	0.0%																																																														
3	3:phone	8	36.4 %	38.1%																																																														
4	4:lang abbr	0	0.0 %	0.0%																																																														
5	5:Polish translation	0	0.0 %	0.0%																																																														
. (M)	-	1	4.5 %	-																																																														

Valid	Min	Max	Mean	Stdev
21	1.00	3.00	1.76	1.00

EC1C	age first saw someone chased to hurt
------	--------------------------------------

Start: 33 End: 35 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>4</td> <td>18.2 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>5</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>20.0%</td> </tr> <tr> <td>8</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>20.0%</td> </tr> <tr> <td>9</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>20.0%</td> </tr> <tr> <td>10</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>20.0%</td> </tr> <tr> <td>11</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>20.0%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>13</td> <td>59.1 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	4	18.2 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	5	-	1	4.5 %	20.0%	8	-	1	4.5 %	20.0%	9	-	1	4.5 %	20.0%	10	-	1	4.5 %	20.0%	11	-	1	4.5 %	20.0%	. (M)	-	13	59.1 %	-
Value	Label	Frequency	%	Valid %																																																														
-99 (M)	-99:interviewer missed	0	0.0 %	-																																																														
-98 (M)	-98:doesn't know	4	18.2 %	-																																																														
-96 (M)	-96:refused	0	0.0 %	-																																																														
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																														
-94 (M)	-94:no money	0	0.0 %	-																																																														
-93 (M)	-93:uncodeable	0	0.0 %	-																																																														
5	-	1	4.5 %	20.0%																																																														
8	-	1	4.5 %	20.0%																																																														
9	-	1	4.5 %	20.0%																																																														
10	-	1	4.5 %	20.0%																																																														
11	-	1	4.5 %	20.0%																																																														
. (M)	-	13	59.1 %	-																																																														

Valid	Min	Max	Mean	Stdev
5	5.00	11.00	8.60	2.30

**Variable**                      **Variable Description**

**EC2C**                              **age first chased to hurt**

Start: 36  
 End: 38  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	9.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	1	4.5 %	100.0%
. (M)	-	19	86.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	15.00	15.00	15.00	0.00

**EC3C**                              **age first saw someone hit**

Start: 39  
 End: 41  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	13.6 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	1	4.5 %	16.7%
7	-	2	9.1 %	33.3%
10	-	1	4.5 %	16.7%
12	-	2	9.1 %	33.3%
. (M)	-	13	59.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6	6.00	12.00	9.00	2.68

**EC4C**                              **age first hit**

Start: 42  
 End: 44  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

EC4C	age first hit (cont.)
------	-----------------------

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	1	4.5 %	20.0%
12	-	1	4.5 %	20.0%
13	-	2	9.1 %	40.0%
15	-	1	4.5 %	20.0%
. (M)	-	17	77.3 %	-

Valid	Min	Max	Mean	Stdev
5	6.00	15.00	11.80	3.42

EC5C	age first saw someone attacked w/ weapon
------	--

Start: 45  
 End: 47  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	4.5 %	20.0%
9	-	1	4.5 %	20.0%
12	-	2	9.1 %	40.0%
16	-	1	4.5 %	20.0%
. (M)	-	17	77.3 %	-

Valid	Min	Max	Mean	Stdev
5	1.00	16.00	10.00	5.61

EC6C	age first attacked w/ weapon
------	------------------------------

Start: 48  
 End: 50  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-
-96 (M)	-96:refused	0	0.0 %	-

**Variable** **Variable Description**

**EC6C** age first attacked w/ weapon (*cont.*)

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	1	4.5 %	100.0%
. (M)	-	20	90.9 %	-

Valid	Min	Max	Mean	Stdev
1	15.00	15.00	15.00	0.00

**EC7C** age first saw someone shot

Start: 51  
 End: 53  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

**EC8C** age first shot

Start: 54  
 End: 56  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

**EC9C** age first saw someone shot at

Start: 57  
 End: 59  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-

Variable	Variable Description
----------	----------------------

EC9C	age first saw someone shot at (cont.)
------	---------------------------------------

Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	1	-	1	4.5 %	33.3%
	6	-	1	4.5 %	33.3%
	15	-	1	4.5 %	33.3%
	. (M)	-	18	81.8 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	3	1.00	15.00	7.33	7.09

EC10C	age first shot at
-------	-------------------

Start: 60 End: 62 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	. (M)	-	22	100.0 %	-

EC11C	age first heard gunfire nearby
-------	--------------------------------

Start: 63 End: 65 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	5	-	1	4.5 %	11.1%
	6	-	1	4.5 %	11.1%
	10	-	2	9.1 %	22.2%
	12	-	2	9.1 %	22.2%

Variable	Variable Description
----------	----------------------

EC11C	age first heard gunfire nearby (cont.)
-------	--

Value	Label	Frequency	%	Valid %
13	-	1	4.5 %	11.1%
14	-	2	9.1 %	22.2%
. (M)	-	13	59.1 %	-

Valid	Min	Max	Mean	Stdev
9	5.00	14.00	10.67	3.28

EC12C	age first saw serious accident/hurt
-------	-------------------------------------

Start: 66  
 End: 68  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
9	-	1	4.5 %	20.0%
14	-	1	4.5 %	20.0%
15	-	1	4.5 %	20.0%
16	-	2	9.1 %	40.0%
. (M)	-	17	77.3 %	-

Valid	Min	Max	Mean	Stdev
5	9.00	16.00	14.00	2.92

EC13C	age first in serious accident
-------	-------------------------------

Start: 69  
 End: 71  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
14	-	1	4.5 %	50.0%
16	-	1	4.5 %	50.0%

Variable	Variable Description
----------	----------------------

EC13C	age first in serious accident (cont.)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	20	90.9 %	-

  

Valid	Min	Max	Mean	Stdev
2	14.00	16.00	15.00	1.41

EC14C	age first saw someone killed
-------	------------------------------

Start: 72  
End: 74  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

EC15C	age first sexually assaulted
-------	------------------------------

Start: 75  
End: 77  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

EC16C	age first saw someone threatened/hurt
-------	---------------------------------------

Start: 78  
End: 80  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

EC16C	age first saw someone threatened/hurt (cont.)
-------	---

Value	Label	Frequency	%	Valid %
6	-	1	4.5 %	33.3%
9	-	1	4.5 %	33.3%
16	-	1	4.5 %	33.3%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
3	6.00	16.00	10.33	5.13

EC17C	age first threatened/seriously hurt
-------	-------------------------------------

Start: 81  
 End: 83  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
13	-	1	4.5 %	50.0%
15	-	1	4.5 %	50.0%
. (M)	-	19	86.4 %	-

Valid	Min	Max	Mean	Stdev
2	13.00	15.00	14.00	1.41

EC18A	age first found dead body
-------	---------------------------

Start: 84  
 End: 86  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
8	-	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-



Variable	Variable Description
----------	----------------------

EC18A	age first found dead body (cont.)
-------	-----------------------------------

Valid	Min	Max	Mean	Stdev
1	8.00	8.00	8.00	0.00

EC19A	age first in natural disaster
-------	-------------------------------

Start: 87  
 End: 89  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
2	-	1	4.5 %	50.0%
15	-	1	4.5 %	50.0%
. (M)	-	20	90.9 %	-

Valid	Min	Max	Mean	Stdev
2	2.00	15.00	8.50	9.19

EC20C	age first in frightful situation
-------	----------------------------------

Start: 90  
 End: 92  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	9.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
14	-	1	4.5 %	50.0%
16	-	1	4.5 %	50.0%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
2	14.00	16.00	15.00	1.41

Variable	Variable Description
----------	----------------------

HH1B	relationship to subject, member 1
------	-----------------------------------

Start: 93  
 End: 95  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	17	77.3 %	85.0%
2	2:father	1	4.5 %	5.0%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	2	9.1 %	10.0%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	0	0.0 %	0.0%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	0	0.0 %	0.0%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	2	9.1 %	-

Valid	Min	Max	Mean	Stdev
20	1.00	7.00	1.65	1.84

HH1C	relationship(other) to subject,member 1
------	---

Start: 96  
 End: 98  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH1C	relationship(other) to subject,member 1 (cont.)
------	---

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH1D	age, member 1
------	---------------

Start: 99  
End: 101  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
7	-	1	4.5 %	4.8%
12	-	1	4.5 %	4.8%
28	-	1	4.5 %	4.8%
32	-	1	4.5 %	4.8%
33	-	1	4.5 %	4.8%
34	-	4	18.2 %	19.0%
35	-	1	4.5 %	4.8%
36	-	1	4.5 %	4.8%
37	-	2	9.1 %	9.5%
40	-	1	4.5 %	4.8%
41	-	1	4.5 %	4.8%
43	-	1	4.5 %	4.8%
44	-	1	4.5 %	4.8%
45	-	2	9.1 %	9.5%
46	-	1	4.5 %	4.8%
51	-	1	4.5 %	4.8%
. (M)	-	1	4.5 %	-

Variable	Variable Description
----------	----------------------

HH1D	age, member 1 (cont.)
------	-----------------------

Valid	Min	Max	Mean	Stdev
21	7.00	51.00	35.62	10.40

HH1E	gender, member 1
------	------------------

Start: 102  
 End: 104  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	17	77.3 %	89.5%
1	1:male	2	9.1 %	10.5%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
19	0.00	1.00	0.11	0.32

HH2B	relationship to subject, member 2
------	-----------------------------------

Start: 105  
 End: 107  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	0.0%
2	2:father	5	22.7 %	27.8%
3	3:stepmother	1	4.5 %	5.6%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	1	4.5 %	5.6%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	11	50.0 %	61.1%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%

- ICPSR 13670 -

Variable	Variable Description
----------	----------------------

HH2B	relationship to subject, member 2 ( <i>cont.</i> )
------	--

Value	Label	Frequency	%	Valid %
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	0	0.0 %	0.0%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	0	0.0 %	0.0%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	4	18.2 %	-

Valid	Min	Max	Mean	Stdev
18	2.00	7.00	5.28	2.32

HH2C	relationship(other) to subject, member 2
------	--

Start: 108  
 End: 110  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH2D	age, member 2
------	---------------

Start: 111  
 End: 113  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH2D	age, member 2 (cont.)
------	-----------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
7	-	1	4.5 %	5.3%
9	-	1	4.5 %	5.3%
10	-	4	18.2 %	21.1%
12	-	1	4.5 %	5.3%
15	-	1	4.5 %	5.3%
17	-	1	4.5 %	5.3%
18	-	1	4.5 %	5.3%
20	-	1	4.5 %	5.3%
35	-	1	4.5 %	5.3%
36	-	1	4.5 %	5.3%
39	-	1	4.5 %	5.3%
43	-	1	4.5 %	5.3%
46	-	1	4.5 %	5.3%
47	-	1	4.5 %	5.3%
50	-	1	4.5 %	5.3%
53	-	1	4.5 %	5.3%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
19	7.00	53.00	25.63	16.59

HH2E	gender, member 2
------	------------------

Start: 114  
 End: 116  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	8	36.4 %	44.4%
1	1:male	10	45.5 %	55.6%
. (M)	-	4	18.2 %	-

Variable	Variable Description
----------	----------------------

HH2E	gender, member 2 (cont.)
------	--------------------------

Valid	Min	Max	Mean	Stdev
18	0.00	1.00	0.56	0.51

HH3B	relationship to subject, member 3
------	-----------------------------------

Start: 117  
 End: 119  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	1	4.5 %	6.2%
2	2:father	1	4.5 %	6.2%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	1	4.5 %	6.2%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	1	4.5 %	6.2%
7	7:sibling	11	50.0 %	68.8%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	0	0.0 %	0.0%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	1	4.5 %	6.2%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	6	27.3 %	-

Valid	Min	Max	Mean	Stdev
16	1.00	19.00	6.81	3.78

Variable	Variable Description
----------	----------------------

HH3C	relationship(other) to subject,member 3
------	---

Start: 120  
 End: 122  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

HH3D	age, member 3
------	---------------

Start: 123  
 End: 125  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	1	4.5 %	5.9%
10	-	2	9.1 %	11.8%
11	-	1	4.5 %	5.9%
13	-	2	9.1 %	11.8%
15	-	1	4.5 %	5.9%
17	-	2	9.1 %	11.8%
19	-	1	4.5 %	5.9%
21	-	2	9.1 %	11.8%
22	-	1	4.5 %	5.9%
33	-	1	4.5 %	5.9%
39	-	1	4.5 %	5.9%
50	-	1	4.5 %	5.9%
60	-	1	4.5 %	5.9%
. (M)	-	5	22.7 %	-



**Variable** **Variable Description**

HH3D age, member 3 (cont.)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	6.00	60.00	22.18	14.95

HH3E gender, member 3

Start: 126  
 End: 128  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	7	31.8 %	43.8%
1	1:male	9	40.9 %	56.2%
. (M)	-	6	27.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
16	0.00	1.00	0.56	0.51

HH4B relationship to subject, member 4

Start: 129  
 End: 131  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	1	4.5 %	12.5%
2	2:father	0	0.0 %	0.0%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	6	27.3 %	75.0%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%

- ICPSR 13670 -

Variable	Variable Description
----------	----------------------

HH4B	relationship to subject, member 4 ( <i>cont.</i> )
------	--

Value	Label	Frequency	%	Valid %
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	1	4.5 %	12.5%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	0	0.0 %	0.0%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	14	63.6 %	-

  

Valid	Min	Max	Mean	Stdev
8	1.00	13.00	7.00	3.21

HH4C	relationship(other) to subject, member 4
------	--

Start: 132  
 End: 134  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH4D	age, member 4
------	---------------

Start: 135  
 End: 137  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH4D	age, member 4 (cont.)
------	-----------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	4.5 %	11.1%
5	-	1	4.5 %	11.1%
9	-	1	4.5 %	11.1%
13	-	1	4.5 %	11.1%
14	-	1	4.5 %	11.1%
17	-	2	9.1 %	22.2%
18	-	1	4.5 %	11.1%
50	-	1	4.5 %	11.1%
. (M)	-	13	59.1 %	-

Valid	Min	Max	Mean	Stdev
9	1.00	50.00	16.00	14.01

HH4E	gender, member 4
------	------------------

Start: 138  
 End: 140  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	6	27.3 %	75.0%
1	1:male	2	9.1 %	25.0%
. (M)	-	14	63.6 %	-

Valid	Min	Max	Mean	Stdev
8	0.00	1.00	0.25	0.46

HH5B	relationship to subject, member 5
------	-----------------------------------

Start: 141  
 End: 143  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

- ICPSR 13670 -

Variable	Variable Description
----------	----------------------

HH5B	relationship to subject, member 5 ( <i>cont.</i> )
------	--

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	0.0%
2	2:father	0	0.0 %	0.0%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	1	4.5 %	100.0%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	0	0.0 %	0.0%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	0	0.0 %	0.0%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	21	95.5 %	-

  

Valid	Min	Max	Mean	Stdev
1	7.00	7.00	7.00	0.00

HH5C	relationship(other) to subject,member 5
------	---

Start: 144  
 End: 146  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH5C	relationship(other) to subject,member 5 (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH5D	age, member 5
------	---------------

Start: 147  
 End: 149  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
17	-	1	4.5 %	50.0%
25	-	1	4.5 %	50.0%
. (M)	-	20	90.9 %	-

Valid	Min	Max	Mean	Stdev
2	17.00	25.00	21.00	5.66

HH5E	gender, member 5
------	------------------

Start: 150  
 End: 152  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	1	4.5 %	100.0%
1	1:male	0	0.0 %	0.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

**Variable** **Variable Description**

HH6B relationship to subject, member 6

Start: 153  
 End: 155  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	0.0%
2	2:father	0	0.0 %	0.0%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	1	4.5 %	100.0%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	0	0.0 %	0.0%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	0	0.0 %	0.0%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	21	95.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	7.00	7.00	7.00	0.00

HH6C relationship(other) to subject,member 6

Start: 156  
 End: 158  
 Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH6C relationship(other) to subject,member 6 (*cont.*)

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH6D age, member 6

Start: 159  
End: 161  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	15.00	15.00	15.00	0.00

HH6E gender, member 6

Start: 162  
End: 164  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	1	4.5 %	100.0%
1	1:male	0	0.0 %	0.0%
. (M)	-	21	95.5 %	-

Variable	Variable Description
----------	----------------------

HH6E	gender, member 6 (cont.)
------	--------------------------

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

HH7B	relationship to subject, member 7
------	-----------------------------------

Start: 165  
 End: 167  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	0.0%
2	2:father	0	0.0 %	0.0%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	1	4.5 %	100.0%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	0	0.0 %	0.0%
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	0	0.0 %	0.0%
13	13:niece/nephew	0	0.0 %	0.0%
14	14:friend	0	0.0 %	0.0%
15	15:nanny/housekeeper	0	0.0 %	0.0%
16	16:boarder	0	0.0 %	0.0%
17	17:SP's child	0	0.0 %	0.0%
18	18:SP's partner	0	0.0 %	0.0%
19	19:other	0	0.0 %	0.0%
20	20:roommate	0	0.0 %	0.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	7.00	7.00	7.00	0.00



**Variable** **Variable Description**

**HH7C** relationship(other) to subject,member 7

Start: 168  
 End: 170  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**HH7D** age, member 7

Start: 171  
 End: 173  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	6.00	6.00	6.00	0.00

**HH7E** gender, member 7

Start: 174  
 End: 176  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	0	0.0 %	0.0%
1	1:male	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Variable	Variable Description
----------	----------------------

HH7E	gender, member 7 (cont.)
------	--------------------------

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

HH8B	relationship to subject, member 8
------	-----------------------------------

Start: 177  
 End: 179  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
.(M)	-	22	100.0 %	-

Variable	Variable Description
----------	----------------------

HH8C	relationship(other) to subject,member 8
------	---

Start: 180 End: 182 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	22	100.0 %	-																																										

HH8D	age, member 8
------	---------------

Start: 183 End: 185 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																					
-99 (M)	-99:interviewer missed	0	0.0 %	-																																					
-98 (M)	-98:doesn't know	0	0.0 %	-																																					
-96 (M)	-96:refused	0	0.0 %	-																																					
-95 (M)	-95:doesn't understand	0	0.0 %	-																																					
-94 (M)	-94:no money	0	0.0 %	-																																					
-93 (M)	-93:uncodeable	0	0.0 %	-																																					
. (M)	-	22	100.0 %	-																																					

HH8E	gender, member 8
------	------------------

Start: 186 End: 188 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:female</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>1</td> <td>1:male</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:female	0	0.0 %	NaN	1	1:male	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																															
-99 (M)	-99:interviewer missed	0	0.0 %	-																																															
-98 (M)	-98:doesn't know	0	0.0 %	-																																															
-96 (M)	-96:refused	0	0.0 %	-																																															
-95 (M)	-95:doesn't understand	0	0.0 %	-																																															
-94 (M)	-94:no money	0	0.0 %	-																																															
-93 (M)	-93:uncodeable	0	0.0 %	-																																															
0	0:female	0	0.0 %	NaN																																															
1	1:male	0	0.0 %	NaN																																															
. (M)	-	22	100.0 %	-																																															

**Variable** **Variable Description**

HH9B relationship to subject, member 9

Start: 189  
 End: 191  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH9C relationship(other) to subject,member 9

Start: 192  
 End: 194  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH9C	relationship(other) to subject,member 9 (cont.)
------	---

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH9D	age, member 9
------	---------------

Start: 195  
End: 197  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

HH9E	gender, member 9
------	------------------

Start: 198  
End: 200  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	0	0.0 %	NaN
1	1:male	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH10B	relationship to subject, member 10
-------	------------------------------------

Start: 201  
End: 203  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH10B	relationship to subject, member 10 (cont.)
-------	--

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH10C	relationship(other) to subject,member 10
-------	--

Start: 204  
 End: 206  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH10C	relationship(other) to subject,member 10 (cont.)
-------	--

Value	Label	Frequency	%	Valid %
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH10D	age, member 10
-------	----------------

Start: 207  
 End: 209  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

HH10E	gender, member 10
-------	-------------------

Start: 210  
 End: 212  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	0	0.0 %	NaN
1	1:male	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH11B	relationship to subject, member 11
-------	------------------------------------

Start: 213  
 End: 215  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH11B	relationship to subject, member 11 (cont.)
-------	--

Value	Label	Frequency	%	Valid %
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH11C	relationship(other) to subject,member 11
-------	--

Start: 216  
 End: 218  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-



Variable	Variable Description
----------	----------------------

HH11D	age, member 11
-------	----------------

Start: 219 End: 221 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																					
-99 (M)	-99:interviewer missed	0	0.0 %	-																																					
-98 (M)	-98:doesn't know	0	0.0 %	-																																					
-96 (M)	-96:refused	0	0.0 %	-																																					
-95 (M)	-95:doesn't understand	0	0.0 %	-																																					
-94 (M)	-94:no money	0	0.0 %	-																																					
-93 (M)	-93:uncodeable	0	0.0 %	-																																					
. (M)	-	22	100.0 %	-																																					

HH11E	gender, member 11
-------	-------------------

Start: 222 End: 224 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:female</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>1</td> <td>1:male</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:female	0	0.0 %	NaN	1	1:male	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																															
-99 (M)	-99:interviewer missed	0	0.0 %	-																																															
-98 (M)	-98:doesn't know	0	0.0 %	-																																															
-96 (M)	-96:refused	0	0.0 %	-																																															
-95 (M)	-95:doesn't understand	0	0.0 %	-																																															
-94 (M)	-94:no money	0	0.0 %	-																																															
-93 (M)	-93:uncodeable	0	0.0 %	-																																															
0	0:female	0	0.0 %	NaN																																															
1	1:male	0	0.0 %	NaN																																															
. (M)	-	22	100.0 %	-																																															

HH12B	relationship to subject, member 12
-------	------------------------------------

Start: 225 End: 227 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>1</td> <td>1:mother</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>2</td> <td>2:father</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>3</td> <td>3:stepmother</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>4</td> <td>4:stepfather</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>5</td> <td>5:mom's partner</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	1	1:mother	0	0.0 %	NaN	2	2:father	0	0.0 %	NaN	3	3:stepmother	0	0.0 %	NaN	4	4:stepfather	0	0.0 %	NaN	5	5:mom's partner	0	0.0 %	NaN
Value	Label	Frequency	%	Valid %																																																									
-99 (M)	-99:interviewer missed	0	0.0 %	-																																																									
-98 (M)	-98:doesn't know	0	0.0 %	-																																																									
-96 (M)	-96:refused	0	0.0 %	-																																																									
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																									
-94 (M)	-94:no money	0	0.0 %	-																																																									
-93 (M)	-93:uncodeable	0	0.0 %	-																																																									
1	1:mother	0	0.0 %	NaN																																																									
2	2:father	0	0.0 %	NaN																																																									
3	3:stepmother	0	0.0 %	NaN																																																									
4	4:stepfather	0	0.0 %	NaN																																																									
5	5:mom's partner	0	0.0 %	NaN																																																									

**Variable** **Variable Description**

HH12B relationship to subject, member 12 (*cont.*)

Value	Label	Frequency	%	Valid %
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH12C relationship(other) to subject,member 12

Start: 228  
 End: 230  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH12D age, member 12

Start: 231  
 End: 233  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH12D	age, member 12 (cont.)
-------	------------------------

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

HH12E	gender, member 12
-------	-------------------

Start: 234  
 End: 236  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	0	0.0 %	NaN
1	1:male	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH13B	relationship to subject, member 13
-------	------------------------------------

Start: 237  
 End: 239  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN

Variable	Variable Description
----------	----------------------

HH13B	relationship to subject, member 13 (cont.)
-------	--

Value	Label	Frequency	%	Valid %
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH13C	relationship(other) to subject,member 13
-------	--

Start: 240  
 End: 242  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH13D	age, member 13
-------	----------------

Start: 243  
 End: 245  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH13D	age, member 13 (cont.)
-------	------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	22	100.0 %	-

HH13E	gender, member 13
-------	-------------------

Start: 246  
 End: 248  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	0	0.0 %	NaN
1	1:male	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH14B	relationship to subject, member 14
-------	------------------------------------

Start: 249  
 End: 251  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN

Variable	Variable Description
----------	----------------------

HH14B	relationship to subject, member 14 (cont.)
-------	--

Value	Label	Frequency	%	Valid %
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH14C	relationship(other) to subject,member 14
-------	--

Start: 252  
 End: 254  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH14D	age, member 14
-------	----------------

Start: 255  
 End: 257  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

Variable	Variable Description
----------	----------------------

HH14E	gender, member 14
-------	-------------------

Start: 258 End: 260 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	Value	Label	Frequency	%	Valid %
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	0	0:female	0	0.0 %	NaN
	1	1:male	0	0.0 %	NaN
	. (M)	-	22	100.0 %	-

HH15B	relationship to subject, member 15
-------	------------------------------------

Start: 261 End: 263 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	Value	Label	Frequency	%	Valid %
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	1	1:mother	0	0.0 %	NaN
	2	2:father	0	0.0 %	NaN
	3	3:stepmother	0	0.0 %	NaN
	4	4:stepfather	0	0.0 %	NaN
	5	5:mom's partner	0	0.0 %	NaN
	6	6:dad's partner	0	0.0 %	NaN
	7	7:sibling	0	0.0 %	NaN
	8	8:cousin	0	0.0 %	NaN
	9	9:aunt/uncle	0	0.0 %	NaN
	10	10:granddad/mom	0	0.0 %	NaN
	11	11:great granddad/mom	0	0.0 %	NaN
	12	12:great aunt/uncle	0	0.0 %	NaN
	13	13:niece/nephew	0	0.0 %	NaN
	14	14:friend	0	0.0 %	NaN
	15	15:nanny/housekeeper	0	0.0 %	NaN

Variable	Variable Description
----------	----------------------

HH15B	relationship to subject, member 15 (cont.)
-------	--

Value	Label	Frequency	%	Valid %
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH15C	relationship(other) to subject,member 15
-------	--

Start: 264  
 End: 266  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH15D	age, member 15
-------	----------------

Start: 267  
 End: 269  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

HH15E	gender, member 15
-------	-------------------

Start: 270  
 End: 272  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-



Variable	Variable Description
----------	----------------------

HH15E	gender, member 15 ( <i>cont.</i> )
-------	------------------------------------

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	0	0.0 %	NaN
1	1:male	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH16B	relationship to subject, member 16
-------	------------------------------------

Start: 273  
 End: 275  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN

Variable	Variable Description
----------	----------------------

HH16B	relationship to subject, member 16 (cont.)
-------	--

Value	Label	Frequency	%	Valid %
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH16C	relationship(other) to subject,member 16
-------	--

Start: 276  
End: 278  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH16D	age, member 16
-------	----------------

Start: 279  
End: 281  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

HH16E	gender, member 16
-------	-------------------

Start: 282  
End: 284  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HH16E	gender, member 16 ( <i>cont.</i> )
-------	------------------------------------

Value	Label	Frequency	%	Valid %
0	0:female	0	0.0 %	NaN
1	1:male	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

HH17B	relationship to subject, member 17
-------	------------------------------------

Start: 285  
 End: 287  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	NaN
2	2:father	0	0.0 %	NaN
3	3:stepmother	0	0.0 %	NaN
4	4:stepfather	0	0.0 %	NaN
5	5:mom's partner	0	0.0 %	NaN
6	6:dad's partner	0	0.0 %	NaN
7	7:sibling	0	0.0 %	NaN
8	8:cousin	0	0.0 %	NaN
9	9:aunt/uncle	0	0.0 %	NaN
10	10:granddad/mom	0	0.0 %	NaN
11	11:great granddad/mom	0	0.0 %	NaN
12	12:great aunt/uncle	0	0.0 %	NaN
13	13:niece/nephew	0	0.0 %	NaN
14	14:friend	0	0.0 %	NaN
15	15:nanny/housekeeper	0	0.0 %	NaN
16	16:boarder	0	0.0 %	NaN
17	17:SP's child	0	0.0 %	NaN
18	18:SP's partner	0	0.0 %	NaN
19	19:other	0	0.0 %	NaN
20	20:roommate	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

Variable	Variable Description
----------	----------------------

HH17C	relationship(other) to subject,member 17
-------	--

Start: 288 End: 290 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	22	100.0 %	-																																										

HH17D	age, member 17
-------	----------------

Start: 291 End: 293 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																					
-99 (M)	-99:interviewer missed	0	0.0 %	-																																					
-98 (M)	-98:doesn't know	0	0.0 %	-																																					
-96 (M)	-96:refused	0	0.0 %	-																																					
-95 (M)	-95:doesn't understand	0	0.0 %	-																																					
-94 (M)	-94:no money	0	0.0 %	-																																					
-93 (M)	-93:uncodeable	0	0.0 %	-																																					
. (M)	-	22	100.0 %	-																																					

HH17E	gender, member 17
-------	-------------------

Start: 294 End: 296 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:female</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>1</td> <td>1:male</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:female	0	0.0 %	NaN	1	1:male	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																															
-99 (M)	-99:interviewer missed	0	0.0 %	-																																															
-98 (M)	-98:doesn't know	0	0.0 %	-																																															
-96 (M)	-96:refused	0	0.0 %	-																																															
-95 (M)	-95:doesn't understand	0	0.0 %	-																																															
-94 (M)	-94:no money	0	0.0 %	-																																															
-93 (M)	-93:uncodeable	0	0.0 %	-																																															
0	0:female	0	0.0 %	NaN																																															
1	1:male	0	0.0 %	NaN																																															
. (M)	-	22	100.0 %	-																																															

Variable	Variable Description
----------	----------------------

FS1	ever suicide in SP's family?
-----	------------------------------

Start: 297  
 End: 299  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	85.7%
1	1:yes	3	13.6 %	14.3%
. (M)	-	1	4.5 %	-

  

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

FS3	relationship of suicide to SP
-----	-------------------------------

Start: 300  
 End: 302  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:mother	0	0.0 %	0.0%
2	2:father	0	0.0 %	0.0%
3	3:stepmother	0	0.0 %	0.0%
4	4:stepfather	0	0.0 %	0.0%
5	5:mom's partner	0	0.0 %	0.0%
6	6:dad's partner	0	0.0 %	0.0%
7	7:sibling	0	0.0 %	0.0%
8	8:cousin	0	0.0 %	0.0%
9	9:aunt/uncle	1	4.5 %	33.3%
10	10:granddad/mom	0	0.0 %	0.0%
11	11:great granddad/mom	0	0.0 %	0.0%
12	12:great aunt/uncle	2	9.1 %	66.7%
13	13:niece/nephew	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

FS3	relationship of suicide to SP (cont.)
-----	---------------------------------------

Value	Label	Frequency	%	Valid %
14	14:friend	0	0.0 %	0.0%
15	15:SP's child	0	0.0 %	0.0%
16	16:SP's partner	0	0.0 %	0.0%
17	17:other	0	0.0 %	0.0%
. (M)	-	19	86.4 %	-

Valid	Min	Max	Mean	Stdev
3	9.00	12.00	11.00	1.73

FS3A	relationship(other) of suicide to SP
------	--------------------------------------

Start: 303  
 End: 305  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

FS5A	method of suicide
------	-------------------

Start: 306  
 End: 308  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	4.5 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:gunshot	2	9.1 %	100.0%
2	2:overdose pills	0	0.0 %	0.0%
3	3:self-mutilate	0	0.0 %	0.0%
4	4:gas	0	0.0 %	0.0%
5	5:asphyxiation	0	0.0 %	0.0%
6	6:jump from height	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

FS5A	method of suicide (cont.)
------	---------------------------

Value	Label	Frequency	%	Valid %
7	7:moving vehicle	0	0.0 %	0.0%
8	8:other	0	0.0 %	0.0%
. (M)	-	19	86.4 %	-

Valid	Min	Max	Mean	Stdev
2	1.00	1.00	1.00	0.00

FS6	medical care for suicide before dying?
-----	--

Start: 309  
 End: 311  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	4.5 %	50.0%
1	1:yes	1	4.5 %	50.0%
. (M)	-	19	86.4 %	-

Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

DD45	# racial groups to which subject belongs
------	--

Start: 312  
 End: 314  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1	21	95.5 %	95.5%
2	2:more than 1	1	4.5 %	4.5%

Valid	Min	Max	Mean	Stdev
22	1.00	2.00	1.05	0.21

Variable	Variable Description
----------	----------------------

DD46	race (only 1), subject
------	------------------------

Start: 315  
 End: 317  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:American Indian	0	0.0 %	0.0%
2	2:Asian	0	0.0 %	0.0%
3	3:Black	15	68.2 %	71.4%
4	4:Hispanic	3	13.6 %	14.3%
5	5:Pacific Island	0	0.0 %	0.0%
6	6:White	2	9.1 %	9.5%
7	7:other	1	4.5 %	4.8%
. (M)	-	1	4.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	3.00	7.00	3.62	1.20

DD47A	race 1 (> 1), subject
-------	-----------------------

Start: 318  
 End: 320  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	-90.00	-90.00	-90.00	0.00



Variable	Variable Description
----------	----------------------

DD47B	race 2 (> 1), subject
-------	-----------------------

Start: 321 End: 323 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>1</td> <td>4.5 %</td> <td>100.0%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>21</td> <td>95.5 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	1	4.5 %	100.0%	. (M)	-	21	95.5 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	1	4.5 %	100.0%																																										
. (M)	-	21	95.5 %	-																																										

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

DD47C	race 3 (> 1), subject
-------	-----------------------

Start: 324 End: 326 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	22	100.0 %	-																																										

DD47D	race 4 (> 1), subject
-------	-----------------------

Start: 327 End: 329 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	22	100.0 %	-																																										

**Variable** **Variable Description**

DD47E race 5 (> 1), subject

Start: 330  
End: 332  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

DD48 # racial groups to which PC belongs

Start: 333  
End: 335  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1	18	81.8 %	94.7%
2	2:more than 1	1	4.5 %	5.3%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
19	1.00	2.00	1.05	0.23

DD49 race (only 1), PC

Start: 336  
End: 338  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	18	81.8 %	100.0%
. (M)	-	4	18.2 %	-

Variable	Variable Description
----------	----------------------

DD49	race (only 1), PC (cont.)
------	---------------------------

Valid	Min	Max	Mean	Stdev
18	-90.00	-90.00	-90.00	0.00

DD50A	race 1 (> 1), PC
-------	------------------

Start: 339  
End: 341  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

DD50B	race 2 (> 1), PC
-------	------------------

Start: 342  
End: 344  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

DD50C	race 3 (> 1), PC
-------	------------------

Start: 345  
End: 347  
Width: 3  
Type: numeric (ISO)

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

DD50C	race 3 (> 1), PC (cont.)
-------	--------------------------

Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	-90	-90:blanked	1	4.5 %	100.0%
	. (M)	-	21	95.5 %	-
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	-90.00	-90.00	-90.00	0.00	

DD50D	race 4 (> 1), PC
-------	------------------

Start: 348 End: 350 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	-90	-90:blanked	0	0.0 %	NaN
	. (M)	-	22	100.0 %	-

DD50E	race 5 (> 1), PC
-------	------------------

Start: 351 End: 353 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	-90	-90:blanked	0	0.0 %	NaN
	. (M)	-	22	100.0 %	-

**Variable** **Variable Description**

**DD51** 1 racial group represents PC more than others?

Start: 354  
 End: 356  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	1.00	1.00	1.00	0.00

**DD52** racial group representing PC more than others

Start: 357  
 End: 359  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	-90.00	-90.00	-90.00	0.00

**DD53** PC of Hispanic/Spanish/Latino origin?

Start: 360  
 End: 362  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

DD53 PC of Hispanic/Spanish/Latino origin? (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	17	77.3 %	89.5%
1	1:yes	2	9.1 %	10.5%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
19	0.00	1.00	0.11	0.32

DD55 racial group in which PC puts self

Start: 363  
End: 365  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:American Indian	0	0.0 %	0.0%
2	2:Asian	0	0.0 %	0.0%
3	3:Black	14	63.6 %	77.8%
4	4:Pacific Island	0	0.0 %	0.0%
5	5:White	3	13.6 %	16.7%
6	6:other	1	4.5 %	5.6%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
18	3.00	6.00	3.50	0.99

DD80 # racial groups to which subject's dad belongs

Start: 366  
End: 368  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

DD80	# racial groups to which subject's dad belongs ( <i>cont.</i> )
------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1	19	86.4 %	100.0%
2	2:more than 1	0	0.0 %	0.0%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
19	1.00	1.00	1.00	0.00

DD81	race (only 1), subject's dad
------	------------------------------

Start: 369  
 End: 371  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	19	86.4 %	100.0%
. (M)	-	3	13.6 %	-

Valid	Min	Max	Mean	Stdev
19	-90.00	-90.00	-90.00	0.00

DD82A	race 1 (> 1), subject's dad
-------	-----------------------------

Start: 372  
 End: 374  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**Variable** **Variable Description**

**DD82B** race 2 (> 1), subject's dad

Start: 375  
 End: 377  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**DD82C** race 3 (> 1), subject's dad

Start: 378  
 End: 380  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**DD82D** race 4 (> 1), subject's dad

Start: 381  
 End: 383  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-



Variable	Variable Description
----------	----------------------

DD82E	race 5 (> 1), subject's dad
-------	-----------------------------

Start: 384 End: 386 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	22	100.0 %	-																																										

DD83	1 race grp represents subj's dad >oths?
------	---

Start: 387 End: 389 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:no</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>1</td> <td>1:yes</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:no	0	0.0 %	NaN	1	1:yes	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																															
-99 (M)	-99:interviewer missed	0	0.0 %	-																																															
-98 (M)	-98:doesn't know	0	0.0 %	-																																															
-96 (M)	-96:refused	0	0.0 %	-																																															
-95 (M)	-95:doesn't understand	0	0.0 %	-																																															
-94 (M)	-94:no money	0	0.0 %	-																																															
-93 (M)	-93:uncodeable	0	0.0 %	-																																															
0	0:no	0	0.0 %	NaN																																															
1	1:yes	0	0.0 %	NaN																																															
. (M)	-	22	100.0 %	-																																															

DD84	race group representing subject's dad more than others
------	--

Start: 390 End: 392 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>22</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	22	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	22	100.0 %	-																																										

**Variable** **Variable Description**

DD85 subject has contact with birth mother?

Start: 393  
End: 395  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	4.5 %	12.5%
1	1:yes	7	31.8 %	87.5%
. (M)	-	14	63.6 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
8	0.00	1.00	0.88	0.35

DD86 amount time birth mom spends w/ subject

Start: 396  
End: 398  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	6	27.3 %	100.0%
. (M)	-	16	72.7 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6	-90.00	-90.00	-90.00	0.00

DD86A amount time birth mom spends with subject

Start: 399  
End: 401  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

DD86A	amount time birth mom spends with subject ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:daily	6	27.3 %	85.7%
2	2:weekly	0	0.0 %	0.0%
3	3:monthly	0	0.0 %	0.0%
4	4:twice/month	0	0.0 %	0.0%
5	5:several/year	0	0.0 %	0.0%
6	6:once/year	0	0.0 %	0.0%
7	7:intermittent, set	0	0.0 %	0.0%
8	8:intermittent, unpredictable	1	4.5 %	14.3%
9	9:other	0	0.0 %	0.0%
. (M)	-	15	68.2 %	-

  

Valid	Min	Max	Mean	Stdev
7	1.00	8.00	2.00	2.65

DD87	# racial groups to which subject's mom belongs
------	--

Start: 402  
 End: 404  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1	7	31.8 %	87.5%
2	2:more than 1	1	4.5 %	12.5%
. (M)	-	14	63.6 %	-

  

Valid	Min	Max	Mean	Stdev
8	1.00	2.00	1.12	0.35

DD88	race (only 1), subject's mom
------	------------------------------

Start: 405  
 End: 407  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

DD88	race (only 1), subject's mom (cont.)
------	--------------------------------------

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	6	27.3 %	100.0%
. (M)	-	16	72.7 %	-

Valid	Min	Max	Mean	Stdev
6	-90.00	-90.00	-90.00	0.00

DD89A	race 1 (> 1), subject's mom
-------	-----------------------------

Start: 408  
End: 410  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

DD89B	race 2 (> 1), subject's mom
-------	-----------------------------

Start: 411  
End: 413  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Variable	Variable Description
----------	----------------------

DD89B	race 2 (> 1), subject's mom ( <i>cont.</i> )
-------	--

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

DD89C	race 3 (> 1), subject's mom
-------	-----------------------------

Start: 414  
End: 416  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

DD89D	race 4 (> 1), subject's mom
-------	-----------------------------

Start: 417  
End: 419  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

DD89E	race 5 (> 1), subject's mom
-------	-----------------------------

Start: 420  
End: 422  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN

Variable	Variable Description
----------	----------------------

DD89E	race 5 (> 1), subject's mom ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%	Valid %
. (M)	-	22	100.0 %	-

DD90	1 race grp represents subj's mom >oths?
------	---

Start: 423  
 End: 425  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

DD91	race group representing subject's mom more than others
------	--

Start: 426  
 End: 428  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

HU1C	ever curvature of spine/scoliosis?
------	------------------------------------

Start: 429  
 End: 431  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HU1C	ever curvature of spine/scoliosis? (cont.)
------	--

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	100.0 %	100.0%
1	1:yes	0	0.0 %	0.0%

  

Valid	Min	Max	Mean	Stdev
22	0.00	0.00	0.00	0.00

HU1D	ever bone/cart./muscle/tendon cond.?
------	--------------------------------------

Start: 432  
End: 434  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	100.0 %	100.0%
1	1:yes	0	0.0 %	0.0%

  

Valid	Min	Max	Mean	Stdev
22	0.00	0.00	0.00	0.00

HU1E	ever ear infections?
------	----------------------

Start: 435  
End: 437  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	59.1 %	59.1%

Variable	Variable Description
----------	----------------------

HU1E ever ear infections? (cont.)

Value	Label	Frequency	%	Valid %
1	1:yes	9	40.9 %	40.9%
<i>Valid</i>				
22	0.00	1.00	0.41	0.50

HU1I ever heart disease/heart condition?

Start: 438  
End: 440  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	95.5%
1	1:yes	1	4.5 %	4.5%
<i>Valid</i>				
22	0.00	1.00	0.05	0.21

HU1J ever hepatitis/liver infection?

Start: 441  
End: 443  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	100.0 %	100.0%
1	1:yes	0	0.0 %	0.0%
<i>Valid</i>				
22	0.00	0.00	0.00	0.00



**Variable** **Variable Description**

**HU1L** **ever meningitis?**

Start: 444  
 End: 446  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	100.0 %	100.0%
1	1:yes	0	0.0 %	0.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	0.00	0.00	0.00	0.00

**HU1M** **ever migraine headaches?**

Start: 447  
 End: 449  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	81.8%
1	1:yes	4	18.2 %	18.2%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	0.00	1.00	0.18	0.39

**HU1O** **ever a physical deformity?**

Start: 450  
 End: 452  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HU1O	ever a physical deformity? (cont.)
------	------------------------------------

Value	Label	Frequency	%	Valid %
0	0:no	22	100.0 %	100.0%
1	1:yes	0	0.0 %	0.0%

  

Valid	Min	Max	Mean	Stdev
22	0.00	0.00	0.00	0.00

HU1P	ever pneumonia?
------	-----------------

Start: 453  
 End: 455  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	95.5%
1	1:yes	1	4.5 %	4.5%

  

Valid	Min	Max	Mean	Stdev
22	0.00	1.00	0.05	0.21

HU1Q	ever rheumatic fever?
------	-----------------------

Start: 456  
 End: 458  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	100.0 %	100.0%
1	1:yes	0	0.0 %	0.0%

  

Valid	Min	Max	Mean	Stdev
22	0.00	0.00	0.00	0.00

**Variable** **Variable Description**

**HU1R** **ever serious acne/eczema/rashes?**

Start: 459  
 End: 461  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	81.8%
1	1:yes	4	18.2 %	18.2%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	0.00	1.00	0.18	0.39

**HU1T** **ever sickle cell anemia?**

Start: 462  
 End: 464  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	90.9 %	90.9%
1	1:yes	2	9.1 %	9.1%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
22	0.00	1.00	0.09	0.29

**HU11** **ever classified as learning disabled?**

Start: 465  
 End: 467  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HU11	ever classified as learning disabled? (cont.)
------	---

Value	Label	Frequency	%	Valid %
0	0:no	18	81.8 %	85.7%
1	1:yes	3	13.6 %	14.3%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

HU12	ever classified as phys. handicapped?
------	---------------------------------------

Start: 468  
 End: 470  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	90.9 %	95.2%
1	1:yes	1	4.5 %	4.8%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.05	0.22

HU13	ever classified as speech impaired?
------	-------------------------------------

Start: 471  
 End: 473  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	85.7%
1	1:yes	3	13.6 %	14.3%
. (M)	-	1	4.5 %	-

Variable	Variable Description
----------	----------------------

HU13	ever classified as speech impaired? (cont.)
------	---

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

HU14	ever classified as emotionally disturbd?
------	--

Start: 474  
 End: 476  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	0.00	0.00	0.00

HU15	ever classified as deaf?
------	--------------------------

Start: 477  
 End: 479  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	0.00	0.00	0.00

**Variable**                      **Variable Description**

**HU16**                              ever classified as hearing impaired?

Start: 480  
 End: 482  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	0.00	0.00	0.00	0.00

**HU17**                              ever classified as blind?

Start: 483  
 End: 485  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	0.00	0.00	0.00	0.00

**HU18**                              ever classified as visually impaired?

Start: 486  
 End: 488  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HU18 ever classified as visually impaired? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	0.00	0.00	0.00

HU19 ever classified as mentally retarded?

Start: 489  
End: 491  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	0.00	0.00	0.00

HU20 ever classified as multi-handicapped?

Start: 492  
End: 494  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	90.9 %	95.2%
1	1:yes	1	4.5 %	4.8%

**Variable**                      **Variable Description**

HU20                      ever classified as multi-handicapped? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	1	4.5 %	-
<i>Valid</i>				
21	0.00	1.00	0.05	0.22

HU21                      ever classified as ADHD/ADD?

Start: 495  
 End: 497  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	21	95.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	1	4.5 %	-
<i>Valid</i>				
21	0.00	0.00	0.00	0.00

HU22                      ever classified as behavior disordered?

Start: 498  
 End: 500  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	19	86.4 %	90.5%
1	1:yes	2	9.1 %	9.5%
. (M)	-	1	4.5 %	-
<i>Valid</i>				
21	0.00	1.00	0.10	0.30



**Variable** **Variable Description**

**HU23** **ever classified as gifted?**

Start: 501  
 End: 503  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	90.9 %	95.2%
1	1:yes	1	4.5 %	4.8%
. (M)	-	1	4.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	0.00	1.00	0.05	0.22

**HU24** **ever classified in any other way?**

Start: 504  
 End: 506  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	90.9 %	95.2%
1	1:yes	1	4.5 %	4.8%
. (M)	-	1	4.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	0.00	1.00	0.05	0.22

**HU25** **ever special education classes?**

Start: 507  
 End: 509  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HU25	ever special education classes? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	17	77.3 %	81.0%
1	1:yes	4	18.2 %	19.0%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.19	0.40

HU25A	special education classes, past year?
-------	---------------------------------------

Start: 510  
 End: 512  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	9.1 %	50.0%
1	1:yes	2	9.1 %	50.0%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
4	0.00	1.00	0.50	0.58

HU26	ever ESL classes?
------	-------------------

Start: 513  
 End: 515  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	85.7%
1	1:yes	3	13.6 %	14.3%

Variable	Variable Description
----------	----------------------

HU26	ever ESL classes? (cont.)
------	---------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	1	4.5 %	-

  

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

HU26A	ESL classes, past year?
-------	-------------------------

Start: 516  
 End: 518  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	9.1 %	66.7%
1	1:yes	1	4.5 %	33.3%
. (M)	-	19	86.4 %	-

  

Valid	Min	Max	Mean	Stdev
3	0.00	1.00	0.33	0.58

HU27	ever speech therapy?
------	----------------------

Start: 519  
 End: 521  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	85.7%
1	1:yes	3	13.6 %	14.3%
. (M)	-	1	4.5 %	-

  

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

**Variable** **Variable Description**

**HU27A** **speech therapy, past year?**

Start: 522  
 End: 524  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	4.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	21	95.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

**HU28** **ever occupational therapy?**

Start: 525  
 End: 527  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	90.9 %	95.2%
1	1:yes	1	4.5 %	4.8%
. (M)	-	1	4.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	0.00	1.00	0.05	0.22

**HU28A** **occupational therapy, past year?**

Start: 528  
 End: 530  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

HU28A	occupational therapy, past year? (cont.)
-------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

HU29	ever physical therapy?
------	------------------------

Start: 531  
 End: 533  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	81.8 %	85.7%
1	1:yes	3	13.6 %	14.3%
. (M)	-	1	4.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

HU29A	physical therapy, past year?
-------	------------------------------

Start: 534  
 End: 536  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	4.5 %	33.3%
1	1:yes	2	9.1 %	66.7%

Variable	Variable Description
----------	----------------------

HU29A	physical therapy, past year? (cont.)
-------	--------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	19	86.4 %	-
Valid	Min	Max	Mean	Stdev
3	0.00	1.00	0.67	0.58

HU30	ever special transportation?
------	------------------------------

Start: 537  
End: 539  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	19	86.4 %	90.5%
1	1:yes	2	9.1 %	9.5%
. (M)	-	1	4.5 %	-
Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.10	0.30

HU30A	special transportation, past year?
-------	------------------------------------

Start: 540  
End: 542  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	4.5 %	50.0%
1	1:yes	1	4.5 %	50.0%
. (M)	-	20	90.9 %	-
Valid	Min	Max	Mean	Stdev
2	0.00	1.00	0.50	0.71

**Variable**                      **Variable Description**

**HU31**                              **ever tutoring for reading?**

Start: 543  
 End: 545  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	16	72.7 %	76.2%
1	1:yes	5	22.7 %	23.8%
. (M)	-	1	4.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
21	0.00	1.00	0.24	0.44

**HU31A**                              **tutoring for reading, past year?**

Start: 546  
 End: 548  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	9.1 %	40.0%
1	1:yes	3	13.6 %	60.0%
. (M)	-	17	77.3 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	0.00	1.00	0.60	0.55

**HU32**                              **ever tutoring for other subjects?**

Start: 549  
 End: 551  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

**Variable** **Variable Description**

HU32 ever tutoring for other subjects? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	63.6 %	70.0%
1	1:yes	6	27.3 %	30.0%
. (M)	-	2	9.1 %	-

Valid	Min	Max	Mean	Stdev
20	0.00	1.00	0.30	0.47

HU32A tutoring for other subjects, past year?

Start: 552  
End: 554  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	18.2 %	66.7%
1	1:yes	2	9.1 %	33.3%
. (M)	-	16	72.7 %	-

Valid	Min	Max	Mean	Stdev
6	0.00	1.00	0.33	0.52

HU33 ever any other services/help?

Start: 555  
End: 557  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	19	86.4 %	100.0%
1	1:yes	0	0.0 %	0.0%



**Variable**                      **Variable Description**

HU33                              ever any other services/help? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	3	13.6 %	-
<i>Valid</i>				
19	0.00	0.00	0.00	0.00

PR1                                prenatal care during pregnancy?

Start: 558  
End: 560  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	9.1 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	9.1 %	50.0%
1	1:yes	2	9.1 %	50.0%
. (M)	-	16	72.7 %	-
<i>Valid</i>				
4	0.00	1.00	0.50	0.58

PR1A                              month of pregnancy of first prenatal visit

Start: 561  
End: 563  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1-3	2	9.1 %	100.0%
2	2:4-6	0	0.0 %	0.0%
3	3:7-9	0	0.0 %	0.0%
. (M)	-	20	90.9 %	-
<i>Valid</i>				
2	1.00	1.00	1.00	0.00

**Variable** **Variable Description**

**PR2** any medical problems during pregnancy?

Start: 564  
 End: 566  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	13.6 %	75.0%
1	1:yes	1	4.5 %	25.0%
. (M)	-	18	81.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4	0.00	1.00	0.25	0.50

**PR3** # times hospitalized while pregnant

Start: 567  
 End: 569  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	4	18.2 %	100.0%
. (M)	-	18	81.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
4	0.00	0.00	0.00	0.00

**PR5** want to become pregnant?

Start: 570  
 End: 572  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PR5	want to become pregnant? (cont.)
-----	----------------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	13.6 %	75.0%
1	1:yes	1	4.5 %	25.0%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
4	0.00	1.00	0.25	0.50

PR6	want to become pregnant earlier also?
-----	---------------------------------------

Start: 573  
 End: 575  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

PR7	# drinks alcohol after knew pregnant
-----	--------------------------------------

Start: 576  
 End: 578  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	4.5 %	25.0%
1	1:less than 1/month	1	4.5 %	25.0%
2	2:1/month	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PR7	# drinks alcohol after knew pregnant (cont.)
-----	--

Value	Label	Frequency	%	Valid %
3	3:2-3/month	0	0.0 %	0.0%
4	4:1/week	0	0.0 %	0.0%
5	5:2/week	0	0.0 %	0.0%
6	6:3-5/week	0	0.0 %	0.0%
7	7:6-8/week	0	0.0 %	0.0%
8	8:9-13/week	0	0.0 %	0.0%
9	9:14-20/week	0	0.0 %	0.0%
10	10:at least 21/week	0	0.0 %	0.0%
11	11:none	2	9.1 %	50.0%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
4	0.00	11.00	5.75	6.08

PR8	# cigarettes/day after knew pregnant
-----	--------------------------------------

Start: 579  
 End: 581  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	4	18.2 %	100.0%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
4	0.00	0.00	0.00	0.00

PR9	# people smoking in home other than self
-----	--

Start: 582  
 End: 584  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PR9 # people smoking in home other than self (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	2	9.1 %	50.0%
2	-	1	4.5 %	25.0%
3	-	1	4.5 %	25.0%
. (M)	-	18	81.8 %	-

  

Valid	Min	Max	Mean	Stdev
4	0.00	3.00	1.25	1.50

PR10 use drugs during pregnancy?

Start: 585  
End: 587  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	18.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	18	81.8 %	-

  

Valid	Min	Max	Mean	Stdev
4	0.00	0.00	0.00	0.00

PR11 SP born when expected, early or late?

Start: 588  
End: 590  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:early	2	9.1 %	50.0%

Variable	Variable Description
----------	----------------------

PR11	SP born when expected, early or late? ( <i>cont.</i> )
------	--

Value	Label	Frequency	%	Valid %
2	2:when expected	2	9.1 %	50.0%
3	3:later	0	0.0 %	0.0%
. (M)	-	18	81.8 %	-

Valid	Min	Max	Mean	Stdev
4	1.00	2.00	1.50	0.58

PR12	# weeks premature
------	-------------------

Start: 591  
 End: 593  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
2	-	1	4.5 %	50.0%
4	-	1	4.5 %	50.0%
. (M)	-	20	90.9 %	-

Valid	Min	Max	Mean	Stdev
2	2.00	4.00	3.00	1.41

PR13	# pounds mother gained during pregnancy
------	---

Start: 594  
 End: 596  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	4.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
20	-	1	4.5 %	33.3%
30	-	1	4.5 %	33.3%
40	-	1	4.5 %	33.3%
94	94:lost weight	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PR13 # pounds mother gained during pregnancy (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	18	81.8 %	-

  

Valid	Min	Max	Mean	Stdev
3	20.00	40.00	30.00	10.00

PR15 any serious problems during delivery?

Start: 597  
End: 599  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	13.6 %	75.0%
1	1:yes	1	4.5 %	25.0%
. (M)	-	18	81.8 %	-

  

Valid	Min	Max	Mean	Stdev
4	0.00	1.00	0.25	0.50

PR17A length of time mother in hospital

Start: 600  
End: 602  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	4.5 %	33.3%
3	-	1	4.5 %	33.3%
8	-	1	4.5 %	33.3%
. (M)	-	19	86.4 %	-

  

Valid	Min	Max	Mean	Stdev
3	1.00	8.00	4.00	3.61

Variable	Variable Description
----------	----------------------

PR17B	length of time (unit) mother in hospital
-------	--

Start: 603  
 End: 605  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:days	3	13.6 %	100.0%
2	2:weeks	0	0.0 %	0.0%
. (M)	-	19	86.4 %	-

  

Valid	Min	Max	Mean	Stdev
3	1.00	1.00	1.00	0.00

PR18A	length of time SP in hospital
-------	-------------------------------

Start: 606  
 End: 608  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	4.5 %	33.3%
3	-	1	4.5 %	33.3%
12	-	1	4.5 %	33.3%
. (M)	-	19	86.4 %	-

  

Valid	Min	Max	Mean	Stdev
3	1.00	12.00	5.33	5.86

PR18B	length of time (unit) SP in hospital
-------	--------------------------------------

Start: 609  
 End: 611  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-



**Variable**                      **Variable Description**

PR18B                      length of time (unit) SP in hospital (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:days	3	13.6 %	100.0%
2	2:weeks	0	0.0 %	0.0%
. (M)	-	19	86.4 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
3	1.00	1.00	1.00	0.00

PR19                      SP ever in hospital overnite since born?

Start: 612  
End: 614  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	9.1 %	66.7%
1	1:yes	1	4.5 %	33.3%
. (M)	-	19	86.4 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
3	0.00	1.00	0.33	0.58

PR20                      # times SP hospitalized since born?

Start: 615  
End: 617  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	4.5 %	50.0%

- ICPSR 13670 -

Variable	Variable Description
----------	----------------------

PR20	# times SP hospitalized since born? (cont.)
------	---

Value	Label	Frequency	%	Valid %
2	-	1	4.5 %	50.0%
. (M)	-	20	90.9 %	-

  

Valid	Min	Max	Mean	Stdev
2	1.00	2.00	1.50	0.71

PR21B	length of time SP first hospitalized
-------	--------------------------------------

Start: 618  
 End: 620  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

  

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

PR21C	length of time (unit) SP first hospitalized
-------	---

Start: 621  
 End: 623  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:days	0	0.0 %	0.0%
2	2:weeks	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

  

Valid	Min	Max	Mean	Stdev
1	2.00	2.00	2.00	0.00

Variable	Variable Description
----------	----------------------

PR22A	reason SP 2nd hospitalized
-------	----------------------------

Start: 624 End: 626 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>1</td> <td>4.5 %</td> <td>100.0%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>21</td> <td>95.5 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	1	4.5 %	100.0%	. (M)	-	21	95.5 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	1	4.5 %	100.0%																																										
. (M)	-	21	95.5 %	-																																										

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

PR22B	length of time SP 2nd hospitalized
-------	------------------------------------

Start: 627 End: 629 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>12</td> <td>-</td> <td>1</td> <td>4.5 %</td> <td>100.0%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>21</td> <td>95.5 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	12	-	1	4.5 %	100.0%	. (M)	-	21	95.5 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
12	-	1	4.5 %	100.0%																																										
. (M)	-	21	95.5 %	-																																										

Valid	Min	Max	Mean	Stdev
1	12.00	12.00	12.00	0.00

PR22C	length of time(unit) SP 2nd hospitalized
-------	--

Start: 630 End: 632 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-
Value	Label	Frequency	%	Valid %																																
-99 (M)	-99:interviewer missed	0	0.0 %	-																																
-98 (M)	-98:doesn't know	0	0.0 %	-																																
-96 (M)	-96:refused	0	0.0 %	-																																
-95 (M)	-95:doesn't understand	0	0.0 %	-																																
-94 (M)	-94:no money	0	0.0 %	-																																
-93 (M)	-93:uncodeable	0	0.0 %	-																																

Variable	Variable Description
----------	----------------------

PR22C	length of time(unit) SP 2nd hospitalized ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
1	1:days	0	0.0 %	0.0%
2	2:weeks	1	4.5 %	100.0%
. (M)	-	21	95.5 %	-

Valid	Min	Max	Mean	Stdev
1	2.00	2.00	2.00	0.00

PR23A	reason SP 3rd hospitalized
-------	----------------------------

Start: 633  
 End: 635  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

PR23B	length of time SP 3rd hospitalized
-------	------------------------------------

Start: 636  
 End: 638  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

PR23C	length of time(unit) SP 3rd hospitalized
-------	--

Start: 639  
 End: 641  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PR23C	length of time(unit) SP 3rd hospitalized ( <i>cont.</i> )
-------	---

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:days	0	0.0 %	NaN
2	2:weeks	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

PR24A	reasons for other SP hospitalizations
-------	---------------------------------------

Start: 642  
 End: 644  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

PR25	SP had any ear infections?
------	----------------------------

Start: 645  
 End: 647  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	13.6 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	19	86.4 %	-

Valid	Min	Max	Mean	Stdev
3	0.00	0.00	0.00	0.00

**Variable** **Variable Description**

**PR25A\_Y** age (yrs), SP's first ear infection

Start: 648  
 End: 650  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

**PR25A\_M** age (months), SP's first ear infection

Start: 651  
 End: 653  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
. (M)	-	22	100.0 %	-

**PR25B** frequency of ear infections since first

Start: 654  
 End: 656  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:none after first	0	0.0 %	NaN
2	2:1-2	0	0.0 %	NaN
3	3:several,winter	0	0.0 %	NaN
4	4:several,no pattern	0	0.0 %	NaN
5	5:chronic	0	0.0 %	NaN
6	6:other	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**Variable**                      **Variable Description**

**PR25C**                      frequency of ear infections since first

Start: 657  
End: 659  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**PR25D**                      ever fluid build-up in SP's ears?

Start: 660  
End: 662  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

**PR25E**                      MD ever diagnose SP hearing loss?

Start: 663  
End: 665  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

Variable	Variable Description
----------	----------------------

PR25F	SP ever antibiotics for ear infections?
-------	---

Start: 666  
 End: 668  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	22	100.0 %	-

PR25G	SP ever tubes for ear infections?
-------	-----------------------------------

Start: 669  
 End: 671  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	22	100.0 %	-