



ICPSR 13687

Project on Human Development in Chicago Neighborhoods (PHDCN): Consequences of Substance Use, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education, and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 12



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director, National Archive of Criminal Justice Data,

Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that, for confidentiality reasons, the following variables have been blanked in the public use files. The data are available by requesting the restricted use data files (see note #4):
 - CO15A first treatment month for alcohol/drug use
 - CO15B first treatment year for alcohol/drug use
 - CO18A recent treatment month for alcohol/drug use
 - CO18B recent treatment year for alcohol/drug use
 - CO20A first medical attention month alcohol/drug use
 - CO20B first medical attention year alcohol/drug use
 - CO21A recent medical attention month alcohol/drug use
 - CO21B recent medic attention year alcohol/drug use

6. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.

7. The following abbreviations are used in the codebook and setup files:
 - CSU = Consequences of Substance Use
 - PC = Primary Caregiver
 - SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12

Variable Name and Label (Total Cases = 278)	Percent of Cases with Missing Values
5.4% (4 of 74 variables)	have 0% Missing Values
6.8% (5 of 74 variables)	have 0% - 1% Missing Values
1.4% (1 of 74 variables)	have 1% - 3% Missing Values
0.0% (0 of 74 variables)	have 3% - 5% Missing Values
1.4% (1 of 74 variables)	have 5% - 10% Missing Values
CO19	ever medical attention for alcohol/drug use? 5.0%
0.0% (0 of 74 variables)	have 10% - 20% Missing Values
0.0% (0 of 74 variables)	have 20% - 40% Missing Values
77.0% (57 of 74 variables)	have 40% - 99% Missing Values
CO2A	school ever take alcohol away when caught? 96.0%
CO2B	school ever call parents when caught w/ alcohol? 96.0%
CO2C	school ever send you home when caught w/ alcohol? 96.0%
CO2D	school ever suspend you when caught w/ alcohol? 96.0%
CO2E	school ever require alcohol evaluation? 96.0%
CO2F	school ever send you to nurse when caught w/ alcohol? 96.0%
CO2G	school ever send you to school counselor when caught w/ alcohol? 96.0%
CO2H	school ever send you to outside counselor when caught w/ alcohol? 96.0%
CO2I	school ever call police when caught w/ alcohol? 96.0%
CO2J	school ever suspend you from sports when caught w/ alcohol? 96.0%
CO2K	school ever recommend program when caught w/ alcohol? 96.0%
CO4A	school ever take drugs away when caught? 95.7%
CO4B	school ever call parents when caught w/ drugs? 95.7%
CO4C	school ever send you home when caught w/ drugs? 95.7%
CO4D	school ever suspend you when caught w/ drugs? 96.0%
CO4E	school ever require drugs evaluation? 95.7%
CO4F	school ever send you to nurse when caught w/ drugs? 95.7%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12

Variable Name and Label (Total Cases = 278)		Percent of Cases with Missing Values
CO4G	school ever send you to school counselor when caught w/ drugs?	95.7%
CO4H	school ever send you to outside counselor when caught w/ drugs?	95.7%
CO4I	school ever call police when caught w/ drugs?	95.7%
CO4J	school ever suspend you from sports when caught w/ drugs?	95.7%
CO4K	school ever recommend program when caught w/ drugs?	95.7%
CO6A	police take alcohol away when stopped?	95.3%
CO6B	police arrest you when stopped w/ alcohol?	95.3%
CO6C	police place in custody when stopped w/ alcohol?	95.3%
CO6D	police call parents when stopped w/ alcohol?	95.3%
CO6E	police take you home when stopped w/ alcohol?	95.3%
CO6F	police inform school when stopped w/ alcohol?	95.3%
CO6G	police recommend program when stopped w/ alcohol?	95.3%
CO6H	police send you to alcohol treatment program?	95.3%
CO8A	police take drugs away when stopped?	93.9%
CO8B	police arrest you when stopped w/drugs?	93.9%
CO8C	police place in custody when stopped w/ drugs?	93.9%
CO8D	police call parents when stopped w/ drugs?	93.9%
CO8E	police take you home when stopped w/ drugs?	93.9%
CO8F	police inform school when stopped w/ drugs?	93.9%
CO8G	police recommend program when stopped w/ drugs?	93.9%
CO8H	police send you to drug treatment program?	93.9%
CO10A	parents ever take alcohol away when found use?	51.1%
CO10B	parents ever ground you when found alcohol use?	51.1%
CO10C	parents ever angry when found alcohol use?	51.4%
CO10D	parents ever advise care when found alcohol use?	51.1%
CO10E	parents ever talk to other parents when found alcohol use?	51.1%
CO10F	parents ever ignore it when found alcohol use?	51.1%
CO10G	parents ever try to get help when found alcohol use?	51.1%
CO10H	parents ever do something else when found alcohol use?	51.1%
CO12A	parents ever take drug away when found use?	79.5%
CO12B	parents ever ground you when found drug use?	79.5%
CO12C	parents ever angry when found drug use?	79.5%
CO12D	parents ever advise care when found drug use?	79.5%
CO12E	parents ever talk to other parents when found drug use?	79.5%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12

Variable Name and Label (Total Cases = 278)		Percent of Cases with Missing Values
CO12F	parents ever ignore it when found drug use?	79.5%
CO12G	parents ever try to get help when found drug use?	79.5%
CO12H	parents ever do something else when found drug use?	79.5%
CO15A	first treatment month for alcohol/drug use	95.3%
CO15B	first treatment year for alcohol/drug use	95.3%
CO16	more than 1 treatment for alcohol/drug use?	95.0%
8.1% (6 of 74 variables)	have 100% missing values	
CO18A	recent treatment month for alcohol/drug use	99.3%
CO18B	recent treatment year for alcohol/drug use	99.3%
CO20A	first medical attention month alcohol/drug use	99.3%
CO20B	first medical attention year alcohol/drug use	99.3%
CO21A	recent medical attention month alcohol/drug use	99.3%
CO21B	recent medical attention year alcohol/drug use	99.3%

Codebook for ICPSR 13687

**Project on Human Development in Chicago Neighborhoods (PHDCN):
Consequences of Substance Use, Wave 3, 2000-2002**

Dataset0002: Cohort 12

Variable Variable Description

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3 ICPSR Wave 3 subject ID

Start: 1 End: 7 Width: 7 Type: numeric (ISO) Interval: discrete	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	278	3000006.00	3006214.00	3003064.65	1748.82

WAVE wave #

Start: 8 End: 10 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	3	-	278	100.0 %	100.0%
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>	
278	3.00	3.00	3.00	0.00	

COHORT cohort

Start: 11 End: 13 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	12	-	278	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (cont.)
--------	----------------

Valid	Min	Max	Mean	Stdev
278	12.00	12.00	12.00	0.00

CO1	ever caught at school with alcohol?
-----	-------------------------------------

Start: 14
End: 16
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	266	95.7 %	96.0%
1	1:yes	11	4.0 %	4.0%
. (M)	-	1	0.4 %	-

Valid	Min	Max	Mean	Stdev
277	0.00	1.00	0.04	0.20

CO2A	school ever take alcohol away when caught?
------	--

Start: 17
End: 19
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	1.4 %	36.4%
1	1:yes	7	2.5 %	63.6%
. (M)	-	267	96.0 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.64	0.50

Variable **Variable Description**

CO2B school ever call parents when caught w/ alcohol?

Start: 20
End: 22
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	3.2 %	81.8%
1	1:yes	2	0.7 %	18.2%
. (M)	-	267	96.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	0.00	1.00	0.18	0.40

CO2C school ever send you home when caught w/ alcohol?

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	72.7%
1	1:yes	3	1.1 %	27.3%
. (M)	-	267	96.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	0.00	1.00	0.27	0.47

CO2D school ever suspend you when caught w/ alcohol?

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO2D	school ever suspend you when caught w/ alcohol? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	3.2 %	81.8%
1	1:yes	2	0.7 %	18.2%
. (M)	-	267	96.0 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.18	0.40

CO2E	school ever require alcohol evaluation?
------	---

Start: 29
 End: 31
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	7	2.5 %	63.6%
1	1:yes	4	1.4 %	36.4%
. (M)	-	267	96.0 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.36	0.50

CO2F	school ever send you to nurse when caught w/ alcohol?
------	---

Start: 32
 End: 34
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	72.7%
1	1:yes	3	1.1 %	27.3%

Variable **Variable Description**

CO2F school ever send you to nurse when caught w/ alcohol? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	267	96.0 %	-
<i>Valid</i>				
11	0.00	1.00	0.27	0.47

CO2G school ever send you to school counselor when caught w/ alcohol?

Start: 35
End: 37
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	2.2 %	54.5%
1	1:yes	5	1.8 %	45.5%
. (M)	-	267	96.0 %	-
<i>Valid</i>				
11	0.00	1.00	0.45	0.52

CO2H school ever send you to outside counselor when caught w/ alcohol?

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	4.0 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	267	96.0 %	-
<i>Valid</i>				
11	0.00	0.00	0.00	0.00

Variable **Variable Description**

CO2I school ever call police when caught w/ alcohol?

Start: 41
End: 43
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	4.0 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	267	96.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	0.00	0.00	0.00	0.00

CO2J school ever suspend you from sports when caught w/ alcohol?

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	72.7%
1	1:yes	3	1.1 %	27.3%
. (M)	-	267	96.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	0.00	1.00	0.27	0.47

CO2K school ever recommend program when caught w/ alcohol?

Start: 47
End: 49
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO2K	school ever recommend program when caught w/ alcohol? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	72.7%
1	1:yes	3	1.1 %	27.3%
. (M)	-	267	96.0 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.27	0.47

CO3	ever caught at school with drugs?
-----	-----------------------------------

Start: 50
End: 52
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	266	95.7 %	95.7%
1	1:yes	12	4.3 %	4.3%

Valid	Min	Max	Mean	Stdev
278	0.00	1.00	0.04	0.20

CO4A	school ever take drugs away when caught?
------	--

Start: 53
End: 55
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	1.8 %	41.7%
1	1:yes	7	2.5 %	58.3%
. (M)	-	266	95.7 %	-

Variable	Variable Description
----------	----------------------

CO4A	school ever take drugs away when caught? (cont.)
------	--

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.58	0.51

CO4B	school ever call parents when caught w/ drugs?
------	--

Start: 56
End: 58
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	1.8 %	41.7%
1	1:yes	7	2.5 %	58.3%
. (M)	-	266	95.7 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.58	0.51

CO4C	school ever send you home when caught w/ drugs?
------	---

Start: 59
End: 61
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	2.2 %	50.0%
1	1:yes	6	2.2 %	50.0%
. (M)	-	266	95.7 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.50	0.52

Variable **Variable Description**

CO4D school ever suspend you when caught w/ drugs?

Start: 62
End: 64
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	1.8 %	45.5%
1	1:yes	6	2.2 %	54.5%
. (M)	-	267	96.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	0.00	1.00	0.55	0.52

CO4E school ever require drugs evaluation?

Start: 65
End: 67
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	3.6 %	83.3%
1	1:yes	2	0.7 %	16.7%
. (M)	-	266	95.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
12	0.00	1.00	0.17	0.39

CO4F school ever send you to nurse when caught w/ drugs?

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable **Variable Description**

CO4F school ever send you to nurse when caught w/ drugs? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	3.6 %	83.3%
1	1:yes	2	0.7 %	16.7%
. (M)	-	266	95.7 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.17	0.39

CO4G school ever send you to school counselor when caught w/ drugs?

Start: 71
End: 73
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	3.6 %	83.3%
1	1:yes	2	0.7 %	16.7%
. (M)	-	266	95.7 %	-

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.17	0.39

CO4H school ever send you to outside counselor when caught w/ drugs?

Start: 74
End: 76
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	4.0 %	91.7%
1	1:yes	1	0.4 %	8.3%

Variable **Variable Description**

CO4H school ever send you to outside counselor when caught w/ drugs? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	266	95.7 %	-
<i>Valid</i>				
12	0.00	1.00	0.08	0.29

CO4I school ever call police when caught w/ drugs?

Start: 77
End: 79
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	66.7%
1	1:yes	4	1.4 %	33.3%
. (M)	-	266	95.7 %	-
<i>Valid</i>				
12	0.00	1.00	0.33	0.49

CO4J school ever suspend you from sports when caught w/ drugs?

Start: 80
End: 82
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	66.7%
1	1:yes	4	1.4 %	33.3%
. (M)	-	266	95.7 %	-
<i>Valid</i>				
12	0.00	1.00	0.33	0.49

Variable **Variable Description**

CO4K school ever recommend program when caught w/ drugs?

Start: 83
End: 85
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	3.6 %	83.3%
1	1:yes	2	0.7 %	16.7%
. (M)	-	266	95.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
12	0.00	1.00	0.17	0.39

CO5 ever stopped by police with alcohol?

Start: 86
End: 88
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	264	95.0 %	95.7%
1	1:yes	12	4.3 %	4.3%
. (M)	-	2	0.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
276	0.00	1.00	0.04	0.20

CO6A police take alcohol away when stopped?

Start: 89
End: 91
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO6A	police take alcohol away when stopped? (cont.)
------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.7 %	15.4%
1	1:yes	11	4.0 %	84.6%
. (M)	-	265	95.3 %	-

Valid	Min	Max	Mean	Stdev
13	0.00	1.00	0.85	0.38

CO6B	police arrest you when stopped w/ alcohol?
------	--

Start: 92
 End: 94
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	61.5%
1	1:yes	5	1.8 %	38.5%
. (M)	-	265	95.3 %	-

Valid	Min	Max	Mean	Stdev
13	0.00	1.00	0.38	0.51

CO6C	police place in custody when stopped w/ alcohol?
------	--

Start: 95
 End: 97
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	3.2 %	69.2%
1	1:yes	4	1.4 %	30.8%

Variable **Variable Description**

CO6C **police place in custody when stopped w/ alcohol? (cont.)**

Value	Label	Frequency	%	Valid %
. (M)	-	265	95.3 %	-
<i>Valid</i>				
13	0.00	1.00	0.31	0.48

CO6D **police call parents when stopped w/ alcohol?**

Start: 98
 End: 100
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	3.6 %	76.9%
1	1:yes	3	1.1 %	23.1%
. (M)	-	265	95.3 %	-
<i>Valid</i>				
13	0.00	1.00	0.23	0.44

CO6E **police take you home when stopped w/ alcohol?**

Start: 101
 End: 103
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	4.0 %	84.6%
1	1:yes	2	0.7 %	15.4%
. (M)	-	265	95.3 %	-
<i>Valid</i>				
13	0.00	1.00	0.15	0.38

Variable **Variable Description**

CO6F police inform school when stopped w/ alcohol?

Start: 104
End: 106
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.7 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	265	95.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	0.00	0.00	0.00

CO6G police recommend program when stopped w/ alcohol?

Start: 107
End: 109
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.7 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	265	95.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	0.00	0.00	0.00

CO6H police send you to alcohol treatment program?

Start: 110
End: 112
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO6H	police send you to alcohol treatment program? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.7 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	265	95.3 %	-

Valid	Min	Max	Mean	Stdev
13	0.00	0.00	0.00	0.00

CO7	ever stopped by police with drugs?
-----	------------------------------------

Start: 113
 End: 115
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	259	93.2 %	93.8%
1	1:yes	17	6.1 %	6.2%
. (M)	-	2	0.7 %	-

Valid	Min	Max	Mean	Stdev
276	0.00	1.00	0.06	0.24

CO8A	police take drugs away when stopped?
------	--------------------------------------

Start: 116
 End: 118
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.4 %	5.9%
1	1:yes	16	5.8 %	94.1%

- ICPSR 13687 -

Variable	Variable Description
----------	----------------------

CO8A	police take drugs away when stopped? (cont.)
------	--

Value	Label	Frequency	%	Valid %
. (M)	-	261	93.9 %	-
<i>Valid</i>				
17	0.00	1.00	0.94	0.24

CO8B	police arrest you when stopped w/drugs?
------	---

Start: 119
 End: 121
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	47.1%
1	1:yes	9	3.2 %	52.9%
. (M)	-	261	93.9 %	-
<i>Valid</i>				
17	0.00	1.00	0.53	0.51

CO8C	police place in custody when stoppd w/ drugs?
------	---

Start: 122
 End: 124
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.7 %	76.5%
1	1:yes	4	1.4 %	23.5%
. (M)	-	261	93.9 %	-
<i>Valid</i>				
17	0.00	1.00	0.24	0.44

Variable **Variable Description**

CO8D police call parents when stopped w/ drugs?

Start: 125
End: 127
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.9 %	47.1%
1	1:yes	9	3.2 %	52.9%
. (M)	-	261	93.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	0.00	1.00	0.53	0.51

CO8E police take you home when stopped w/ drugs?

Start: 128
End: 130
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	5.0 %	82.4%
1	1:yes	3	1.1 %	17.6%
. (M)	-	261	93.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	0.00	1.00	0.18	0.39

CO8F police inform school when stopped w/ drugs?

Start: 131
End: 133
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO8F	police inform school when stopped w/ drugs? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	16	5.8 %	94.1%
1	1:yes	1	0.4 %	5.9%
. (M)	-	261	93.9 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.06	0.24

CO8G	police recommend program when stopped w/ drugs?
------	---

Start: 134
 End: 136
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.7 %	76.5%
1	1:yes	4	1.4 %	23.5%
. (M)	-	261	93.9 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.24	0.44

CO8H	police send you to drug treatment program?
------	--

Start: 137
 End: 139
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	5.0 %	82.4%
1	1:yes	3	1.1 %	17.6%

Variable	Variable Description
----------	----------------------

CO8H	police send you to drug treatment program? (cont.)
------	--

Value	Label	Frequency	%	Valid %
. (M)	-	261	93.9 %	-
Valid				
17	0.00	1.00	0.18	0.39

CO9	parents ever found you use alcohol?
-----	-------------------------------------

Start: 140
 End: 142
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	140	50.4 %	50.5%
1	1:yes	137	49.3 %	49.5%
. (M)	-	1	0.4 %	-
Valid				
277	0.00	1.00	0.49	0.50

CO10A	parents ever take alcohol away when found use?
-------	--

Start: 143
 End: 145
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	81	29.1 %	59.6%
1	1:yes	55	19.8 %	40.4%
. (M)	-	142	51.1 %	-
Valid				
136	0.00	1.00	0.40	0.49

Variable **Variable Description**

CO10B parents ever ground you when found alcohol use?

Start: 146
 End: 148
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	73	26.3 %	53.7%
1	1:yes	63	22.7 %	46.3%
. (M)	-	142	51.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
136	0.00	1.00	0.46	0.50

CO10C parents ever angry when found alcohol use?

Start: 149
 End: 151
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	35	12.6 %	25.9%
1	1:yes	100	36.0 %	74.1%
. (M)	-	143	51.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
135	0.00	1.00	0.74	0.44

CO10D parents ever advise care when found alcohol use?

Start: 152
 End: 154
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO10D	parents ever advise care when found alcohol use? (cont.)
-------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	4.3 %	8.8%
1	1:yes	124	44.6 %	91.2%
. (M)	-	142	51.1 %	-

Valid	Min	Max	Mean	Stdev
136	0.00	1.00	0.91	0.28

CO10E	parents ever talk to other parents when found alcohol use?
-------	--

Start: 155
 End: 157
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	111	39.9 %	81.6%
1	1:yes	25	9.0 %	18.4%
. (M)	-	142	51.1 %	-

Valid	Min	Max	Mean	Stdev
136	0.00	1.00	0.18	0.39

CO10F	parents ever ignore it when found alcohol use?
-------	--

Start: 158
 End: 160
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	121	43.5 %	89.0%
1	1:yes	15	5.4 %	11.0%

Variable **Variable Description**

CO10F parents ever ignore it when found alcohol use? (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
. (M)	-	142	51.1 %	-
<i>Valid</i>				
136	0.00	1.00	0.11	0.31

CO10G parents ever try to get help when found alcohol use?

Start: 161
End: 163
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	108	38.8 %	79.4%
1	1:yes	28	10.1 %	20.6%
. (M)	-	142	51.1 %	-
<i>Valid</i>				
136	0.00	1.00	0.21	0.41

CO10H parents ever do something else when found alcohol use?

Start: 164
End: 166
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	109	39.2 %	80.1%
1	1:yes	27	9.7 %	19.9%
. (M)	-	142	51.1 %	-
<i>Valid</i>				
136	0.00	1.00	0.20	0.40

Variable **Variable Description**

CO11 parents ever found you use drugs?

Start: 167
 End: 169
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	218	78.4 %	79.3%
1	1:yes	57	20.5 %	20.7%
. (M)	-	3	1.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
275	0.00	1.00	0.21	0.41

CO12A parents ever take drug away when found use?

Start: 170
 End: 172
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	41	14.7 %	71.9%
1	1:yes	16	5.8 %	28.1%
. (M)	-	221	79.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
57	0.00	1.00	0.28	0.45

CO12B parents ever ground you when found drug use?

Start: 173
 End: 175
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable **Variable Description**

CO12B parents ever ground you when found drug use? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	32	11.5 %	56.1%
1	1:yes	25	9.0 %	43.9%
. (M)	-	221	79.5 %	-

Valid	Min	Max	Mean	Stdev
57	0.00	1.00	0.44	0.50

CO12C parents ever angry when found drug use?

Start: 176
 End: 178
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	3.2 %	15.8%
1	1:yes	48	17.3 %	84.2%
. (M)	-	221	79.5 %	-

Valid	Min	Max	Mean	Stdev
57	0.00	1.00	0.84	0.37

CO12D parents ever advise care when found drug use?

Start: 179
 End: 181
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	1.1 %	5.3%
1	1:yes	54	19.4 %	94.7%

Variable	Variable Description
----------	----------------------

CO12D	parents ever advise care when found drug use? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	221	79.5 %	-
Valid	Min	Max	Mean	Stdev
57	0.00	1.00	0.95	0.23

CO12E	parents ever talk to other parents when found drug use?
-------	---

Start: 182
End: 184
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	46	16.5 %	80.7%
1	1:yes	11	4.0 %	19.3%
. (M)	-	221	79.5 %	-
Valid	Min	Max	Mean	Stdev
57	0.00	1.00	0.19	0.40

CO12F	parents ever ignore it when found drug use?
-------	---

Start: 185
End: 187
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	52	18.7 %	91.2%
1	1:yes	5	1.8 %	8.8%
. (M)	-	221	79.5 %	-
Valid	Min	Max	Mean	Stdev
57	0.00	1.00	0.09	0.29

Variable **Variable Description**

CO12G parents ever try to get help when found drug use?

Start: 188
End: 190
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	34	12.2 %	59.6%
1	1:yes	23	8.3 %	40.4%
. (M)	-	221	79.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
57	0.00	1.00	0.40	0.49

CO12H parents ever do something else when found drug use?

Start: 191
End: 193
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	41	14.7 %	71.9%
1	1:yes	16	5.8 %	28.1%
. (M)	-	221	79.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
57	0.00	1.00	0.28	0.45

CO13 ever counseling/therapy for alcohol/drug use?

Start: 194
End: 196
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO13	ever counseling/therapy for alcohol/drug use? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	263	94.6 %	95.3%
1	1:yes	13	4.7 %	4.7%
. (M)	-	2	0.7 %	-

Valid	Min	Max	Mean	Stdev
276	0.00	1.00	0.05	0.21

CO15A	first treatment month for alcohol/drug use
-------	--

Start: 197
 End: 199
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	13	4.7 %	100.0%
. (M)	-	265	95.3 %	-

Valid	Min	Max	Mean	Stdev
13	-90.00	-90.00	-90.00	0.00

CO15B	first treatment year for alcohol/drug use
-------	---

Start: 200
 End: 203
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	13	4.7 %	100.0%
. (M)	-	265	95.3 %	-

Variable	Variable Description
----------	----------------------

CO15B first treatment year for alcohol/drug use (*cont.*)

Valid	Min	Max	Mean	Stdev
13	-90.00	-90.00	-90.00	0.00

CO16 more than 1 treatment for alcohol/drug use?

Start: 204
End: 206
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	4.3 %	85.7%
1	1:yes	2	0.7 %	14.3%
. (M)	-	264	95.0 %	-

Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.14	0.36

CO18A recent treatment month for alcohol/drug use

Start: 207
End: 209
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	276	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	-90.00	-90.00	-90.00	0.00

CO18B recent treatment year for alcohol/drug use

Start: 210
End: 213
Width: 4

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CO18B	recent treatment year for alcohol/drug use (cont.)
-------	--

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	276	99.3 %	-

Valid	Min	Max	Mean	Stdev
2	-90.00	-90.00	-90.00	0.00

CO19	ever medical attention for alcohol/drug use?
------	--

Start: 214
End: 216
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.7 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	262	94.2 %	99.2%
1	1:yes	2	0.7 %	0.8%
. (M)	-	12	4.3 %	-

Valid	Min	Max	Mean	Stdev
264	0.00	1.00	0.01	0.09

CO20A	first medical attention month alcohol/drug use
-------	--

Start: 217
End: 219
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable **Variable Description**

CO20A first medical attention month alcohol/drug use (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	275	98.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	-90.00	-90.00	-90.00	0.00

CO20B first medical attention year alcohol/drug use

Start: 220
 End: 224
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	275	98.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	-90.00	-90.00	-90.00	0.00

CO21A recent medical attention month alcohol/drug use

Start: 225
 End: 227
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	275	98.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
2	-90.00	-90.00	-90.00	0.00

Variable	Variable Description
----------	----------------------

CO21B	recent medical attention year alcohol/drug use
-------	--

Start: 228
 End: 232
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.4 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	275	98.9 %	-

Valid	Min	Max	Mean	Stdev
2	-90.00	-90.00	-90.00	0.00