



ICPSR 13687

Project on Human Development in Chicago Neighborhoods (PHDCN): Consequences of Substance Use, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education, and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 15



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., *). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:
CP4AA - caught at school with alcohol, amount

CP4BA - caught at school with marijuana, amount
CP4CA - caught at school with cocaine, amount
CP4DA - caught at school with inhalants, amount
CP4EA - caught at school with hallucinogens, amount
CP4FA - caught at school with heroin, amount
CP4GA - caught at school with crystal meth, amount
CP4H1 - other drug, caught at school with
CP4HA - caught at school with other drug, amount
CP9AA - stopped by police with alcohol, amount
CP9BA - stopped by police with marijuana, amount
CP9CA - stopped by police with cocaine, amount
CP9DA - stopped by police with inhalants, amount
CP9EA - stopped by police with hallucinogens, amount
CP9FA - stopped by police with heroin, amount
CP9GA - stopped by police with crystal meth, amount
CP9H1 - other drug, stopped by police with
CP9HA - stopped by police with other drug, amount
CP14AA - parents found you with alcohol, amount
CP14BA - parents found you with marijuana, amount
CP14CA - parents found you with cocaine, amount
CP14DA - parents found you with inhalants, amount
CP14EA - parents found you with hallucinogens, amount
CP14FA - parents found you with heroin, amount
CP14GA - parents found you with crystal meth, amount
CP14H1 - other drug, parents found you with
CP14HA - parents found you with other drug, amount

5. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

6. Users should note that, for confidentiality reasons, the following variables have been blanked in the public use files. The data are available by requesting the restricted use data files (see note #4):
CP4AA - caught at school with alcohol, amount
CP4BA - caught at school with marijuana, amount
CP4CA - caught at school with cocaine, amount

CP4DA - caught at school with inhalants, amount
CP4EA - caught at school with hallucinogens, amount
CP4FA - caught at school with heroin, amount
CP4GA - caught at school with crystal meth, amount
CP4H1 - other drug, caught at school with
CP4HA - caught at school with other drug, amount
CP9AA - stopped by police with alcohol, amount
CP9BA - stopped by police with marijuana, amount
CP9CA - stopped by police with cocaine, amount
CP9DA - stopped by police with inhalants, amount
CP9EA - stopped by police with hallucinogens, amount
CP9FA - stopped by police with heroin, amount
CP9GA - stopped by police with crystal meth, amount
CP9H1 - other drug, stopped by police with
CP9HA - stopped by police with other drug, amount
CP14AA - parents found you with alcohol, amount
CP14BA - parents found you with marijuana, amount
CP14CA - parents found you with cocaine, amount
CP14DA - parents found you with inhalants, amount
CP14EA - parents found you with hallucinogens, amount
CP14FA - parents found you with heroin, amount
CP14GA - parents found you with crystal meth, amount
CP14H1 - other drug, parents found you with
CP14HA - parents found you with other drug, amount
CP18A - first treatment month for alcohol/drug use
CP18B - first treatment year for alcohol/drug use
CP21A - recent treatment month for alcohol/drug use
CP21B - recent treatment year for alcohol/drug use
CP23A - first medical attention month alcohol/drug use
CP23B - first medical attention year alcohol/drug use
CP24A - recent medical attention month alcohol/drug use
CP24B - recent medical attention year alcohol/drug use

7. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
8. The following abbreviations are used in the codebook and setup files:
CSU = Consequences of Substance Use
PC = Primary Caregiver
SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15

Variable Name and Label (Total Cases = 319)	Percent of Cases with Missing Values
3.0% (3 of 101 variables)	have 0% Missing Values
2.0% (2 of 101 variables)	have 0% - 1% Missing Values
3.0% (3 of 101 variables)	have 1% - 3% Missing Values
0.0% (0 of 101 variables)	have 3% - 5% Missing Values
0.0% (0 of 101 variables)	have 5% - 10% Missing Values
0.0% (0 of 101 variables)	have 10% - 20% Missing Values
8.9% (9 of 101 variables)	have 20% - 40% Missing Values
CP12	parent found you w/ alcohol/drugs/both? 38.2%
CP15A	parents ever take substance away when found use? 39.2%
CP15B	parents ever ground you when found substance use? 39.2%
CP15C	parents ever angry when found substance use? 39.5%
CP15D	parents ever advise care when found substance use? 39.2%
CP15E	parents ever talk to other parents when found substance use? 39.2%
CP15F	parents ever ignore it when found substance use? 39.2%
CP15G	parents ever try to get help when found substance use? 39.2%
CP15H	parents ever do sometihng else when found substance use? 39.5%
43.6% (44 of 101 variables)	have 40% - 99% Missing Values
CP2	caught at school w/ alcohol/drugs/both? 94.0%
CP3	# times caught at school w/ alcohol/drugs 93.7%
CP4A	caught at school with alcohol? 96.9%
CP4B	caught at school with marijuana? 95.6%
CP4BA	caught at school with marijuana, amount 97.2%
CP5A	school ever take alcohol/drug away when caught? 94.7%
CP5B	school ever call parents when caught w/ substance? 94.7%
CP5C	school ever send you home when caught w/ substance? 94.7%
CP5D	school ever suspend you when caught w/ substance? 94.7%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15

Variable Name and Label (Total Cases = 319)		Percent of Cases with Missing Values
CP5E	school ever require alcohol/drug evaluation?	94.7%
CP5F	school ever send you to nurse when caught w/ substance?	94.7%
CP5G	school ever send you to school counselor when caught w/ substance?	95.0%
CP5H	school ever send you to outside counselor when caught w/ substance?	94.7%
CP5I	school ever call police when caught w/ substance?	94.7%
CP5J	school ever suspend you from sports when caught w/ substance?	94.7%
CP5K	school ever recommend program when caught w/ substance?	94.7%
CP7	stopped by police w/ alcohol/drugs/both?	86.8%
CP8	# times stopped by police w/ alcohol/drugs	86.8%
CP9A	stopped by police with alcohol?	94.7%
CP9AA	stopped by police with alcohol, amount	96.2%
CP9B	stopped by police with marijuana?	92.2%
CP9BA	stopped by police with marijuana, amount	93.7%
CP9C	stopped by police with cocaine?	98.1%
CP10A	police take alcohol/drug away when stopped?	86.8%
CP10B	police arrest you when stopped w/ substance?	86.8%
CP10C	police place in custody when stopped w/ substance?	86.8%
CP10D	police call parents when stopped w/ substance?	86.8%
CP10E	police take you home when stopped w/ substance?	86.8%
CP10F	police inform school when stopped w/ substance?	86.8%
CP10G	police recommend program when stopped w/ substance?	86.8%
CP10H	police send you to alcohol/drug treatment program?	86.8%
CP13	# times parents found you w/ alcohol/drugs	40.8%
CP14A	parents found you with alcohol?	51.7%
CP14AA	parents found you with alcohol, amount	86.8%
CP14B	parents found you with marijuana?	70.8%
CP14BA	parents found you with marijuana, amount	89.3%
CP18A	first treatment month for alcohol/drug use	97.5%
CP18B	first treatment year for alcohol/drug use	97.2%
CP19	more than 1 treatment for alcohol/drug use?	97.2%
CP21B	recent treatment year for alcohol/drug use	98.7%
CP23A	first medical attention month alcohol/drug use	98.4%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15

Variable Name and Label (Total Cases = 319)		Percent of Cases with Missing Values
CP23B	first medical attention year alcohol/drug use	98.4%
CP24A	recent medical attention month alcohol/drug use	98.4%
CP24B	recent medical attention year alcohol/drug use	98.4%
39.6% (40 of 101 variables)	have 100% missing values	
CP4AA	caught at school with alcohol, amount	99.1%
CP4C	caught at school with cocaine?	100.0%
CP4CA	caught at school with cocaine, amount	100.0%
CP4D	caught at school with inhalants?	100.0%
CP4DA	caught at school with inhalants, amount	100.0%
CP4E	caught at school with hallucinogens?	100.0%
CP4EA	caught at school with hallucinogens, amount	100.0%
CP4F	caught at school with heroin?	100.0%
CP4FA	caught at school with heroin, amount	100.0%
CP4G	caught at school with crystal meth?	100.0%
CP4GA	caught at school with crystal meth, amount	100.0%
CP4H	caught at school with other drug?	100.0%
CP4H1	other drug, caught at school with	100.0%
CP4HA	caught at school with other drug, amount	100.0%
CP9CA	stopped by police with cocaine, amount	99.1%
CP9D	stopped by police with inhalants?	100.0%
CP9DA	stopped by police with inhalants, amount	100.0%
CP9E	stopped by police with hallucinogens?	100.0%
CP9EA	stopped by police with hallucinogens, amount	100.0%
CP9F	stopped by police with heroin?	99.7%
CP9FA	stopped by police with heroin, amount	99.7%
CP9G	stopped by police with crystal meth?	100.0%
CP9GA	stopped by police with crystal meth, amount	100.0%
CP9H	stopped by police with other drug?	100.0%
CP9H1	other drug, stopped by police with	100.0%
CP9HA	stopped by police with other drug, amount	100.0%
CP14C	parents found you with cocaine?	99.7%
CP14CA	parents found you with cocaine, amount	100.0%
CP14D	parents found you with inhalants?	100.0%
CP14DA	parents found you with inhalants, amount	100.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15

Variable Name and Label (Total Cases = 319)		Percent of Cases with Missing Values
CP14E	parents found you with hallucinogens?	100.0%
CP14EA	parents found you with hallucinogens, amount	100.0%
CP14F	parents found you with heroin?	100.0%
CP14FA	parents found you with heroin, amount	100.0%
CP14G	parents found you with crystal meth?	100.0%
CP14GA	parents found you with crystal meth, amount	100.0%
CP14H	parents found you with other drug?	99.4%
CP14H1	other drug, parents found you with	99.4%
CP14HA	parents found you with other drug, amount	100.0%
CP21A	recent treatment month for alcohol/drug use	99.1%

Codebook for ICPSR 13687

Project on Human Development in Chicago Neighborhoods (PHDCN): Consequences of Substance Use, Wave 3, 2000-2002

Dataset0003: Cohort 15

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
319	3000011.00	3006219.00	3003040.73	1773.32

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	319	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
319	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	319	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (<i>cont.</i>)
--------	-------------------------

Valid	Min	Max	Mean	Stdev
319	15.00	15.00	15.00	0.00

CP1	ever caught at school w/ alcohol/drugs?
-----	---

Start: 14
End: 16
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.3 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	296	92.8 %	94.0%
1	1:yes	19	6.0 %	6.0%
. (M)	-	3	0.9 %	-

Valid	Min	Max	Mean	Stdev
315	0.00	1.00	0.06	0.24

CP2	caught at school w/ alcohol/drugs/both?
-----	---

Start: 17
End: 19
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.3 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:alcohol	4	1.3 %	21.1%
2	2:drugs	6	1.9 %	31.6%
3	3:alcohol and drugs	9	2.8 %	47.4%
. (M)	-	299	93.7 %	-

Valid	Min	Max	Mean	Stdev
19	1.00	3.00	2.26	0.81

Variable **Variable Description**

CP3 # times caught at school w/ alcohol/drugs

Start: 20
 End: 22
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:never	0	0.0 %	0.0%
1	1:once	9	2.8 %	45.0%
2	2:twice	2	0.6 %	10.0%
3	3:3-5	4	1.3 %	20.0%
4	4:6-10	1	0.3 %	5.0%
5	5:more than 10	4	1.3 %	20.0%
. (M)	-	299	93.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
20	1.00	5.00	2.45	1.61

CP4A caught at school with alcohol?

Start: 23
 End: 25
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	10	3.1 %	100.0%
. (M)	-	309	96.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
10	1.00	1.00	1.00	0.00

Variable **Variable Description**

CP4AA **caught at school with alcohol, amount**

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	3	0.9 %	100.0%
. (M)	-	316	99.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
3	-90.00	-90.00	-90.00	0.00

CP4B **caught at school with marijuana?**

Start: 29
End: 31
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	14	4.4 %	100.0%
. (M)	-	305	95.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
14	1.00	1.00	1.00	0.00

CP4BA **caught at school with marijuana, amount**

Start: 32
End: 34
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP4BA	caught at school with marijuana, amount (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	9	2.8 %	100.0%
. (M)	-	310	97.2 %	-

Valid	Min	Max	Mean	Stdev
9	-90.00	-90.00	-90.00	0.00

CP4C	caught at school with cocaine?
------	--------------------------------

Start: 35
End: 37
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4CA	caught at school with cocaine, amount
-------	---------------------------------------

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4D	caught at school with inhalants?
------	----------------------------------

Start: 41
End: 43
Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP4D	caught at school with inhalants? (cont.)
------	--

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4DA	caught at school with inhalants, amount
-------	---

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4E	caught at school with hallucinogens?
------	--------------------------------------

Start: 47
End: 49
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

Variable	Variable Description
----------	----------------------

CP4EA caught at school with hallucinogens, amount

Start: 50
End: 52
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4F caught at school with heroin?

Start: 53
End: 55
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4FA caught at school with heroin, amount

Start: 56
End: 58
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

Variable **Variable Description**

CP4G **caught at school with crystal meth?**

Start: 59
 End: 61
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4GA **caught at school with crystal meth, amount**

Start: 62
 End: 64
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4H **caught at school with other drug?**

Start: 65
 End: 67
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

- ICPSR 13687 -

Variable	Variable Description
----------	----------------------

CP4H1	other drug, caught at school with
-------	-----------------------------------

Start: 68
 End: 70
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP4HA	caught at school with other drug, amount
-------	--

Start: 71
 End: 73
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP5A	school ever take alcohol/drug away when caught?
------	---

Start: 74
 End: 76
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	3.4 %	64.7%
1	1:yes	6	1.9 %	35.3%
. (M)	-	301	94.4 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.35	0.49

Variable **Variable Description**

CP5B school ever call parents when caught w/ substance?

Start: 77
End: 79
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	2.8 %	52.9%
1	1:yes	8	2.5 %	47.1%
. (M)	-	302	94.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	0.00	1.00	0.47	0.51

CP5C school ever send you home when caught w/ substance?

Start: 80
End: 82
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	1.6 %	29.4%
1	1:yes	12	3.8 %	70.6%
. (M)	-	302	94.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	0.00	1.00	0.71	0.47

CP5D school ever suspend you when caught w/ substance?

Start: 83
End: 85
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP5D	school ever suspend you when caught w/ substance? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	2.8 %	52.9%
1	1:yes	8	2.5 %	47.1%
. (M)	-	302	94.7 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.47	0.51

CP5E	school ever require alcohol/drug evaluation?
------	--

Start: 86
End: 88
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	16	5.0 %	94.1%
1	1:yes	1	0.3 %	5.9%
. (M)	-	302	94.7 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.06	0.24

CP5F	school ever send you to nurse when caught w/ substance?
------	---

Start: 89
End: 91
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	16	5.0 %	94.1%
1	1:yes	1	0.3 %	5.9%

Variable	Variable Description
----------	----------------------

CP5F	school ever send you to nurse when caught w/ substance? (cont.)
------	---

Value	Label	Frequency	%	Valid %
. (M)	-	302	94.7 %	-
Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.06	0.24

CP5G	school ever send you to school counselor when caught w/ substance?
------	--

Start: 92
 End: 94
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	3.8 %	75.0%
1	1:yes	4	1.3 %	25.0%
. (M)	-	302	94.7 %	-
Valid	Min	Max	Mean	Stdev
16	0.00	1.00	0.25	0.45

CP5H	school ever send you to outside counselor when caught w/ substance?
------	---

Start: 95
 End: 97
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	15	4.7 %	88.2%
1	1:yes	2	0.6 %	11.8%
. (M)	-	302	94.7 %	-
Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.12	0.33

Variable **Variable Description**

CP5I school ever call police when caught w/ substance?

Start: 98
End: 100
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.1 %	76.5%
1	1:yes	4	1.3 %	23.5%
. (M)	-	302	94.7 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.24	0.44

CP5J school ever suspend you from sports when caught w/ substance?

Start: 101
End: 103
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	4.4 %	82.4%
1	1:yes	3	0.9 %	17.6%
. (M)	-	302	94.7 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.18	0.39

CP5K school ever recommend program when caught w/ substance?

Start: 104
End: 106
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable **Variable Description**

CP5K school ever recommend program when caught w/ substance? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	4.1 %	76.5%
1	1:yes	4	1.3 %	23.5%
. (M)	-	302	94.7 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.24	0.44

CP6 ever stopped by police w/ alcohol/drugs?

Start: 107
End: 109
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	275	86.2 %	86.8%
1	1:yes	42	13.2 %	13.2%
. (M)	-	2	0.6 %	-

Valid	Min	Max	Mean	Stdev
317	0.00	1.00	0.13	0.34

CP7 stopped by police w/ alcohol/drugs/both?

Start: 110
End: 112
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:alcohol	9	2.8 %	21.4%
2	2:drugs	21	6.6 %	50.0%

Variable **Variable Description**

CP7 **stopped by police w/ alcohol/drugs/both? (cont.)**

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	3:alcohol and drugs	12	3.8 %	28.6%
. (M)	-	277	86.8 %	-
<i>Valid</i>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	1.00	3.00	2.07	0.71

CP8 **# times stopped by police w/ alcohol/drugs**

Start: 113
 End: 115
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:never	0	0.0 %	0.0%
1	1:once	19	6.0 %	45.2%
2	2:twice	2	0.6 %	4.8%
3	3:3-5	12	3.8 %	28.6%
4	4:6-10	6	1.9 %	14.3%
5	5:more than 10	3	0.9 %	7.1%
. (M)	-	277	86.8 %	-
<i>Valid</i>				
	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	1.00	5.00	2.33	1.37

CP9A **stopped by police with alcohol?**

Start: 116
 End: 118
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

CP9A	stopped by police with alcohol? (cont.)
------	---

Value	Label	Frequency	%	Valid %
1	1:yes	17	5.3 %	100.0%
. (M)	-	302	94.7 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

CP9AA	stopped by police with alcohol, amount
-------	--

Start: 119
End: 121
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	12	3.8 %	100.0%
. (M)	-	307	96.2 %	-

Valid	Min	Max	Mean	Stdev
12	-90.00	-90.00	-90.00	0.00

CP9B	stopped by police with marijuana?
------	-----------------------------------

Start: 122
End: 124
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	25	7.8 %	100.0%
. (M)	-	294	92.2 %	-

Valid	Min	Max	Mean	Stdev
25	1.00	1.00	1.00	0.00

Variable **Variable Description**

CP9BA stopped by police with marijuana, amount

Start: 125
End: 127
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	20	6.3 %	100.0%
. (M)	-	299	93.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
20	-90.00	-90.00	-90.00	0.00

CP9C stopped by police with cocaine?

Start: 128
End: 130
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	6	1.9 %	100.0%
. (M)	-	313	98.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
6	1.00	1.00	1.00	0.00

CP9CA stopped by police with cocaine, amount

Start: 131
End: 133
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP9CA	stopped by police with cocaine, amount (<i>cont.</i>)
-------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	3	0.9 %	100.0%
. (M)	-	316	99.1 %	-

Valid	Min	Max	Mean	Stdev
3	-90.00	-90.00	-90.00	0.00

CP9D	stopped by police with inhalants?
------	-----------------------------------

Start: 134
 End: 136
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP9DA	stopped by police with inhalants, amount
-------	--

Start: 137
 End: 139
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP9E	stopped by police with hallucinogens?
------	---------------------------------------

Start: 140
 End: 142
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable **Variable Description**

CP9E **stopped by police with hallucinogens? (cont.)**

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP9EA **stopped by police with hallucinogens, amount**

Start: 143
End: 145
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP9F **stopped by police with heroin?**

Start: 146
End: 148
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	0.3 %	100.0%
. (M)	-	318	99.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	1.00	1.00	1.00	0.00

Variable **Variable Description**

CP9FA **stopped by police with heroin, amount**

Start: 149
 End: 151
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	1	0.3 %	100.0%
. (M)	-	318	99.7 %	-

Valid	Min	Max	Mean	Stdev
1	-90.00	-90.00	-90.00	0.00

CP9G **stopped by police with crystal meth?**

Start: 152
 End: 154
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP9GA **stopped by police with crystal meth, amount**

Start: 155
 End: 157
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

Variable	Variable Description
----------	----------------------

CP9H	stopped by police with other drug?
------	------------------------------------

Start: 158 End: 160 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:no</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>1</td> <td>1:yes</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>319</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:no	0	0.0 %	NaN	1	1:yes	0	0.0 %	NaN	. (M)	-	319	100.0 %	-
Value	Label	Frequency	%	Valid %																																															
-99 (M)	-99:interviewer missed	0	0.0 %	-																																															
-98 (M)	-98:doesn't know	0	0.0 %	-																																															
-96 (M)	-96:refused	0	0.0 %	-																																															
-95 (M)	-95:doesn't understand	0	0.0 %	-																																															
-94 (M)	-94:no money	0	0.0 %	-																																															
-93 (M)	-93:uncodeable	0	0.0 %	-																																															
0	0:no	0	0.0 %	NaN																																															
1	1:yes	0	0.0 %	NaN																																															
. (M)	-	319	100.0 %	-																																															

CP9H1	other drug, stopped by police with
-------	------------------------------------

Start: 161 End: 163 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>319</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	319	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	319	100.0 %	-																																										

CP9HA	stopped by police with other drug, amount
-------	---

Start: 164 End: 166 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>319</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	319	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	319	100.0 %	-																																										

Variable **Variable Description**

CP10A police take alcohol/drug away when stopped?

Start: 167
 End: 169
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	1.3 %	9.5%
1	1:yes	38	11.9 %	90.5%
. (M)	-	277	86.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.90	0.30

CP10B police arrest you when stopped w/ substance?

Start: 170
 End: 172
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	5.6 %	42.9%
1	1:yes	24	7.5 %	57.1%
. (M)	-	277	86.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.57	0.50

CP10C police place in custody when stopped w/ substance?

Start: 173
 End: 175
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable **Variable Description**

CP10C police place in custody when stopped w/ substance? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	38	11.9 %	90.5%
1	1:yes	4	1.3 %	9.5%
. (M)	-	277	86.8 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.10	0.30

CP10D police call parents when stopped w/ substance?

Start: 176
End: 178
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	31	9.7 %	73.8%
1	1:yes	11	3.4 %	26.2%
. (M)	-	277	86.8 %	-

Valid	Min	Max	Mean	Stdev
42	0.00	1.00	0.26	0.45

CP10E police take you home when stopped w/ substance?

Start: 179
End: 181
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	39	12.2 %	92.9%
1	1:yes	3	0.9 %	7.1%

Variable **Variable Description**

CP10E police take you home when stopped w/ substance? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	277	86.8 %	-
<i>Valid</i>				
42	Min	Max	Mean	Stdev
	0.00	1.00	0.07	0.26

CP10F police inform school when stopped w/ substance?

Start: 182
 End: 184
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	12.5 %	95.2%
1	1:yes	2	0.6 %	4.8%
. (M)	-	277	86.8 %	-
<i>Valid</i>				
42	Min	Max	Mean	Stdev
	0.00	1.00	0.05	0.22

CP10G police recommend program when stopped w/ substance?

Start: 185
 End: 187
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	12.5 %	95.2%
1	1:yes	2	0.6 %	4.8%
. (M)	-	277	86.8 %	-
<i>Valid</i>				
42	Min	Max	Mean	Stdev
	0.00	1.00	0.05	0.22

Variable **Variable Description**

CP10H **police send you to alcohol/drug treatment program?**

Start: 188
 End: 190
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	12.5 %	95.2%
1	1:yes	2	0.6 %	4.8%
. (M)	-	277	86.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
42	0.00	1.00	0.05	0.22

CP11 **parents ever found you use alcohol/drugs?**

Start: 191
 End: 193
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	120	37.6 %	37.9%
1	1:yes	197	61.8 %	62.1%
. (M)	-	1	0.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
317	0.00	1.00	0.62	0.49

CP12 **parent found you w/ alcohol/drugs/both?**

Start: 194
 End: 196
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable **Variable Description**

CP12 parent found you w/ alcohol/drugs/both? (cont.)

Value	Label	Frequency	%	Valid %	
-94 (M)	-94:no money	0	0.0 %	-	
-93 (M)	-93:uncodeable	0	0.0 %	-	
1	1:alcohol	87	27.3 %	44.2%	
2	2:drugs	18	5.6 %	9.1%	
3	3:alcohol and drugs	92	28.8 %	46.7%	
. (M)	-	121	37.9 %	-	
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
197		1.00	3.00	2.03	0.96

CP13 # times parents found you w/ alcohol/drugs

Start: 197
End: 199
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %	
-99 (M)	-99:interviewer missed	6	1.9 %	-	
-98 (M)	-98:doesn't know	0	0.0 %	-	
-96 (M)	-96:refused	0	0.0 %	-	
-95 (M)	-95:doesn't understand	0	0.0 %	-	
-94 (M)	-94:no money	0	0.0 %	-	
-93 (M)	-93:uncodeable	0	0.0 %	-	
0	0:never	0	0.0 %	0.0%	
1	1:once	69	21.6 %	36.5%	
2	2:twice	45	14.1 %	23.8%	
3	3:3-5	25	7.8 %	13.2%	
4	4:6-10	13	4.1 %	6.9%	
5	5:more than 10	37	11.6 %	19.6%	
. (M)	-	124	38.9 %	-	
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
189		1.00	5.00	2.49	1.52

CP14A parents found you with alcohol?

Start: 200
End: 202
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP14A	parents found you with alcohol? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	154	48.3 %	100.0%
. (M)	-	165	51.7 %	-

Valid	Min	Max	Mean	Stdev
154	1.00	1.00	1.00	0.00

CP14AA	parents found you with alcohol, amount
--------	--

Start: 203
 End: 205
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	42	13.2 %	100.0%
. (M)	-	277	86.8 %	-

Valid	Min	Max	Mean	Stdev
42	-90.00	-90.00	-90.00	0.00

CP14B	parents found you with marijuana?
-------	-----------------------------------

Start: 206
 End: 208
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	93	29.2 %	100.0%

Variable	Variable Description
----------	----------------------

CP14B parents found you with marijuana? (cont.)

Value	Label	Frequency	%	Valid %
. (M)	-	226	70.8 %	-
Valid				
93	1.00	1.00	1.00	0.00

CP14BA parents found you with marijuana, amount

Start: 209
End: 211
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	34	10.7 %	100.0%
. (M)	-	285	89.3 %	-
Valid				
34	-90.00	-90.00	-90.00	0.00

CP14C parents found you with cocaine?

Start: 212
End: 214
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	0.3 %	100.0%
. (M)	-	318	99.7 %	-
Valid				
1	1.00	1.00	1.00	0.00

Variable	Variable Description
----------	----------------------

CP14CA	parents found you with cocaine, amount
--------	--

Start: 215 End: 217 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>319</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	319	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	319	100.0 %	-																																										

CP14D	parents found you with inhalants?
-------	-----------------------------------

Start: 218 End: 220 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:no</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>1</td> <td>1:yes</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>319</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:no	0	0.0 %	NaN	1	1:yes	0	0.0 %	NaN	. (M)	-	319	100.0 %	-
Value	Label	Frequency	%	Valid %																																															
-99 (M)	-99:interviewer missed	0	0.0 %	-																																															
-98 (M)	-98:doesn't know	0	0.0 %	-																																															
-96 (M)	-96:refused	0	0.0 %	-																																															
-95 (M)	-95:doesn't understand	0	0.0 %	-																																															
-94 (M)	-94:no money	0	0.0 %	-																																															
-93 (M)	-93:uncodeable	0	0.0 %	-																																															
0	0:no	0	0.0 %	NaN																																															
1	1:yes	0	0.0 %	NaN																																															
. (M)	-	319	100.0 %	-																																															

CP14DA	parents found you with inhalants, amount
--------	--

Start: 221 End: 223 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-90</td> <td>-90:blanked</td> <td>0</td> <td>0.0 %</td> <td>NaN</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>319</td> <td>100.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	-90	-90:blanked	0	0.0 %	NaN	. (M)	-	319	100.0 %	-
Value	Label	Frequency	%	Valid %																																										
-99 (M)	-99:interviewer missed	0	0.0 %	-																																										
-98 (M)	-98:doesn't know	0	0.0 %	-																																										
-96 (M)	-96:refused	0	0.0 %	-																																										
-95 (M)	-95:doesn't understand	0	0.0 %	-																																										
-94 (M)	-94:no money	0	0.0 %	-																																										
-93 (M)	-93:uncodeable	0	0.0 %	-																																										
-90	-90:blanked	0	0.0 %	NaN																																										
. (M)	-	319	100.0 %	-																																										

Variable **Variable Description**

CP14E **parents found you with hallucinogens?**

Start: 224 End: 226 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	0	0:no	0	0.0 %	NaN
	1	1:yes	0	0.0 %	NaN
	. (M)	-	319	100.0 %	-

CP14EA **parents found you with hallucinogens, amount**

Start: 227 End: 229 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	-90	-90:blanked	0	0.0 %	NaN
	. (M)	-	319	100.0 %	-

CP14F **parents found you with heroin?**

Start: 230 End: 232 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	0	0.0 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	0	0:no	0	0.0 %	NaN
	1	1:yes	0	0.0 %	NaN
	. (M)	-	319	100.0 %	-

Variable **Variable Description**

CP14FA parents found you with heroin, amount

Start: 233
 End: 235
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP14G parents found you with crystal meth?

Start: 236
 End: 238
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP14GA parents found you with crystal meth, amount

Start: 239
 End: 241
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

Variable	Variable Description
----------	----------------------

CP14H	parents found you with other drug?
-------	------------------------------------

Start: 242
 End: 244
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	2	0.6 %	100.0%
. (M)	-	317	99.4 %	-

Valid	Min	Max	Mean	Stdev
2	1.00	1.00	1.00	0.00

CP14H1	other drug, parents found you with
--------	------------------------------------

Start: 245
 End: 247
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.6 %	100.0%
. (M)	-	317	99.4 %	-

Valid	Min	Max	Mean	Stdev
2	-90.00	-90.00	-90.00	0.00

CP14HA	parents found you with other drug, amount
--------	---

Start: 248
 End: 250
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP14HA	parents found you with other drug, amount (<i>cont.</i>)
--------	--

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	319	100.0 %	-

CP15A	parents ever take substance away when found use?
-------	--

Start: 251
 End: 253
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	150	47.0 %	77.3%
1	1:yes	44	13.8 %	22.7%
. (M)	-	124	38.9 %	-

Valid	Min	Max	Mean	Stdev
194	0.00	1.00	0.23	0.42

CP15B	parents ever ground you when found substance use?
-------	---

Start: 254
 End: 256
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	142	44.5 %	73.2%
1	1:yes	52	16.3 %	26.8%
. (M)	-	124	38.9 %	-

Valid	Min	Max	Mean	Stdev
194	0.00	1.00	0.27	0.44

Variable **Variable Description**

CP15C parents ever angry when found substance use?

Start: 257
 End: 259
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	1	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	66	20.7 %	34.2%
1	1:yes	127	39.8 %	65.8%
. (M)	-	124	38.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
193	0.00	1.00	0.66	0.48

CP15D parents ever advise care when found substance use?

Start: 260
 End: 262
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	28	8.8 %	14.4%
1	1:yes	166	52.0 %	85.6%
. (M)	-	124	38.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
194	0.00	1.00	0.86	0.35

CP15E parents ever talk to other parents when found substance use?

Start: 263
 End: 265
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP15E parents ever talk to other parents when found substance use? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	166	52.0 %	85.6%
1	1:yes	28	8.8 %	14.4%
. (M)	-	124	38.9 %	-

Valid	Min	Max	Mean	Stdev
194	0.00	1.00	0.14	0.35

CP15F parents ever ignore it when found substance use?

Start: 266
End: 268
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	160	50.2 %	82.5%
1	1:yes	34	10.7 %	17.5%
. (M)	-	124	38.9 %	-

Valid	Min	Max	Mean	Stdev
194	0.00	1.00	0.18	0.38

CP15G parents ever try to get help when found substance use?

Start: 269
End: 271
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	165	51.7 %	85.1%
1	1:yes	29	9.1 %	14.9%

Variable	Variable Description
----------	----------------------

CP15G	parents ever try to get help when found substance use? (cont.)
-------	--

Value	Label	Frequency	%	Valid %
. (M)	-	124	38.9 %	-

Valid	Min	Max	Mean	Stdev
194	0.00	1.00	0.15	0.36

CP15H	parents ever do something else when found substance use?
-------	--

Start: 272
 End: 274
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	164	51.4 %	85.0%
1	1:yes	29	9.1 %	15.0%
. (M)	-	125	39.2 %	-

Valid	Min	Max	Mean	Stdev
193	0.00	1.00	0.15	0.36

CP16	ever counseling/therapy for alcohol/drug use?
------	---

Start: 275
 End: 277
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	306	95.9 %	97.1%
1	1:yes	9	2.8 %	2.9%
. (M)	-	2	0.6 %	-

Valid	Min	Max	Mean	Stdev
315	0.00	1.00	0.03	0.17

Variable	Variable Description
----------	----------------------

CP18A	first treatment month for alcohol/drug use
-------	--

Start: 278
 End: 280
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	8	2.5 %	100.0%
. (M)	-	310	97.2 %	-

Valid	Min	Max	Mean	Stdev
8	-90.00	-90.00	-90.00	0.00

CP18B	first treatment year for alcohol/drug use
-------	---

Start: 281
 End: 284
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	9	2.8 %	100.0%
. (M)	-	310	97.2 %	-

Valid	Min	Max	Mean	Stdev
9	-90.00	-90.00	-90.00	0.00

CP19	more than 1 treatment for alcohol/drug use?
------	---

Start: 285
 End: 287
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP19	more than 1 treatment for alcohol/drug use? (<i>cont.</i>)
------	--

Value	Label	Frequency	%	Valid %
0	0:no	6	1.9 %	66.7%
1	1:yes	3	0.9 %	33.3%
. (M)	-	310	97.2 %	-

Valid	Min	Max	Mean	Stdev
9	0.00	1.00	0.33	0.50

CP21A	recent treatment month for alcohol/drug use
-------	---

Start: 288
 End: 290
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	3	0.9 %	100.0%
. (M)	-	315	98.7 %	-

Valid	Min	Max	Mean	Stdev
3	-90.00	-90.00	-90.00	0.00

CP21B	recent treatment year for alcohol/drug use
-------	--

Start: 291
 End: 294
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	4	1.3 %	100.0%
. (M)	-	315	98.7 %	-

Valid	Min	Max	Mean	Stdev
4	-90.00	-90.00	-90.00	0.00

Variable **Variable Description**

CP22 **ever medical attention for alcohol/drug use?**

Start: 295
 End: 297
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	308	96.6 %	98.4%
1	1:yes	5	1.6 %	1.6%
. (M)	-	4	1.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
313	0.00	1.00	0.02	0.13

CP23A **first medical attention month alcohol/drug use**

Start: 298
 End: 300
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	5	1.6 %	100.0%
. (M)	-	314	98.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	-90.00	-90.00	-90.00	0.00

CP23B **first medical attention year alcohol/drug use**

Start: 301
 End: 304
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

CP23B	first medical attention year alcohol/drug use (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	5	1.6 %	100.0%
. (M)	-	314	98.4 %	-

Valid	Min	Max	Mean	Stdev
5	-90.00	-90.00	-90.00	0.00

CP24A	recent medical attention month alcohol/drug use
-------	---

Start: 305
 End: 307
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	5	1.6 %	100.0%
. (M)	-	314	98.4 %	-

Valid	Min	Max	Mean	Stdev
5	-90.00	-90.00	-90.00	0.00

CP24B	recent medical attention year alcohol/drug use
-------	--

Start: 308
 End: 311
 Width: 4
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	5	1.6 %	100.0%
. (M)	-	314	98.4 %	-

Valid	Min	Max	Mean	Stdev
5	-90.00	-90.00	-90.00	0.00