U.S. Department of Justice
Office of Justice Programs
National Institute of Justice

ICPSR 13687

Project on Human Development in Chicago Neighborhoods (PHDCN): Consequences of Substance Use, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
Scientific Director. Columbia University. Teacher's College. Center for the Study of Children and Families

Stephen W. Raudenbush
Scientific Director. University of Michigan. School of Education, and Survey Research Center

Robert J. Sampson
Scientific Director. Harvard University. Department of Sociology

Codebook for Cohort 18

National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
   - verified that respondent confidentiality was protected
   - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
   - noted inconsistencies in missing value designations.

2. ICPSR altered the data files from the Murray Research Center in the following ways:
   - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
   - reformatted date and time variables to make them compatible across statistical packages
   - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
   - recoded character variables to numeric variables and standardized response codes across cohorts.

3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
   - Data Completeness Reports summarizing the amount of missing data in each file
   - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
   - processing notes and appendices documenting additional information, as necessary.

4. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., *). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:
   CP4AA - caught at school with alcohol, amount

CP4BA - caught at school with marijuana, amount
CP4CA - caught at school with cocaine, amount
CP4DA - caught at school with inhalants, amount
CP4EA - caught at school with hallucinogens, amount
CP4FA - caught at school with heroin, amount
CP4GA - caught at school with crystal meth, amount
CP4H1 - other drug, caught at school with
CP4HA - caught at school with other drug, amount
CP9AA - stopped by police with alcohol, amount
CP9BA - stopped by police with marijuana, amount
CP9CA - stopped by police with cocaine, amount
CP9DA - stopped by police with inhalants, amount
CP9EA - stopped by police with hallucinogens, amount
CP9FA - stopped by police with heroin, amount
CP9GA - stopped by police with crystal meth, amount
CP9H1 - other drug, stopped by police with
CP9HA - stopped by police with other drug, amount
CP14AA - parents found you with alcohol, amount
CP14BA - parents found you with marijuana, amount
CP14CA - parents found you with cocaine, amount
CP14DA - parents found you with inhalants, amount
CP14EA - parents found you with hallucinogens, amount
CP14FA - parents found you with heroin, amount
CP14GA - parents found you with crystal meth, amount
CP14H1 - other drug, parents found you with
CP14HA - parents found you with other drug, amount

5. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at http://www.icpsr.umich.edu/NACJD/ Private/private.pdf. Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

6. Users should note that, for confidentiality reasons, the following variables have been blanked in the public use files. The data are available by requesting the restricted use data files (see note #4):
CP4AA - caught at school with alcohol, amount
CP4BA - caught at school with marijuana, amount
CP4CA - caught at school with cocaine, amount

CP4DA - caught at school with inhalants, amount
CP4EA - caught at school with hallucinogens, amount
CP4FA - caught at school with heroin, amount
CP4GA - caught at school with crystal meth, amount
CP4H1 - other drug, caught at school with
CP4HA - caught at school with other drug, amount
CP9AA - stopped by police with alcohol, amount
CP9BA - stopped by police with marijuana, amount
CP9CA - stopped by police with cocaine, amount
CP9DA - stopped by police with inhalants, amount
CP9EA - stopped by police with hallucinogens, amount
CP9FA - stopped by police with heroin, amount
CP9GA - stopped by police with crystal meth, amount
CP9H1 - other drug, stopped by police with
CP9HA - stopped by police with other drug, amount
CP14AA - parents found you with alcohol, amount
CP14BA - parents found you with marijuana, amount
CP14CA - parents found you with cocaine, amount
CP14DA - parents found you with inhalants, amount
CP14EA - parents found you with hallucinogens, amount
CP14FA - parents found you with heroin, amount
CP14GA - parents found you with crystal meth, amount
CP14H1 - other drug, parents found you with
CP14HA - parents found you with other drug, amount
CP18A - first treatment month for alcohol/drug use
CP18B - first treatment year for alcohol/drug use
CP21A - recent treatment month for alcohol/drug use
CP21B - recent treatment year for alcohol/drug use
CP23A - first medical attention month alcohol/drug use
CP23B - first medical attention year alcohol/drug use
CP24A - recent medical attention month alcohol/drug use
CP24B - recent medical attention year alcohol/drug use

7. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.

8. The following abbreviations are used in the codebook and setup files:
   CSU = Consequences of Substance Use
   PC = Primary Caregiver
   SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 18

Variable Name and Label (Total Cases = 297)			Percent of Cases with Missing Values
3.0%	(3 of 101 variables)	have 0% Missing Values	
1.0%	(1 of 101 variables)	have 0% - 1% Missing Values	
3.0%	(3 of 101 variables)	have 1% - 3% Missing Values	
1.0%	(1 of 101 variables)	have 3% - 5% Missing Values	
0.0%	(0 of 101 variables)	have 5% - 10% Missing Values	
0.0%	(0 of 101 variables)	have 10% - 20% Missing Values	
1.0%	(1 of 101 variables)	have 20% - 40% Missing Values	
	CP12	parent found you w/ alcohol/drugs/both?	39.1%
52.5%	(53 of 101 variables)	have 40% - 99% Missing Values	
	CP2	caught at school w/ alcohol/drugs/both?	95.6%
	CP3	# times caught at school w/ alcohol/drugs	96.0%
	CP4A	caught at school with alcohol?	98.3%
	CP4B	caught at school with marijuana?	97.3%
	CP4BA	caught at school with marijuana, amount	98.3%
	CP5A	school ever take alcohol/drug away when caught?	95.3%
	CP5B	school ever call parents when caught w/ substance?	95.3%
	CP5C	school ever send you home when caught w/ substance?	95.3%
	CP5D	school ever suspend you when caught w/ substance?	95.3%
	CP5E	school ever require alcohol/drug evaluation?	95.3%
	CP5F	school ever send you to nurse when caught w/ substance?	95.3%
	CP5G	school ever send you to school counselor when caught w/ substance?	95.3%
	CP5H	school ever send you to outside counselor when caught w/ substance?	95.3%
	CP5I	school ever call police when caught w/ substance?	95.3%
	CP5J	school ever suspend you from sports when caught w/ substance?	95.3%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 18

Variable Name and Label (Total Cases = 297)		Percent of Cases with Missing Values
CP5K	school ever recommend program when caught w/ substance?	95.3%
CP7	stopped by police w/ alcohol/drugs/both?	85.9%
CP8	# times stopped by police w/ alcohol/drugs	86.5%
CP9A	stopped by police with alcohol?	91.6%
CP9AA	stopped by police with alcohol, amount	96.6%
CP9B	stopped by police with marijuana?	93.3%
CP9BA	stopped by police with marijuana, amount	95.6%
CP10A	police take alcohol/drug away when stopped?	85.5%
CP10B	police arrest you when stopped w/ substance?	85.5%
CP10C	police place in custody when stopped w/ substance?	85.5%
CP10D	police call parents when stopped w/ substance?	85.5%
CP10E	police take you home when stopped w/ substance?	85.5%
CP10F	police inform school when stopped w/ substance?	86.2%
CP10G	police recommend program when stopped w/ substance?	85.5%
CP10H	police send you to alcohol/drug treatment program?	85.5%
CP13	# times parents found you w/ alcohol/drugs	44.8%
CP14A	parents found you with alcohol?	54.5%
CP14AA	parents found you with alcohol, amount	85.2%
CP14B	parents found you with marijuana?	81.1%
CP14BA	parents found you with marijuana, amount	92.3%
CP14C	parents found you with cocaine?	99.0%
CP15A	parents ever take substance away when found use?	41.4%
CP15B	parents ever ground you when found substance use?	41.4%
CP15C	parents ever angry when found substance use?	41.4%
CP15D	parents ever advise care when found substance use?	41.4%
CP15E	parents ever talk to other parents when found substance use?	41.4%
CP15F	parents ever ignore it when found substance use?	41.4%
CP15G	parents ever try to get help when found substance use?	41.4%
CP15H	parents ever do sometihng else when found substance use?	41.1%
CP18A	first treatment month for alcohol/drug use	97.3%
CP18B	first treatment year for alcohol/drug use	96.6%
CP19	more than 1 treatment for alcohol/drug use?	95.6%
CP21A	recent treatment month for alcohol/drug use	98.7%
CP21B	recent treatment year for alcohol/drug use	98.3%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 18

Variable Name and Label (Total Cases = 297)			Percent of Cases with Missing Values
	CP23A	first medical attention month alcohol/drug use	97.6%
	CP23B	first medical attention year alcohol/drug use	97.0%
	CP24A	recent medical attention month alcohol/drug use	98.0%
	CP24B	recent medical attention year alcohol/drug use	97.0%
38.6%	(39 of 101 variables)	have 100% missing values	
	CP4AA	caught at school with alcohol, amount	99.3%
	CP4C	caught at school with cocaine?	100.0%
	CP4CA	caught at school with cocaine, amount	100.0%
	CP4D	caught at school with inhalants?	100.0%
	CP4DA	caught at school with inhalants, amount	100.0%
	CP4E	caught at school with hallucinogens?	100.0%
	CP4EA	caught at school with hallucinogens, amount	100.0%
	CP4F	caught at school with heroin?	100.0%
	CP4FA	caught at school with heroin, amount	100.0%
	CP4G	caught at school with crystal meth?	100.0%
	CP4GA	caught at school with crystal meth, amount	100.0%
	CP4H	caught at school with other drug?	100.0%
	CP4H1	other drug, caught at school with	100.0%
	CP4HA	caught at school with other drug, amount	100.0%
	CP9C	stopped by police with cocaine?	100.0%
	CP9CA	stopped by police with cocaine, amount	100.0%
	CP9D	stopped by police with inhalants?	100.0%
	CP9DA	stopped by police with inhalants, amount	100.0%
	CP9E	stopped by police with hallucinogens?	100.0%
	CP9EA	stopped by police with hallucinogens, amount	100.0%
	CP9F	stopped by police with heroin?	100.0%
	CP9FA	stopped by police with heroin, amount	100.0%
	CP9G	stopped by police with crystal meth?	100.0%
	CP9GA	stopped by police with crystal meth, amount	100.0%
	CP9H	stopped by police with other drug?	100.0%
	CP9H1	other drug, stopped by police with	100.0%
	CP9HA	stopped by police with other drug, amount	100.0%
	CP14CA	parents found you with cocaine, amount	100.0%
	CP14D	parents found you with inhalants?	100.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 18

Variable Name and Label (Total Cases = 297)		Percent of Cases with Missing Values
CP14DA	parents found you with inhalants, amount	100.0%
CP14E	parents found you with hallucinogens?	99.3%
CP14EA	parents found you with hallucinogens, amount	100.0%
CP14F	parents found you with heroin?	100.0%
CP14FA	parents found you with heroin, amount	100.0%
CP14G	parents found you with crystal meth?	99.7%
CP14GA	parents found you with crystal meth, amount	100.0%
CP14H	parents found you with other drug?	100.0%
CP14H1	other drug, parents found you with	100.0%
CP14HA	parents found you with other drug, amount	100.0%

Codebook for ICPSR 13687

Project on Human Development in Chicago Neighborhoods (PHDCN): Consequences of Substance Use, Wave 3, 2000-2002

Dataset0004: Cohort 18

Variable	Variable Description
	Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3

ICPSR Wave 3 subject ID

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

Valid	*Min*	*Max*	*Mean*	*Stdev*
297	3000001.00	3006213.00	3003129.22	1769.83

WAVE

wave #

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	297	100.0 %	100.0%

Valid	*Min*	*Max*	*Mean*	*Stdev*
297	3.00	3.00	3.00	0.00

COHORT

cohort

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
18	-	297	100.0 %	100.0%

Variable	Variable Description

COHORT — cohort *(cont.)*

Valid	*Min*	*Max*	*Mean*	*Stdev*
297	18.00	18.00	18.00	0.00

CP1 — ever caught at school w/ alcohol/drugs?

Start: 14
End: 16
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	279	93.9 %	95.2%
1	1:yes	14	4.7 %	4.8%
. (M)	-	3	1.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
293	0.00	1.00	0.05	0.21

CP2 — caught at school w/ alcohol/drugs/both?

Start: 17
End: 19
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:alcohol	4	1.3 %	30.8%
2	2:drugs	7	2.4 %	53.8%
3	3:alcohol and drugs	2	0.7 %	15.4%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
13	1.00	3.00	1.85	0.69

Variable	Variable Description

CP3 — # times caught at school w/ alcohol/drugs

Start: 20
End: 22
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	2	0.7 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:never	0	0.0 %	0.0%
1	1:once	6	2.0 %	50.0%
2	2:twice	2	0.7 %	16.7%
3	3:3-5	4	1.3 %	33.3%
4	4:6-10	0	0.0 %	0.0%
5	5:more than 10	0	0.0 %	0.0%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
12	1.00	3.00	1.83	0.94

CP4A — caught at school with alcohol?

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	5	1.7 %	100.0%
. (M)	-	292	98.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
5	1.00	1.00	1.00	0.00

Variable	Variable Description

CP4AA — caught at school with alcohol, amount

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	2	0.7 %	100.0%
. (M)	-	295	99.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
2	-90.00	-90.00	-90.00	0.00

CP4B — caught at school with marijuana?

Start: 29
End: 31
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	8	2.7 %	100.0%
. (M)	-	289	97.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
8	1.00	1.00	1.00	0.00

CP4BA — caught at school with marijuana, amount

Start: 32
End: 34
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description

CP4BA caught at school with marijuana, amount *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	5	1.7 %	100.0%
. (M)	-	292	98.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
5	-90.00	-90.00	-90.00	0.00

CP4C caught at school with cocaine?

Start: 35
End: 37
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4CA caught at school with cocaine, amount

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4D caught at school with inhalants?

Start: 41
End: 43
Width: 3

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description

CP4D — caught at school with inhalants? *(cont.)*

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4DA — caught at school with inhalants, amount

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4E — caught at school with hallucinogens?

Start: 47
End: 49
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP4EA — caught at school with hallucinogens, amount

Start: 50
End: 52
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4F — caught at school with heroin?

Start: 53
End: 55
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4FA — caught at school with heroin, amount

Start: 56
End: 58
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP4G — caught at school with crystal meth?

Start: 59
End: 61
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4GA — caught at school with crystal meth, amount

Start: 62
End: 64
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4H — caught at school with other drug?

Start: 65
End: 67
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP4H1 — other drug, caught at school with

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP4HA — caught at school with other drug, amount

Start: 71
End: 73
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP5A — school ever take alcohol/drug away when caught?

Start: 74
End: 76
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	7	2.4 %	50.0%
1	1:yes	7	2.4 %	50.0%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.50	0.52

Variable	Variable Description

CP5B — school ever call parents when caught w/ substance?

Start: 77
End: 79
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	7	2.4 %	50.0%
1	1:yes	7	2.4 %	50.0%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.50	0.52

CP5C — school ever send you home when caught w/ substance?

Start: 80
End: 82
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	2.0 %	42.9%
1	1:yes	8	2.7 %	57.1%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.57	0.51

CP5D — school ever suspend you when caught w/ substance?

Start: 83
End: 85
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description

CP5D school ever suspend you when caught w/ substance? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	2.0 %	42.9%
1	1:yes	8	2.7 %	57.1%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.57	0.51

CP5E school ever require alcohol/drug evaluation?

Start: 86
End: 88
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	4.0 %	85.7%
1	1:yes	2	0.7 %	14.3%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.14	0.36

CP5F school ever send you to nurse when caught w/ substance?

Start: 89
End: 91
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	4.0 %	85.7%
1	1:yes	2	0.7 %	14.3%

Variable	Variable Description

CP5F school ever send you to nurse when caught w/ substance? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.14	0.36

CP5G school ever send you to school counselor when caught w/ substance?

Start: 92
End: 94
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	3.7 %	78.6%
1	1:yes	3	1.0 %	21.4%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.21	0.43

CP5H school ever send you to outside counselor when caught w/ substance?

Start: 95
End: 97
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	12	4.0 %	85.7%
1	1:yes	2	0.7 %	14.3%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.14	0.36

Variable	Variable Description

CP5I — school ever call police when caught w/ substance?

Start: 98
End: 100
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	3.0 %	64.3%
1	1:yes	5	1.7 %	35.7%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.36	0.50

CP5J — school ever suspend you from sports when caught w/ substance?

Start: 101
End: 103
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	3.4 %	71.4%
1	1:yes	4	1.3 %	28.6%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.29	0.47

CP5K — school ever recommend program when caught w/ substance?

Start: 104
End: 106
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description

CP5K — school ever recommend program when caught w/ substance? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	3.0 %	64.3%
1	1:yes	5	1.7 %	35.7%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
14	0.00	1.00	0.36	0.50

CP6 — ever stopped by police w/ alcohol/drugs?

Start: 107
End: 109
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	253	85.2 %	85.5%
1	1:yes	43	14.5 %	14.5%
. (M)	-	1	0.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
296	0.00	1.00	0.15	0.35

CP7 — stopped by police w/ alcohol/drugs/both?

Start: 110
End: 112
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:alcohol	19	6.4 %	45.2%
2	2:drugs	14	4.7 %	33.3%

Variable	Variable Description

CP7 — stopped by police w/ alcohol/drugs/both? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
3	3:alcohol and drugs	9	3.0 %	21.4%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
42	1.00	3.00	1.76	0.79

CP8 — # times stopped by police w/ alcohol/drugs

Start: 113
End: 115
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	3	1.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:never	0	0.0 %	0.0%
1	1:once	20	6.7 %	50.0%
2	2:twice	9	3.0 %	22.5%
3	3:3-5	5	1.7 %	12.5%
4	4:6-10	5	1.7 %	12.5%
5	5:more than 10	1	0.3 %	2.5%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
40	1.00	5.00	1.95	1.18

CP9A — stopped by police with alcohol?

Start: 116
End: 118
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%

Variable	Variable Description

CP9A — stopped by police with alcohol? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
1	1:yes	25	8.4 %	100.0%
. (M)	-	272	91.6 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
25	1.00	1.00	1.00	0.00

CP9AA — stopped by police with alcohol, amount

Start: 119
End: 121
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	10	3.4 %	100.0%
. (M)	-	287	96.6 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
10	-90.00	-90.00	-90.00	0.00

CP9B — stopped by police with marijuana?

Start: 122
End: 124
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	20	6.7 %	100.0%
. (M)	-	277	93.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
20	1.00	1.00	1.00	0.00

Variable	Variable Description

CP9BA — stopped by police with marijuana, amount

Start: 125
End: 127
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	13	4.4 %	100.0%
. (M)	-	284	95.6 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
13	-90.00	-90.00	-90.00	0.00

CP9C — stopped by police with cocaine?

Start: 128
End: 130
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9CA — stopped by police with cocaine, amount

Start: 131
End: 133
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP9D — stopped by police with inhalants?

Start: 134
End: 136
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9DA — stopped by police with inhalants, amount

Start: 137
End: 139
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9E — stopped by police with hallucinogens?

Start: 140
End: 142
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP9EA — stopped by police with hallucinogens, amount

Start: 143
End: 145
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9F — stopped by police with heroin?

Start: 146
End: 148
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9FA — stopped by police with heroin, amount

Start: 149
End: 151
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP9G — stopped by police with crystal meth?

Start: 152
End: 154
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9GA — stopped by police with crystal meth, amount

Start: 155
End: 157
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9H — stopped by police with other drug?

Start: 158
End: 160
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP9H1 — other drug, stopped by police with

Start: 161
End: 163
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP9HA — stopped by police with other drug, amount

Start: 164
End: 166
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP10A — police take alcohol/drug away when stopped?

Start: 167
End: 169
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	4.7 %	32.6%
1	1:yes	29	9.8 %	67.4%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.67	0.47

Variable	Variable Description

CP10B — police arrest you when stopped w/ substance?

Start: 170
End: 172
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	6.1 %	41.9%
1	1:yes	25	8.4 %	58.1%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.58	0.50

CP10C — police place in custody when stopped w/ substance?

Start: 173
End: 175
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	40	13.5 %	93.0%
1	1:yes	3	1.0 %	7.0%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.07	0.26

CP10D — police call parents when stopped w/ substance?

Start: 176
End: 178
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description

CP10D — police call parents when stopped w/ substance? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	39	13.1 %	90.7%
1	1:yes	4	1.3 %	9.3%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.09	0.29

CP10E — police take you home when stopped w/ substance?

Start: 179
End: 181
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	41	13.8 %	95.3%
1	1:yes	2	0.7 %	4.7%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.05	0.21

CP10F — police inform school when stopped w/ substance?

Start: 182
End: 184
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	41	13.8 %	100.0%
1	1:yes	0	0.0 %	0.0%

Variable	Variable Description

CP10F — police inform school when stopped w/ substance? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
. (M)	-	255	85.9 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
41	0.00	0.00	0.00	0.00

CP10G — police recommend program when stopped w/ substance?

Start: 185
End: 187
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	36	12.1 %	83.7%
1	1:yes	7	2.4 %	16.3%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.16	0.37

CP10H — police send you to alcohol/drug treatment program?

Start: 188
End: 190
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	37	12.5 %	86.0%
1	1:yes	6	2.0 %	14.0%
. (M)	-	254	85.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
43	0.00	1.00	0.14	0.35

Variable	Variable Description

CP11 — parents ever found you use alcohol/drugs?

Start: 191
End: 193
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	113	38.0 %	38.6%
1	1:yes	180	60.6 %	61.4%
. (M)	-	2	0.7 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
293	0.00	1.00	0.61	0.49

CP12 — parent found you w/ alcohol/drugs/both?

Start: 194
End: 196
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:alcohol	103	34.7 %	56.9%
2	2:drugs	8	2.7 %	4.4%
3	3:alcohol and drugs	70	23.6 %	38.7%
. (M)	-	116	39.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
181	1.00	3.00	1.82	0.96

CP13 — # times parents found you w/ alcohol/drugs

Start: 197
End: 199
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	11	3.7 %	-
-98 (M)	-98:doesn't know	3	1.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description

CP13 # times parents found you w/ alcohol/drugs *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-95 (M)	-95:doesn't understand	1	0.3 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:never	0	0.0 %	0.0%
1	1:once	69	23.2 %	42.1%
2	2:twice	25	8.4 %	15.2%
3	3:3-5	28	9.4 %	17.1%
4	4:6-10	7	2.4 %	4.3%
5	5:more than 10	35	11.8 %	21.3%
. (M)	-	118	39.7 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
164	1.00	5.00	2.48	1.57

CP14A parents found you with alcohol?

Start: 200
End: 202
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	135	45.5 %	100.0%
. (M)	-	162	54.5 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
135	1.00	1.00	1.00	0.00

CP14AA parents found you with alcohol, amount

Start: 203
End: 205
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description

CP14AA parents found you with alcohol, amount *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	44	14.8 %	100.0%
. (M)	-	253	85.2 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
44	-90.00	-90.00	-90.00	0.00

CP14B parents found you with marijuana?

Start: 206
End: 208
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	56	18.9 %	100.0%
. (M)	-	241	81.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
56	1.00	1.00	1.00	0.00

CP14BA parents found you with marijuana, amount

Start: 209
End: 211
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	23	7.7 %	100.0%
. (M)	-	274	92.3 %	-

Variable	Variable Description

CP14BA parents found you with marijuana, amount *(cont.)*

Valid	*Min*	*Max*	*Mean*	*Stdev*
23	-90.00	-90.00	-90.00	0.00

CP14C parents found you with cocaine?

Start: 212
End: 214
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	3	1.0 %	100.0%
. (M)	-	294	99.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
3	1.00	1.00	1.00	0.00

CP14CA parents found you with cocaine, amount

Start: 215
End: 217
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14D parents found you with inhalants?

Start: 218
End: 220
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

Variable	Variable Description

CP14D parents found you with inhalants? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14DA parents found you with inhalants, amount

Start: 221
End: 223
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14E parents found you with hallucinogens?

Start: 224
End: 226
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	2	0.7 %	100.0%
. (M)	-	295	99.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
2	1.00	1.00	1.00	0.00

Variable	Variable Description

CP14EA — parents found you with hallucinogens, amount

Start: 227
End: 229
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14F — parents found you with heroin?

Start: 230
End: 232
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14FA — parents found you with heroin, amount

Start: 233
End: 235
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

Variable	Variable Description

CP14G — parents found you with crystal meth?

Start: 236
End: 238
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	0.3 %	100.0%
. (M)	-	296	99.7 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
1	1.00	1.00	1.00	0.00

CP14GA — parents found you with crystal meth, amount

Start: 239
End: 241
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14H — parents found you with other drug?

Start: 242
End: 244
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	NaN
1	1:yes	0	0.0 %	NaN

Variable	Variable Description

CP14H — parents found you with other drug? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
. (M)	-	297	100.0 %	-

CP14H1 — other drug, parents found you with

Start: 245
End: 247
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP14HA — parents found you with other drug, amount

Start: 248
End: 250
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	0	0.0 %	NaN
. (M)	-	297	100.0 %	-

CP15A — parents ever take substance away when found use?

Start: 251
End: 253
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	145	48.8 %	83.3%

Variable	Variable Description

CP15A parents ever take substance away when found use? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
1	1:yes	29	9.8 %	16.7%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.17	0.37

CP15B parents ever ground you when found substance use?

Start: 254
End: 256
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	136	45.8 %	78.2%
1	1:yes	38	12.8 %	21.8%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.22	0.41

CP15C parents ever angry when found substance use?

Start: 257
End: 259
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	65	21.9 %	37.4%
1	1:yes	109	36.7 %	62.6%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.63	0.49

Variable	Variable Description

CP15D — parents ever advise care when found substance use?

Start: 260
End: 262
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	26	8.8 %	14.9%
1	1:yes	148	49.8 %	85.1%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.85	0.36

CP15E — parents ever talk to other parents when found substance use?

Start: 263
End: 265
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	153	51.5 %	87.9%
1	1:yes	21	7.1 %	12.1%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.12	0.33

CP15F — parents ever ignore it when found substance use?

Start: 266
End: 268
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description

CP15F parents ever ignore it when found substance use? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	159	53.5 %	91.4%
1	1:yes	15	5.1 %	8.6%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.09	0.28

CP15G parents ever try to get help when found substance use?

Start: 269
End: 271
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	159	53.5 %	91.4%
1	1:yes	15	5.1 %	8.6%
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
174	0.00	1.00	0.09	0.28

CP15H parents ever do sometihng else when found substance use?

Start: 272
End: 274
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	148	49.8 %	84.6%
1	1:yes	27	9.1 %	15.4%

Variable	Variable Description

CP15H — parents ever do sometihng else when found substance use? *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
. (M)	-	122	41.1 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
175	0.00	1.00	0.15	0.36

CP16 — ever counseling/therapy for alcohol/drug use?

Start: 275
End: 277
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	2	0.7 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	283	95.3 %	96.6%
1	1:yes	10	3.4 %	3.4%
. (M)	-	2	0.7 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
293	0.00	1.00	0.03	0.18

CP18A — first treatment month for alcohol/drug use

Start: 278
End: 280
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	2	0.7 %	-
-98 (M)	-98:doesn't know	2	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	8	2.7 %	100.0%
. (M)	-	285	96.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
8	-90.00	-90.00	-90.00	0.00

Variable	Variable Description

CP18B — first treatment year for alcohol/drug use

Start: 281
End: 284
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	2	0.7 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	10	3.4 %	100.0%
. (M)	-	285	96.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
10	-90.00	-90.00	-90.00	0.00

CP19 — more than 1 treatment for alcohol/drug use?

Start: 285
End: 287
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	2.7 %	61.5%
1	1:yes	5	1.7 %	38.5%
. (M)	-	283	95.3 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
13	0.00	1.00	0.38	0.51

CP21A — recent treatment month for alcohol/drug use

Start: 288
End: 290
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	1	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description

CP21A recent treatment month for alcohol/drug use *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	4	1.3 %	100.0%
. (M)	-	291	98.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
4	-90.00	-90.00	-90.00	0.00

CP21B recent treatment year for alcohol/drug use

Start: 291
End: 294
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	1	0.3 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	5	1.7 %	100.0%
. (M)	-	291	98.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
5	-90.00	-90.00	-90.00	0.00

CP22 ever medical attention for alcohol/drug use?

Start: 295
End: 297
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	3	1.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	276	92.9 %	96.8%
1	1:yes	9	3.0 %	3.2%
. (M)	-	9	3.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
285	0.00	1.00	0.03	0.18

Variable	Variable Description

CP23A — first medical attention month alcohol/drug use

Start: 298
End: 300
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	7	2.4 %	100.0%
. (M)	-	288	97.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
7	-90.00	-90.00	-90.00	0.00

CP23B — first medical attention year alcohol/drug use

Start: 301
End: 304
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	9	3.0 %	100.0%
. (M)	-	288	97.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
9	-90.00	-90.00	-90.00	0.00

CP24A — recent medical attention month alcohol/drug use

Start: 305
End: 307
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	1.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description

CP24A recent medical attention month alcohol/drug use *(cont.)*

Value	*Label*	*Frequency*	*%*	*Valid %*
-90	-90:blanked	6	2.0 %	100.0%
. (M)	-	288	97.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
6	-90.00	-90.00	-90.00	0.00

CP24B recent medical attention year alcohol/drug use

Start: 308
End: 311
Width: 4
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	*Label*	*Frequency*	*%*	*Valid %*
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	9	3.0 %	100.0%
. (M)	-	288	97.0 %	-

Valid	*Min*	*Max*	*Mean*	*Stdev*
9	-90.00	-90.00	-90.00	0.00