

ICPSR 13694

Project on Human Development in Chicago Neighborhoods (PHDCN): Drug Use, Wave 3, 2000-2002

Felton J. Earls

Harvard Medical School

Jeanne Brooks-Gunn Scientific Director. Columbia University. Teacher's College. Center for the Study of Children and Families

Stephen W. Raudenbush Scientific Director. University of Michigan. School of Education, and Survey Research Center

Robert J. Sampson Scientific Director. Harvard University. Department of Sociology

Codebook for Cohort 0





ICPSR PROCESSING NOTES

- 1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-ofrange values for continuous variables
 - noted inconsistencies in missing value designations.
- 2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
- 3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
- 4. Users should note that the values for variables SUBID3 and BASISID3 have been reassigned from the original variables SUBID and BASISID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at http://www.icpsr.umich.edu/NACJD/

Private/private.pdf. Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

- 5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
- The following abbreviations are used in the codebook and setup files: DRUG = Drug Use PC = Primary Caregiver SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 0

	e Name and Label Cases = 872)		Percent of Cases with Missing Values
21.7%	(5 of 23 variables)	have 0% Missing Values	
0.0%	(0 of 23 variables)	have 0% - 1% Missing Values	
0.0%	(0 of 23 variables)	have 1% - 3% Missing Values	
0.0%	(0 of 23 variables)	have 3% - 5% Missing Values	
0.0%	(0 of 23 variables)	have 5% - 10% Missing Values	
0.0%	(0 of 23 variables)	have 10% - 20% Missing Values	
0.0%	(0 of 23 variables)	have 20% - 40% Missing Values	
69.6%	(16 of 23 variables)	have 40% - 99% Missing Values	
	BASISID3	ICPSR Wave 3 subject ID	79.9%
	DRG2	use tranquilizers on own, past year?	70.1%
	DRG3	use amphetamines on own, past year?	72.2%
	DRG4	use analgesics w/ codeine on own, past year?	73.6%
	DRG5	use inhalants on own, past year?	74.8%
	DRG6	use marijuana on own, past year?	75.0%
	DRG7	use cocaine on own, past year?	75.0%
	DRG8	use LSD/hallucinogens on own, past year?	75.0%
	DRG9	use heroin on own, past year?	75.1%
	DRG10	drug use interfere w/ work, past year?	96.1%
	DRG11	ever under drug influence in dangerous situation, pa	ast year? 96.2%
	DRG12	emotional/psychological problems from drug use, pa	ast year? 96.2%
	DRG13	uncontrollable desire to use drugs, past year?	96.2%
	DRG14	1 month or more involved a lot w/ drug use, past year	ar? 96.2%
	DRG15	ever use drugs more than intended, past year?	96.2%
	DRG16	ever use drug more for same effect, past year?	96.2%
8.7%	(2 of 23 variables)	have 100% missing values	

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 0

Variable Name and Label (Total Cases = 872)		Percent of Cases with Missing Values
DRG10A	# times drug use interfere w/ work, past year	99.8%
DRG15A	# times use drugs more than intended, past year?	99.4%

Codebook for ICPSR 13694

Project on Human Development in Chicago Neighborhoods (PHDCN): Drug Use, Wave 3, 2000-2002

Dataset0001: Cohort 0

Variable	Variable D	escription			
Please Note: The "(M)" to the right of the value in as a missing value.				indicates the cod	de has been designated
SUBID3	ICPSR Wave 3 subject ID				
Start: 1 End: 7	Valid	Min	Max	Mean	Stdev
Width: 7 Type: numeric (ISO) Interval: discrete	872	3000020.00	3006220.00	3003095.36	1808.92

BASISID3 ICPSR Wave 3 subject ID

Start: 8 End: 14 Width: 7

Type: numeric (ISO) Interval: discrete

Valid	Min	Max	Mean	Stdev
175	3000026.00	3006160.00	3003029.46	1843.20

WAVE wave

Start: 15 End: 17 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

		_		
Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	872	100.0 %	100.0%

Valid	Min	Max	Mean	Stdev
872	3.00	3.00	3.00	0.00

COHORT cohort

Start: 18 End: 20 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

COHORT

cohort (cont.)

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	872	100.0 %	100.0%

Valid	Min	Max	Mean	Stdev
872	0.00	0.00	0.00	0.00

DRUGFILL

DRUG data filled in from basis?

Start: 21 End: 23 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	697	79.9 %	79.9%
1	1:yes	175	20.1 %	20.1%

Valid	Min	Max	Mean	Stdev
872	0.00	1.00	0.20	0.40

DRG1

use sedatives on own, past year?

Start: 24 End: 26 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	260	29.8 %	29.8%
1	1:yes	5	0.6 %	0.6%
2	2:no drug use	607	69.6 %	69.6%

- ICPSR 13694 -

Variable Variable Description DRG1 use sedatives on own, past year? (cont.) Valid Min Max Mean Stdev 872 0.00 2.00 1.40 0.91

DRG2

Start: 27 End: 29 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

use tranquilizers on own, past year?

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	241	27.6 %	92.3%
1	1:yes	0	0.0 %	0.0%
2	2:no drug use	20	2.3 %	7.7%
. (M)	-	611	70.1 %	-

Valid	Min	Max	Mean	Stdev
261	0.00	2.00	0.15	0.53

DRG3

Start: 30 End: 32 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

use amphetamines on own, past year?

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	226	25.9 %	93.4%
1	1:yes	3	0.3 %	1.2%
2	2:no drug use	13	1.5 %	5.4%
. (M)	-	630	72.2 %	-

Valid	Min	Max	Mean	Stdev
242	0.00	2.00	0.12	0.46

DRG4

use analgesics w/ codeine on own, past year?

Start: 33 End: 35 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	217	24.9 %	94.3%
1	1:yes	3	0.3 %	1.3%
2	2:no drug use	10	1.1 %	4.3%
. (M)	-	642	73.6 %	-

Valid	Min	Max	Mean	Stdev
230	0.00	2.00	0.10	0.42

DRG5

use inhalants on own, past year?

Start: 36 End: 38 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	217	24.9 %	98.6%
1	1:yes	0	0.0 %	0.0%
2	2:no drug use	3	0.3 %	1.4%
. (M)	-	652	74.8 %	-

Valid	Min	Max	Mean	Stdev
220	0.00	2.00	0.03	0.23

DRG6

use marijuana on own, past year?

Start: 39 End: 41 Width: 3

Type: numeric (ISO) Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

DRG6

use marijuana on own, past year? (cont.)

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	195	22.4 %	89.4%
1	1:yes	23	2.6 %	10.6%
2	2:no drug use	0	0.0 %	0.0%
. (M)	-	654	75.0 %	-

Valid	Min	Max	Mean	Stdev
218	0.00	1.00	0.11	0.31

DRG7

use cocaine on own, past year?

Start: 42 End: 44 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	217	24.9 %	99.5%
1	1:yes	1	0.1 %	0.5%
2	2:no drug use	0	0.0 %	0.0%
. (M)	-	654	75.0 %	-

Valid	Min	Max	Mean	Stdev
218	0.00	1.00	0.00	0.07

DRG8

use LSD/hallucinogens on own, past year?

Start: 45 End: 47 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

DRG8

use LSD/hallucinogens on own, past year? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	217	24.9 %	99.5%
1	1:yes	0	0.0 %	0.0%
2	2:no drug use	1	0.1 %	0.5%
. (M)	-	654	75.0 %	-

Valid	Min	Max	Mean	Stdev
218	0.00	2.00	0.01	0.14

DRG9

Start: 48 End: 50 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

use heroin on own, past year?

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	216	24.8 %	99.5%
1	1:yes	1	0.1 %	0.5%
2	2:no drug use	0	0.0 %	0.0%
. (M)	-	655	75.1 %	-

Valid	M	1in	Max	Mean	Stdev
217	0.	.00	1.00	0.00	0.07

DRG10

drug use interfere w/ work, past year?

Start: 51 End: 53 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

DRG10

drug use interfere w/ work, past year? (cont.)

Value	Label	Frequency	%	Valid %
0	0:no	32	3.7 %	94.1%
1	1:yes	2	0.2 %	5.9%
. (M)	-	838	96.1 %	-

Valid	Min	Max	Mean	Stdev
34	0.00	1.00	0.06	0.24

DRG10A

times drug use interfere w/ work, past year

Start: 54 End: 56 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1-2	1	0.1 %	50.0%
2	2:3-5	0	0.0 %	0.0%
3	3:6-10	0	0.0 %	0.0%
4	4:11-20	0	0.0 %	0.0%
5	5:more than 20	1	0.1 %	50.0%
. (M)	-	870	99.8 %	-

Valid	Min	Max	Mean	Stdev
2	1.00	5.00	3.00	2.83

DRG11

ever under drug influence in dangerous situation, past year?

Start: 57 End: 59 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	31	3.6 %	93.9%

DRG11

ever under drug influence in dangerous situation, past year? (cont.)

Value	Label	Frequency	%	Valid %
1	1:yes	2	0.2 %	6.1%
. (M)	-	839	96.2 %	-

Valid	Min	Max	Mean	Stdev
33	0.00	1.00	0.06	0.24

DRG12

Start: 60 End: 62 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

emotional/psychological problems from drug use, past year?

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	30	3.4 %	90.9%
1	1:yes	3	0.3 %	9.1%
. (M)	-	839	96.2 %	-

Valid	Min	Max	Mean	Stdev
33	0.00	1.00	0.09	0.29

DRG13

Start: 63 End: 65 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

uncontrollable desire to use drugs, past year?

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	3.3 %	87.9%
1	1:yes	4	0.5 %	12.1%
. (M)	-	839	96.2 %	-

Valid	Min	Max	Mean	Stdev
33	0.00	1.00	0.12	0.33

DRG14 1 month or more involved a lot w/ drug use, past year?

Start: 66 End: 68 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	28	3.2 %	84.8%
1	1:yes	5	0.6 %	15.2%
. (M)	-	839	96.2 %	-

Valid	Min	Max	Mean	Stdev
33	0.00	1.00	0.15	0.36

ever use drugs more than intended, past year?

Start: 69 End: 71 Width: 3

DRG15

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	28	3.2 %	84.8%
1	1:yes	5	0.6 %	15.2%
. (M)	-	839	96.2 %	-

Valid	Min	Max	Mean	Stdev
33	0.00	1.00	0.15	0.36

DRG15A # times use drugs more than intended, past year?

Start: 72 End: 74 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

DRG15A

times use drugs more than intended, past year? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:1-2	0	0.0 %	0.0%
2	2:3-5	2	0.2 %	40.0%
3	3:6-10	0	0.0 %	0.0%
4	4:11-20	0	0.0 %	0.0%
5	5:more than 20	3	0.3 %	60.0%
. (M)	-	867	99.4 %	-

Valid	Min	Max	Mean	Stdev	
5	2.00	5.00	3.80	1.64	

DRG16

ever use drug more for same effect, past year?

Start: 75 End: 77 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	2	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	3.3 %	87.9%
1	1:yes	4	0.5 %	12.1%
. (M)	-	837	96.0 %	-

Valid	Min	Max	Mean	Stdev
33	0.00	1.00	0.12	0.33