



ICPSR 13722

Project on Human Development in Chicago Neighborhoods (PHDCN): Major Depressive Disorder (Primary Caregiver), Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 6



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. The following abbreviations are used in the codebook and setup files:
MDD = Major Depressive Disorder
PC = Primary Caregiver
SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 6

Variable Name and Label (Total Cases = 735)	Percent of Cases with Missing Values
21.4% (6 of 28 variables)	have 0% Missing Values
3.6% (1 of 28 variables)	have 0% - 1% Missing Values
3.6% (1 of 28 variables)	have 1% - 3% Missing Values
0.0% (0 of 28 variables)	have 3% - 5% Missing Values
0.0% (0 of 28 variables)	have 5% - 10% Missing Values
0.0% (0 of 28 variables)	have 10% - 20% Missing Values
0.0% (0 of 28 variables)	have 20% - 40% Missing Values
67.9% (19 of 28 variables)	have 40% - 99% Missing Values
MAP2	sad all day during that time? 95.0%
MAP3	couldn't enjoy anything during that time? 95.0%
MAP4	grouchy/irritable daily during that time? 95.0%
MAP5	hard to concentrate when sad/grouchy? 95.2%
MAP6	feel "no good" when sad/grouchy? 95.2%
MAP7	eating habits change when sad/grouchy? 95.2%
MAP8	feel tired all time/have little energy? 95.2%
MAP9	sleeping habits change when sad/grouchy? 95.2%
MAP10	talking/moving change when sad/grouchy? 95.2%
MAP11	think about death/suicide when sad/grouchy? 95.4%
MAP12	attempt suicide when sad/grouchy? 95.2%
MAP15	taking drugs/medicine/alcohol when sad/grouchy? 96.7%
MAP16	physical problems make sad/grouchy? 96.7%
MAP17	sadness cause serious problems at home/school, past year? 96.9%
MAP18	sadness prevent activity/outings, past year? 96.7%
MAP19	sadness make unhappy/bother a lot? 96.7%
MAP20	sadness start after death someone close? 96.7%
MAP21	see MD/counselor for sadness, past year? 96.7%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 6

Variable Name and Label (Total Cases = 735)		Percent of Cases with Missing Values
MAP24	prescribed medication for MDD, past year?	97.8%
3.6% (1 of 28 variables)	have 100% missing values	
MAP20A	sad/grouchy even if no one died?	99.2%

Codebook for ICPSR 13722

Project on Human Development in Chicago Neighborhoods (PHDCN): Major Depressive Disorder (Primary Caregiver), Wave 3, 2000-2002

Dataset0002: Cohort 6

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

Valid	Min	Max	Mean	Stdev
735	3000004.00	3006226.00	3003113.19	1821.81

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	735	100.0 %	100.0%

Valid	Min	Max	Mean	Stdev
735	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	735	100.0 %	100.0%

Variable **Variable Description**

COHORT cohort (cont.)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
735	6.00	6.00	6.00	0.00

MAP1 sad daily for weeks in row, past year?

Start: 14
End: 16
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	698	95.0 %	95.0%
1	1:yes	37	5.0 %	5.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
735	0.00	1.00	0.05	0.22

MAP2 sad all day during that time?

Start: 17
End: 19
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	15	2.0 %	40.5%
1	1:yes	22	3.0 %	59.5%
. (M)	-	698	95.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
37	0.00	1.00	0.59	0.50

MAP3 couldn't enjoy anything during that time?

Start: 20
End: 22
Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

MAP3	couldn't enjoy anything during that time? (cont.)
------	---

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	1.8 %	35.1%
1	1:yes	24	3.3 %	64.9%
. (M)	-	698	95.0 %	-

Valid	Min	Max	Mean	Stdev
37	0.00	1.00	0.65	0.48

MAP4	grouchy/irritable daily during that time?
------	---

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	1.1 %	21.6%
1	1:yes	29	3.9 %	78.4%
. (M)	-	698	95.0 %	-

Valid	Min	Max	Mean	Stdev
37	0.00	1.00	0.78	0.42

MAP5	hard to concentrate when sad/grouchy?
------	---------------------------------------

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

MAP5	hard to concentrate when sad/grouchy? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.4 %	28.6%
1	1:yes	25	3.4 %	71.4%
. (M)	-	700	95.2 %	-

Valid	Min	Max	Mean	Stdev
35	0.00	1.00	0.71	0.46

MAP6	feel "no good" when sad/grouchy?
------	----------------------------------

Start: 29
 End: 31
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	2.7 %	57.1%
1	1:yes	15	2.0 %	42.9%
. (M)	-	700	95.2 %	-

Valid	Min	Max	Mean	Stdev
35	0.00	1.00	0.43	0.50

MAP7	eating habits change when sad/grouchy?
------	--

Start: 32
 End: 34
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	2.4 %	51.4%
1	1:yes	17	2.3 %	48.6%
. (M)	-	700	95.2 %	-

Variable	Variable Description
----------	----------------------

MAP7	eating habits change when sad/grouchy? (<i>cont.</i>)
------	---

Valid	Min	Max	Mean	Stdev
35	0.00	1.00	0.49	0.51

MAP8	feel tired all time/have little energy?
------	---

Start: 35
 End: 37
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	17	2.3 %	48.6%
1	1:yes	18	2.4 %	51.4%
. (M)	-	700	95.2 %	-

Valid	Min	Max	Mean	Stdev
35	0.00	1.00	0.51	0.51

MAP9	sleeping habits change when sad/grouchy?
------	--

Start: 38
 End: 40
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	23	3.1 %	65.7%
1	1:yes	12	1.6 %	34.3%
. (M)	-	700	95.2 %	-

Valid	Min	Max	Mean	Stdev
35	0.00	1.00	0.34	0.48

Variable **Variable Description**

MAP10 **talking/moving change when sad/grouchy?**

Start: 41
End: 43
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	14	1.9 %	40.0%
1	1:yes	21	2.9 %	60.0%
. (M)	-	700	95.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
35	0.00	1.00	0.60	0.50

MAP11 **think about death/suicide when sad/grouchy?**

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	27	3.7 %	79.4%
1	1:yes	7	1.0 %	20.6%
. (M)	-	700	95.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
34	0.00	1.00	0.21	0.41

MAP12 **attempt suicide when sad/grouchy?**

Start: 47
End: 49
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

MAP12	attempt suicide when sad/grouchy? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	34	4.6 %	97.1%
1	1:yes	1	0.1 %	2.9%
. (M)	-	700	95.2 %	-

Valid	Min	Max	Mean	Stdev
35	0.00	1.00	0.03	0.17

MAP15	taking drugs/medicine/alcohol when sad/grouchy?
-------	---

Start: 50
 End: 52
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	2.7 %	83.3%
1	1:yes	4	0.5 %	16.7%
. (M)	-	711	96.7 %	-

Valid	Min	Max	Mean	Stdev
24	0.00	1.00	0.17	0.38

MAP16	physical problems make sad/grouchy?
-------	-------------------------------------

Start: 53
 End: 55
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	19	2.6 %	79.2%
1	1:yes	5	0.7 %	20.8%

Variable	Variable Description
----------	----------------------

MAP16	physical problems make sad/grouchy? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	711	96.7 %	-

Valid	Min	Max	Mean	Stdev
24	0.00	1.00	0.21	0.41

MAP17	sadness cause serious problems at home/school, past year?
-------	---

Start: 56
End: 58
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	0.8 %	26.1%
1	1:yes	17	2.3 %	73.9%
. (M)	-	711	96.7 %	-

Valid	Min	Max	Mean	Stdev
23	0.00	1.00	0.74	0.45

MAP18	sadness prevent activity/outings, past year?
-------	--

Start: 59
End: 61
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	1.8 %	54.2%
1	1:yes	11	1.5 %	45.8%
. (M)	-	711	96.7 %	-

Valid	Min	Max	Mean	Stdev
24	0.00	1.00	0.46	0.51

Variable **Variable Description**

MAP19 **sadness make unhappy/bother a lot?**

Start: 62
End: 64
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	0.8 %	25.0%
1	1:yes	18	2.4 %	75.0%
. (M)	-	711	96.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
24	0.00	1.00	0.75	0.44

MAP20 **sadness start after death someone close?**

Start: 65
End: 67
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	2.4 %	75.0%
1	1:yes	6	0.8 %	25.0%
. (M)	-	711	96.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
24	0.00	1.00	0.25	0.44

MAP20A **sad/grouchy even if no one died?**

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13722 -

Variable	Variable Description
----------	----------------------

MAP20A	sad/grouchy even if no one died? (cont.)
--------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.1 %	16.7%
1	1:yes	5	0.7 %	83.3%
. (M)	-	728	99.0 %	-

Valid	Min	Max	Mean	Stdev
6	0.00	1.00	0.83	0.41

MAP21	see MD/counselor for sadness, past year?
-------	--

Start: 71
 End: 73
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.4 %	41.7%
1	1:yes	14	1.9 %	58.3%
. (M)	-	711	96.7 %	-

Valid	Min	Max	Mean	Stdev
24	0.00	1.00	0.58	0.50

MAP24	prescribed medication for MDD, past year?
-------	---

Start: 74
 End: 76
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.4 %	62.5%
1	1:yes	6	0.8 %	37.5%

- ICPSR 13722 -

Variable	Variable Description
----------	----------------------

MAP24	prescribed medication for MDD, past year? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	719	97.8 %	-

Valid	Min	Max	Mean	Stdev
16	0.00	1.00	0.38	0.50

MAPSYMP	# MDD symptoms, PC report on SP
---------	---------------------------------

Start: 77
 End: 79
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	698	95.0 %	95.2%
1	-	1	0.1 %	0.1%
2	-	5	0.7 %	0.7%
3	-	3	0.4 %	0.4%
4	-	6	0.8 %	0.8%
5	-	6	0.8 %	0.8%
6	-	5	0.7 %	0.7%
7	-	5	0.7 %	0.7%
8	-	2	0.3 %	0.3%
9	-	2	0.3 %	0.3%
. (M)	-	2	0.3 %	-

Valid	Min	Max	Mean	Stdev
733	0.00	9.00	0.24	1.15

MAPIMP	# MDD impairments, PC report on SP
--------	------------------------------------

Start: 80
 End: 82
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

MAPIMP	# MDD impairments, PC report on SP (cont.)
--------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	700	95.2 %	97.0%
1	-	6	0.8 %	0.8%
2	-	8	1.1 %	1.1%
3	-	8	1.1 %	1.1%
. (M)	-	13	1.8 %	-

Valid	Min	Max	Mean	Stdev
722	0.00	3.00	0.06	0.39

MAPBREAV	bereavement present? PC report on SP
----------	--------------------------------------

Start: 83
 End: 85
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	734	99.9 %	99.9%
1	1:yes	1	0.1 %	0.1%

Valid	Min	Max	Mean	Stdev
735	0.00	1.00	0.00	0.04

MAPDX	MDD diagnosis positive? PC report on SP
-------	---

Start: 86
 End: 88
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	717	97.6 %	97.6%

Variable	Variable Description
----------	----------------------

MAPDX	MDD diagnosis positive? PC report on SP (cont.)
-------	---

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1:yes	18	2.4 %	2.4%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
735	0.00	1.00	0.02	0.15