



ICPSR 13728

Project on Human Development in Chicago Neighborhoods (PHDCN): Perceptions of Drug Risk, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 9



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. The following abbreviations are used in the codebook and setup files:
PC = Primary Caregiver
PDR = Perceptions of Drug Risk
SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9

Variable Name and Label (Total Cases = 595)	Percent of Cases with Missing Values
12.0% (3 of 25 variables)	have 0% Missing Values
44.0% (11 of 25 variables)	have 0% - 1% Missing Values
16.0% (4 of 25 variables)	have 1% - 3% Missing Values
8.0% (2 of 25 variables)	have 3% - 5% Missing Values
8.0% (2 of 25 variables)	have 5% - 10% Missing Values
PDR12	hurt by using steroids regularly? 8.2%
PDR13	hurt by using steroids now and then? 8.2%
4.0% (1 of 25 variables)	have 10% - 20% Missing Values
PDR19	ease/difficulty getting marijuana 11.4%
0.0% (0 of 25 variables)	have 20% - 40% Missing Values
8.0% (2 of 25 variables)	have 40% - 99% Missing Values
PDR20	ease/difficulty getting LSD 95.1%
PDR21	ease/difficulty getting cocaine/crack 93.6%
0.0% (0 of 25 variables)	have 100% missing values

Codebook for ICPSR 13728

Project on Human Development in Chicago Neighborhoods (PHDCN): Perceptions of Drug Risk, Wave 3, 2000-2002

Dataset0002: Cohort 9

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
595	3000003.00	3006203.00	3003231.73	1861.54

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	595	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
595	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
9	-	595	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (cont.)
--------	----------------

Valid	Min	Max	Mean	Stdev
595	9.00	9.00	9.00	0.00

PDR1	hurt by smoking 1 or more packs cigarettes/day?
------	---

Start: 14
 End: 16
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	21	3.5 %	3.5%
2	2:probably no	60	10.1 %	10.1%
3	3:probably yes	265	44.5 %	44.7%
4	4:definitely yes	247	41.5 %	41.7%

Valid	Min	Max	Mean	Stdev
593	1.00	4.00	3.24	0.77

PDR2	hurt by smoking marijuana regularly?
------	--------------------------------------

Start: 17
 End: 19
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	8	1.3 %	1.4%
2	2:probably no	31	5.2 %	5.2%
3	3:probably yes	182	30.6 %	30.7%
4	4:definitely yes	371	62.4 %	62.7%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
592	1.00	4.00	3.55	0.66

Variable **Variable Description**

PDR3 hurt by smoking marijuana now and then?

Start: 20
End: 22
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	21	3.5 %	3.5%
2	2:probably no	160	26.9 %	27.0%
3	3:probably yes	310	52.1 %	52.4%
4	4:definitely yes	101	17.0 %	17.1%
. (M)	-	1	0.2 %	-
<i>Valid</i>				
<i>Min</i>				
<i>Max</i>				
<i>Mean</i>				
<i>Stdev</i>				
592	1.00	4.00	2.83	0.74

PDR4 hurt by smoking marijuana once or twice?

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	95	16.0 %	16.0%
2	2:probably no	265	44.5 %	44.7%
3	3:probably yes	182	30.6 %	30.7%
4	4:definitely yes	51	8.6 %	8.6%
<i>Valid</i>				
<i>Min</i>				
<i>Max</i>				
<i>Mean</i>				
<i>Stdev</i>				
593	1.00	4.00	2.32	0.84

PDR5 hurt by using inhalants regularly?

Start: 26
End: 28
Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-

- ICPSR 13728 -

Variable	Variable Description
----------	----------------------

PDR5	hurt by using inhalants regularly? (<i>cont.</i>)
------	---

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	3	0.5 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	3	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	7	1.2 %	1.2%
2	2:probably no	29	4.9 %	4.9%
3	3:probably yes	194	32.6 %	33.1%
4	4:definitely yes	356	59.8 %	60.8%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
586	1.00	4.00	3.53	0.65

PDR6	hurt by trying inhalants once or twice?
------	---

Start: 29
End: 31
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	5	0.8 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	3	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	18	3.0 %	3.1%
2	2:probably no	183	30.8 %	31.2%
3	3:probably yes	272	45.7 %	46.4%
4	4:definitely yes	113	19.0 %	19.3%

Valid	Min	Max	Mean	Stdev
586	1.00	4.00	2.82	0.77

PDR7	hurt by using heroin regularly?
------	---------------------------------

Start: 32
End: 34
Width: 3
Type: numeric (ISO)
Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	10	1.7 %	-

Variable	Variable Description
----------	----------------------

PDR7	hurt by using heroin regularly? (cont.)
------	---

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	7	1.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	9	1.5 %	1.6%
2	2:probably no	12	2.0 %	2.1%
3	3:probably yes	100	16.8 %	17.3%
4	4:definitely yes	456	76.6 %	79.0%

Valid	Min	Max	Mean	Stdev
577	1.00	4.00	3.74	0.57

PDR8	hurt by trying heroin once or twice?
------	--------------------------------------

Start: 35
 End: 37
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	10	1.7 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	7	1.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	18	3.0 %	3.1%
2	2:probably no	152	25.5 %	26.3%
3	3:probably yes	283	47.6 %	49.0%
4	4:definitely yes	124	20.8 %	21.5%

Valid	Min	Max	Mean	Stdev
577	1.00	4.00	2.89	0.77

PDR9	hurt by using cocaine regularly?
------	----------------------------------

Start: 38
 End: 40
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.5 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-

Variable	Variable Description
----------	----------------------

PDR9	hurt by using cocaine regularly? (cont.)
------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	4	0.7 %	0.7%
2	2:probably no	13	2.2 %	2.2%
3	3:probably yes	114	19.2 %	19.3%
4	4:definitely yes	459	77.1 %	77.8%

Valid	Min	Max	Mean	Stdev
590	1.00	4.00	3.74	0.53

PDR10	hurt by using cocaine now and then?
-------	-------------------------------------

Start: 41
 End: 43
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.5 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	7	1.2 %	1.2%
2	2:probably no	111	18.7 %	18.8%
3	3:probably yes	305	51.3 %	51.7%
4	4:definitely yes	167	28.1 %	28.3%

Valid	Min	Max	Mean	Stdev
590	1.00	4.00	3.07	0.72

PDR11	hurt by trying cocaine once or twice?
-------	---------------------------------------

Start: 44
 End: 46
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	5	0.8 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PDR11	hurt by trying cocaine once or twice? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
1	1:definitely no	32	5.4 %	5.4%
2	2:probably no	206	34.6 %	35.0%
3	3:probably yes	242	40.7 %	41.1%
4	4:definitely yes	109	18.3 %	18.5%

Valid	Min	Max	Mean	Stdev
589	1.00	4.00	2.73	0.82

PDR12	hurt by using steroids regularly?
-------	-----------------------------------

Start: 47
 End: 49
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	22	3.7 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	23	3.9 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	6	1.0 %	1.1%
2	2:probably no	36	6.1 %	6.6%
3	3:probably yes	188	31.6 %	34.4%
4	4:definitely yes	316	53.1 %	57.9%
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
546	1.00	4.00	3.49	0.67

PDR13	hurt by using steroids now and then?
-------	--------------------------------------

Start: 50
 End: 52
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	22	3.7 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	23	3.9 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	25	4.2 %	4.6%

- ICPSR 13728 -

Variable	Variable Description
----------	----------------------

PDR13	hurt by using steroids now and then? <i>(cont.)</i>
-------	---

Value	Label	Frequency	%	Valid %
2	2:probably no	133	22.4 %	24.4%
3	3:probably yes	273	45.9 %	50.0%
4	4:definitely yes	115	19.3 %	21.1%
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
546	1.00	4.00	2.88	0.79

PDR14	hurt by 4-5 drinks alcohol/day?
-------	---------------------------------

Start: 53
End: 55
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	7	1.2 %	1.2%
2	2:probably no	27	4.5 %	4.5%
3	3:probably yes	195	32.8 %	32.8%
4	4:definitely yes	365	61.3 %	61.4%

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	3.55	0.64

PDR15	hurt by 1-2 drinks alcohol/day?
-------	---------------------------------

Start: 56
End: 58
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	25	4.2 %	4.2%
2	2:probably no	162	27.2 %	27.4%

- ICPSR 13728 -

Variable	Variable Description
----------	----------------------

PDR15	hurt by 1-2 drinks alcohol/day? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
3	3:probably yes	269	45.2 %	45.4%
4	4:definitely yes	136	22.9 %	23.0%

Valid	Min	Max	Mean	Stdev
592	1.00	4.00	2.87	0.81

PDR16	hurt by 5 or more drinks alcohol/twice week?
-------	--

Start: 59
 End: 61
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:definitely no	32	5.4 %	5.4%
2	2:probably no	138	23.2 %	23.2%
3	3:probably yes	236	39.7 %	39.7%
4	4:definitely yes	188	31.6 %	31.6%

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	2.98	0.87

PDR17	ease/difficulty getting cigarettes
-------	------------------------------------

Start: 62
 End: 64
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:impossible	90	15.1 %	15.2%
2	2:very hard	144	24.2 %	24.4%
3	3:pretty easy	162	27.2 %	27.4%
4	4:very easy	195	32.8 %	33.0%

- ICPSR 13728 -

Variable	Variable Description
----------	----------------------

PDR17	ease/difficulty getting cigarettes (<i>cont.</i>)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
591	1.00	4.00	2.78	1.07

PDR18	ease/difficulty getting alcohol
-------	---------------------------------

Start: 65
 End: 67
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:impossible	71	11.9 %	12.0%
2	2:very hard	118	19.8 %	19.9%
3	3:pretty easy	205	34.5 %	34.6%
4	4:very easy	198	33.3 %	33.4%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
592	1.00	4.00	2.90	1.00

PDR19	ease/difficulty getting marijuana
-------	-----------------------------------

Start: 68
 End: 70
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	64	10.8 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:impossible	72	12.1 %	13.7%
2	2:very hard	83	13.9 %	15.7%
3	3:pretty easy	145	24.4 %	27.5%
4	4:very easy	227	38.2 %	43.1%

Variable	Variable Description
----------	----------------------

PDR19	ease/difficulty getting marijuana (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
527	1.00	4.00	3.00	1.07

PDR20	ease/difficulty getting LSD
-------	-----------------------------

Start: 71
 End: 73
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	12	2.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:impossible	1	0.2 %	3.4%
2	2:very hard	3	0.5 %	10.3%
3	3:pretty easy	6	1.0 %	20.7%
4	4:very easy	19	3.2 %	65.5%
. (M)	-	554	93.1 %	-

Valid	Min	Max	Mean	Stdev
29	1.00	4.00	3.48	0.83

PDR21	ease/difficulty getting cocaine/crack
-------	---------------------------------------

Start: 74
 End: 76
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	3	0.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:impossible	2	0.3 %	5.3%
2	2:very hard	4	0.7 %	10.5%
3	3:pretty easy	9	1.5 %	23.7%
4	4:very easy	23	3.9 %	60.5%

Variable	Variable Description
----------	----------------------

PDR21	ease/difficulty getting cocaine/crack (cont.)
-------	---

Value	Label	Frequency	%	Valid %
. (M)	-	554	93.1 %	-

Valid	Min	Max	Mean	Stdev
38	1.00	4.00	3.39	0.89

PDR22	someone tried to sell you drugs? past month
-------	---

Start: 77
 End: 79
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	526	88.4 %	89.9%
1	1:yes	59	9.9 %	10.1%
. (M)	-	10	1.7 %	-

Valid	Min	Max	Mean	Stdev
585	0.00	1.00	0.10	0.30