



ICPSR 13729

Project on Human Development in Chicago Neighborhoods (PHDCN): Primary Female Caregiver, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University. Teacher's
College. Center for the Study of Children and
Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan. School
of Education and Survey Research Center*

Robert J. Sampson
*Scientific Director. Harvard University. Department
of Sociology*

Codebook for Cohort 15



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., *). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:
PFC1B amount time birth mom spent w/ YA, past year
7. The following abbreviations are used in the codebook and setup files:
PC = Primary Caregiver
PFC = Primary Female Caregiver
SUB = Subject
8. The text '(prison)' and '(type)' in the value label for values of 70, the text '(program)' in the value label for values of 121, and the text '(country)' in the value label for values of 184 in variable PFC1B were used by ICPSR to replace the respondent's original response. They were changed for confidentiality reasons and are not available.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15

Variable Name and Label (Total Cases = 435)	Percent of Cases with Missing Values
13.0% (3 of 23 variables)	have 0% Missing Values
21.7% (5 of 23 variables)	have 0% - 1% Missing Values
4.3% (1 of 23 variables)	have 1% - 3% Missing Values
17.4% (4 of 23 variables)	have 3% - 5% Missing Values
13.0% (3 of 23 variables)	have 5% - 10% Missing Values
PFC1B	amount time birth mom spent w/ YA, past year 9.9%
PFC1C	amount time birth mom spent w/ YA, past year 8.0%
PFC1D	average # days/week YA spends time w/ birth mom 5.3%
0.0% (0 of 23 variables)	have 10% - 20% Missing Values
0.0% (0 of 23 variables)	have 20% - 40% Missing Values
30.4% (7 of 23 variables)	have 40% - 99% Missing Values
PFC4	part of YA's life PFC was sad 71.5%
PFC5	PFC ever professional treatment for depression? 72.2%
PFC5A	PFC ever hospitalized for depression? 90.3%
PFC6A	PFC regular smoker? 58.9%
PFC10	part of YA's life PFC had alcohol/drug problem 93.6%
PFC11	PFC ever professional treatment for alcohol/drug use? 93.8%
PFC11A	PFC ever hospitalized for alcohol/drug use? 93.6%
0.0% (0 of 23 variables)	have 100% missing values

Codebook for ICPSR 13729

Project on Human Development in Chicago Neighborhoods (PHDCN): Primary Female Caregiver, Wave 3, 2000-2002

Dataset0006: Cohort 15

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	3000008.00	3006219.00	3003090.60	1775.95

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	435	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	435	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (<i>cont.</i>)
--------	-------------------------

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	15.00	15.00	15.00	0.00

PFC1	YA contact with birth mom, past year?
------	---------------------------------------

Start: 14
 End: 16
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.5 %	0.5%
1	1:yes	422	97.0 %	97.5%
2	2:deceased	9	2.1 %	2.1%
. (M)	-	2	0.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
433	0.00	2.00	1.02	0.16

PFC1B	amount time birth mom spent w/ YA, past year
-------	--

Start: 17
 End: 19
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	392	90.1 %	100.0%
. (M)	-	43	9.9 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
392	-90.00	-90.00	-90.00	0.00

Variable	Variable Description
----------	----------------------

PFC1C	amount time birth mom spent w/ YA, past year
-------	--

Start: 20
 End: 22
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:daily	310	71.3 %	77.5%
2	2:weekly	41	9.4 %	10.2%
3	3:monthly	10	2.3 %	2.5%
4	4:twice/month	4	0.9 %	1.0%
5	5:several times/year	6	1.4 %	1.5%
6	6:once/year	0	0.0 %	0.0%
7	7:intermittent at set times	2	0.5 %	0.5%
8	8:intermittent and unpredictable	3	0.7 %	0.8%
9	9:other	24	5.5 %	6.0%
. (M)	-	35	8.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
400	1.00	9.00	1.80	2.07

PFC1D	average # days/week YA spends time w/ birth mom
-------	---

Start: 23
 End: 25
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	37	8.5 %	9.0%
1	-	23	5.3 %	5.6%
2	-	21	4.8 %	5.1%
3	-	26	6.0 %	6.3%
4	-	14	3.2 %	3.4%
5	-	15	3.4 %	3.6%

Variable	Variable Description
----------	----------------------

PFC1D	average # days/week YA spends time w/ birth mom (cont.)
-------	---

Value	Label	Frequency	%	Valid %
6	-	7	1.6 %	1.7%
7	-	269	61.8 %	65.3%
. (M)	-	22	5.1 %	-

Valid	Min	Max	Mean	Stdev
412	0.00	7.00	5.34	2.53

PFC2	woman spent most time raising YA
------	----------------------------------

Start: 26
 End: 28
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:biologic mom	396	91.0 %	91.2%
1	1:stepmother	4	0.9 %	0.9%
2	2:adopt mother	0	0.0 %	0.0%
3	3:foster mother	0	0.0 %	0.0%
4	4:dad's partner	0	0.0 %	0.0%
5	5:grandmother	24	5.5 %	5.5%
6	6:great grandmother	2	0.5 %	0.5%
7	7:aunt	6	1.4 %	1.4%
8	8:great aunt	0	0.0 %	0.0%
9	9:sister	1	0.2 %	0.2%
10	10:cousin	0	0.0 %	0.0%
11	11:niece	0	0.0 %	0.0%
12	12:neighbor	0	0.0 %	0.0%
13	13:minister/priest	0	0.0 %	0.0%
14	14:church leader	0	0.0 %	0.0%
15	15:youth leader	0	0.0 %	0.0%
16	16:teacher	0	0.0 %	0.0%
17	17:coach	0	0.0 %	0.0%
18	18:friend	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

PFC2	woman spent most time raising YA (cont.)
------	--

Value	Label	Frequency	%	Valid %
19	19:other	0	0.0 %	0.0%
20	20:none	1	0.2 %	0.2%
21	21:babysitter	0	0.0 %	0.0%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
434	0.00	20.00	0.48	1.77

PFC2C	# years involved w/ YA, woman who raised YA
-------	---

Start: 29
 End: 31
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	1	0.2 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
6	-	2	0.5 %	0.5%
9	-	1	0.2 %	0.2%
10	-	2	0.5 %	0.5%
11	-	3	0.7 %	0.7%
14	-	3	0.7 %	0.7%
15	-	2	0.5 %	0.5%
16	-	6	1.4 %	1.4%
17	-	4	0.9 %	1.0%
18	-	1	0.2 %	0.2%
19	-	10	2.3 %	2.4%
20	-	2	0.5 %	0.5%
93	93:all my life	385	88.5 %	91.4%
. (M)	-	11	2.5 %	-

Valid	Min	Max	Mean	Stdev
421	6.00	93.00	86.37	21.73

Variable **Variable Description**

PFC3 **PFC ever mostly sad 2 weeks or more since YA birth?**

Start: 32
 End: 34
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	12	2.8 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	297	68.3 %	70.5%
1	1:yes	124	28.5 %	29.5%
. (M)	-	2	0.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
421	0.00	1.00	0.29	0.46

PFC4 **part of YA's life PFC was sad**

Start: 35
 End: 37
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:all	3	0.7 %	2.4%
2	2:most	10	2.3 %	8.1%
3	3:some	42	9.7 %	33.9%
4	4:a little	69	15.9 %	55.6%
5	5:none	0	0.0 %	0.0%
. (M)	-	311	71.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
124	1.00	4.00	3.43	0.75

PFC5 **PFC ever professional treatment for depression?**

Start: 38
 End: 40
 Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PFC5	PFC ever professional treatment for depression? (cont.)
------	---

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>3</td> <td>0.7 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:no</td> <td>87</td> <td>20.0 %</td> <td>71.9%</td> </tr> <tr> <td>1</td> <td>1:yes</td> <td>34</td> <td>7.8 %</td> <td>28.1%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>311</td> <td>71.5 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>121</td> <td>0.00</td> <td>1.00</td> <td>0.28</td> <td>0.45</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-98 (M)	-98:doesn't know	3	0.7 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:no	87	20.0 %	71.9%	1	1:yes	34	7.8 %	28.1%	. (M)	-	311	71.5 %	-	Valid	Min	Max	Mean	Stdev	121	0.00	1.00	0.28	0.45
Value	Label	Frequency	%	Valid %																																																				
-98 (M)	-98:doesn't know	3	0.7 %	-																																																				
-96 (M)	-96:refused	0	0.0 %	-																																																				
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																				
-94 (M)	-94:no money	0	0.0 %	-																																																				
-93 (M)	-93:uncodeable	0	0.0 %	-																																																				
0	0:no	87	20.0 %	71.9%																																																				
1	1:yes	34	7.8 %	28.1%																																																				
. (M)	-	311	71.5 %	-																																																				
Valid	Min	Max	Mean	Stdev																																																				
121	0.00	1.00	0.28	0.45																																																				

PFC5A	PFC ever hospitalized for depression?
-------	---------------------------------------

Start: 41 End: 43 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>1</td> <td>0.2 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>0</td> <td>0:no</td> <td>32</td> <td>7.4 %</td> <td>76.2%</td> </tr> <tr> <td>1</td> <td>1:yes</td> <td>10</td> <td>2.3 %</td> <td>23.8%</td> </tr> <tr> <td>. (M)</td> <td>-</td> <td>392</td> <td>90.1 %</td> <td>-</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>42</td> <td>0.00</td> <td>1.00</td> <td>0.24</td> <td>0.43</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	1	0.2 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	0	0:no	32	7.4 %	76.2%	1	1:yes	10	2.3 %	23.8%	. (M)	-	392	90.1 %	-	Valid	Min	Max	Mean	Stdev	42	0.00	1.00	0.24	0.43
Value	Label	Frequency	%	Valid %																																																									
-99 (M)	-99:interviewer missed	0	0.0 %	-																																																									
-98 (M)	-98:doesn't know	1	0.2 %	-																																																									
-96 (M)	-96:refused	0	0.0 %	-																																																									
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																									
-94 (M)	-94:no money	0	0.0 %	-																																																									
-93 (M)	-93:uncodeable	0	0.0 %	-																																																									
0	0:no	32	7.4 %	76.2%																																																									
1	1:yes	10	2.3 %	23.8%																																																									
. (M)	-	392	90.1 %	-																																																									
Valid	Min	Max	Mean	Stdev																																																									
42	0.00	1.00	0.24	0.43																																																									

PFC6	PFC ever smoke cigarettes since YA birth?
------	---

Start: 44 End: 46 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>2</td> <td>0.5 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	2	0.5 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-
Value	Label	Frequency	%	Valid %																											
-99 (M)	-99:interviewer missed	0	0.0 %	-																											
-98 (M)	-98:doesn't know	2	0.5 %	-																											
-96 (M)	-96:refused	0	0.0 %	-																											
-95 (M)	-95:doesn't understand	0	0.0 %	-																											
-94 (M)	-94:no money	0	0.0 %	-																											

Variable	Variable Description
----------	----------------------

PFC6	PFC ever smoke cigarettes since YA birth? (cont.)
------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	252	57.9 %	58.6%
1	1:yes	178	40.9 %	41.4%
. (M)	-	3	0.7 %	-

Valid	Min	Max	Mean	Stdev
430	0.00	1.00	0.41	0.49

PFC6A	PFC regular smoker?
-------	---------------------

Start: 47
 End: 49
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	6.7 %	16.2%
1	1:yes	150	34.5 %	83.8%
. (M)	-	254	58.4 %	-

Valid	Min	Max	Mean	Stdev
179	0.00	1.00	0.84	0.37

PFC7	PFC ever problem w/ drinking?
------	-------------------------------

Start: 50
 End: 52
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	411	94.5 %	94.9%
1	1:yes	22	5.1 %	5.1%
. (M)	-	1	0.2 %	-

Variable	Variable Description
----------	----------------------

PFC7	PFC ever problem w/ drinking? (cont.)
------	---------------------------------------

Valid	Min	Max	Mean	Stdev
433	0.00	1.00	0.05	0.22

PFC8	PFC ever problem w/ prescription drugs?
------	---

Start: 53
 End: 55
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	429	98.6 %	98.8%
1	1:yes	5	1.1 %	1.2%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
434	0.00	1.00	0.01	0.11

PFC9	PFC ever problem w/ illegal drugs?
------	------------------------------------

Start: 56
 End: 58
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	417	95.9 %	96.3%
1	1:yes	16	3.7 %	3.7%
. (M)	-	2	0.5 %	-

Valid	Min	Max	Mean	Stdev
433	0.00	1.00	0.04	0.19

Variable **Variable Description**

PFC10 part of YA's life PFC had alcohol/drug problem

Start: 59
End: 61
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:all	1	0.2 %	3.6%
2	2:most	2	0.5 %	7.1%
3	3:some	12	2.8 %	42.9%
4	4:a little	10	2.3 %	35.7%
5	5:none	3	0.7 %	10.7%
. (M)	-	407	93.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
28	1.00	5.00	3.43	0.92

PFC11 PFC ever professional treatment for alcohol/drug use?

Start: 62
End: 64
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	16	3.7 %	59.3%
1	1:yes	11	2.5 %	40.7%
. (M)	-	408	93.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
27	0.00	1.00	0.41	0.50

PFC11A PFC ever hospitalized for alcohol/drug use?

Start: 65
End: 67
Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PFC11A	PFC ever hospitalized for alcohol/drug use? (cont.)
--------	---

Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	26	6.0 %	92.9%
1	1:yes	2	0.5 %	7.1%
. (M)	-	407	93.6 %	-

Valid	Min	Max	Mean	Stdev
28	0.00	1.00	0.07	0.26

PFC12	PFC ever attempt suicide?
-------	---------------------------

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	410	94.3 %	97.4%
1	1:yes	11	2.5 %	2.6%
. (M)	-	11	2.5 %	-

Valid	Min	Max	Mean	Stdev
421	0.00	1.00	0.03	0.16

PFC13	PFC ever MD/medication/hospitalized for emo/beh/drg prob?
-------	---

Start: 71
End: 73
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	6	1.4 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PFC13	PFC ever MD/medication/hospitalized for emo/beh/drg prob? (cont.)
-------	---

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	386	88.7 %	93.0%
1	1:yes	29	6.7 %	7.0%
. (M)	-	13	3.0 %	-

Valid	Min	Max	Mean	Stdev
415	0.00	1.00	0.07	0.26