



ICPSR 13731

Project on Human Development in Chicago Neighborhoods (PHDCN): Primary Male Caregiver, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 15



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. The following abbreviations are used in the codebook and setup files:
PMC = Primary Male Caregiver
PC = Primary Caregiver
SUB = Subject

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 15

Variable Name and Label (Total Cases = 435)	Percent of Cases with Missing Values	
18.2% (4 of 22 variables)	have 0% Missing Values	
4.5% (1 of 22 variables)	have 0% - 1% Missing Values	
0.0% (0 of 22 variables)	have 1% - 3% Missing Values	
0.0% (0 of 22 variables)	have 3% - 5% Missing Values	
0.0% (0 of 22 variables)	have 5% - 10% Missing Values	
27.3% (6 of 22 variables)	have 10% - 20% Missing Values	
PMC2C	# years involved w/ YA, man who raised YA	15.6%
PMC7	PMC ever problem w/ drinking?	14.9%
PMC8	PMC ever problem w/ prescription drugs?	14.9%
PMC9	PMC ever problem w/ illegal drugs?	18.4%
PMC12	PMC ever attempt suicide?	15.9%
PMC13	PMC ever MD/medication/hospitalized for emo/beh/drg prob?	16.6%
18.2% (4 of 22 variables)	have 20% - 40% Missing Values	
PMC1C	amount time birth dad spent w/ YA, past year	27.4%
PMC1D	average # days/week YA spends time w/ birth dad	24.4%
PMC3	PMC ever mostly sad 2 weeks or more since YA birth?	24.1%
PMC6	PMC ever smoke cigarettes since YA birth?	23.7%
31.8% (7 of 22 variables)	have 40% - 99% Missing Values	
PMC4	part of YA's life PMC was sad	85.7%
PMC5	PMC ever professional treatment for depression?	86.0%
PMC5A	PMC ever hospitalized for depression?	96.1%
PMC6A	PMC regular smoker?	57.5%
PMC10	part of YA's life PMC had alcohol/drug problem	74.3%
PMC11	PMC ever professional treatment for alcohol/drug use?	74.5%
PMC11A	PMC ever hospitalized for alcohol/drug use?	90.8%
0.0% (0 of 22 variables)	have 100% missing values	

Codebook for ICPSR 13731

Project on Human Development in Chicago Neighborhoods (PHDCN): Primary Male Caregiver, Wave 3, 2000-2002

Dataset0006: Cohort 15

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	3000008.00	3006219.00	3003090.60	1775.95

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	435	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	435	100.0 %	100.0%

- ICPSR 13731 -

Variable	Variable Description
----------	----------------------

COHORT	cohort (<i>cont.</i>)
--------	-------------------------

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	15.00	15.00	15.00	0.00

PMC1	YA contact with birth dad, past year?
------	---------------------------------------

Start: 14
 End: 16
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	83	19.1 %	19.1%
1	1:yes	332	76.3 %	76.3%
2	2:deceased	20	4.6 %	4.6%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
435	0.00	2.00	0.86	0.47

PMC1C	amount time birth dad spent w/ YA, past year
-------	----------------------------------------------

Start: 17
 End: 19
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:daily	152	34.9 %	48.1%
2	2:weekly	51	11.7 %	16.1%
3	3:monthly	16	3.7 %	5.1%
4	4:twice/month	11	2.5 %	3.5%
5	5:several times/year	19	4.4 %	6.0%
6	6:once/year	15	3.4 %	4.7%
7	7:intermittent at set times	5	1.1 %	1.6%
8	8:intermittent and unpredictable	20	4.6 %	6.3%
9	9:other	27	6.2 %	8.5%

- ICPSR 13731 -

Variable	Variable Description
----------	----------------------

PMC1C	amount time birth dad spent w/ YA, past year (<i>cont.</i>)
-------	---------------------------------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	119	27.4 %	-

Valid	Min	Max	Mean	Stdev
316	1.00	9.00	3.07	2.78

PMC1D	average # days/week YA spends time w/ birth dad
-------	-------------------------------------------------

Start: 20
 End: 22
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	95	21.8 %	28.9%
1	-	30	6.9 %	9.1%
2	-	23	5.3 %	7.0%
3	-	19	4.4 %	5.8%
4	-	16	3.7 %	4.9%
5	-	9	2.1 %	2.7%
6	-	3	0.7 %	0.9%
7	-	134	30.8 %	40.7%
. (M)	-	104	23.9 %	-

Valid	Min	Max	Mean	Stdev
329	0.00	7.00	3.64	3.07

PMC2	man spent most time raising YA
------	--------------------------------

Start: 23
 End: 25
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PMC2	man spent most time raising YA (cont.)
------	----------------------------------------

Value	Label	Frequency	%	Valid %
0	0:biologic dad	272	62.5 %	62.7%
1	1:stepfather	46	10.6 %	10.6%
2	2:adopt father	0	0.0 %	0.0%
3	3:foster father	0	0.0 %	0.0%
4	4:mom's partner	5	1.1 %	1.2%
5	5:grandfather	20	4.6 %	4.6%
6	6:great grandfather	1	0.2 %	0.2%
7	7:uncle	10	2.3 %	2.3%
8	8:great uncle	0	0.0 %	0.0%
9	9:sibling	14	3.2 %	3.2%
10	10:cousin	0	0.0 %	0.0%
11	11:nephew	0	0.0 %	0.0%
12	12:neighbor	0	0.0 %	0.0%
13	13:minister/priest	0	0.0 %	0.0%
14	14:church leader	0	0.0 %	0.0%
15	15:youth leader	0	0.0 %	0.0%
16	16:teacher	0	0.0 %	0.0%
17	17:coach	0	0.0 %	0.0%
18	18:friend	0	0.0 %	0.0%
19	19:other	5	1.1 %	1.2%
20	20:none	61	14.0 %	14.1%
21	21:babysitter	0	0.0 %	0.0%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
434	0.00	20.00	3.88	7.12

PMC2C	# years involved w/ YA, man who raised YA
-------	-------------------------------------------

Start: 26
 End: 28
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PMC2C	# years involved w/ YA, man who raised YA (<i>cont.</i>)
-------	------------------------------------------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	0.2 %	0.3%
2	-	1	0.2 %	0.3%
3	-	2	0.5 %	0.5%
4	-	3	0.7 %	0.8%
5	-	4	0.9 %	1.1%
6	-	2	0.5 %	0.5%
7	-	4	0.9 %	1.1%
8	-	5	1.1 %	1.4%
9	-	5	1.1 %	1.4%
10	-	4	0.9 %	1.1%
11	-	9	2.1 %	2.5%
12	-	11	2.5 %	3.0%
13	-	8	1.8 %	2.2%
14	-	7	1.6 %	1.9%
15	-	5	1.1 %	1.4%
16	-	3	0.7 %	0.8%
17	-	8	1.8 %	2.2%
18	-	6	1.4 %	1.6%
19	-	6	1.4 %	1.6%
20	-	2	0.5 %	0.5%
93	93:all YA life	271	62.3 %	73.8%
. (M)	-	66	15.2 %	-

Valid	Min	Max	Mean	Stdev
367	1.00	93.00	71.83	35.69

PMC3	PMC ever mostly sad 2 weeks or more since YA birth?
------	-----------------------------------------------------

Start: 29
 End: 31
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	43	9.9 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PMC3	PMC ever mostly sad 2 weeks or more since YA birth? (cont.)
------	-------------------------------------------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	268	61.6 %	81.2%
1	1:yes	62	14.3 %	18.8%
. (M)	-	62	14.3 %	-

Valid	Min	Max	Mean	Stdev
330	0.00	1.00	0.19	0.39

PMC4	part of YA's life PMC was sad
------	-------------------------------

Start: 32
 End: 34
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:all	6	1.4 %	9.7%
2	2:most	7	1.6 %	11.3%
3	3:some	21	4.8 %	33.9%
4	4:a little	28	6.4 %	45.2%
5	5:none	0	0.0 %	0.0%
. (M)	-	373	85.7 %	-

Valid	Min	Max	Mean	Stdev
62	1.00	4.00	3.15	0.97

PMC5	PMC ever professional treatment for depression?
------	-------------------------------------------------

Start: 35
 End: 37
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PMC5	PMC ever professional treatment for depression? (cont.)
------	---------------------------------------------------------

Value	Label	Frequency	%	Valid %
0	0:no	48	11.0 %	78.7%
1	1:yes	13	3.0 %	21.3%
. (M)	-	373	85.7 %	-

Valid	Min	Max	Mean	Stdev
61	0.00	1.00	0.21	0.41

PMC5A	PMC ever hospitalized for depression?
-------	---------------------------------------

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	3.0 %	76.5%
1	1:yes	4	0.9 %	23.5%
. (M)	-	417	95.9 %	-

Valid	Min	Max	Mean	Stdev
17	0.00	1.00	0.24	0.44

PMC6	PMC ever smoke cigarettes since YA birth?
------	-------------------------------------------

Start: 41
End: 43
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	6	1.4 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	143	32.9 %	43.1%
1	1:yes	189	43.4 %	56.9%
. (M)	-	97	22.3 %	-

Variable	Variable Description
----------	----------------------

PMC6	PMC ever smoke cigarettes since YA birth? (cont.)
------	---------------------------------------------------

Valid	Min	Max	Mean	Stdev
332	0.00	1.00	0.57	0.50

PMC6A	PMC regular smoker?
-------	---------------------

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	34	7.8 %	18.4%
1	1:yes	151	34.7 %	81.6%
. (M)	-	247	56.8 %	-

Valid	Min	Max	Mean	Stdev
185	0.00	1.00	0.82	0.39

PMC7	PMC ever problem w/ drinking?
------	-------------------------------

Start: 47
End: 49
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	3	0.7 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	265	60.9 %	71.6%
1	1:yes	105	24.1 %	28.4%
. (M)	-	62	14.3 %	-

Valid	Min	Max	Mean	Stdev
370	0.00	1.00	0.28	0.45

Variable **Variable Description**

PMC8 **PMC ever problem w/ prescription drugs?**

Start: 50
 End: 52
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	363	83.4 %	98.1%
1	1:yes	7	1.6 %	1.9%
. (M)	-	63	14.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
370	0.00	1.00	0.02	0.14

PMC9 **PMC ever problem w/ illegal drugs?**

Start: 53
 End: 55
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	12	2.8 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	325	74.7 %	91.5%
1	1:yes	30	6.9 %	8.5%
. (M)	-	66	15.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
355	0.00	1.00	0.08	0.28

PMC10 **part of YA's life PMC had alcohol/drug problem**

Start: 56
 End: 58
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PMC10	part of YA's life PMC had alcohol/drug problem (cont.)
-------	--------------------------------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:all	13	3.0 %	11.6%
2	2:most	24	5.5 %	21.4%
3	3:some	37	8.5 %	33.0%
4	4:a little	29	6.7 %	25.9%
5	5:none	9	2.1 %	8.0%
. (M)	-	321	73.8 %	-

Valid	Min	Max	Mean	Stdev
112	1.00	5.00	2.97	1.13

PMC11	PMC ever professional treatment for alcohol/drug use?
-------	-------------------------------------------------------

Start: 59
 End: 61
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	2	0.5 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	72	16.6 %	64.9%
1	1:yes	39	9.0 %	35.1%
. (M)	-	321	73.8 %	-

Valid	Min	Max	Mean	Stdev
111	0.00	1.00	0.35	0.48

PMC11A	PMC ever hospitalized for alcohol/drug use?
--------	---------------------------------------------

Start: 62
 End: 64
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	1	0.2 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

PMC11A	PMC ever hospitalized for alcohol/drug use? (cont.)
--------	-----------------------------------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	24	5.5 %	60.0%
1	1:yes	16	3.7 %	40.0%
. (M)	-	393	90.3 %	-

Valid	Min	Max	Mean	Stdev
40	0.00	1.00	0.40	0.50

PMC12	PMC ever attempt suicide?
-------	---------------------------

Start: 65
End: 67
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	5	1.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	357	82.1 %	97.5%
1	1:yes	9	2.1 %	2.5%
. (M)	-	64	14.7 %	-

Valid	Min	Max	Mean	Stdev
366	0.00	1.00	0.02	0.16

PMC13	PMC ever MD/medication/hospitalized for emo/beh/drg prob?
-------	-----------------------------------------------------------

Start: 68
End: 70
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	5	1.1 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	340	78.2 %	93.7%
1	1:yes	23	5.3 %	6.3%
. (M)	-	67	15.4 %	-

Variable	Variable Description
----------	----------------------

PMC13	PMC ever MD/medication/hospitalized for emo/beh/drg prob? (<i>cont.</i>)
-------	----------------------------------------------------------------------------

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
363	0.00	1.00	0.06	0.24