



ICPSR 13743

## Project on Human Development in Chicago Neighborhoods (PHDCN): Substance Use, Wave 3, 2000-2002

Felton J. Earls  
*Harvard Medical School*

Jeanne Brooks-Gunn  
*Scientific Director. Columbia University.  
Teacher's College. Center for the Study of  
Children and Families*

Stephen W. Raudenbush  
*Scientific Director. University of Michigan.  
School of Education and Survey Research  
Center*

Robert J. Sampson  
*Scientific Director. Harvard University.  
Department of Sociology*

Codebook for Cohort 9



National Institute of Justice  
Data Resources Program

# ICPSR

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
  - verified that respondent confidentiality was protected
  - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
  - noted inconsistencies in missing value designations.
  
2. ICPSR altered the data files from the Murray Research Center in the following ways:
  - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
  - reformatted date and time variables to make them compatible across statistical packages
  - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
  - recoded character variables to numeric variables and standardized response codes across cohorts.
  
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
  - Data Completeness Reports summarizing the amount of missing data in each file
  - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
  - processing notes and appendices documenting additional information, as necessary.
  
4. As noted above, ICPSR recoded all character variables to numeric. ICPSR simply assigned the character values to a number and used the text of the character variable as a value label. ICPSR did not alter the text from the character variable; therefore, the value labels may contain spelling errors or unusual characters (e.g., \*). ICPSR standardized the numbering of the responses across all files in the study to facilitate comparison across files. The following character variables were recoded to numeric variables for this data collection:  
SX16B\_1     drug injected/1st

SX16B\_2 drug injected/2nd

5. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.
6. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
7. The following abbreviations are used in the codebook and setup files:
  - PC = Primary Caregiver
  - SUB = Subject
  - SUBU = Substance Use

## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9**

Variable Name and Label (Total Cases = 596 )	Percent of Cases with Missing Values
2.5% ( 4 of 159 variables)	have 0% Missing Values
3.1% ( 5 of 159 variables)	have 0% - 1% Missing Values
1.3% ( 2 of 159 variables)	have 1% - 3% Missing Values
0.0% ( 0 of 159 variables)	have 3% - 5% Missing Values
0.6% ( 1 of 159 variables)	have 5% - 10% Missing Values
SXI_A	ever used methamphetamine? 6.2%
0.0% ( 0 of 159 variables)	have 10% - 20% Missing Values
0.0% ( 0 of 159 variables)	have 20% - 40% Missing Values
34.0% ( 54 of 159 variables)	have 40% - 99% Missing Values
SX1B	# days smoked cigarettes, whole life 84.9%
SX1C	# days smoked cigarettes, last year 85.6%
SX1D	# days smoked cigarettes, last month 91.3%
SX1E	average # cigarettes/day, last month 97.0%
SX1F	use cigarettes that were in house? last month 96.5%
SX1G	buy cigarettes from friends/family? last month 96.5%
SX1H	buy cigarettes from a store? last month 96.5%
SX1I	steal cigarettes? last month 96.5%
SX1J	others give cigarettes to you? last month 96.5%
SX1K	others buy cigarettes for you? last month 96.5%
SX2B	# days drank alcohol, whole life 81.4%
SX2B1	ever been drunk? 81.0%
SX2B2	age, 1st drank enough to feel drunk 93.8%
SX2C	# days drank alcohol, last year 81.4%
SX2D	# days drunk/very high, past year 86.7%
SX2E	# days drank alcohol, last month 86.7%
SX2F	# days drank 5 drinks or more in row,last month 94.5%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9**

<b>Variable Name and Label (Total Cases = 596 )</b>		<b>Percent of Cases with Missing Values</b>
SX2G	use alcohol that was in house? last month	94.6%
SX2H	buy alcohol from friends/family? last month	94.6%
SX2I	buy alcohol from a store? last month	94.6%
SX2J	steal alcohol? last month	94.6%
SX2K	others give alcohol to you? last month	94.6%
SX2L	others buy alcohol for you? last month	94.6%
SX3A	ever drank beer?	86.4%
SX3B	# days drank beer, whole life	91.3%
SX3C	# days drank beer, last year	91.6%
SX3D	# days drank beer, last month	92.8%
SX3E	average # beers/day, last month	97.3%
SX4A	ever drank wine/wine coolers?	86.7%
SX4B	# days drank wine, whole life	90.6%
SX4C	# days drank wine, last year	90.9%
SX4D	# days drank wine, last month	93.0%
SX4E	average # drinks of wine/day, last month	97.7%
SX5A	ever drank liquor?	86.6%
SX5B	# days drank liquor, whole life	93.6%
SX5C	# days drank liquor, last year	93.6%
SX5D	# days drank liquor, last month	95.5%
SX5E	average # drinks of liquor/day, last month	98.3%
SX6B	# days used marijuana, whole life	93.3%
SX6C	# days used marijuana, last year	93.3%
SX6D	# days used marijuana, last month	95.3%
SX6E	use marijuana that was in house? last month	97.8%
SX6F	buy marijuana from friends/family? last month	97.8%
SX6G	buy marijuana from a store? last month	97.8%
SX6H	steal marijuana? last month	97.8%
SX6I	others give marijuana to you? last month	97.8%
SX6J	others buy marijuana for you? last month	97.8%
SX8A	ever used crack?	96.6%
SX12A	ever used barbiturates?	97.5%
SX13A	ever used tranquilizers?	97.8%
SX14A	ever used amphetamines?	98.0%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9**

Variable Name and Label (Total Cases = 596 )		Percent of Cases with Missing Values
SX15A	ever used steroids?	98.2%
SX16A	ever injected any drug thru skin?	98.5%
SXX23B	alcohol, wanted to stop use? past year	99.0%
58.5% ( 93 of 159 variables)	have 100% missing values	
SX7B	# days used cocaine, whole life	100%
SX7C	# days used cocaine, last year	100%
SX7D	# days used cocaine, last month	100%
SX7E	use cocaine that was in house? last month	100%
SX7F	buy cocaine from friends/family? last month	100%
SX7G	buy cocaine from a store? last month	100%
SX7H	steal cocaine? last month	100%
SX7I	others give cocaine to you? last month	100%
SX7J	others buy cocaine for you? last month	100%
SX8B	# days used crack, whole life	100%
SX8C	# days used crack, last year	100%
SX8D	# days used crack, last month	100%
SX8E	use crack that was in house? last month	100%
SX8F	buy crack from friends/family?last month	100%
SX8G	buy crack from a store? last month	100%
SX8H	steal crack? last month	100%
SX8I	others give crack to you? last month	100%
SX8J	others buy crack for you? last month	100%
SX9B	# days inhaled glue, whole life	100%
SX9C	# days inhaled glue, last year	100%
SX9D	# days inhaled glue, last month	100%
SX10B	# days used psychedelics, whole life	100%
SX10C	# days used psychedelics, last year	100%
SX10D	# days used psychedelics, last month	100%
SX11B	# days used heroin, whole life	100%
SX11C	# days used heroin, last year	100%
SX11D	# days used heroin, last month	100%
SXI_B	# days used methamphetamine, whole life	100%
SXI_C	# days used methamphetamine, last year	100%
SXI_D	# days used methamphetamine, last month	100%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9**

<b>Variable Name and Label (Total Cases = 596 )</b>		<b>Percent of Cases with Missing Values</b>
SX12B	# days used barbiturates, whole life	100%
SX12C	# days used barbiturates, last year	100%
SX12D	# days used barbiturates, last month	100%
SX13B	# days used tranquilizers, whole life	100%
SX13C	# days used tranquilizers, last year	100%
SX13D	# days used tranquilizers, last month	100%
SX14B	# days used amphetamines, whole life	99.8%
SX14C	# days used amphetamines, last year	99.8%
SX14D	# days used amphetamines, last month	99.8%
SX15B	# days used steroids, whole life	100%
SX15C	# days used steroids, last year	100%
SX15D	# days used steroids, last month	100%
SX16B_1	drug injected/1st	100%
SX16B_2	drug injected/2nd	100%
SX16C	# times ever injected drugs thru skin	100%
SX16D	# times injected drugs, past year	100%
SXX17B	alcohol,spent much time getting? past year	99.2%
SXX17C	marijuana,spent much time getting? past year	99.8%
SXX17D	cocaine,spent much time getting? past year	100%
SXX17E	crack, spent much time getting? past year	100%
SXX17F	inhalant,spent much time getting? past year	100%
SXX17G	drugs, spent much time getting? past year	99.8%
SXX18B	alcohol,spent much time recover? past year	99.2%
SXX18C	marijuana,spent much time recover? past year	99.8%
SXX18D	cocaine,spent much time recover? past year	100%
SXX18E	crack, spent much time recover? past year	100%
SXX18F	inhalant,spent much time recover? past year	100%
SXX18G	drugs, spent much time recover? past year	99.8%
SXX19B	alcohol, used much more often? past year	99.2%
SXX19C	marijuana, used much more often? past year	99.8%
SXX19D	cocaine, used much more often? past year	100%
SXX19E	crack, used much more often? past year	100%
SXX19F	inhalant, used much more often? past year	100%
SXX19G	drugs, used much more often? past year	99.8%



**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9**

Variable Name and Label (Total Cases = 596 )		Percent of Cases with Missing Values
SXX20B	alcohol, had less effect? past year	99.2%
SXX20C	marijuana, had less effect? past year	99.8%
SXX20D	cocaine, had less effect? past year	100%
SXX20E	crack, had less effect? past year	100%
SXX20F	inhalant, had less effect? past year	100%
SXX20G	drugs, had less effect? past year	99.8%
SXX21B	alcohol, threatened safety? past year	99.2%
SXX21C	marijuana, threatened safety? past year	99.8%
SXX21D	cocaine, threatened safety? past year	100%
SXX21E	crack, threatened safety? past year	100%
SXX21F	inhalant, threatened safety? past year	100%
SXX21G	drugs, threatened safety? past year	99.8%
SXX22B	alcohol, emotional problems? past year	99.2%
SXX22C	marijuana, emotional problems? past year	99.8%
SXX22D	cocaine, emotional problems? past year	100%
SXX22E	crack, emotional problems? past year	100%
SXX22F	inhalant, emotional problems? past year	100%
SXX22G	drugs, emotional problems? past year	99.8%
SXX23C	marijuana, wanted to stop use? past year	99.5%
SXX23D	cocaine, wanted to stop use? past year	100%
SXX23E	crack, wanted to stop use? past year	100%
SXX23F	inhalant, wanted to stop use? past year	100%
SXX23G	drugs, wanted to stop use? past year	99.8%
SXX24B	alcohol, able to stop use? past year	99.5%
SXX24C	marijuana, able to stop use? past year	99.8%
SXX24D	cocaine, able to stop use? past year	100%
SXX24E	crack, able to stop use? past year	100%
SXX24F	inhalant, able to stop use? past year	100%
SXX24G	drugs, able to stop use? past year	100%



## Codebook for ICPSR 13743

### Project on Human Development in Chicago Neighborhoods (PHDCN): Substance Use, Wave 3, 2000-2002

#### Dataset0002: Cohort 9

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
End: 7	596	3000003.00	3006203.00	3003228.82	1861.34
Width: 7					
Type: numeric (ISO)					
Interval: discrete					

WAVE	wave #
------	--------

Start: 8	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
End: 10	-99 (M)	-99:interviewer missed	0	0.0 %	-
Width: 3	-98 (M)	-98:doesn't know	0	0.0 %	-
Type: numeric (ISO)	-96 (M)	-96:refused	0	0.0 %	-
Interval: discrete	-95 (M)	-95:doesn't understand	0	0.0 %	-
Missing: -99 thru -93	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	3	-	596	100.0 %	100.0%
	<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
	596	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
End: 13	-99 (M)	-99:interviewer missed	0	0.0 %	-
Width: 3	-98 (M)	-98:doesn't know	0	0.0 %	-
Type: numeric (ISO)	-96 (M)	-96:refused	0	0.0 %	-
Interval: discrete	-95 (M)	-95:doesn't understand	0	0.0 %	-
Missing: -99 thru -93	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	9	-	596	100.0 %	100.0%

**Variable** **Variable Description**

**COHORT** cohort (cont.)

Valid	Min	Max	Mean	Stdev
596	9.00	9.00	9.00	0.00

**SUBUCLND** any variable changed in SUBUSE cleaning?

Start: 14  
End: 16  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	589	98.8 %	98.8%
1	1:yes	7	1.2 %	1.2%

Valid	Min	Max	Mean	Stdev
596	0.00	1.00	0.01	0.11

**SX1A** ever smoked cigarettes?

Start: 17  
End: 19  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	504	84.6 %	84.7%
1	1:yes	91	15.3 %	15.3%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
595	0.00	1.00	0.15	0.36

**SX1B** # days smoked cigarettes, whole life

Start: 20  
End: 22  
Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX1B	# days smoked cigarettes, whole life ( <i>cont.</i> )
------	---

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	47	7.9 %	52.2%
3	3:3-5	17	2.9 %	18.9%
4	4:6-11	11	1.8 %	12.2%
5	5:12-24	5	0.8 %	5.6%
6	6:25-50	3	0.5 %	3.3%
7	7:51-99	2	0.3 %	2.2%
8	8:100-199	2	0.3 %	2.2%
9	9:200 or more	3	0.5 %	3.3%
. (M)	-	506	84.9 %	-

Valid	Min	Max	Mean	Stdev
90	2.00	9.00	3.21	1.81

SX1C	# days smoked cigarettes, last year
------	-------------------------------------

Start: 23  
End: 25  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	38	6.4 %	44.2%
2	2:1-2	25	4.2 %	29.1%
3	3:3-5	11	1.8 %	12.8%
4	4:6-11	3	0.5 %	3.5%
5	5:12-24	3	0.5 %	3.5%
6	6:25-50	3	0.5 %	3.5%
7	7:51-99	2	0.3 %	2.3%

Variable	Variable Description
----------	----------------------

SX1C	# days smoked cigarettes, last year (cont.)
------	---

Value	Label	Frequency	%	Valid %
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	1	0.2 %	1.2%
. (M)	-	510	85.6 %	-

Valid	Min	Max	Mean	Stdev
86	1.00	9.00	2.20	1.65

SX1D	# days smoked cigarettes, last month
------	--------------------------------------

Start: 26  
End: 28  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	32	5.4 %	61.5%
2	2:1-2	10	1.7 %	19.2%
3	3:3-5	3	0.5 %	5.8%
4	4:6-9	4	0.7 %	7.7%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	1	0.2 %	1.9%
7	7:21 or more	2	0.3 %	3.8%
. (M)	-	544	91.3 %	-

Valid	Min	Max	Mean	Stdev
52	1.00	7.00	1.87	1.51

SX1E	average # cigarettes/day, last month
------	--------------------------------------

Start: 29  
End: 31  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX1E	average # cigarettes/day, last month (cont.)
------	--

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:less than 1	9	1.5 %	50.0%
2	2:1-5	8	1.3 %	44.4%
3	3:6-15	1	0.2 %	5.6%
4	4:16-25	0	0.0 %	0.0%
5	5:25 or more	0	0.0 %	0.0%
. (M)	-	578	97.0 %	-

Valid	Min	Max	Mean	Stdev
18	1.00	3.00	1.56	0.62

SX1F	use cigarettes that were in house? last month
------	---

Start: 32  
 End: 34  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	18	3.0 %	85.7%
1	1:yes	3	0.5 %	14.3%
. (M)	-	575	96.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.14	0.36

SX1G	buy cigarettes from friends/family? last month
------	--

Start: 35  
 End: 37  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX1G	buy cigarettes from friends/family? last month (cont.)
------	--

Value	Label	Frequency	%	Valid %
0	0:no	17	2.9 %	81.0%
1	1:yes	4	0.7 %	19.0%
. (M)	-	575	96.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.19	0.40

SX1H	buy cigarettes from a store? last month
------	---

Start: 38  
End: 40  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	15	2.5 %	71.4%
1	1:yes	6	1.0 %	28.6%
. (M)	-	575	96.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.29	0.46

SX1I	steal cigarettes? last month
------	------------------------------

Start: 41  
End: 43  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	3.4 %	95.2%
1	1:yes	1	0.2 %	4.8%
. (M)	-	575	96.5 %	-



Variable	Variable Description
----------	----------------------

SX1I	steal cigarettes? last month ( <i>cont.</i> )
------	---

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.05	0.22

SX1J	others give cigarettes to you? last month
------	---

Start: 44  
End: 46  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	0.8 %	23.8%
1	1:yes	16	2.7 %	76.2%
. (M)	-	575	96.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.76	0.44

SX1K	others buy cigarettes for you? last month
------	---

Start: 47  
End: 49  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	15	2.5 %	71.4%
1	1:yes	6	1.0 %	28.6%
. (M)	-	575	96.5 %	-

Valid	Min	Max	Mean	Stdev
21	0.00	1.00	0.29	0.46

Variable	Variable Description
----------	----------------------

SX2A	ever drank alcohol?
------	---------------------

Start: 50  
 End: 52  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	481	80.7 %	80.8%
1	1:yes	114	19.1 %	19.2%
. (M)	-	1	0.2 %	-

  

Valid	Min	Max	Mean	Stdev
595	0.00	1.00	0.19	0.39

SX2B	# days drank alcohol, whole life
------	----------------------------------

Start: 53  
 End: 55  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	49	8.2 %	44.1%
3	3:3-5	39	6.5 %	35.1%
4	4:6-11	13	2.2 %	11.7%
5	5:12-24	5	0.8 %	4.5%
6	6:25-50	2	0.3 %	1.8%
7	7:51-99	1	0.2 %	0.9%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	2	0.3 %	1.8%
. (M)	-	485	81.4 %	-

  

Valid	Min	Max	Mean	Stdev
111	2.00	9.00	2.96	1.31

Variable	Variable Description
----------	----------------------

SX2B1	ever been drunk?
-------	------------------

Start: 56  
 End: 58  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	77	12.9 %	68.1%
1	1:yes	36	6.0 %	31.9%
. (M)	-	483	81.0 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
113	0.00	1.00	0.32	0.47

SX2B2	age, 1st drank enough to feel drunk
-------	-------------------------------------

Start: 59  
 End: 61  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	2	0.3 %	5.4%
7	-	1	0.2 %	2.7%
9	-	1	0.2 %	2.7%
11	-	2	0.3 %	5.4%
12	-	11	1.8 %	29.7%
13	-	14	2.3 %	37.8%
14	-	5	0.8 %	13.5%
15	-	1	0.2 %	2.7%
. (M)	-	559	93.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
37	3.00	15.00	11.97	2.59

Variable	Variable Description
----------	----------------------

SX2C	# days drank alcohol, last year
------	---------------------------------

Start: 62  
 End: 64  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	33	5.5 %	29.7%
2	2:1-2	54	9.1 %	48.6%
3	3:3-5	19	3.2 %	17.1%
4	4:6-11	4	0.7 %	3.6%
5	5:12-24	0	0.0 %	0.0%
6	6:25-50	1	0.2 %	0.9%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	485	81.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
111	1.00	6.00	1.98	0.87

SX2D	# days drunk/very high, past year
------	-----------------------------------

Start: 65  
 End: 67  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	54	9.1 %	68.4%
1	-	11	1.8 %	13.9%
2	-	9	1.5 %	11.4%
3	-	2	0.3 %	2.5%
4	-	1	0.2 %	1.3%
7	-	1	0.2 %	1.3%

**Variable**                      **Variable Description**

**SX2D**                                      **# days drunk/very high, past year (cont.)**

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
30	-	1	0.2 %	1.3%
. (M)	-	517	86.7 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
79	0.00	30.00	0.96	3.50

**SX2E**                                      **# days drank alcohol, last month**

Start: 68  
 End: 70  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	47	7.9 %	59.5%
2	2:1-2	30	5.0 %	38.0%
3	3:3-5	1	0.2 %	1.3%
4	4:6-9	1	0.2 %	1.3%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:21 or more	0	0.0 %	0.0%
. (M)	-	517	86.7 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
79	1.00	4.00	1.44	0.59

**SX2F**                                      **# days drank 5 drinks or more in row,last month**

Start: 71  
 End: 73  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX2F	# days drank 5 drinks or more in row,last month (cont.)
------	---

Value	Label	Frequency	%	Valid %
1	1:never	28	4.7 %	84.8%
2	2:once	3	0.5 %	9.1%
3	3:twice	2	0.3 %	6.1%
4	4:3-5	0	0.0 %	0.0%
5	5:6-9	0	0.0 %	0.0%
6	6:10 or more	0	0.0 %	0.0%
. (M)	-	563	94.5 %	-

Valid	Min	Max	Mean	Stdev
33	1.00	3.00	1.21	0.55

SX2G	use alcohol that was in house? last month
------	---

Start: 74  
 End: 76  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	3.4 %	62.5%
1	1:yes	12	2.0 %	37.5%
. (M)	-	564	94.6 %	-

Valid	Min	Max	Mean	Stdev
32	0.00	1.00	0.38	0.49

SX2H	buy alcohol from friends/family? last month
------	---

Start: 77  
 End: 79  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX2H	buy alcohol from friends/family? last month (cont.)
------	---

Value	Label	Frequency	%	Valid %
0	0:no	31	5.2 %	96.9%
1	1:yes	1	0.2 %	3.1%
. (M)	-	564	94.6 %	-

Valid	Min	Max	Mean	Stdev
32	0.00	1.00	0.03	0.18

SX2I	buy alcohol from a store? last month
------	--------------------------------------

Start: 80  
 End: 82  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	4.9 %	90.6%
1	1:yes	3	0.5 %	9.4%
. (M)	-	564	94.6 %	-

Valid	Min	Max	Mean	Stdev
32	0.00	1.00	0.09	0.30

SX2J	steal alcohol? last month
------	---------------------------

Start: 83  
 End: 85  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	32	5.4 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	564	94.6 %	-

Variable	Variable Description
----------	----------------------

SX2J	steal alcohol? last month (cont.)
------	-----------------------------------

Valid	Min	Max	Mean	Stdev
32	0.00	0.00	0.00	0.00

SX2K	others give alcohol to you? last month
------	--

Start: 86  
End: 88  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	7	1.2 %	21.9%
1	1:yes	25	4.2 %	78.1%
. (M)	-	564	94.6 %	-

Valid	Min	Max	Mean	Stdev
32	0.00	1.00	0.78	0.42

SX2L	others buy alcohol for you? last month
------	--

Start: 89  
End: 91  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	25	4.2 %	78.1%
1	1:yes	7	1.2 %	21.9%
. (M)	-	564	94.6 %	-

Valid	Min	Max	Mean	Stdev
32	0.00	1.00	0.22	0.42



Variable	Variable Description
----------	----------------------

SX3A	ever drank beer?
------	------------------

Start: 92  
 End: 94  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	29	4.9 %	35.8%
1	1:yes	52	8.7 %	64.2%
. (M)	-	515	86.4 %	-

  

Valid	Min	Max	Mean	Stdev
81	0.00	1.00	0.64	0.48

SX3B	# days drank beer, whole life
------	-------------------------------

Start: 95  
 End: 97  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	1	0.2 %	1.9%
2	2:1-2	20	3.4 %	38.5%
3	3:3-5	14	2.3 %	26.9%
4	4:6-11	10	1.7 %	19.2%
5	5:12-24	6	1.0 %	11.5%
6	6:25-50	0	0.0 %	0.0%
7	7:51-99	1	0.2 %	1.9%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	544	91.3 %	-

  

Valid	Min	Max	Mean	Stdev
52	1.00	7.00	3.08	1.20

Variable	Variable Description
----------	----------------------

SX3C	# days drank beer, last year
------	------------------------------

Start: 98  
 End: 100  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	9	1.5 %	18.0%
2	2:1-2	27	4.5 %	54.0%
3	3:3-5	9	1.5 %	18.0%
4	4:6-11	5	0.8 %	10.0%
5	5:12-24	0	0.0 %	0.0%
6	6:25-50	0	0.0 %	0.0%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	546	91.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
50	1.00	4.00	2.20	0.86

SX3D	# days drank beer, last month
------	-------------------------------

Start: 101  
 End: 103  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	25	4.2 %	58.1%
2	2:1-2	14	2.3 %	32.6%
3	3:3-5	2	0.3 %	4.7%
4	4:6-9	2	0.3 %	4.7%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX3D	# days drank beer, last month (cont.)
------	---------------------------------------

Value	Label	Frequency	%	Valid %
7	7:21 or more	0	0.0 %	0.0%
. (M)	-	553	92.8 %	-

  

Valid	Min	Max	Mean	Stdev
43	1.00	4.00	1.56	0.80

SX3E	average # beers/day, last month
------	---------------------------------

Start: 104  
 End: 106  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	6.2%
1	-	6	1.0 %	37.5%
2	-	6	1.0 %	37.5%
3	-	1	0.2 %	6.2%
5	-	1	0.2 %	6.2%
6	-	1	0.2 %	6.2%
. (M)	-	579	97.1 %	-

  

Valid	Min	Max	Mean	Stdev
16	0.00	6.00	2.00	1.55

SX4A	ever drank wine/wine coolers?
------	-------------------------------

Start: 107  
 End: 109  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	22	3.7 %	27.8%

Variable	Variable Description
----------	----------------------

SX4A	ever drank wine/wine coolers? (cont.)
------	---------------------------------------

Value	Label	Frequency	%	Valid %
1	1:yes	57	9.6 %	72.2%
. (M)	-	517	86.7 %	-

  

Valid	Min	Max	Mean	Stdev
79	0.00	1.00	0.72	0.45

SX4B	# days drank wine, whole life
------	-------------------------------

Start: 110  
 End: 112  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	27	4.5 %	48.2%
3	3:3-5	17	2.9 %	30.4%
4	4:6-11	7	1.2 %	12.5%
5	5:12-24	3	0.5 %	5.4%
6	6:25-50	1	0.2 %	1.8%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	1	0.2 %	1.8%
. (M)	-	540	90.6 %	-

  

Valid	Min	Max	Mean	Stdev
56	2.00	9.00	2.91	1.28

SX4C	# days drank wine, last year
------	------------------------------

Start: 113  
 End: 115  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX4C	# days drank wine, last year (cont.)
------	--------------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	14	2.3 %	25.9%
2	2:1-2	28	4.7 %	51.9%
3	3:3-5	9	1.5 %	16.7%
4	4:6-11	3	0.5 %	5.6%
5	5:12-24	0	0.0 %	0.0%
6	6:25-50	0	0.0 %	0.0%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	542	90.9 %	-

Valid	Min	Max	Mean	Stdev
54	1.00	4.00	2.02	0.81

SX4D	# days drank wine, last month
------	-------------------------------

Start: 116  
 End: 118  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	29	4.9 %	69.0%
2	2:1-2	13	2.2 %	31.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:21 or more	0	0.0 %	0.0%
. (M)	-	554	93.0 %	-

Variable	Variable Description
----------	----------------------

SX4D	# days drank wine, last month (cont.)
------	---------------------------------------

Valid	Min	Max	Mean	Stdev
42	1.00	2.00	1.31	0.47

SX4E	average # drinks of wine/day, last month
------	--

Start: 119  
 End: 121  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	7	1.2 %	50.0%
2	-	4	0.7 %	28.6%
5	-	1	0.2 %	7.1%
6	-	2	0.3 %	14.3%
. (M)	-	582	97.7 %	-

Valid	Min	Max	Mean	Stdev
14	1.00	6.00	2.29	1.90

SX5A	ever drank liquor?
------	--------------------

Start: 122  
 End: 124  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	42	7.0 %	52.5%
1	1:yes	38	6.4 %	47.5%
. (M)	-	516	86.6 %	-

Valid	Min	Max	Mean	Stdev
80	0.00	1.00	0.47	0.50

Variable	Variable Description
----------	----------------------

SX5B	# days drank liquor, whole life
------	---------------------------------

Start: 125  
 End: 127  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	19	3.2 %	50.0%
3	3:3-5	14	2.3 %	36.8%
4	4:6-11	1	0.2 %	2.6%
5	5:12-24	3	0.5 %	7.9%
6	6:25-50	1	0.2 %	2.6%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	558	93.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
38	2.00	6.00	2.76	1.02

SX5C	# days drank liquor, last year
------	--------------------------------

Start: 128  
 End: 130  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	11	1.8 %	28.9%
2	2:1-2	20	3.4 %	52.6%
3	3:3-5	4	0.7 %	10.5%
4	4:6-11	3	0.5 %	7.9%
5	5:12-24	0	0.0 %	0.0%
6	6:25-50	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX5C	# days drank liquor, last year (cont.)
------	--

Value	Label	Frequency	%	Valid %
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	558	93.6 %	-

Valid	Min	Max	Mean	Stdev
38	1.00	4.00	1.97	0.85

SX5D	# days drank liquor, last month
------	---------------------------------

Start: 131  
 End: 133  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	17	2.9 %	63.0%
2	2:1-2	9	1.5 %	33.3%
3	3:3-5	1	0.2 %	3.7%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%
7	7:21 or more	0	0.0 %	0.0%
. (M)	-	569	95.5 %	-

Valid	Min	Max	Mean	Stdev
27	1.00	3.00	1.41	0.57

SX5E	average # drinks of liquor/day, last month
------	--

Start: 134  
 End: 136  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-



Variable	Variable Description
----------	----------------------

SX5E	average # drinks of liquor/day, last month (cont.)
------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	2	0.3 %	20.0%
2	-	2	0.3 %	20.0%
3	-	1	0.2 %	10.0%
4	-	2	0.3 %	20.0%
5	-	2	0.3 %	20.0%
8	-	1	0.2 %	10.0%
. (M)	-	586	98.3 %	-

  

Valid	Min	Max	Mean	Stdev
10	1.00	8.00	3.50	2.17

SX6A	ever used marijuana?
------	----------------------

Start: 137  
 End: 139  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	552	92.6 %	93.1%
1	1:yes	41	6.9 %	6.9%
. (M)	-	3	0.5 %	-

  

Valid	Min	Max	Mean	Stdev
593	0.00	1.00	0.07	0.25

SX6B	# days used marijuana, whole life
------	-----------------------------------

Start: 140  
 End: 142  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX6B	# days used marijuana, whole life (cont.)
------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	18	3.0 %	45.0%
3	3:3-5	9	1.5 %	22.5%
4	4:6-11	7	1.2 %	17.5%
5	5:12-24	2	0.3 %	5.0%
6	6:25-50	2	0.3 %	5.0%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	2	0.3 %	5.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	556	93.3 %	-

Valid	Min	Max	Mean	Stdev
40	2.00	8.00	3.23	1.59

SX6C	# days used marijuana, last year
------	----------------------------------

Start: 143  
 End: 145  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	12	2.0 %	30.0%
2	2:1-2	16	2.7 %	40.0%
3	3:3-5	6	1.0 %	15.0%
4	4:6-11	2	0.3 %	5.0%
5	5:12-24	2	0.3 %	5.0%
6	6:25-50	0	0.0 %	0.0%
7	7:51-99	1	0.2 %	2.5%
8	8:100-199	1	0.2 %	2.5%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	556	93.3 %	-

**Variable**                      **Variable Description**

SX6C                              # days used marijuana, last year (cont.)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
40	1.00	8.00	2.38	1.60

SX6D                              # days used marijuana, last month

Start: 146  
End: 148  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	16	2.7 %	57.1%
2	2:1-2	9	1.5 %	32.1%
3	3:3-5	1	0.2 %	3.6%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	1	0.2 %	3.6%
6	6:15-20	0	0.0 %	0.0%
7	7:21 or more	1	0.2 %	3.6%
. (M)	-	568	95.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
28	1.00	7.00	1.75	1.35

SX6E                              use marijuana that was in house? last month

Start: 149  
End: 151  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	2.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	583	97.8 %	-

**Variable** **Variable Description**

SX6E use marijuana that was in house? last month (*cont.*)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	0.00	0.00	0.00

SX6F buy marijuana from friends/family? last month

Start: 152  
End: 154  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.5 %	69.2%
1	1:yes	4	0.7 %	30.8%
. (M)	-	583	97.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	1.00	0.31	0.48

SX6G buy marijuana from a store? last month

Start: 155  
End: 157  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	1.0 %	46.2%
1	1:yes	7	1.2 %	53.8%
. (M)	-	583	97.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	1.00	0.54	0.52

**Variable**                      **Variable Description**

**SX6H**                              **steal marijuana? last month**

Start: 158  
 End: 160  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	2.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	583	97.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	0.00	0.00	0.00

**SX6I**                              **others give marijuana to you? last month**

Start: 161  
 End: 163  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	0.7 %	30.8%
1	1:yes	9	1.5 %	69.2%
. (M)	-	583	97.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
13	0.00	1.00	0.69	0.48

**SX6J**                              **others buy marijuana for you? last month**

Start: 164  
 End: 166  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SX6J	others buy marijuana for you? last month (cont.)
------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	1.8 %	84.6%
1	1:yes	2	0.3 %	15.4%
. (M)	-	583	97.8 %	-

Valid	Min	Max	Mean	Stdev
13	0.00	1.00	0.15	0.38

SX7A	ever used cocaine?
------	--------------------

Start: 167  
 End: 169  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	594	99.7 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	2	0.3 %	-

Valid	Min	Max	Mean	Stdev
594	0.00	0.00	0.00	0.00

SX7B	# days used cocaine, whole life
------	---------------------------------

Start: 170  
 End: 172  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %

- ICPSR 13743 -

Variable	Variable Description
----------	----------------------

SX7B	# days used cocaine, whole life ( <i>cont.</i> )
------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX7C	# days used cocaine, last year
------	--------------------------------

Start: 173  
 End: 175  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX7D	# days used cocaine, last month
------	---------------------------------

Start: 176  
 End: 178  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %

Variable	Variable Description
----------	----------------------

SX7D	# days used cocaine, last month (cont.)
------	---

Value	Label	Frequency	%
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

SX7E	use cocaine that was in house? last month
------	---

Start: 179  
 End: 181  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SX7F	buy cocaine from friends/family? last month
------	---

Start: 182  
 End: 184  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %



**Variable**                      **Variable Description**

**SX7F**                              buy cocaine from friends/family? last month (*cont.*)

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SX7G**                              buy cocaine from a store? last month

Start: 185  
End: 187  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SX7H**                              steal cocaine? last month

Start: 188  
End: 190  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SX7I**                              others give cocaine to you? last month

Start: 191  
End: 193  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %

Variable	Variable Description
----------	----------------------

SX7I	others give cocaine to you? last month (cont.)
------	--

Value	Label	Frequency	%
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SX7J	others buy cocaine for you? last month
------	--

Start: 194  
 End: 196  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SX8A	ever used crack?
------	------------------

Start: 197  
 End: 199  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	20	3.4 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	576	96.6 %	-

Valid	Min	Max	Mean	Stdev
20	0.00	0.00	0.00	0.00

Variable	Variable Description
----------	----------------------

SX8B	# days used crack, whole life
------	-------------------------------

Start: 200  
 End: 202  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX8C	# days used crack, last year
------	------------------------------

Start: 203  
 End: 205  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %

Variable	Variable Description
----------	----------------------

SX8C	# days used crack, last year (cont.)
------	--------------------------------------

Value	Label	Frequency	%
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX8D	# days used crack, last month
------	-------------------------------

Start: 206  
 End: 208  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

SX8E	use crack that was in house? last month
------	---

Start: 209  
 End: 211  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**Variable**                      **Variable Description**

**SX8F**                              **buy crack from friends/family?last month**

Start: 212  
 End: 214  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SX8G**                              **buy crack from a store? last month**

Start: 215  
 End: 217  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SX8H**                              **steal crack? last month**

Start: 218  
 End: 220  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**Variable** **Variable Description**

**SX8I** others give crack to you? last month

Start: 221 End: 223 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
	-99 (M)	-99:interviewer missed	0	0.0 %
	-98 (M)	-98:doesn't know	0	0.0 %
	-96 (M)	-96:refused	0	0.0 %
	-95 (M)	-95:doesn't understand	0	0.0 %
	-94 (M)	-94:no money	0	0.0 %
	-93 (M)	-93:uncodeable	0	0.0 %
	0	0:no	0	0.0 %
	1	1:yes	0	0.0 %
	. (M)	-	596	100.0 %

**SX8J** others buy crack for you? last month

Start: 224 End: 226 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
	-99 (M)	-99:interviewer missed	0	0.0 %
	-98 (M)	-98:doesn't know	0	0.0 %
	-96 (M)	-96:refused	0	0.0 %
	-95 (M)	-95:doesn't understand	0	0.0 %
	-94 (M)	-94:no money	0	0.0 %
	-93 (M)	-93:uncodeable	0	0.0 %
	0	0:no	0	0.0 %
	1	1:yes	0	0.0 %
	. (M)	-	596	100.0 %

**SX9A** ever inhaled glue?

Start: 227 End: 229 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
	-99 (M)	-99:interviewer missed	1	0.2 %	-
	-98 (M)	-98:doesn't know	0	0.0 %	-
	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	1	0.2 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-
	0	0:no	592	99.3 %	100.0%
	1	1:yes	0	0.0 %	0.0%
	. (M)	-	2	0.3 %	-

Variable	Variable Description
----------	----------------------

SX9A	ever inhaled glue? (cont.)
------	----------------------------

Valid	Min	Max	Mean	Stdev
592	0.00	0.00	0.00	0.00

SX9B	# days inhaled glue, whole life
------	---------------------------------

Start: 230  
 End: 232  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX9C	# days inhaled glue, last year
------	--------------------------------

Start: 233  
 End: 235  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %

Variable	Variable Description
----------	----------------------

SX9C	# days inhaled glue, last year (cont.)
------	--

Value	Label	Frequency	%
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX9D	# days inhaled glue, last month
------	---------------------------------

Start: 236  
 End: 238  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

SX10A	ever used psychedelics?
-------	-------------------------

Start: 239  
 End: 241  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	10	1.7 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	579	97.1 %	100.0%



**Variable** **Variable Description**

SX10A ever used psychedelics? (*cont.*)

Value	Label	Frequency	%	Valid %
1	1:yes	0	0.0 %	0.0%
. (M)	-	7	1.2 %	-

  

Valid	Min	Max	Mean	Stdev
579	0.00	0.00	0.00	0.00

SX10B # days used psychedelics, whole life

Start: 242  
 End: 244  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX10C # days used psychedelics, last year

Start: 245  
 End: 247  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %

- ICPSR 13743 -

Variable	Variable Description
----------	----------------------

SX10C	# days used psychedelics, last year ( <i>cont.</i> )
-------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX10D	# days used psychedelics, last month
-------	--------------------------------------

Start: 248  
 End: 250  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

SX11A	ever used heroin?
-------	-------------------

Start: 251  
 End: 253  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	3	0.5 %	-

**Variable**                      **Variable Description**

SX11A                      ever used heroin? (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	588	98.7 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	5	0.8 %	-

Valid	Min	Max	Mean	Stdev
588	0.00	0.00	0.00	0.00

SX11B                      # days used heroin, whole life

Start: 254  
 End: 256  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX11C                      # days used heroin, last year

Start: 257  
 End: 259  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %

- ICPSR 13743 -

Variable	Variable Description
----------	----------------------

SX11C	# days used heroin, last year ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX11D	# days used heroin, last month
-------	--------------------------------

Start: 260  
 End: 262  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

SXI_A	ever used methamphetamine?
-------	----------------------------

Start: 263  
 End: 265  
 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	2	0.3 %	-

**Variable** **Variable Description**

SXI\_A ever used methamphetamine? (*cont.*)

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	2	0.3 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	21	3.5 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	559	93.8 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	12	2.0 %	-

Valid	Min	Max	Mean	Stdev
559	0.00	0.00	0.00	0.00

SXI\_B # days used methamphetamine, whole life

Start: 266  
End: 268  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SXI\_C # days used methamphetamine, last year

Start: 269  
End: 271

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %

Variable	Variable Description
----------	----------------------

SXI_C	# days used methamphetamine, last year (cont.)
-------	--

Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SXI_D	# days used methamphetamine, last month
-------	---

Start: 272  
 End: 274  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

Variable	Variable Description
----------	----------------------

SX12A	ever used barbiturates?
-------	-------------------------

Start: 275  
 End: 277  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	15	2.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	581	97.5 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
15	0.00	0.00	0.00	0.00

SX12B	# days used barbiturates, whole life
-------	--------------------------------------

Start: 278  
 End: 280  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

Variable	Variable Description
----------	----------------------

SX12C	# days used barbiturates, last year
-------	-------------------------------------

Start: 281 End: 283 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
	-99 (M)	-99:interviewer missed	0	0.0 %
	-98 (M)	-98:doesn't know	0	0.0 %
	-96 (M)	-96:refused	0	0.0 %
	-95 (M)	-95:doesn't understand	0	0.0 %
	-94 (M)	-94:no money	0	0.0 %
	-93 (M)	-93:uncodeable	0	0.0 %
	1	1:never	0	0.0 %
	2	2:1-2	0	0.0 %
	3	3:3-5	0	0.0 %
	4	4:6-11	0	0.0 %
	5	5:12-24	0	0.0 %
	6	6:25-50	0	0.0 %
	7	7:51-99	0	0.0 %
	8	8:100-199	0	0.0 %
	9	9:200 or more	0	0.0 %
	. (M)	-	596	100.0 %

SX12D	# days used barbiturates, last month
-------	--------------------------------------

Start: 284 End: 286 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
	-99 (M)	-99:interviewer missed	0	0.0 %
	-98 (M)	-98:doesn't know	0	0.0 %
	-96 (M)	-96:refused	0	0.0 %
	-95 (M)	-95:doesn't understand	0	0.0 %
	-94 (M)	-94:no money	0	0.0 %
	-93 (M)	-93:uncodeable	0	0.0 %
	1	1:never	0	0.0 %
	2	2:1-2	0	0.0 %
	3	3:3-5	0	0.0 %
	4	4:6-9	0	0.0 %
	5	5:10-14	0	0.0 %
	6	6:15-20	0	0.0 %
	7	7:21 or more	0	0.0 %
	. (M)	-	596	100.0 %



Variable	Variable Description
----------	----------------------

SX13A	ever used tranquilizers?
-------	--------------------------

Start: 287  
 End: 289  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	13	2.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	583	97.8 %	-

Valid	Min	Max	Mean	Stdev
13	0.00	0.00	0.00	0.00

SX13B	# days used tranquilizers, whole life
-------	---------------------------------------

Start: 290  
 End: 292  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

Variable	Variable Description
----------	----------------------

SX13C	# days used tranquilizers, last year
-------	--------------------------------------

Start: 293  
 End: 295  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX13D	# days used tranquilizers, last month
-------	---------------------------------------

Start: 296  
 End: 298  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

**Variable** **Variable Description**

SX14A ever used amphetamines?

Start: 299  
End: 301  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	1.8 %	91.7%
1	1:yes	1	0.2 %	8.3%
. (M)	-	584	98.0 %	-

  

Valid	Min	Max	Mean	Stdev
12	0.00	1.00	0.08	0.29

SX14B # days used amphetamines, whole life

Start: 302  
End: 304  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	1	0.2 %	100.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-11	0	0.0 %	0.0%
5	5:12-24	0	0.0 %	0.0%
6	6:25-50	0	0.0 %	0.0%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

Valid	Min	Max	Mean	Stdev
1	2.00	2.00	2.00	0.00

Variable	Variable Description
----------	----------------------

SX14C	# days used amphetamines, last year
-------	-------------------------------------

Start: 305  
 End: 307  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	0	0.0 %	0.0%
2	2:1-2	1	0.2 %	100.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-11	0	0.0 %	0.0%
5	5:12-24	0	0.0 %	0.0%
6	6:25-50	0	0.0 %	0.0%
7	7:51-99	0	0.0 %	0.0%
8	8:100-199	0	0.0 %	0.0%
9	9:200 or more	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	2.00	2.00	2.00	0.00

SX14D	# days used amphetamines, last month
-------	--------------------------------------

Start: 308  
 End: 310  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:never	1	0.2 %	100.0%
2	2:1-2	0	0.0 %	0.0%
3	3:3-5	0	0.0 %	0.0%
4	4:6-9	0	0.0 %	0.0%
5	5:10-14	0	0.0 %	0.0%
6	6:15-20	0	0.0 %	0.0%

Variable	Variable Description
----------	----------------------

SX14D	# days used amphetamines, last month (cont.)
-------	--

Value	Label	Frequency	%	Valid %
7	7:21 or more	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

SX15A	ever used steroids?
-------	---------------------

Start: 311  
 End: 313  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	11	1.8 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	585	98.2 %	-

  

Valid	Min	Max	Mean	Stdev
11	0.00	0.00	0.00	0.00

SX15B	# days used steroids, whole life
-------	----------------------------------

Start: 314  
 End: 316  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %

- ICPSR 13743 -

Variable	Variable Description
----------	----------------------

SX15B	# days used steroids, whole life (cont.)
-------	--

Value	Label	Frequency	%
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX15C	# days used steroids, last year
-------	---------------------------------

Start: 317  
 End: 319  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-11	0	0.0 %
5	5:12-24	0	0.0 %
6	6:25-50	0	0.0 %
7	7:51-99	0	0.0 %
8	8:100-199	0	0.0 %
9	9:200 or more	0	0.0 %
. (M)	-	596	100.0 %

SX15D	# days used steroids, last month
-------	----------------------------------

Start: 320  
 End: 322  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %

Variable	Variable Description
----------	----------------------

SX15D	# days used steroids, last month (cont.)
-------	--

Value	Label	Frequency	%
1	1:never	0	0.0 %
2	2:1-2	0	0.0 %
3	3:3-5	0	0.0 %
4	4:6-9	0	0.0 %
5	5:10-14	0	0.0 %
6	6:15-20	0	0.0 %
7	7:21 or more	0	0.0 %
. (M)	-	596	100.0 %

SX16A	ever injected any drug thru skin?
-------	-----------------------------------

Start: 323  
 End: 325  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.5 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	587	98.5 %	-

Valid	Min	Max	Mean	Stdev
9	0.00	0.00	0.00	0.00

SX16B_1	drug injected/1st
---------	-------------------

Start: 326  
 End: 328  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%
-90	-90:blanked	0	0.0 %
. (M)	-	596	100.0 %

SX16B_2	drug injected/2nd
---------	-------------------

Start: 329  
 End: 331  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%
-90	-90:blanked	0	0.0 %
. (M)	-	596	100.0 %

Variable	Variable Description
----------	----------------------

SX16C	# times ever injected drugs thru skin
-------	---------------------------------------

Start: 332 End: 334 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	Value	Label	Frequency	%
	-99 (M)	-99:interviewer missed	0	0.0 %
	-98 (M)	-98:doesn't know	0	0.0 %
	-96 (M)	-96:refused	0	0.0 %
	-95 (M)	-95:doesn't understand	0	0.0 %
	-94 (M)	-94:no money	0	0.0 %
	-93 (M)	-93:uncodeable	0	0.0 %
	0	0:0	0	0.0 %
	1	1:1-2	0	0.0 %
	2	2:3-5	0	0.0 %
	3	3:6-9	0	0.0 %
	4	4:10-19	0	0.0 %
	5	5:20-39	0	0.0 %
	6	6:40-99	0	0.0 %
	7	7:100 or more	0	0.0 %
	. (M)	-	596	100.0 %

SX16D	# times injected drugs, past year
-------	-----------------------------------

Start: 335 End: 337 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	Value	Label	Frequency	%
	-99 (M)	-99:interviewer missed	0	0.0 %
	-98 (M)	-98:doesn't know	0	0.0 %
	-96 (M)	-96:refused	0	0.0 %
	-95 (M)	-95:doesn't understand	0	0.0 %
	-94 (M)	-94:no money	0	0.0 %
	-93 (M)	-93:uncodeable	0	0.0 %
	0	0:0	0	0.0 %
	1	1:1-2	0	0.0 %
	2	2:3-5	0	0.0 %
	3	3:6-9	0	0.0 %
	4	4:10-19	0	0.0 %
	5	5:20-39	0	0.0 %
	6	6:40-99	0	0.0 %
	7	7:100 or more	0	0.0 %
	. (M)	-	596	100.0 %



**Variable** **Variable Description**

**SXX17B** alcohol,spent much time getting? past year

Start: 338  
 End: 340  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	0.8 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	591	99.2 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	0.00	0.00	0.00	0.00

**SXX17C** marijuana,spent much time getting? past year

Start: 341  
 End: 343  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

**SXX17D** cocaine,spent much time getting? past year

Start: 344  
 End: 346  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %

- ICPSR 13743 -

Variable	Variable Description
----------	----------------------

SXX17D	cocaine,spent much time getting? past year (cont.)
--------	--

Value	Label	Frequency	%
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX17E	crack, spent much time getting? past year
--------	---

Start: 347  
 End: 349  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX17F	inhalant,spent much time getting? past year
--------	---

Start: 350  
 End: 352  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX17G	drugs, spent much time getting? past year
--------	---

Start: 353  
 End: 355

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

**Variable**                      **Variable Description**

**SXX17G**                      drugs, spent much time getting? past year (*cont.*)

Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

**SXX18B**                      alcohol,spent much time recover? past year

Start: 356  
 End: 358  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	0.7 %	80.0%
1	1:yes	1	0.2 %	20.0%
. (M)	-	591	99.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	0.00	1.00	0.20	0.45

**SXX18C**                      marijuana,spent much time recover? past year

Start: 359  
 End: 361  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SXX18C	marijuana,spent much time recover? past year (cont.)
--------	--

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SXX18D	cocaine,spent much time recover? past year
--------	--

Start: 362  
 End: 364  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX18E	crack, spent much time recover? past year
--------	---

Start: 365  
 End: 367  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

- ICPSR 13743 -

Variable	Variable Description
----------	----------------------

SXX18F	inhalant,spent much time recover? past year
--------	---

Start: 368  
 End: 370  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX18G	drugs, spent much time recover? past year
--------	---

Start: 371  
 End: 373  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

SXX19B	alcohol, used much more often? past year
--------	--

Start: 374  
 End: 376  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	0.8 %	100.0%

Variable	Variable Description
----------	----------------------

SXX19B	alcohol, used much more often? past year (cont.)
--------	--

Value	Label	Frequency	%	Valid %
1	1:yes	0	0.0 %	0.0%
. (M)	-	591	99.2 %	-

  

Valid	Min	Max	Mean	Stdev
5	0.00	0.00	0.00	0.00

SXX19C	marijuana, used much more often? past year
--------	--

Start: 377  
 End: 379  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SXX19D	cocaine, used much more often? past year
--------	--

Start: 380  
 End: 382  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**Variable**                      **Variable Description**

**SXX19E**                      crack, used much more often? past year

Start: 383  
 End: 385  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX19F**                      inhalant, used much more often? past year

Start: 386  
 End: 388  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX19G**                      drugs, used much more often? past year

Start: 389  
 End: 391  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

Variable	Variable Description
----------	----------------------

SXX19G	drugs, used much more often? past year (cont.)
--------	--

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SXX20B	alcohol, had less effect? past year
--------	-------------------------------------

Start: 392  
End: 394  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	0.7 %	80.0%
1	1:yes	1	0.2 %	20.0%
. (M)	-	591	99.2 %	-

Valid	Min	Max	Mean	Stdev
5	0.00	1.00	0.20	0.45

SXX20C	marijuana, had less effect? past year
--------	---------------------------------------

Start: 395  
End: 397  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00



**Variable** **Variable Description**

**SXX20D** cocaine, had less effect? past year

Start: 398  
 End: 400  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX20E** crack, had less effect? past year

Start: 401  
 End: 403  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX20F** inhalant, had less effect? past year

Start: 404  
 End: 406  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**Variable** **Variable Description**

**SXX20G** **drugs, had less effect? past year**

Start: 407  
 End: 409  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

**SXX21B** **alcohol, threatened safety? past year**

Start: 410  
 End: 412  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	0.8 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	591	99.2 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
5	0.00	0.00	0.00	0.00

**SXX21C** **marijuana, threatened safety? past year**

Start: 413  
 End: 415  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SXX21C	marijuana, threatened safety? past year (cont.)
--------	---

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SXX21D	cocaine, threatened safety? past year
--------	---------------------------------------

Start: 416  
 End: 418  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX21E	crack, threatened safety? past year
--------	-------------------------------------

Start: 419  
 End: 421  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**Variable** **Variable Description**

SXX21F inhalant, threatened safety? past year

Start: 422  
End: 424  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX21G drugs, threatened safety? past year

Start: 425  
End: 427  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

SXX22B alcohol, emotional problems? past year

Start: 428  
End: 430  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	5	0.8 %	100.0%

Variable	Variable Description
----------	----------------------

SXX22B	alcohol, emotional problems? past year (cont.)
--------	--

Value	Label	Frequency	%	Valid %
1	1:yes	0	0.0 %	0.0%
. (M)	-	591	99.2 %	-

  

Valid	Min	Max	Mean	Stdev
5	0.00	0.00	0.00	0.00

SXX22C	marijuana, emotional problems? past year
--------	--

Start: 431  
 End: 433  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SXX22D	cocaine, emotional problems? past year
--------	--

Start: 434  
 End: 436  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**Variable** **Variable Description**

**SXX22E** crack, emotional problems? past year

Start: 437  
 End: 439  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX22F** inhalant, emotional problems? past year

Start: 440  
 End: 442  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX22G** drugs, emotional problems? past year

Start: 443  
 End: 445  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

Variable	Variable Description
----------	----------------------

SXX22G	drugs, emotional problems? past year (cont.)
--------	--

Valid	Min	Max	Mean	Stdev
1	0.00	0.00	0.00	0.00

SXX23B	alcohol, wanted to stop use? past year
--------	--

Start: 446  
 End: 448  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	3	0.5 %	50.0%
1	1:yes	3	0.5 %	50.0%
. (M)	-	590	99.0 %	-

Valid	Min	Max	Mean	Stdev
6	0.00	1.00	0.50	0.55

SXX23C	marijuana, wanted to stop use? past year
--------	--

Start: 449  
 End: 451  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	2	0.3 %	66.7%
1	1:yes	1	0.2 %	33.3%
. (M)	-	593	99.5 %	-

Valid	Min	Max	Mean	Stdev
3	0.00	1.00	0.33	0.58

**Variable**                      **Variable Description**

**SXX23D**                      cocaine, wanted to stop use? past year

Start: 452  
 End: 454  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX23E**                      crack, wanted to stop use? past year

Start: 455  
 End: 457  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

**SXX23F**                      inhalant, wanted to stop use? past year

Start: 458  
 End: 460  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %



**Variable**                      **Variable Description**

**SXX23G**                      **drugs, wanted to stop use? past year**

Start: 461  
 End: 463  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	100.0%
1	1:yes	0	0.0 %	0.0%
. (M)	-	595	99.8 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
1	0.00	0.00	0.00	0.00

**SXX24B**                      **alcohol, able to stop use? past year**

Start: 464  
 End: 466  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	1	0.2 %	33.3%
1	1:yes	2	0.3 %	66.7%
. (M)	-	593	99.5 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
3	0.00	1.00	0.67	0.58

**SXX24C**                      **marijuana, able to stop use? past year**

Start: 467  
 End: 469  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

SXX24C	marijuana, able to stop use? past year (cont.)
--------	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	0	0.0 %	0.0%
1	1:yes	1	0.2 %	100.0%
. (M)	-	595	99.8 %	-

Valid	Min	Max	Mean	Stdev
1	1.00	1.00	1.00	0.00

SXX24D	cocaine, able to stop use? past year
--------	--------------------------------------

Start: 470  
 End: 472  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX24E	crack, able to stop use? past year
--------	------------------------------------

Start: 473  
 End: 475  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

Variable	Variable Description
----------	----------------------

SXX24F	inhalant, able to stop use? past year
--------	---------------------------------------

Start: 476  
 End: 478  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %

SXX24G	drugs, able to stop use? past year
--------	------------------------------------

Start: 479  
 End: 481  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%
-99 (M)	-99:interviewer missed	0	0.0 %
-98 (M)	-98:doesn't know	0	0.0 %
-96 (M)	-96:refused	0	0.0 %
-95 (M)	-95:doesn't understand	0	0.0 %
-94 (M)	-94:no money	0	0.0 %
-93 (M)	-93:uncodeable	0	0.0 %
0	0:no	0	0.0 %
1	1:yes	0	0.0 %
. (M)	-	596	100.0 %