



ICPSR 13745

Project on Human Development in Chicago Neighborhoods (PHDCN): Suicide Interview, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 9



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.

2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.

3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.

4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. Users should note that, for confidentiality reasons, the following variables have been blanked in the public use files. The data are available by requesting the restricted use data files (see note 4):
FT13B year, last suicide attempt
7. The following abbreviations are used in the codebook and setup files:
PC = Primary Caregiver
SUB = Subject
SUIC = Suicide Interview

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9

Variable Name and Label (Total Cases = 569)	Percent of Cases with Missing Values
16.7% (3 of 18 variables)	have 0% Missing Values
16.7% (3 of 18 variables)	have 0% - 1% Missing Values
0.0% (0 of 18 variables)	have 1% - 3% Missing Values
0.0% (0 of 18 variables)	have 3% - 5% Missing Values
0.0% (0 of 18 variables)	have 5% - 10% Missing Values
0.0% (0 of 18 variables)	have 10% - 20% Missing Values
0.0% (0 of 18 variables)	have 20% - 40% Missing Values
66.7% (12 of 18 variables)	have 40% - 99% Missing Values
FT2	thought of death/dying, past year? 61.7%
FT3	thought of death/dying a lot more, past year? 80.3%
FT5	thought seriously of suicide, past year? 96.1%
FT6	thought seriously of suicide often, past year? 97.7%
FT7	had exact plan for suicide, past year? 97.5%
FT9	# times attempted suicide 98.1%
FT10	ever MD/ER/hospital after suicide attempt? 98.1%
FT11	attempted suicide, past year? 98.1%
FT11A	MD/ER/hospital after suicide attempt, past year? 98.8%
FT13B	year, last suicide attempt 98.1%
FT14A	method, last suicide attempt 98.2%
FT15	medical care for last suicide attempt? 98.1%
0.0% (0 of 18 variables)	have 100% missing values

Codebook for ICPSR 13745

Project on Human Development in Chicago Neighborhoods (PHDCN): Suicide Interview, Wave 3, 2000-2002

Dataset0001: Cohort 9

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
569	3000003.00	3006203.00	3003216.26	1867.06

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	569	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
569	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
9	-	569	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (<i>cont.</i>)
--------	-------------------------

Valid	Min	Max	Mean	Stdev
569	9.00	9.00	9.00	0.00

FT1	ever often thought of death/dead people?
-----	--

Start: 14
 End: 16
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	359	63.1 %	63.2%
1	1:yes	209	36.7 %	36.8%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
568	0.00	1.00	0.37	0.48

FT2	thought of death/dying, past year?
-----	------------------------------------

Start: 17
 End: 19
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	109	19.2 %	50.0%
1	1:yes	109	19.2 %	50.0%
. (M)	-	351	61.7 %	-

Valid	Min	Max	Mean	Stdev
218	0.00	1.00	0.50	0.50

Variable **Variable Description**

FT3 thought of death/dying a lot more, past year?

Start: 20
End: 22
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	84	14.8 %	75.0%
1	1:yes	28	4.9 %	25.0%
. (M)	-	457	80.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
112	0.00	1.00	0.25	0.43

FT4 ever thought seriously of suicide?

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	547	96.1 %	96.8%
1	1:yes	18	3.2 %	3.2%
. (M)	-	4	0.7 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
565	0.00	1.00	0.03	0.18

FT5 thought seriously of suicide, past year?

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13745 -

Variable	Variable Description
----------	----------------------

FT5	thought seriously of suicide, past year? (cont.)
-----	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	40.9%
1	1:yes	13	2.3 %	59.1%
. (M)	-	547	96.1 %	-

Valid	Min	Max	Mean	Stdev
22	0.00	1.00	0.59	0.50

FT6	thought seriously of suicide often, past year?
-----	--

Start: 29
 End: 31
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	69.2%
1	1:yes	4	0.7 %	30.8%
. (M)	-	556	97.7 %	-

Valid	Min	Max	Mean	Stdev
13	0.00	1.00	0.31	0.48

FT7	had exact plan for suicide, past year?
-----	--

Start: 32
 End: 34
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	8	1.4 %	57.1%
1	1:yes	6	1.1 %	42.9%

Variable	Variable Description
----------	----------------------

FT7	had exact plan for suicide, past year? (cont.)
-----	--

Value	Label	Frequency	%	Valid %
. (M)	-	555	97.5 %	-
Valid	Min	Max	Mean	Stdev
14	0.00	1.00	0.43	0.51

FT8	ever attempted suicide?
-----	-------------------------

Start: 35
End: 37
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	557	97.9 %	98.1%
1	1:yes	11	1.9 %	1.9%
. (M)	-	1	0.2 %	-
Valid	Min	Max	Mean	Stdev
568	0.00	1.00	0.02	0.14

FT9	# times attempted suicide
-----	---------------------------

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	6	1.1 %	54.5%
2	-	3	0.5 %	27.3%
3	-	1	0.2 %	9.1%
8	-	1	0.2 %	9.1%
. (M)	-	558	98.1 %	-

Variable	Variable Description
----------	----------------------

FT9	# times attempted suicide (cont.)
-----	-----------------------------------

Valid	Min	Max	Mean	Stdev
11	1.00	8.00	2.09	2.07

FT10	ever MD/ER/hospital after suicide attempt?
------	--

Start: 41
End: 43
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	9	1.6 %	81.8%
1	1:yes	2	0.4 %	18.2%
. (M)	-	558	98.1 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.18	0.40

FT11	attempted suicide, past year?
------	-------------------------------

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	4	0.7 %	36.4%
1	1:yes	7	1.2 %	63.6%
. (M)	-	558	98.1 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.64	0.50

Variable **Variable Description**

FT11A MD/ER/hospital after suicide attempt, past year?

Start: 47
 End: 49
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	6	1.1 %	85.7%
1	1:yes	1	0.2 %	14.3%
. (M)	-	562	98.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
7	0.00	1.00	0.14	0.38

FT13B year, last suicide attempt

Start: 50
 End: 54
 Width: 5
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
-90	-90:blanked	11	1.9 %	100.0%
. (M)	-	558	98.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
11	-90.00	-90.00	-90.00	0.00

FT14A method, last suicide attempt

Start: 55
 End: 57
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

FT14A method, last suicide attempt (*cont.*)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:gunshot	0	0.0 %	0.0%
2	2:overdose pills	1	0.2 %	10.0%
3	3:self-mutilation	4	0.7 %	40.0%
4	4:gas	0	0.0 %	0.0%
5	5:asphyxiation	1	0.2 %	10.0%
6	6:jump from height	0	0.0 %	0.0%
7	7:moving vehicle	0	0.0 %	0.0%
8	8:other	4	0.7 %	40.0%
. (M)	-	559	98.2 %	-

Valid	Min	Max	Mean	Stdev
10	2.00	8.00	5.10	2.60

FT15 medical care for last suicide attempt?

Start: 58
 End: 60
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:no	10	1.8 %	90.9%
1	1:yes	1	0.2 %	9.1%
. (M)	-	558	98.1 %	-

Valid	Min	Max	Mean	Stdev
11	0.00	1.00	0.09	0.30