



ICPSR 13746

## Project on Human Development in Chicago Neighborhoods (PHDCN): Things I Can Do If I Try, Wave 3, 2000-2002

Felton J. Earls  
*Harvard Medical School*

Jeanne Brooks-Gunn  
*Scientific Director. Columbia University.  
Teacher's College. Center for the Study of  
Children and Families*

Stephen W. Raudenbush  
*Scientific Director. University of Michigan.  
School of Education and Survey Research  
Center*

Robert J. Sampson  
*Scientific Director. Harvard University.  
Department of Sociology*

Codebook for Cohort 9



National Institute of Justice  
Data Resources Program

# ICPSR

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
  - verified that respondent confidentiality was protected
  - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
  - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
  - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
  - reformatted date and time variables to make them compatible across statistical packages
  - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
  - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
  - Data Completeness Reports summarizing the amount of missing data in each file
  - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
  - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms

should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. The following abbreviations are used in the codebook and setup files:
  - PC = Primary Caregiver
  - SUB = Subject
  - TRY = Things I Can Do If I Try

## Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 9**

<b>Variable Name and Label (Total Cases = 596 )</b>	<b>Percent of Cases with Missing Values</b>
27.3% ( 9 of 33 variables)	have 0% Missing Values
72.7% ( 24 of 33 variables)	have 0% - 1% Missing Values
0.0% ( 0 of 33 variables)	have 1% - 3% Missing Values
0.0% ( 0 of 33 variables)	have 3% - 5% Missing Values
0.0% ( 0 of 33 variables)	have 5% - 10% Missing Values
0.0% ( 0 of 33 variables)	have 10% - 20% Missing Values
0.0% ( 0 of 33 variables)	have 20% - 40% Missing Values
0.0% ( 0 of 33 variables)	have 40% - 99% Missing Values
0.0% ( 0 of 33 variables)	have 100% missing values



## Codebook for ICPSR 13746

### Project on Human Development in Chicago Neighborhoods (PHDCN): Things I Can Do If I Try, Wave 3, 2000-2002

#### Dataset0001: Cohort 9

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1  
End: 7  
Width: 7  
Type: numeric (ISO)  
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
596	3000003.00	3006203.00	3003228.82	1861.34

WAVE	wave #
------	--------

Start: 8  
End: 10  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	596	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
596	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11  
End: 13  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
9	-	596	100.0 %	100.0%

**Variable** **Variable Description**

**COHORT** cohort (*cont.*)

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
596	9.00	9.00	9.00	0.00

**TA1** can understand math

Start: 14  
End: 16  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	308	51.7 %	51.7%
2	2:sort of true	155	26.0 %	26.0%
3	3:sort of untrue	85	14.3 %	14.3%
4	4:very untrue	48	8.1 %	8.1%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
596	1.00	4.00	1.79	0.97

**TA1A** can always find friend to do things with

Start: 17  
End: 19  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	296	49.7 %	49.7%
2	2:sort of true	201	33.7 %	33.7%
3	3:sort of untrue	78	13.1 %	13.1%
4	4:very untrue	21	3.5 %	3.5%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
596	1.00	4.00	1.70	0.83



Variable	Variable Description
----------	----------------------

TA2	can do things safely with friends in neighborhood
-----	---

Start: 20 End: 22 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>1</td> <td>1:very true</td> <td>215</td> <td>36.1 %</td> <td>36.1%</td> </tr> <tr> <td>2</td> <td>2:sort of true</td> <td>221</td> <td>37.1 %</td> <td>37.1%</td> </tr> <tr> <td>3</td> <td>3:sort of untrue</td> <td>104</td> <td>17.4 %</td> <td>17.4%</td> </tr> <tr> <td>4</td> <td>4:very untrue</td> <td>56</td> <td>9.4 %</td> <td>9.4%</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>596</td> <td>1.00</td> <td>4.00</td> <td>2.00</td> <td>0.96</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	1	1:very true	215	36.1 %	36.1%	2	2:sort of true	221	37.1 %	37.1%	3	3:sort of untrue	104	17.4 %	17.4%	4	4:very untrue	56	9.4 %	9.4%	Valid	Min	Max	Mean	Stdev	596	1.00	4.00	2.00	0.96
Value	Label	Frequency	%	Valid %																																																														
-99 (M)	-99:interviewer missed	0	0.0 %	-																																																														
-98 (M)	-98:doesn't know	0	0.0 %	-																																																														
-96 (M)	-96:refused	0	0.0 %	-																																																														
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																														
-94 (M)	-94:no money	0	0.0 %	-																																																														
-93 (M)	-93:uncodeable	0	0.0 %	-																																																														
1	1:very true	215	36.1 %	36.1%																																																														
2	2:sort of true	221	37.1 %	37.1%																																																														
3	3:sort of untrue	104	17.4 %	17.4%																																																														
4	4:very untrue	56	9.4 %	9.4%																																																														
Valid	Min	Max	Mean	Stdev																																																														
596	1.00	4.00	2.00	0.96																																																														

TA3	cannot get parents to listen
-----	------------------------------

Start: 23 End: 25 Width: 3 Type: numeric (ISO) Interval: discrete Missing: -99 thru -93	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-96 (M)</td> <td>-96:refused</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-95 (M)</td> <td>-95:doesn't understand</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-94 (M)</td> <td>-94:no money</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-93 (M)</td> <td>-93:uncodeable</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>1</td> <td>1:very true</td> <td>47</td> <td>7.9 %</td> <td>7.9%</td> </tr> <tr> <td>2</td> <td>2:sort of true</td> <td>68</td> <td>11.4 %</td> <td>11.4%</td> </tr> <tr> <td>3</td> <td>3:sort of untrue</td> <td>164</td> <td>27.5 %</td> <td>27.5%</td> </tr> <tr> <td>4</td> <td>4:very untrue</td> <td>317</td> <td>53.2 %</td> <td>53.2%</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Valid</th> <th>Min</th> <th>Max</th> <th>Mean</th> <th>Stdev</th> </tr> </thead> <tbody> <tr> <td>596</td> <td>1.00</td> <td>4.00</td> <td>3.26</td> <td>0.95</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-	-96 (M)	-96:refused	0	0.0 %	-	-95 (M)	-95:doesn't understand	0	0.0 %	-	-94 (M)	-94:no money	0	0.0 %	-	-93 (M)	-93:uncodeable	0	0.0 %	-	1	1:very true	47	7.9 %	7.9%	2	2:sort of true	68	11.4 %	11.4%	3	3:sort of untrue	164	27.5 %	27.5%	4	4:very untrue	317	53.2 %	53.2%	Valid	Min	Max	Mean	Stdev	596	1.00	4.00	3.26	0.95
Value	Label	Frequency	%	Valid %																																																														
-99 (M)	-99:interviewer missed	0	0.0 %	-																																																														
-98 (M)	-98:doesn't know	0	0.0 %	-																																																														
-96 (M)	-96:refused	0	0.0 %	-																																																														
-95 (M)	-95:doesn't understand	0	0.0 %	-																																																														
-94 (M)	-94:no money	0	0.0 %	-																																																														
-93 (M)	-93:uncodeable	0	0.0 %	-																																																														
1	1:very true	47	7.9 %	7.9%																																																														
2	2:sort of true	68	11.4 %	11.4%																																																														
3	3:sort of untrue	164	27.5 %	27.5%																																																														
4	4:very untrue	317	53.2 %	53.2%																																																														
Valid	Min	Max	Mean	Stdev																																																														
596	1.00	4.00	3.26	0.95																																																														

TA4	cannot figure out answers in school
-----	-------------------------------------

Start: 26 End: 28 Width: 3 Type: numeric (ISO) Interval: discrete	<table border="1"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> </tr> </thead> <tbody> <tr> <td>-99 (M)</td> <td>-99:interviewer missed</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> <tr> <td>-98 (M)</td> <td>-98:doesn't know</td> <td>0</td> <td>0.0 %</td> <td>-</td> </tr> </tbody> </table>	Value	Label	Frequency	%	Valid %	-99 (M)	-99:interviewer missed	0	0.0 %	-	-98 (M)	-98:doesn't know	0	0.0 %	-
Value	Label	Frequency	%	Valid %												
-99 (M)	-99:interviewer missed	0	0.0 %	-												
-98 (M)	-98:doesn't know	0	0.0 %	-												

Variable	Variable Description
----------	----------------------

TA4	cannot figure out answers in school (cont.)
-----	---

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	23	3.9 %	3.9%
2	2:sort of true	48	8.1 %	8.1%
3	3:sort of untrue	171	28.7 %	28.7%
4	4:very untrue	353	59.2 %	59.3%
. (M)	-	1	0.2 %	-

  

Valid	Min	Max	Mean	Stdev
595	1.00	4.00	3.44	0.80

TA5	have control over own future
-----	------------------------------

Start: 29  
 End: 31  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	245	41.1 %	41.2%
2	2:sort of true	210	35.2 %	35.3%
3	3:sort of untrue	96	16.1 %	16.1%
4	4:very untrue	44	7.4 %	7.4%
. (M)	-	1	0.2 %	-

  

Valid	Min	Max	Mean	Stdev
595	1.00	4.00	1.90	0.93

TA5A	hard to get people own age to like them
------	---

Start: 32  
 End: 34  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-

Variable	Variable Description
----------	----------------------

TA5A	hard to get people own age to like them (cont.)
------	---

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	40	6.7 %	6.7%
2	2:sort of true	84	14.1 %	14.1%
3	3:sort of untrue	202	33.9 %	33.9%
4	4:very untrue	269	45.1 %	45.2%

  

Valid	Min	Max	Mean	Stdev
595	1.00	4.00	3.18	0.91

TA6	cannot do work expected in school
-----	-----------------------------------

Start: 35  
End: 37  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	20	3.4 %	3.4%
2	2:sort of true	44	7.4 %	7.4%
3	3:sort of untrue	180	30.2 %	30.2%
4	4:very untrue	352	59.1 %	59.1%

  

Valid	Min	Max	Mean	Stdev
596	1.00	4.00	3.45	0.77

TA7	cannot avoid gangs in neighborhood
-----	------------------------------------

Start: 38  
End: 40  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA7	cannot avoid gangs in neighborhood (cont.)
-----	--

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	33	5.5 %	5.6%
2	2:sort of true	63	10.6 %	10.6%
3	3:sort of untrue	149	25.0 %	25.1%
4	4:very untrue	349	58.6 %	58.8%
. (M)	-	1	0.2 %	-

  

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	3.37	0.88

TA8	can get parents to do things they like
-----	--

Start: 41  
 End: 43  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	254	42.6 %	42.6%
2	2:sort of true	220	36.9 %	36.9%
3	3:sort of untrue	93	15.6 %	15.6%
4	4:very untrue	29	4.9 %	4.9%

  

Valid	Min	Max	Mean	Stdev
596	1.00	4.00	1.83	0.87

TA8A	cannot make life better
------	-------------------------

Start: 44  
 End: 46  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA8A	cannot make life better (cont.)
------	---------------------------------

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	8	1.3 %	1.3%
2	2:sort of true	25	4.2 %	4.2%
3	3:sort of untrue	148	24.8 %	24.9%
4	4:very untrue	414	69.5 %	69.6%

Valid	Min	Max	Mean	Stdev
595	1.00	4.00	3.63	0.63

TA9	can understand what they read
-----	-------------------------------

Start: 47  
 End: 49  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	312	52.3 %	52.5%
2	2:sort of true	187	31.4 %	31.5%
3	3:sort of untrue	73	12.2 %	12.3%
4	4:very untrue	22	3.7 %	3.7%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	1.67	0.83

TA9A	can get people own age to listen to them
------	--

Start: 50  
 End: 52  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	1	0.2 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA9A	can get people own age to listen to them (cont.)
------	--

Value	Label	Frequency	%	Valid %
1	1:very true	252	42.3 %	42.4%
2	2:sort of true	219	36.7 %	36.9%
3	3:sort of untrue	84	14.1 %	14.1%
4	4:very untrue	39	6.5 %	6.6%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	1.85	0.90

TA10	cannot do well in school
------	--------------------------

Start: 53  
 End: 55  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	12	2.0 %	2.0%
2	2:sort of true	25	4.2 %	4.2%
3	3:sort of untrue	166	27.9 %	27.9%
4	4:very untrue	391	65.6 %	65.8%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	3.58	0.67

TA11	cannot avoid being scared on way to school
------	--

Start: 56  
 End: 58  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	2	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA11	cannot avoid being scared on way to school (cont.)
------	--

Value	Label	Frequency	%	Valid %
1	1:very true	22	3.7 %	3.7%
2	2:sort of true	51	8.6 %	8.6%
3	3:sort of untrue	212	35.6 %	35.8%
4	4:very untrue	308	51.7 %	51.9%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
593	1.00	4.00	3.36	0.79

TA12	can become successful
------	-----------------------

Start: 59  
End: 61  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	423	71.0 %	71.1%
2	2:sort of true	137	23.0 %	23.0%
3	3:sort of untrue	28	4.7 %	4.7%
4	4:very untrue	7	1.2 %	1.2%

Valid	Min	Max	Mean	Stdev
595	1.00	4.00	1.36	0.63

TA13	can get help from parents
------	---------------------------

Start: 62  
End: 64  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	376	63.1 %	63.2%

Variable	Variable Description
----------	----------------------

TA13	can get help from parents ( <i>cont.</i> )
------	--

Value	Label	Frequency	%	Valid %
2	2:sort of true	167	28.0 %	28.1%
3	3:sort of untrue	39	6.5 %	6.6%
4	4:very untrue	13	2.2 %	2.2%
Valid	Min	Max	Mean	Stdev
595	1.00	4.00	1.48	0.72

TA14	can finish assignments/homework
------	---------------------------------

Start: 65  
 End: 67  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	362	60.7 %	60.8%
2	2:sort of true	182	30.5 %	30.6%
3	3:sort of untrue	37	6.2 %	6.2%
4	4:very untrue	14	2.3 %	2.4%
Valid	Min	Max	Mean	Stdev
595	1.00	4.00	1.50	0.72

TA14A	have trouble making new friends
-------	---------------------------------

Start: 68  
 End: 70  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	3	0.5 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	26	4.4 %	4.4%
2	2:sort of true	65	10.9 %	11.0%
3	3:sort of untrue	190	31.9 %	32.0%



- ICPSR 13746 -

Variable	Variable Description
----------	----------------------

TA14A	have trouble making new friends ( <i>cont.</i> )
-------	--

Value	Label	Frequency	%	Valid %
4	4:very untrue	312	52.3 %	52.6%
<hr/>				
Valid	Min	Max	Mean	Stdev
593	1.00	4.00	3.33	0.84

TA15	feel safe alone in neighborhood
------	---------------------------------

Start: 71  
 End: 73  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	234	39.3 %	39.3%
2	2:sort of true	186	31.2 %	31.3%
3	3:sort of untrue	120	20.1 %	20.2%
4	4:very untrue	55	9.2 %	9.2%
<hr/>				
Valid	Min	Max	Mean	Stdev
595	1.00	4.00	1.99	0.98

TA16	can talk with parents about bad things
------	--

Start: 74  
 End: 76  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	233	39.1 %	39.2%
2	2:sort of true	180	30.2 %	30.3%
3	3:sort of untrue	129	21.6 %	21.7%
4	4:very untrue	52	8.7 %	8.8%
. (M)	-	1	0.2 %	-

Variable	Variable Description
----------	----------------------

TA16	can talk with parents about bad things ( <i>cont.</i> )
------	---

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
594	1.00	4.00	2.00	0.98

TA17	can make school better for self
------	---------------------------------

Start: 77  
 End: 79  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	2	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	314	52.7 %	52.9%
2	2:sort of true	236	39.6 %	39.7%
3	3:sort of untrue	34	5.7 %	5.7%
4	4:very untrue	10	1.7 %	1.7%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
594	1.00	4.00	1.56	0.68

TA18	can be safe within few blocks of home
------	---------------------------------------

Start: 80  
 End: 82  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	2	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	310	52.0 %	52.2%
2	2:sort of true	173	29.0 %	29.1%
3	3:sort of untrue	72	12.1 %	12.1%
4	4:very untrue	39	6.5 %	6.6%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
594	1.00	4.00	1.73	0.91

**Variable**                      **Variable Description**

**TA19**                                      **can be self with parents**

Start: 83  
 End: 85  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	2	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	245	41.1 %	41.3%
2	2:sort of true	196	32.9 %	33.1%
3	3:sort of untrue	102	17.1 %	17.2%
4	4:very untrue	50	8.4 %	8.4%
. (M)	-	1	0.2 %	-

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
593	1.00	4.00	1.93	0.96

**TA19A**                                      **can get adults to listen to them**

Start: 86  
 End: 88  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	226	37.9 %	38.0%
2	2:sort of true	227	38.1 %	38.2%
3	3:sort of untrue	103	17.3 %	17.3%
4	4:very untrue	39	6.5 %	6.6%

  

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
595	1.00	4.00	1.92	0.90

**TA20**                                      **can go far in the world**

Start: 89  
 End: 91  
 Width: 3

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA20	can go far in the world ( <i>cont.</i> )
------	--

Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %	
-98 (M)	-98:doesn't know	0	0.0 %	-	
-96 (M)	-96:refused	1	0.2 %	-	
-95 (M)	-95:doesn't understand	0	0.0 %	-	
-94 (M)	-94:no money	0	0.0 %	-	
-93 (M)	-93:uncodeable	0	0.0 %	-	
1	1:very true	392	65.8 %	65.9%	
2	2:sort of true	164	27.5 %	27.6%	
3	3:sort of untrue	31	5.2 %	5.2%	
4	4:very untrue	8	1.3 %	1.3%	
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
595		1.00	4.00	1.42	0.66

TA21	cannot avoid fights in neighborhood
------	-------------------------------------

Start: 92  
End: 94  
Width: 3  
Type: numeric (ISO)  
Interval: discrete  
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %	
-99 (M)	-99:interviewer missed	0	0.0 %	-	
-98 (M)	-98:doesn't know	0	0.0 %	-	
-96 (M)	-96:refused	1	0.2 %	-	
-95 (M)	-95:doesn't understand	0	0.0 %	-	
-94 (M)	-94:no money	0	0.0 %	-	
-93 (M)	-93:uncodeable	0	0.0 %	-	
1	1:very true	67	11.2 %	11.3%	
2	2:sort of true	90	15.1 %	15.2%	
3	3:sort of untrue	201	33.7 %	33.8%	
4	4:very untrue	236	39.6 %	39.7%	
. (M)	-	1	0.2 %	-	
<i>Valid</i>		<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
594		1.00	4.00	3.02	1.00

TA22	can make things better at home with parents
------	---

Start: 95  
End: 97  
Width: 3  
Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA22	can make things better at home with parents (cont.)
------	---

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	1	0.2 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	314	52.7 %	52.9%
2	2:sort of true	206	34.6 %	34.7%
3	3:sort of untrue	58	9.7 %	9.8%
4	4:very untrue	16	2.7 %	2.7%
. (M)	-	1	0.2 %	-

  

Valid	Min	Max	Mean	Stdev
594	1.00	4.00	1.62	0.77

TA22A	have trouble getting help for problem
-------	---------------------------------------

Start: 98  
 End: 100  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete  
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	3	0.5 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	42	7.0 %	7.1%
2	2:sort of true	104	17.4 %	17.6%
3	3:sort of untrue	212	35.6 %	35.8%
4	4:very untrue	234	39.3 %	39.5%
. (M)	-	1	0.2 %	-

  

Valid	Min	Max	Mean	Stdev
592	1.00	4.00	3.08	0.92

TA23	cannot make self happy in future
------	----------------------------------

Start: 101  
 End: 103  
 Width: 3  
 Type: numeric (ISO)  
 Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

TA23	cannot make self happy in future ( <i>cont.</i> )
------	---

Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-96 (M)	-96:refused	2	0.3 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:very true	10	1.7 %	1.7%
2	2:sort of true	16	2.7 %	2.7%
3	3:sort of untrue	168	28.2 %	28.3%
4	4:very untrue	399	66.9 %	67.3%
.(M)	-	1	0.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
593	1.00	4.00	3.61	0.63