

### **ICPSR 13749**

### Project on Human Development in Chicago Neighborhoods (PHDCN): Wechsler Intelligence Scale for Children-Revised, Wave 3, 2000-2002

Felton J. Earls

Harvard Medical School

Jeanne Brooks-Gunn

Scientific Director. Columbia University. Teacher's College. Center for the Study of Children and Families

Stephen W. Raudenbush

Scientific Director. University of Michigan. School of Education and Survey Research Center

Robert J. Sampson

Scientific Director. Harvard University. Department of Sociology

Codebook for Cohort 12





### **ICPSR PROCESSING NOTES**

- 1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
  - verified that respondent confidentiality was protected
  - checked for undocumented codes for categorical variables and out-ofrange values for continuous variables
  - noted inconsistencies in missing value designations.
- 2. ICPSR altered the data files from the Murray Research Center in the following ways:
  - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
  - reformatted date and time variables to make them compatible across statistical packages
  - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
  - recoded character variables to numeric variables and standardized response codes across cohorts.
- 3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
  - Data Completeness Reports summarizing the amount of missing data in each file
  - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
  - processing notes and appendices documenting additional information, as necessary.
- 4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at http://www.icpsr.umich.edu/NACJD/ Private/private.pdf. Completed forms should be returned to: Director, National Archive of Criminal Justice Data,

Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

- 5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
- 6. Users should note that the variables VD11 VD32 (VD#) appear to be recoded in variables VD\_11 VD\_32 (VD\_#) respectively. ICPSR received no documentation regarding this but the recode appears to have the following consistency:

Value in VD#	Value in VD_#
0	0
1	1
2	2
3	0
4	1
8	8

Values of 9 in VD#, however, do not appear to follow any consistent pattern as they become either 0, 1, or 9 in VD\_#.

The consistency in the recodes appears to begin with VD11 and not VD1 due to the nature of the instrument which allowed subjects to back up in the sequencing of items (see instrument in accompanying questionnaire file).

- 7. It's not clear what the variables INVAL, INVALSTR, J, INVAL\_1, LASTWRD, and INVAL\_ are meant to indicate. ICPSR received no documentation regarding these variables but has included them in the data file in the event that users find them useful.
- 8. The following categorical variables have undocumented codes:

```
VD17
            score, word 17, WISC - value of 8
VD19
             score, word 19, WISC - value of 8
             score, word 20, WISC - value of 8
VD20
VD21
             score, word 21, WISC - value of 8
VD22
             score, word 22, WISC - value of 8
             score, word 23, WISC - value of 8
VD23
VD24
             score, word 24, WISC - value of 8
VD25
             score, word 25, WISC - value of 8
             score, word 28, WISC - value of 8
VD28
             score, word 29, WISC - value of 8
VD29
```

```
VD30
             score, word 30, WISC - value of 8
VD31
             score, word 31, WISC - value of 8
VD32
             score, word 32, WISC - value of 8
VD 17
             score, word 17, WISC - recode - value of 8
VD_19
             score, word 19, WISC - recode - value of 8
VD_20
             score, word 20, WISC - recode - value of 8
VD 21
             score, word 21, WISC - recode - value of 8
VD_22
             score, word 22, WISC - recode - value of 8
VD 23
             score, word 23, WISC - recode - value of 8
VD_24
             score, word 24, WISC - recode - value of 8
VD 25
             score, word 25, WISC - recode - value of 8
VD_28
             score, word 28, WISC - recode - value of 8
VD 29
             score, word 29, WISC - recode - value of 8
VD 30
             score, word 30, WISC - recode - value of 8
VD_31
             score, word 31, WISC - recode - value of 8
VD 32
             score, word 32, WISC - recode - value of 8
```

9. The following abbreviations are used in the codebook and setup files:

PC = Primary Caregiver

SUB = Subject

WISC = Wechsler Intelligence Scale for Children-Revised

### **Data Completeness Report**

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12

Variable Name and Label (Total Cases = 463)		Percent of Cases with Missing Values
11.2% ( 9 of 80 variables)	have 0% Missing Values	
12.5% ( 10 of 80 variables)	have 0% - 1% Missing Values	
21.2% ( 17 of 80 variables)	have 1% - 3% Missing Values	
7.5% ( 6 of 80 variables)	have 3% - 5% Missing Values	
12.5% ( 10 of 80 variables)	have 5% - 10% Missing Values	
VD1	score, word 1, WISC	5.6%
VD2	score, word 2, WISC	5.2%
VD3	score, word 3, WISC	5.2%
VD6	score, word 6, WISC	6.0%
VD7	score, word 7, WISC	5.4%
VD20	score, word 20, WISC	6.3%
VD21	score, word 21, WISC	7.6%
VD_20	score, word 20, WISC - recode	6.3%
VD_21	score, word 21, WISC - recode	7.6%
J	J	8.6%
10.0% ( 8 of 80 variables)	have 10% - 20% Missing Values	
VD22	score, word 22, WISC	12.3%
VD23	score, word 23, WISC	12.7%
VD24	score, word 24, WISC	14.7%
WISCRAW3	WISC-R raw vocabulary score,W3	10.4%
WISCSCL3	WISC-R scaled vocabulary score,W3	10.4%
VD_22	score, word 22, WISC - recode	12.3%
VD_23	score, word 23, WISC - recode	12.7%
VD_24	score, word 24, WISC - recode	14.7%
7.5% ( 6 of 80 variables)	have 20% - 40% Missing Values	
VD25	score, word 25, WISC	22.0%

**Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12** 

Variable Name and Label (Total Cases = 463)		Percent of Cases with Missing Values
VD26	score, word 26, WISC	31.3%
VD27	score, word 27, WISC	38.7%
VD_25	score, word 25, WISC - recode	22.0%
VD_26	score, word 26, WISC - recode	31.3%
VD_27	score, word 27, WISC - recode	38.7%
17.5% ( 14 of 80 variables)	have 40% - 99% Missing Values	
VD28	score, word 28, WISC	41.5%
VD29	score, word 29, WISC	44.9%
VD30	score, word 30, WISC	45.4%
VD31	score, word 31, WISC	45.6%
VD32	score, word 32, WISC	57.2%
INVAL	INVAL	88.6%
VD_28	score, word 28, WISC - recode	41.5%
VD_29	score, word 29, WISC - recode	44.9%
VD_30	score, word 30, WISC - recode	45.4%
VD_31	score, word 31, WISC - recode	45.6%
VD_32	score, word 32, WISC - recode	57.2%
INVALSTR	INVALSTR	96.3%
INVAL_1	INVAL_1	91.4%
INVAL_	INVAL_	89.6%
0.0% ( 0 of 80 variables)	have 100% missing values	

### Codebook for ICPSR 13749

### Project on Human Development in Chicago Neighborhoods (PHDCN): Wechsler Intelligence Scale for Children-Revised, Wave 3, 2000-2002

Dataset0004: Cohort 12

Variable	Variable D	escription					
	Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.						
SUBID3	ICPSR Wa	ve 3 subject ID					
Start: 1 End: 7	Valid	Min	Max	Mean	)	Stdev	
Width: 7	463	300006.00	3006221.00	3003	108.22	1781.86	
Type: numeric (ISO) Interval: discrete							
WAVE	wave #						
Start: 8 End: 10	Value	Label			Frequenc	y %	Valid %
Width: 3	-99 (M)	-99:interviewer miss	sed		0	0.0 %	-

End: 10					
Width: 3	-99 (M)	-99:interviewer missed	0	0.0 %	-
Type: numeric (ISO) Interval: discrete	-98 (M)	-98:doesn't know	0	0.0 %	-
Missing: -99 thru -93	-96 (M)	-96:refused	0	0.0 %	-
	-95 (M)	-95:doesn't understand	0	0.0 %	-
	-94 (M)	-94:no money	0	0.0 %	-
	-93 (M)	-93:uncodeable	0	0.0 %	-

Valid	Min	Max	Mean	Stdev
463	3.00	3.00	3.00	0.00

463

100.0 %

100.0%

### COHORT cohort

3

Start: 11 End: 13 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
12	-	463	100.0 %	100.0%

### - ICPSR 13749 -

# Variable Variable Description COHORT cohort (cont.) Valid Min Max Mean Stdev 463 12.00 12.00 12.00 0.00

### WISCLNG3

### language of WISC/EIWN, Wave 3

Start: 14 End: 16 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	1:English	439	94.8 %	94.8%
2	2:Spanish	24	5.2 %	5.2%
3	3:Polish	0	0.0 %	0.0%
4	4:more than 1 language	0	0.0 %	0.0%
5	5:English with help	0	0.0 %	0.0%

Valid	Min	Max	Mean	Stdev
463	1.00	2.00	1.05	0.22

### SEX

### gender of subject

Start: 17 End: 19 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	0:female	241	52.1 %	52.1%
1	1:male	222	47.9 %	47.9%

Valid	Min	Max	Mean	Stdev
463	0.00	1.00	0.48	0.50

### - ICPSR 13749 -

### Variable Variable Description

### AGE3

### age of subject at wave 3 interview

Start: 20 End: 27 Width: 8.4

Type: numeric (ISO) Interval: discrete Missing: -99.0000 thru

-93.0000

Value	Label	Frequency	%
-99.0000 (M)	-99:interviewer missed	-	-
-98.0000 (M)	-98:doesn't know	-	-
-96.0000 (M)	-96:refused	-	-
-95.0000 (M)	-95:doesn't understand	-	-
-94.0000 (M)	-94:no money	-	-
-93.0000 (M)	-93:uncodeable	-	-

Valid	Min	Max	Mean	Stdev
463	15.2772	18.2615	16.5235	0.4191

### **ITEMSTRT**

### item started on

Start: 28 End: 30 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
8	-	463	100.0 %	100.0%

Valid	Min	Max	Mean	Stdev	
463	8.00	8.00	8.00	0.00	

### VD1

### score, word 1, WISC

Start: 31 End: 33 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

### VD1

### score, word 1, WISC (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	0.2%
1	-	1	0.2 %	0.2%
2	-	405	87.5 %	92.7%
9	-	30	6.5 %	6.9%
. (M)	-	26	5.6 %	-

Valid	Min	Max	Mean	Stdev
437	0.00	9.00	2.47	1.78

### VD2

### Start: 34 End: 36 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 2, WISC

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	1	0.2 %	0.2%
2	-	408	88.1 %	92.9%
9	-	30	6.5 %	6.8%
. (M)	-	24	5.2 %	-

Valid	Min	Max	Mean	Stdev
439	1.00	9.00	2.48	1.77

### VD3

### score, word 3, WISC

Start: 37 End: 39 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

### VD3

### score, word 3, WISC (cont.)

Value	Label	Frequency	%	Valid %
0	-	1	0.2 %	0.2%
1	-	1	0.2 %	0.2%
2	-	407	87.9 %	92.7%
9	-	30	6.5 %	6.8%
. (M)	-	24	5.2 %	-

Valid	Min	Max	Mean	Stdev	
439	0.00	9.00	2.47	1.77	

### VD4

### Start: 40 End: 42 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 4, WISC

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	0.2%
1	-	5	1.1 %	1.1%
2	-	405	87.5 %	92.0%
9	-	29	6.3 %	6.6%
. (M)	-	23	5.0 %	-

Valid	Min	Max	Mean	Stdev
440	0.00	9.00	2.45	1.75

### VD5

### score, word 5, WISC

Start: 43 End: 45 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

### VD5

### score, word 5, WISC (cont.)

Value	Label	Frequency	%	Valid %
0	-	4	0.9 %	0.9%
1	-	6	1.3 %	1.4%
2	-	402	86.8 %	91.2%
9	-	29	6.3 %	6.6%
. (M)	-	22	4.8 %	-

Valid	Min	Max	Mean	Stdev
441	0.00	9.00	2.43	1.76

### VD6

### score, word 6, WISC

Start: 46 End: 48 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	5	1.1 %	1.1%
1	-	11	2.4 %	2.5%
2	-	392	84.7 %	90.1%
4	-	1	0.2 %	0.2%
9	-	26	5.6 %	6.0%
. (M)	-	28	6.0 %	-

Valid	Min	Max	Mean	Stdev
435	0.00	9.00	2.37	1.70

### VD7

### score, word 7, WISC

Start: 49 End: 51 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

### VD7

### score, word 7, WISC (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	3	0.6 %	0.7%
1	-	15	3.2 %	3.4%
2	-	391	84.4 %	89.3%
9	-	29	6.3 %	6.6%
. (M)	-	25	5.4 %	-

Valid	Min	Max	Mean	Stdev
438	0.00	9.00	2.42	1.77

### VD8

### Start: 52 End: 54 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 8, WISC

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	18	3.9 %	4.0%
1	-	25	5.4 %	5.5%
2	-	395	85.3 %	87.2%
3	-	2	0.4 %	0.4%
4	-	6	1.3 %	1.3%
9	-	7	1.5 %	1.5%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	2.00	1.02

### VD9

### score, word 9, WISC

Start: 55 End: 57 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-

### **Variable Description**

### VD9

### score, word 9, WISC (cont.)

Value	Label	Frequency	%	Valid %
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	7	1.5 %	1.5%
1	-	2	0.4 %	0.4%
2	-	436	94.2 %	96.2%
3	-	1	0.2 %	0.2%
9	-	7	1.5 %	1.5%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	2.08	0.91

### VD10

Start: 58 End: 60 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 10, WISC

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	23	5.0 %	5.1%
1	-	19	4.1 %	4.2%
2	-	401	86.6 %	88.5%
3	-	1	0.2 %	0.2%
4	-	2	0.4 %	0.4%
9	-	7	1.5 %	1.5%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	1.98	1.01

### - ICPSR 13749 -

### Variable Variable Description

### VD11

### score, word 11, WISC

Start: 61 End: 63 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	33	7.1 %	7.1%
1	-	24	5.2 %	5.2%
2	-	398	86.0 %	86.1%
3	-	3	0.6 %	0.6%
4	-	3	0.6 %	0.6%
9	-	1	0.2 %	0.2%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
462	0.00	9.00	1.84	0.67

### VD12

### score, word 12, WISC

Start: 64 End: 66 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	44	9.5 %	9.5%
1	-	97	21.0 %	21.0%
2	-	314	67.8 %	68.0%
3	-	3	0.6 %	0.6%
4	-	2	0.4 %	0.4%
9	-	2	0.4 %	0.4%
. (M)	-	1	0.2 %	-

### Variable Variable Description VD12 score, word 12, WISC (cont.) Valid Min Max Mean Stdev

9.00

0.00

### VD13 score, word 13, WISC

462

Start: 67 End: 69 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	84	18.1 %	18.2%
1	-	30	6.5 %	6.5%
2	-	339	73.2 %	73.4%
3	-	3	0.6 %	0.6%
4	-	4	0.9 %	0.9%
9	-	2	0.4 %	0.4%
. (M)	-	1	0.2 %	-

1.65

0.84

Valid	Min	Max	Mean	Stdev
462	0.00	9.00	1.63	0.95

### VD14 score, word 14, WISC

Start: 70 End: 72 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	71	15.3 %	15.4%
1	-	15	3.2 %	3.3%
2	-	359	77.5 %	77.9%
3	-	7	1.5 %	1.5%
4	- 10 -	6	1.3 %	1.3%

- 10 -

### VD14

### score, word 14, WISC (cont.)

Value	Label	Frequency	%	Valid %
9	-	3	0.6 %	0.7%
. (M)	-	2	0.4 %	-

Valid	Min	Max	Mean	Stdev
461	0.00	9.00	1.75	0.99

### VD15

### score, word 15, WISC

Start: 73 End: 75 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	97	21.0 %	21.1%
1	-	59	12.7 %	12.9%
2	-	296	63.9 %	64.5%
3	-	3	0.6 %	0.7%
4	-	2	0.4 %	0.4%
9	-	2	0.4 %	0.4%
. (M)	-	4	0.9 %	-

Valid	Min	Max	Mean	Stdev
459	0.00	9.00	1.49	0.98

### VD16

### score, word 16, WISC

Start: 76 End: 78 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	68	14.7 %	14.9%

### VD16

### score, word 16, WISC (cont.)

Value	Label	Frequency	%	Valid %
1	-	13	2.8 %	2.8%
2	-	370	79.9 %	81.0%
3	-	3	0.6 %	0.7%
4	-	1	0.2 %	0.2%
9	-	2	0.4 %	0.4%
. (M)	-	6	1.3 %	-

Valid	Min	Max	Mean	Stdev
457	0.00	9.00	1.72	0.88

### VD17

### Start: 79 End: 81 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 17, WISC

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	257	55.5 %	56.5%
1	-	3	0.6 %	0.7%
2	-	183	39.5 %	40.2%
3	-	5	1.1 %	1.1%
4	-	2	0.4 %	0.4%
8	-	2	0.4 %	0.4%
9	-	3	0.6 %	0.7%
. (M)	-	8	1.7 %	-

Valid	Min	Max	Mean	Stdev
455	0.00	9.00	0.96	1.30

### VD18

### score, word 18, WISC

Start: 82 End: 84 Width: 3

Type: numeric (ISO) Interval: discrete

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

### VD18

### score, word 18, WISC (cont.)

Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	159	34.3 %	35.4%
1	-	19	4.1 %	4.2%
2	-	268	57.9 %	59.7%
3	-	2	0.4 %	0.4%
4	-	1	0.2 %	0.2%
. (M)	-	14	3.0 %	-

Valid	Min	Max	Mean	Stdev
449	0.00	4.00	1.26	0.96

### VD19

### score, word 19, WISC

Start: 85 End: 87 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	81	17.5 %	18.4%
1	-	30	6.5 %	6.8%
2	-	321	69.3 %	72.8%
3	-	4	0.9 %	0.9%
4	-	3	0.6 %	0.7%
8	-	1	0.2 %	0.2%
9	-	1	0.2 %	0.2%
. (M)	-	22	4.8 %	-

Valid	Min	Max	Mean	Stdev
441	0.00	9.00	1.62	0.94

### - ICPSR 13749 -

### Variable Variable Description

### VD20

### score, word 20, WISC

Start: 88 End: 90 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	127	27.4 %	29.3%
1	-	60	13.0 %	13.8%
2	-	227	49.0 %	52.3%
3	-	6	1.3 %	1.4%
4	-	11	2.4 %	2.5%
8	-	1	0.2 %	0.2%
9	-	2	0.4 %	0.5%
. (M)	-	29	6.3 %	-

Valid	Min	Max	Mean	Stdev	
434	0.00	9.00	1.39	1.17	

### VD21

### score, word 21, WISC

Start: 91 End: 93 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	195	42.1 %	45.6%
1	-	29	6.3 %	6.8%
2	-	196	42.3 %	45.8%
4	-	4	0.9 %	0.9%
8	-	3	0.6 %	0.7%
9	-	1	0.2 %	0.2%
. (M)	-	35	7.6 %	-

# Variable Variable Description VD21 score, word 21, WISC (cont.) Valid Min Max Mean Stdev 428 0.00 9.00 1.10 1.22

### VD22 score, word 22, WISC

Start: 94 End: 96 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	219	47.3 %	53.9%
1	-	18	3.9 %	4.4%
2	-	154	33.3 %	37.9%
3	-	5	1.1 %	1.2%
4	-	4	0.9 %	1.0%
8	-	1	0.2 %	0.2%
9	-	5	1.1 %	1.2%
. (M)	-	57	12.3 %	-

Valid	Min	Max	Mean	Stdev
406	0.00	9.00	1.01	1.40

### VD23 score, word 23, WISC

Start: 97 End: 99 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	229	49.5 %	56.7%
1	-	54	11.7 %	13.4%
2	-	115	24.8 %	28.5%
4	- 15 -	1	0.2 %	0.2%

- 15 -

### VD23

### score, word 23, WISC (cont.)

Value	Label	Frequency	%	Valid %
8	-	1	0.2 %	0.2%
9	-	4	0.9 %	1.0%
. (M)	-	59	12.7 %	-

Valid	Min	Max	Mean	Stdev
404	0.00	9.00	0.82	1.27

### VD24

### score, word 24, WISC

Start: 100 End: 102 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	306	66.1 %	77.5%
1	-	10	2.2 %	2.5%
2	-	66	14.3 %	16.7%
3	-	4	0.9 %	1.0%
4	-	2	0.4 %	0.5%
8	-	4	0.9 %	1.0%
9	-	3	0.6 %	0.8%
. (M)	-	68	14.7 %	-

Valid	Min	Max	Mean	Stdev
395	0.00	9.00	0.56	1.35

### VD25

### score, word 25, WISC

Start: 103 End: 105 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

### VD25

### score, word 25, WISC (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	323	69.8 %	89.5%
1	-	1	0.2 %	0.3%
2	-	27	5.8 %	7.5%
4	-	2	0.4 %	0.6%
8	-	3	0.6 %	0.8%
9	-	5	1.1 %	1.4%
. (M)	-	102	22.0 %	-

Valid	Min	Max	Mean	Stdev
361	0.00	9.00	0.37	1.38

### VD26

### score, word 26, WISC

Start: 106 End: 108 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	87	18.8 %	27.4%
1	-	50	10.8 %	15.7%
2	-	171	36.9 %	53.8%
3	-	6	1.3 %	1.9%
4	-	3	0.6 %	0.9%
9	-	1	0.2 %	0.3%
. (M)	-	145	31.3 %	-

Valid	Min	Max	Mean	Stdev
318	0.00	9.00	1.36	1.02

### VD27

### score, word 27, WISC

Start: 109 End: 111 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-

### **Variable Description**

### VD27

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 27, WISC (cont.)

Value	Label	Frequency	%	Valid %
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	128	27.6 %	45.1%
1	-	92	19.9 %	32.4%
2	-	57	12.3 %	20.1%
3	-	2	0.4 %	0.7%
4	-	2	0.4 %	0.7%
9	-	3	0.6 %	1.1%
. (M)	-	179	38.7 %	-

Valid	Min	Max	Mean	Stdev
284	0.00	9.00	0.87	1.19

### VD28

Start: 112 End: 114 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

### score, word 28, WISC

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	205	44.3 %	75.6%
1	-	25	5.4 %	9.2%
2	-	31	6.7 %	11.4%
3	-	4	0.9 %	1.5%
4	-	3	0.6 %	1.1%
8	-	2	0.4 %	0.7%
9	-	1	0.2 %	0.4%
. (M)	-	192	41.5 %	-

### Variable Variable Description VD28 score, word 28, WISC (cont.) Valid Min Max Mean Stdev 271 0.00 9.00 0.50 1.18

### VD29 score, word 29, WISC

Start: 115 End: 117 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	204	44.1 %	80.0%
1	-	11	2.4 %	4.3%
2	-	29	6.3 %	11.4%
3	-	3	0.6 %	1.2%
4	-	4	0.9 %	1.6%
8	-	2	0.4 %	0.8%
9	-	2	0.4 %	0.8%
. (M)	-	208	44.9 %	-

Valid	Min	Max	Mean	Stdev
255	0.00	9.00	0.50	1.32

### VD30 score, word 30, WISC

Start: 118 End: 120 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	141	30.5 %	55.7%
1	-	2	0.4 %	0.8%
2	-	103	22.2 %	40.7%
3	- 10	2	0.4 %	0.8%

- 19 -

### VD30

### score, word 30, WISC (cont.)

Value	Label	Frequency	%	Valid %
4	-	1	0.2 %	0.4%
8	-	2	0.4 %	0.8%
9	-	2	0.4 %	0.8%
. (M)	-	210	45.4 %	-

Valid	Min	Max	Mean	Stdev
253	0.00	9.00	1.00	1.39

### VD31

### score, word 31, WISC

Start: 121 End: 123 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	219	47.3 %	86.9%
1	-	15	3.2 %	6.0%
2	-	10	2.2 %	4.0%
4	-	4	0.9 %	1.6%
8	-	2	0.4 %	0.8%
9	-	2	0.4 %	0.8%
. (M)	-	211	45.6 %	-

Valid	Min	Max	Mean	Stdev
252	0.00	9.00	0.34	1.23

### VD32

### score, word 32, WISC

Start: 124 End: 126 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

### **Variable Description**

### VD32

### score, word 32, WISC (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	190	41.0 %	96.0%
1	-	1	0.2 %	0.5%
2	-	2	0.4 %	1.0%
8	-	3	0.6 %	1.5%
9	-	2	0.4 %	1.0%
. (M)	-	265	57.2 %	-

Valid	Min	Max	Mean	Stdev	
198	0.00	9.00	0.24	1.34	

### WISCRAW3

### WISC-R raw vocabulary score,W3

Start: 127 End: 129 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
10	-	1	0.2 %	0.2%
12	-	2	0.4 %	0.5%
14	-	1	0.2 %	0.2%
18	-	2	0.4 %	0.5%
19	-	2	0.4 %	0.5%
20	-	5	1.1 %	1.2%
22	-	4	0.9 %	1.0%
24	-	4	0.9 %	1.0%
25	-	6	1.3 %	1.4%
26	-	12	2.6 %	2.9%
27	-	6	1.3 %	1.4%
28	-	11	2.4 %	2.7%
29	-	12	2.6 %	2.9%
30	-	16	3.5 %	3.9%
31	-	10	2.2 %	2.4%

### Variable Description

WISCRAW3

### WISC-R raw vocabulary score, W3 (cont.)

Value	Label	Frequency	%	Valid %
32	-	15	3.2 %	3.6%
33	-	9	1.9 %	2.2%
34	-	20	4.3 %	4.8%
35	-	11	2.4 %	2.7%
36	-	18	3.9 %	4.3%
37	-	17	3.7 %	4.1%
38	-	18	3.9 %	4.3%
39	-	17	3.7 %	4.1%
40	-	15	3.2 %	3.6%
41	-	15	3.2 %	3.6%
42	-	17	3.7 %	4.1%
43	-	18	3.9 %	4.3%
44	-	9	1.9 %	2.2%
45	-	15	3.2 %	3.6%
46	-	15	3.2 %	3.6%
47	-	11	2.4 %	2.7%
48	-	14	3.0 %	3.4%
49	-	10	2.2 %	2.4%
50	-	13	2.8 %	3.1%
51	-	2	0.4 %	0.5%
52	-	8	1.7 %	1.9%
53	-	8	1.7 %	1.9%
54	-	5	1.1 %	1.2%
55	-	7	1.5 %	1.7%
56	-	3	0.6 %	0.7%
57	-	3	0.6 %	0.7%
58	-	4	0.9 %	1.0%
59	-	2	0.4 %	0.5%
60	-	1	0.2 %	0.2%
62	-	1	0.2 %	0.2%
. (M)	-	48	10.4 %	-

Valid	Min	Max	Mean	Stdev
415	10.00	62.00	38.90	9.40

### **Variable Description**

### WISCSCL3

### WISC-R scaled vocabulary score, W3

Start: 130 End: 132 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	13	2.8 %	3.1%
2	-	4	0.9 %	1.0%
3	-	4	0.9 %	1.0%
4	-	24	5.2 %	5.8%
5	-	38	8.2 %	9.2%
6	-	34	7.3 %	8.2%
7	-	65	14.0 %	15.7%
8	-	60	13.0 %	14.5%
9	-	63	13.6 %	15.2%
10	-	50	10.8 %	12.0%
11	-	23	5.0 %	5.5%
12	-	15	3.2 %	3.6%
13	-	10	2.2 %	2.4%
14	-	8	1.7 %	1.9%
15	-	1	0.2 %	0.2%
16	-	2	0.4 %	0.5%
18	-	1	0.2 %	0.2%
. (M)	-	48	10.4 %	-

Valid	Min	Max	Mean	Stdev
415	1.00	18.00	7.87	2.83

### INVAL

**INVAL** 

Start: 133 End: 135 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

### INVAL

### INVAL (cont.)

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	53	11.4 %	100.0%
. (M)	-	410	88.6 %	-

Valid	Min	Max	Mean	Stdev
53	1.00	1.00	1.00	0.00

### LASTWORD

### last word reached

Start: 136 End: 138 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	10	2.2 %	2.2%
5	-	2	0.4 %	0.4%
9	-	1	0.2 %	0.2%
13	-	1	0.2 %	0.2%
14	-	2	0.4 %	0.4%
15	-	2	0.4 %	0.4%
16	-	2	0.4 %	0.4%
17	-	6	1.3 %	1.3%
18	-	8	1.7 %	1.7%
19	-	7	1.5 %	1.5%
20	-	6	1.3 %	1.3%
21	-	22	4.8 %	4.8%
22	-	1	0.2 %	0.2%
23	-	9	1.9 %	1.9%
24	-	33	7.1 %	7.1%
25	-	40	8.6 %	8.6%
26	-	34	7.3 %	7.3%
27	-	12	2.6 %	2.6%

### **LASTWORD**

### last word reached (cont.)

Value	Label	Frequency	%	Valid %
28	-	15	3.2 %	3.2%
29	-	1	0.2 %	0.2%
30	-	1	0.2 %	0.2%
31	-	52	11.2 %	11.2%
32	-	196	42.3 %	42.3%

Valid	Min	Max	Mean	Stdev
463	0.00	32.00	27.38	6.38

### VD\_1

### score, word 1, WISC - recode

Start: 139 End: 141 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	0.2%
1	-	1	0.2 %	0.2%
2	-	421	90.9 %	92.9%
9	-	30	6.5 %	6.6%
. (M)	-	10	2.2 %	-

	Valid	Min	Max	Mean	Stdev
4	453	0.00	9.00	2.46	1.75

### VD\_2

### score, word 2, WISC - recode

Start: 142 End: 144 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

### VD\_2

### score, word 2, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	1	0.2 %	0.2%
2	-	422	91.1 %	93.2%
9	-	30	6.5 %	6.6%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	1.00	9.00	2.46	1.74

### VD\_3

### score, word 3, WISC - recode

Start: 145 End: 147 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	0.2%
1	-	1	0.2 %	0.2%
2	-	421	90.9 %	92.9%
9	-	30	6.5 %	6.6%
. (M)	-	10	2.2 %	-

1	Valid	Min	Max	Mean	Stdev
2	<b>1</b> 53	0.00	9.00	2.46	1.75

### VD\_4

### score, word 4, WISC - recode

Start: 148 End: 150 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	0.2%

### VD\_4

### score, word 4, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	2	0.4 %	0.4%
2	-	421	90.9 %	92.9%
9	-	29	6.3 %	6.4%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	2.44	1.72

### VD\_5

### score, word 5, WISC - recode

Start: 151 End: 153 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	3	0.6 %	0.7%
1	-	5	1.1 %	1.1%
2	-	416	89.8 %	91.8%
9	-	29	6.3 %	6.4%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	2.42	1.73

### VD\_6

### score, word 6, WISC - recode

Start: 154 End: 156 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	4	0.9 %	0.9%

### VD\_6

### score, word 6, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	10	2.2 %	2.2%
2	-	411	88.8 %	91.1%
9	-	26	5.6 %	5.8%
. (M)	-	12	2.6 %	-

Valid	Min	Max	Mean	Stdev	
451	0.00	9.00	2.36	1.66	

### VD\_7

### score, word 7, WISC - recode

Start: 157 End: 159 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	1	0.2 %	0.2%
1	-	14	3.0 %	3.1%
2	-	410	88.6 %	90.5%
9	-	28	6.0 %	6.2%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	2.40	1.71

### VD\_8

### score, word 8, WISC - recode

Start: 160 End: 162 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	20	4.3 %	4.4%

## VD\_8

## score, word 8, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	31	6.7 %	6.8%
2	-	395	85.3 %	87.2%
9	-	7	1.5 %	1.5%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	1.95	1.00

## VD\_9

## score, word 9, WISC - recode

Start: 163 End: 165 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	8	1.7 %	1.8%
1	-	2	0.4 %	0.4%
2	-	436	94.2 %	96.2%
9	-	7	1.5 %	1.5%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	2.07	0.91

## VD\_10

## score, word 10, WISC - recode

Start: 166 End: 168 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	24	5.2 %	5.3%

## VD\_10

## score, word 10, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	21	4.5 %	4.6%
2	-	401	86.6 %	88.5%
9	-	7	1.5 %	1.5%
. (M)	-	10	2.2 %	-

Valid	Min	Max	Mean	Stdev
453	0.00	9.00	1.96	1.01

## VD\_11

## score, word 11, WISC - recode

Start: 169 End: 171 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	36	7.8 %	7.8%
1	-	27	5.8 %	5.8%
2	-	398	86.0 %	86.1%
9	-	1	0.2 %	0.2%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
462	0.00	9.00	1.80	0.66

## VD\_12

## score, word 12, WISC - recode

Start: 172 End: 174 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	47	10.2 %	10.2%

## VD\_12

## score, word 12, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	100	21.6 %	21.6%
2	-	314	67.8 %	68.0%
9	-	1	0.2 %	0.2%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
462	0.00	9.00	1.60	0.75

## VD\_13

## score, word 13, WISC - recode

Start: 175 End: 177 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	88	19.0 %	19.0%
1	-	34	7.3 %	7.4%
2	-	339	73.2 %	73.4%
9	-	1	0.2 %	0.2%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
462	0.00	9.00	1.56	0.87

## VD\_14

## score, word 14, WISC - recode

Start: 178 End: 180 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	80	17.3 %	17.4%

## VD\_14

## score, word 14, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	21	4.5 %	4.6%
2	-	359	77.5 %	77.9%
9	-	1	0.2 %	0.2%
. (M)	-	2	0.4 %	-

Valid	Min	Max	Mean	Stdev
461	0.00	9.00	1.62	0.84

## VD\_15

## score, word 15, WISC - recode

Start: 181 End: 183 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	101	21.8 %	22.0%
1	-	61	13.2 %	13.3%
2	-	296	63.9 %	64.5%
9	-	1	0.2 %	0.2%
. (M)	-	4	0.9 %	-

Valid	Min	Max	Mean	Stdev
459	0.00	9.00	1.44	0.90

## VD\_16

## score, word 16, WISC - recode

Start: 184 End: 186 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	72	15.6 %	15.8%

## VD\_16

## score, word 16, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	15	3.2 %	3.3%
2	-	370	79.9 %	81.0%
. (M)	-	6	1.3 %	-

Valid	Min	Max	Mean	Stdev
457	0.00	2.00	1.65	0.74

## VD\_17

## score, word 17, WISC - recode

Start: 187 End: 189 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	263	56.8 %	57.8%
1	-	5	1.1 %	1.1%
2	-	185	40.0 %	40.7%
8	-	2	0.4 %	0.4%
. (M)	-	8	1.7 %	-

Valid	Min	Max	Mean	Stdev
455	0.00	8.00	0.86	1.09

## VD\_18

## score, word 18, WISC - recode

Start: 190 End: 192 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	161	34.8 %	35.9%
1	-	20	4.3 %	4.5%

## VD\_18

## score, word 18, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
2	-	268	57.9 %	59.7%
. (M)	-	14	3.0 %	-

Valid	Min	Max	Mean	Stdev
449	0.00	2.00	1.24	0.95

## VD\_19

#### Start: 193 End: 195 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

#### score, word 19, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	86	18.6 %	19.5%
1	-	33	7.1 %	7.5%
2	-	321	69.3 %	72.8%
8	-	1	0.2 %	0.2%
. (M)	-	22	4.8 %	-

Valid	Min	Max	Mean	Stdev
441	0.00	8.00	1.55	0.86

## VD\_20

## score, word 20, WISC - recode

Start: 196 End: 198 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	134	28.9 %	30.9%
1	-	71	15.3 %	16.4%
2	-	228	49.2 %	52.5%

## VD\_20

## score, word 20, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
8	-	1	0.2 %	0.2%
. (M)	-	29	6.3 %	-

Vá	alid	Min	Max	Mean	Stdev
43	34	0.00	8.00	1.23	0.95

## VD\_21

#### Start: 199 End: 201 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

#### score, word 21, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	196	42.3 %	45.8%
1	-	33	7.1 %	7.7%
2	-	196	42.3 %	45.8%
8	-	3	0.6 %	0.7%
. (M)	-	35	7.6 %	-

Valid	Min	Max	Mean	Stdev
428	0.00	8.00	1.05	1.12

## VD\_22

## score, word 22, WISC - recode

Start: 202 End: 204 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	227	49.0 %	55.9%
1	-	22	4.8 %	5.4%
2	-	155	33.5 %	38.2%

## VD\_22

## score, word 22, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
8	-	1	0.2 %	0.2%
9	-	1	0.2 %	0.2%
. (M)	-	57	12.3 %	-

Valid	Min	Max	Mean	Stdev
406	0.00	9.00	0.86	1.10

## VD\_23

## score, word 23, WISC - recode

Start: 205 End: 207 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	232	50.1 %	57.4%
1	-	55	11.9 %	13.6%
2	-	115	24.8 %	28.5%
8	-	1	0.2 %	0.2%
9	-	1	0.2 %	0.2%
. (M)	-	59	12.7 %	-

Valid	Min	Max	Mean	Stdev
404	0.00	9.00	0.75	1.04

#### VD 24

## score, word 24, WISC - recode

Start: 208 End: 210 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	312	67.4 %	79.0%

## VD\_24

## score, word 24, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
1	-	12	2.6 %	3.0%
2	-	66	14.3 %	16.7%
8	-	4	0.9 %	1.0%
9	-	1	0.2 %	0.3%
. (M)	-	68	14.7 %	-

Valid	Min	Max	Mean	Stdev
395	0.00	9.00	0.47	1.16

## VD\_25

#### Start: 211 End: 213

Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

## score, word 25, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	323	69.8 %	89.5%
1	-	6	1.3 %	1.7%
2	-	27	5.8 %	7.5%
8	-	3	0.6 %	0.8%
9	-	2	0.4 %	0.6%
. (M)	-	102	22.0 %	-

Valid	Min	Max	Mean	Stdev
361	0.00	9.00	0.28	1.10

## VD\_26

## score, word 26, WISC - recode

Start: 214 End: 216 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

## VD\_26

## score, word 26, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	93	20.1 %	29.2%
1	-	53	11.4 %	16.7%
2	-	171	36.9 %	53.8%
9	-	1	0.2 %	0.3%
. (M)	-	145	31.3 %	-

Valid	Min	Max	Mean	Stdev
318	0.00	9.00	1.27	0.98

## VD\_27

#### Start: 217 End: 219 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

#### score, word 27, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	132	28.5 %	46.5%
1	-	94	20.3 %	33.1%
2	-	57	12.3 %	20.1%
9	-	1	0.2 %	0.4%
. (M)	-	179	38.7 %	-

Valid	Min	Max	Mean	Stdev
284	0.00	9.00	0.76	0.92

## VD\_28

Start: 220 End: 222 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

## score, word 28, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

## VD\_28

## score, word 28, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	210	45.4 %	77.5%
1	-	28	6.0 %	10.3%
2	-	31	6.7 %	11.4%
8	-	2	0.4 %	0.7%
. (M)	-	192	41.5 %	-

Valid	Min	Max	Mean	Stdev
271	0.00	8.00	0.39	0.94

## VD\_29

Start: 223 End: 225 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

#### score, word 29, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	209	45.1 %	82.0%
1	-	15	3.2 %	5.9%
2	-	29	6.3 %	11.4%
8	-	2	0.4 %	0.8%
. (M)	-	208	44.9 %	-

Valid	Min	Max	Mean	Stdev
255	0.00	8.00	0.35	0.95

## VD\_30

Start: 226 End: 228 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

## score, word 30, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

## VD\_30

## score, word 30, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	145	31.3 %	57.3%
1	-	3	0.6 %	1.2%
2	-	103	22.2 %	40.7%
8	-	2	0.4 %	0.8%
. (M)	-	210	45.4 %	-

Valid	Min	Max	Mean	Stdev
253	0.00	8.00	0.89	1.17

## VD\_31

Start: 229 End: 231 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

#### score, word 31, WISC - recode

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	221	47.7 %	87.7%
1	-	19	4.1 %	7.5%
2	-	10	2.2 %	4.0%
8	-	2	0.4 %	0.8%
. (M)	-	211	45.6 %	-

Valid	Min	Max	Mean	Stdev
252	0.00	8.00	0.22	0.83

## VD\_32

score, word 32, WISC - recode

Start: 232 End: 234 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-

## VD\_32

## score, word 32, WISC - recode (cont.)

Value	Label	Frequency	%	Valid %
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	192	41.5 %	97.0%
1	-	1	0.2 %	0.5%
2	-	2	0.4 %	1.0%
8	-	3	0.6 %	1.5%
. (M)	-	265	57.2 %	-

Valid	Min	Max	Mean	Stdev
198	0.00	8.00	0.15	1.00

## **INVALSTR**

## **INVALSTR**

J

Start: 235 End: 237 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.7 %	100.0%
. (M)	-	446	96.3 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

# J

Start: 238 End: 240 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	413	89.2 %	97.6%
15	-	1	0.2 %	0.2%

# J (cont.)

Value	Label	Frequency	%	Valid %
18	-	1	0.2 %	0.2%
20	-	1	0.2 %	0.2%
24	-	1	0.2 %	0.2%
25	-	2	0.4 %	0.5%
28	-	2	0.4 %	0.5%
33	-	2	0.4 %	0.5%
. (M)	-	40	8.6 %	-

Valid	Min	Max	Mean	Stdev	
423	0.00	33.00	0.59	3.89	

## INVAL\_1 INVAL\_1

Start: 241 End: 243 Width: 3

Type: numeric (ISO) Interval: discrete Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	40	8.6 %	100.0%
. (M)	-	423	91.4 %	-

Valid	Min	Max	Mean	Stdev
40	1.00	1.00	1.00	0.00

## LASTWRD LASTWRD

Start: 244 End: 246 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
9	-	1	0.2 %	0.2%

# Variable

## **Variable Description**

## LASTWRD

# LASTWRD (cont.)

Value	Label	Frequency	%	Valid %
13	-	1	0.2 %	0.2%
14	-	2	0.4 %	0.4%
15	-	2	0.4 %	0.4%
16	-	2	0.4 %	0.4%
17	-	6	1.3 %	1.3%
18	-	8	1.7 %	1.7%
19	-	7	1.5 %	1.5%
20	-	6	1.3 %	1.3%
21	-	22	4.8 %	4.8%
22	-	2	0.4 %	0.4%
23	-	9	1.9 %	1.9%
24	-	34	7.3 %	7.3%
25	-	43	9.3 %	9.3%
26	-	34	7.3 %	7.3%
27	-	13	2.8 %	2.8%
28	-	16	3.5 %	3.5%
29	-	2	0.4 %	0.4%
30	-	1	0.2 %	0.2%
31	-	54	11.7 %	11.7%
32	-	198	42.8 %	42.8%

Valid	Min	Max	Mean	Stdev	
463	9.00	32.00	28.07	4.70	

# INVAL\_

INVAL\_

Start: 247 End: 249 Width: 3

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	48	10.4 %	100.0%
. (M)	-	415	89.6 %	-
	40			

# - ICPSR 13749 -

Variable	Variable De	Variable Description					
INVAL_	INVAL_ (co	INVAL_ (cont.)					
	Valid	Min	Max	Mean	Stdev		
	48	1.00	1.00	1.00	0.00		