



ICPSR 13750

Project on Human Development in Chicago Neighborhoods (PHDCN): Wide Range Achievement Test, Wave 3, 2000-2002

Felton J. Earls
Harvard Medical School

Jeanne Brooks-Gunn
*Scientific Director. Columbia University.
Teacher's College. Center for the Study of
Children and Families*

Stephen W. Raudenbush
*Scientific Director. University of Michigan.
School of Education, and Survey Research
Center*

Robert J. Sampson
*Scientific Director. Harvard University.
Department of Sociology*

Codebook for Cohort 12



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

ICPSR PROCESSING NOTES

1. The Murray Research Center conducted the initial data and documentation processing for this collection, including the initial confidentiality review. ICPSR performed the following additional checks:
 - verified that respondent confidentiality was protected
 - checked for undocumented codes for categorical variables and out-of-range values for continuous variables
 - noted inconsistencies in missing value designations.
2. ICPSR altered the data files from the Murray Research Center in the following ways:
 - reordered the variables so that the administrative variables (e.g., ID, wave number, cohort number, and dates) were at the beginning of each file and that the order of the other variables followed the data collection instrument
 - reformatted date and time variables to make them compatible across statistical packages
 - standardized abbreviations in variable and value labels and fixed misspellings in order to facilitate metadata searching
 - recoded character variables to numeric variables and standardized response codes across cohorts.
3. The Murray Research Center converted the original data collection instruments to Portable Document Format (PDF). ICPSR enhanced this PDF document by making all of the text searchable. The document is distributed as the questionnaire file for this study. Additionally, ICPSR created the following PDF documentation:
 - Data Completeness Reports summarizing the amount of missing data in each file
 - codebooks listing the metadata for each variable, as well as frequencies, summary statistics, and, in some cases, original question text
 - processing notes and appendices documenting additional information, as necessary.
4. Users should note that the values for variable SUBID3 have been reassigned from the original variable SUBID in order to protect respondent privacy. Users interested in obtaining these data must complete a Data Transfer Agreement Form and specify the reasons for the request. A copy of the Data Transfer Agreement Form can be requested by calling 800-999-0960. The Data Transfer Agreement Form is also available as a Portable Document Format (PDF) file from the NACJD Web site at <http://www.icpsr.umich.edu/NACJD/Private/private.pdf>. Completed forms should be returned to: Director, National Archive of Criminal Justice Data,

Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

5. Users should note that the codebook frequencies provided by ICPSR are from the public use files and that this version of the codebook documents both the public and restricted use data.
6. The following abbreviations are used in the codebook and setup files:
PC = Primary Caregiver
SUB = Subject
WRAT = Wide Range Achievement Test
7. The following continuous variables have values that appear to be out of a valid range:
WSW27 score, word 27, WRAT - value of 8 (1 case)
WSW37 score, word 37, WRAT - value of 8 (1 case)
WSW40 score, word 40, WRAT - value of 8 (1 case)
WSW41 score, word 41, WRAT - value of 8 (1 case)
WSW42 score, word 42, WRAT - value of 8 (1 case)
8. According to the questionnaire, values of "0" (zero) indicate an incorrect score and values of "1" indicate a correct score. No documentation was provided to ICPSR regarding values of "9". However, in other similar studies, values of "9" have indicated that a particular word was not asked.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12

Variable Name and Label (Total Cases = 565)	Percent of Cases with Missing Values
4.8% (3 of 62 variables)	have 0% Missing Values
30.6% (19 of 62 variables)	have 0% - 1% Missing Values
11.3% (7 of 62 variables)	have 1% - 3% Missing Values
8.1% (5 of 62 variables)	have 3% - 5% Missing Values
4.8% (3 of 62 variables)	have 5% - 10% Missing Values
WSW30	score, word 30, WRAT 5.1%
WSW31	score, word 31, WRAT 7.3%
WSW32	score, word 32, WRAT 9.4%
9.7% (6 of 62 variables)	have 10% - 20% Missing Values
WSW33	score, word 33, WRAT 11.5%
WSW34	score, word 34, WRAT 13.6%
WSW35	score, word 35, WRAT 16.8%
WSW36	score, word 36, WRAT 17.5%
WSW37	score, word 37, WRAT 18.4%
WSW38	score, word 38, WRAT 19.6%
6.5% (4 of 62 variables)	have 20% - 40% Missing Values
WSW39	score, word 39, WRAT 20.2%
WSW40	score, word 40, WRAT 22.8%
WSW41	score, word 41, WRAT 24.4%
WSW42	score, word 42, WRAT 25.3%
24.2% (15 of 62 variables)	have 40% - 99% Missing Values
WSL1	score, letter 1, WRAT 96.5%
WSL2	score, letter 2, WRAT 96.8%
WSL3	score, letter 3, WRAT 96.8%
WSL4	score, letter 4, WRAT 97.0%
WSL5	score, letter 5, WRAT 97.0%

Table 1: Distribution of Variables by Percentage of Missing Values--Cohort 12

Variable Name and Label (Total Cases = 565)		Percent of Cases with Missing Values
WSL6	score, letter 6, WRAT	97.0%
WSL7	score, letter 7, WRAT	97.0%
WSL8	score, letter 8, WRAT	97.0%
WSL9	score, letter 9, WRAT	97.0%
WSL10	score, letter 10, WRAT	97.0%
WSL11	score, letter 11, WRAT	97.0%
WSL12	score, letter 12, WRAT	97.0%
WSL13	score, letter 13, WRAT	97.0%
WSL14	score, letter 14, WRAT	97.0%
WSL15	score, letter 15, WRAT	97.0%
0.0% (0 of 62 variables)	have 100% missing values	

Codebook for ICPSR 13750

Project on Human Development in Chicago Neighborhoods (PHDCN): Wide Range Achievement Test, Wave 3, 2000-2002

Dataset0004: Cohort 12

Variable	Variable Description
----------	----------------------

Please Note: The "(M)" to the right of the value indicates the code has been designated as a missing value.

SUBID3	ICPSR Wave 3 subject ID
--------	-------------------------

Start: 1
End: 7
Width: 7
Type: numeric (ISO)
Interval: discrete

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
565	3000006.00	3006224.00	3003080.62	1785.62

WAVE	wave #
------	--------

Start: 8
End: 10
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
3	-	565	100.0 %	100.0%

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
565	3.00	3.00	3.00	0.00

COHORT	cohort
--------	--------

Start: 11
End: 13
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
12	-	565	100.0 %	100.0%

Variable	Variable Description
----------	----------------------

COHORT	cohort (cont.)
--------	----------------

Valid	Min	Max	Mean	Stdev
565	12.00	12.00	12.00	0.00

WSL1	score, letter 1, WRAT
------	-----------------------

Start: 14
End: 16
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	20	3.5 %	100.0%
. (M)	-	545	96.5 %	-

Valid	Min	Max	Mean	Stdev
20	1.00	1.00	1.00	0.00

WSL2	score, letter 2, WRAT
------	-----------------------

Start: 17
End: 19
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	18	3.2 %	100.0%
. (M)	-	547	96.8 %	-

Valid	Min	Max	Mean	Stdev
18	1.00	1.00	1.00	0.00

WSL3	score, letter 3, WRAT
------	-----------------------

Start: 20
End: 22
Width: 3
Type: numeric (ISO)

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

WSL3	score, letter 3, WRAT (cont.)
------	-------------------------------

Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	18	3.2 %	100.0%
. (M)	-	547	96.8 %	-

Valid	Min	Max	Mean	Stdev
18	1.00	1.00	1.00	0.00

WSL4	score, letter 4, WRAT
------	-----------------------

Start: 23
End: 25
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL5	score, letter 5, WRAT
------	-----------------------

Start: 26
End: 28
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Variable	Variable Description
----------	----------------------

WSL5	score, letter 5, WRAT (cont.)
------	-------------------------------

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL6	score, letter 6, WRAT
------	-----------------------

Start: 29
End: 31
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
.(M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL7	score, letter 7, WRAT
------	-----------------------

Start: 32
End: 34
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
.(M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL8	score, letter 8, WRAT
------	-----------------------

Start: 35
End: 37
Width: 3
Type: numeric (ISO)

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

WSL8	score, letter 8, WRAT (<i>cont.</i>)
------	--

Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL9	score, letter 9, WRAT
------	-----------------------

Start: 38
End: 40
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL10	score, letter 10, WRAT
-------	------------------------

Start: 41
End: 43
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Variable	Variable Description
----------	----------------------

WSL10	score, letter 10, WRAT (cont.)
-------	--------------------------------

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL11	score, letter 11, WRAT
-------	------------------------

Start: 44
End: 46
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL12	score, letter 12, WRAT
-------	------------------------

Start: 47
End: 49
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL13	score, letter 13, WRAT
-------	------------------------

Start: 50
End: 52
Width: 3
Type: numeric (ISO)

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-

Variable	Variable Description
----------	----------------------

WSL13	score, letter 13, WRAT (cont.)
-------	--------------------------------

Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL14	score, letter 14, WRAT
-------	------------------------

Start: 53
End: 55
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Valid	Min	Max	Mean	Stdev
17	1.00	1.00	1.00	0.00

WSL15	score, letter 15, WRAT
-------	------------------------

Start: 56
End: 58
Width: 3
Type: numeric (ISO)
Interval: discrete
Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
1	-	17	3.0 %	100.0%
. (M)	-	548	97.0 %	-

Variable	Variable Description
----------	----------------------

WSL15	score, letter 15, WRAT (<i>cont.</i>)
-------	---

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
17	1.00	1.00	1.00	0.00

WSW1	score, word 1, WRAT
------	---------------------

Start: 59
 End: 61
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	3	0.5 %	0.5%
1	-	561	99.3 %	99.5%
. (M)	-	1	0.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
564	0.00	1.00	0.99	0.07

WSW2	score, word 2, WRAT
------	---------------------

Start: 62
 End: 64
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	2	0.4 %	0.4%
1	-	562	99.5 %	99.6%
. (M)	-	1	0.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
564	0.00	1.00	1.00	0.06

Variable **Variable Description**

WSW3 **score, word 3, WRAT**

Start: 65
 End: 67
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	3	0.5 %	0.5%
1	-	561	99.3 %	99.5%
. (M)	-	1	0.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
564	0.00	1.00	0.99	0.07

WSW4 **score, word 4, WRAT**

Start: 68
 End: 70
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	5	0.9 %	0.9%
1	-	559	98.9 %	99.1%
. (M)	-	1	0.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
564	0.00	1.00	0.99	0.09

WSW5 **score, word 5, WRAT**

Start: 71
 End: 73
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

Variable	Variable Description
----------	----------------------

WSW5	score, word 5, WRAT (cont.)
------	-----------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	6	1.1 %	1.1%
1	-	557	98.6 %	98.9%
. (M)	-	2	0.4 %	-

Valid	Min	Max	Mean	Stdev
563	0.00	1.00	0.99	0.10

WSW6	score, word 6, WRAT
------	---------------------

Start: 74
 End: 76
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	9	1.6 %	1.6%
1	-	555	98.2 %	98.4%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
564	0.00	1.00	0.98	0.13

WSW7	score, word 7, WRAT
------	---------------------

Start: 77
 End: 79
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	6	1.1 %	1.1%
1	-	558	98.8 %	98.9%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW7	score, word 7, WRAT (<i>cont.</i>)
------	--------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
564	0.00	1.00	0.99	0.10

WSW8	score, word 8, WRAT
------	---------------------

Start: 80
 End: 82
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	6	1.1 %	1.1%
1	-	558	98.8 %	98.9%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
564	0.00	1.00	0.99	0.10

WSW9	score, word 9, WRAT
------	---------------------

Start: 83
 End: 85
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	10	1.8 %	1.8%
1	-	554	98.1 %	98.2%
. (M)	-	1	0.2 %	-

Valid	Min	Max	Mean	Stdev
564	0.00	1.00	0.98	0.13

Variable **Variable Description**

WSW10 **score, word 10, WRAT**

Start: 86
 End: 88
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	17	3.0 %	3.0%
1	-	547	96.8 %	97.0%
. (M)	-	1	0.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
564	0.00	1.00	0.97	0.17

WSW11 **score, word 11, WRAT**

Start: 89
 End: 91
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	30	5.3 %	5.3%
1	-	533	94.3 %	94.7%
. (M)	-	2	0.4 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
563	0.00	1.00	0.95	0.22

WSW12 **score, word 12, WRAT**

Start: 92
 End: 94
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW12	score, word 12, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	29	5.1 %	5.2%
1	-	534	94.5 %	94.8%
. (M)	-	2	0.4 %	-

Valid	Min	Max	Mean	Stdev
563	0.00	1.00	0.95	0.22

WSW13	score, word 13, WRAT
-------	----------------------

Start: 95
 End: 97
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	35	6.2 %	6.2%
1	-	528	93.5 %	93.8%
. (M)	-	2	0.4 %	-

Valid	Min	Max	Mean	Stdev
563	0.00	1.00	0.94	0.24

WSW14	score, word 14, WRAT
-------	----------------------

Start: 98
 End: 100
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	24	4.2 %	4.3%
1	-	538	95.2 %	95.7%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW14	score, word 14, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	3	0.5 %	-

Valid	Min	Max	Mean	Stdev
562	0.00	1.00	0.96	0.20

WSW15	score, word 15, WRAT
-------	----------------------

Start: 101
 End: 103
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	62	11.0 %	11.1%
1	-	499	88.3 %	88.9%
. (M)	-	4	0.7 %	-

Valid	Min	Max	Mean	Stdev
561	0.00	1.00	0.89	0.31

WSW16	score, word 16, WRAT
-------	----------------------

Start: 104
 End: 106
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	47	8.3 %	8.4%
1	-	514	91.0 %	91.6%
. (M)	-	4	0.7 %	-

Valid	Min	Max	Mean	Stdev
561	0.00	1.00	0.92	0.28

Variable	Variable Description
----------	----------------------

WSW17	score, word 17, WRAT
-------	----------------------

Start: 107
 End: 109
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	52	9.2 %	9.3%
1	-	509	90.1 %	90.7%
. (M)	-	4	0.7 %	-

Valid	Min	Max	Mean	Stdev
561	0.00	1.00	0.91	0.29

WSW18	score, word 18, WRAT
-------	----------------------

Start: 110
 End: 112
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	49	8.7 %	8.8%
1	-	508	89.9 %	91.2%
. (M)	-	8	1.4 %	-

Valid	Min	Max	Mean	Stdev
557	0.00	1.00	0.91	0.28

WSW19	score, word 19, WRAT
-------	----------------------

Start: 113
 End: 115
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW19	score, word 19, WRAT (<i>cont.</i>)
-------	---------------------------------------

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	53	9.4 %	9.6%
1	-	500	88.5 %	90.4%
. (M)	-	12	2.1 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
553	0.00	1.00	0.90	0.29

WSW20	score, word 20, WRAT
-------	----------------------

Start: 116
 End: 118
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	76	13.5 %	13.8%
1	-	476	84.2 %	86.2%
. (M)	-	13	2.3 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
552	0.00	1.00	0.86	0.34

WSW21	score, word 21, WRAT
-------	----------------------

Start: 119
 End: 121
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	55	9.7 %	10.0%
1	-	497	88.0 %	90.0%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW21	score, word 21, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	13	2.3 %	-

Valid	Min	Max	Mean	Stdev
552	0.00	1.00	0.90	0.30

WSW22	score, word 22, WRAT
-------	----------------------

Start: 122
 End: 124
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	124	21.9 %	22.5%
1	-	428	75.8 %	77.5%
. (M)	-	13	2.3 %	-

Valid	Min	Max	Mean	Stdev
552	0.00	1.00	0.78	0.42

WSW23	score, word 23, WRAT
-------	----------------------

Start: 125
 End: 127
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	188	33.3 %	34.1%
1	-	364	64.4 %	65.9%
. (M)	-	13	2.3 %	-

Valid	Min	Max	Mean	Stdev
552	0.00	1.00	0.66	0.47

Variable **Variable Description**

WSW24 score, word 24, WRAT

Start: 128
 End: 130
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	170	30.1 %	31.0%
1	-	379	67.1 %	69.0%
. (M)	-	16	2.8 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
549	0.00	1.00	0.69	0.46

WSW25 score, word 25, WRAT

Start: 131
 End: 133
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	249	44.1 %	45.4%
1	-	299	52.9 %	54.6%
. (M)	-	17	3.0 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
548	0.00	1.00	0.55	0.50

WSW26 score, word 26, WRAT

Start: 134
 End: 136
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW26	score, word 26, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	252	44.6 %	46.3%
1	-	292	51.7 %	53.7%
. (M)	-	21	3.7 %	-

Valid	Min	Max	Mean	Stdev
544	0.00	1.00	0.54	0.50

WSW27	score, word 27, WRAT
-------	----------------------

Start: 137
 End: 139
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	268	47.4 %	49.6%
1	-	271	48.0 %	50.2%
8	-	1	0.2 %	0.2%
. (M)	-	25	4.4 %	-

Valid	Min	Max	Mean	Stdev
540	0.00	8.00	0.52	0.60

WSW28	score, word 28, WRAT
-------	----------------------

Start: 140
 End: 142
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	239	42.3 %	44.3%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW28	score, word 28, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
1	-	301	53.3 %	55.7%
. (M)	-	25	4.4 %	-

Valid	Min	Max	Mean	Stdev
540	0.00	1.00	0.56	0.50

WSW29	score, word 29, WRAT
-------	----------------------

Start: 143
 End: 145
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	171	30.3 %	31.8%
1	-	367	65.0 %	68.2%
. (M)	-	27	4.8 %	-

Valid	Min	Max	Mean	Stdev
538	0.00	1.00	0.68	0.47

WSW30	score, word 30, WRAT
-------	----------------------

Start: 146
 End: 148
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	244	43.2 %	45.5%
1	-	292	51.7 %	54.5%
. (M)	-	29	5.1 %	-

Valid	Min	Max	Mean	Stdev
536	0.00	1.00	0.54	0.50

Variable	Variable Description
----------	----------------------

WSW31	score, word 31, WRAT
-------	----------------------

Start: 149
 End: 151
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	318	56.3 %	60.7%
1	-	206	36.5 %	39.3%
. (M)	-	41	7.3 %	-

Valid	Min	Max	Mean	Stdev
524	0.00	1.00	0.39	0.49

WSW32	score, word 32, WRAT
-------	----------------------

Start: 152
 End: 154
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	228	40.4 %	44.5%
1	-	284	50.3 %	55.5%
. (M)	-	53	9.4 %	-

Valid	Min	Max	Mean	Stdev
512	0.00	1.00	0.55	0.50

WSW33	score, word 33, WRAT
-------	----------------------

Start: 155
 End: 157
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW33	score, word 33, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	378	66.9 %	75.6%
1	-	122	21.6 %	24.4%
. (M)	-	65	11.5 %	-

Valid	Min	Max	Mean	Stdev
500	0.00	1.00	0.24	0.43

WSW34	score, word 34, WRAT
-------	----------------------

Start: 158
 End: 160
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	406	71.9 %	83.2%
1	-	82	14.5 %	16.8%
. (M)	-	77	13.6 %	-

Valid	Min	Max	Mean	Stdev
488	0.00	1.00	0.17	0.37

WSW35	score, word 35, WRAT
-------	----------------------

Start: 161
 End: 163
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	311	55.0 %	66.2%
1	-	159	28.1 %	33.8%

Variable	Variable Description
----------	----------------------

WSW35	score, word 35, WRAT (cont.)
-------	------------------------------

Value	Label	Frequency	%	Valid %
. (M)	-	95	16.8 %	-
Valid	Min	Max	Mean	Stdev
470	0.00	1.00	0.34	0.47

WSW36	score, word 36, WRAT
-------	----------------------

Start: 164
 End: 166
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	357	63.2 %	76.6%
1	-	109	19.3 %	23.4%
. (M)	-	99	17.5 %	-
Valid	Min	Max	Mean	Stdev
466	0.00	1.00	0.23	0.42

WSW37	score, word 37, WRAT
-------	----------------------

Start: 167
 End: 169
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	335	59.3 %	72.7%
1	-	125	22.1 %	27.1%
8	-	1	0.2 %	0.2%
. (M)	-	104	18.4 %	-
Valid	Min	Max	Mean	Stdev
461	0.00	8.00	0.29	0.57

Variable	Variable Description
----------	----------------------

WSW38	score, word 38, WRAT
-------	----------------------

Start: 170
 End: 172
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	205	36.3 %	45.2%
1	-	249	44.1 %	54.8%
. (M)	-	111	19.6 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
454	0.00	1.00	0.55	0.50

WSW39	score, word 39, WRAT
-------	----------------------

Start: 173
 End: 175
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	278	49.2 %	61.6%
1	-	173	30.6 %	38.4%
. (M)	-	114	20.2 %	-

<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
451	0.00	1.00	0.38	0.49

WSW40	score, word 40, WRAT
-------	----------------------

Start: 176
 End: 178
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW40	score, word 40, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	358	63.4 %	82.1%
1	-	77	13.6 %	17.7%
8	-	1	0.2 %	0.2%
. (M)	-	129	22.8 %	-

Valid	Min	Max	Mean	Stdev
436	0.00	8.00	0.19	0.53

WSW41	score, word 41, WRAT
-------	----------------------

Start: 179
 End: 181
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
0	-	318	56.3 %	74.5%
1	-	108	19.1 %	25.3%
8	-	1	0.2 %	0.2%
. (M)	-	138	24.4 %	-

Valid	Min	Max	Mean	Stdev
427	0.00	8.00	0.27	0.57

WSW42	score, word 42, WRAT
-------	----------------------

Start: 182
 End: 184
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WSW42	score, word 42, WRAT (<i>cont.</i>)
-------	---------------------------------------

Value	Label	Frequency	%	Valid %
0	-	401	71.0 %	95.0%
1	-	20	3.5 %	4.7%
8	-	1	0.2 %	0.2%
. (M)	-	143	25.3 %	-

Valid	Min	Max	Mean	Stdev
422	0.00	8.00	0.07	0.44

WRATRAW3	WRAT 3 raw reading score, wave 3
----------	----------------------------------

Start: 185
 End: 187
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
15	-	2	0.4 %	0.4%
20	-	1	0.2 %	0.2%
21	-	2	0.4 %	0.4%
22	-	3	0.5 %	0.5%
24	-	1	0.2 %	0.2%
25	-	1	0.2 %	0.2%
26	-	1	0.2 %	0.2%
27	-	3	0.5 %	0.5%
28	-	4	0.7 %	0.7%
29	-	3	0.5 %	0.5%
30	-	3	0.5 %	0.5%
31	-	4	0.7 %	0.7%
32	-	10	1.8 %	1.8%
33	-	6	1.1 %	1.1%
34	-	13	2.3 %	2.3%
35	-	20	3.5 %	3.6%
36	-	14	2.5 %	2.5%
37	-	20	3.5 %	3.6%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WRATRAW3	WRAT 3 raw reading score, wave 3 (<i>cont.</i>)
----------	---

Value	Label	Frequency	%	Valid %
38	-	27	4.8 %	4.8%
39	-	15	2.7 %	2.7%
40	-	21	3.7 %	3.7%
41	-	17	3.0 %	3.0%
42	-	33	5.8 %	5.9%
43	-	28	5.0 %	5.0%
44	-	33	5.8 %	5.9%
45	-	29	5.1 %	5.2%
46	-	33	5.8 %	5.9%
47	-	37	6.5 %	6.6%
48	-	32	5.7 %	5.7%
49	-	36	6.4 %	6.4%
50	-	42	7.4 %	7.5%
51	-	22	3.9 %	3.9%
52	-	15	2.7 %	2.7%
53	-	15	2.7 %	2.7%
54	-	12	2.1 %	2.1%
55	-	3	0.5 %	0.5%
. (M)	-	4	0.7 %	-

Valid	Min	Max	Mean	Stdev
561	15.00	55.00	43.30	6.89

WRATSCL3	WRAT 3 scaled reading score, wave 3
----------	-------------------------------------

Start: 188
 End: 190
 Width: 3
 Type: numeric (ISO)
 Interval: discrete
 Missing: -99 thru -93

Value	Label	Frequency	%	Valid %
-99 (M)	-99:interviewer missed	0	0.0 %	-
-98 (M)	-98:doesn't know	0	0.0 %	-
-96 (M)	-96:refused	0	0.0 %	-
-95 (M)	-95:doesn't understand	0	0.0 %	-
-94 (M)	-94:no money	0	0.0 %	-
-93 (M)	-93:uncodeable	0	0.0 %	-
44	-	3	0.5 %	0.5%
46	-	2	0.4 %	0.4%
48	-	3	0.5 %	0.5%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WRATSCL3	WRAT 3 scaled reading score, wave 3 (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
53	-	1	0.2 %	0.2%
54	-	1	0.2 %	0.2%
58	-	1	0.2 %	0.2%
60	-	2	0.4 %	0.4%
61	-	1	0.2 %	0.2%
62	-	2	0.4 %	0.4%
64	-	3	0.5 %	0.5%
66	-	2	0.4 %	0.4%
67	-	1	0.2 %	0.2%
68	-	2	0.4 %	0.4%
69	-	1	0.2 %	0.2%
70	-	2	0.4 %	0.4%
71	-	9	1.6 %	1.6%
73	-	4	0.7 %	0.7%
74	-	4	0.7 %	0.7%
75	-	5	0.9 %	0.9%
76	-	8	1.4 %	1.4%
77	-	5	0.9 %	0.9%
78	-	14	2.5 %	2.5%
79	-	4	0.7 %	0.7%
81	-	10	1.8 %	1.8%
82	-	6	1.1 %	1.1%
83	-	14	2.5 %	2.5%
84	-	11	1.9 %	2.0%
85	-	15	2.7 %	2.7%
86	-	3	0.5 %	0.5%
87	-	1	0.2 %	0.2%
88	-	9	1.6 %	1.6%
89	-	8	1.4 %	1.4%
90	-	13	2.3 %	2.3%
91	-	7	1.2 %	1.2%
92	-	11	1.9 %	2.0%
93	-	7	1.2 %	1.2%

- ICPSR 13750 -

Variable	Variable Description
----------	----------------------

WRATSCL3	WRAT 3 scaled reading score, wave 3 (<i>cont.</i>)
----------	--

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
94	-	24	4.2 %	4.3%
96	-	11	1.9 %	2.0%
97	-	16	2.8 %	2.9%
98	-	13	2.3 %	2.3%
99	-	22	3.9 %	3.9%
100	-	8	1.4 %	1.4%
101	-	23	4.1 %	4.1%
103	-	12	2.1 %	2.1%
104	-	16	2.8 %	2.9%
105	-	8	1.4 %	1.4%
106	-	26	4.6 %	4.6%
107	-	6	1.1 %	1.1%
108	-	31	5.5 %	5.5%
109	-	6	1.1 %	1.1%
110	-	4	0.7 %	0.7%
111	-	26	4.6 %	4.6%
112	-	13	2.3 %	2.3%
113	-	28	5.0 %	5.0%
114	-	5	0.9 %	0.9%
115	-	19	3.4 %	3.4%
116	-	2	0.4 %	0.4%
117	-	2	0.4 %	0.4%
118	-	13	2.3 %	2.3%
119	-	6	1.1 %	1.1%
120	-	8	1.4 %	1.4%
121	-	4	0.7 %	0.7%
122	-	8	1.4 %	1.4%
123	-	1	0.2 %	0.2%
124	-	5	0.9 %	0.9%
. (M)	-	4	0.7 %	-
<i>Valid</i>	<i>Min</i>	<i>Max</i>	<i>Mean</i>	<i>Stdev</i>
561	44.00	124.00	97.53	15.82