

ICPSR 20345

**Reducing Repeat Sexual Assault
Victimization: Design and Testing
of a Risk Reduction Program in
New York City, New York, and
Seattle, Washington, 2003-2005**

Rob Davis

Vera Institute of Justice

Pam Guthrie

Vera Institute of Justice

Timothy Ross

Vera Institute of Justice

Chris O'Sullivan

Safe Horizon

Codebook for Part 3

Tonic Immobility Scale

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/20345.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR Processing Notes

1. The data are restricted from general dissemination. Users interested in obtaining these data must complete a Restricted Data Use Agreement form and specify the reasons for the request. A copy of the Restricted Data Use Agreement form can be requested by calling 800-999-0960. Researchers can also download this form as a Portable Document Format (PDF) file from the download page associated with this dataset.

Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

2. ICPSR recoded blanks in numeric variables to -9 and labeled them Blank. All declared missing codes other than -9 were assigned by the principal investigators in the original data file. This is true for all data parts except Part 4 (Baseline Attribution Scale) where -9 was used by the principal investigators for Declined and so -8 was used by ICPSR for Blank. In addition, the following codes that are typically considered as missing values are present in some variables but were not declared as missing values by the principal investigator or ICPSR: 96 and 99.

3. Users should be aware that this data collection may contain undocumented codes. These codes were not labeled by the principal investigator nor were they labeled by ICPSR.

4. For confidentiality reasons, several variables had specific information masked. This includes information bracketed between "[" and "]". For example, the variable COMMENTS (COMMENTS) includes the text "write in [LANGUAGE]" which masks identifying data.

5. For confidentiality reasons, the following variables were masked by ICPSR in Part 1 (Demographic Information), Part 8 (Baseline Sexual Experiences Survey), Part 9 (Follow Up Attribution Scale), Part 10 (Follow Up Confidence Measures), Part 12 (Follow Up Sexual Assault Awareness Survey), Part 13 (Follow Up Sexual Experiences Survey), and Part 14 (Follow Up Trauma Symptom Checklist):

- A. INT1 (INTERVIEWER BASELINE)
- B. REFSOURC (REFERRAL SOURCE)
- C. INT2 (INTERVIEWER FOLLOW UP)

6. The variable DOB (DATE OF BIRTH) was masked by ICPSR in Part 1 (Demographic Information), Part 8 (Baseline Sexual Experiences Survey), Part 9 (Follow Up Attribution Scale), Part 10 (Follow Up Confidence Measures), Part 12 (Follow Up Sexual Assault Awareness Survey), Part 13 (Follow Up Sexual Experiences Survey), and Part 14 (Follow Up Trauma Symptom Checklist). For this variable, users should note that values of "01/01/1900" should be interpreted as "masked". ICPSR retained the original status of the values as to whether the value was valid or missing.

7. ICPSR repeated variable names as variable labels for several variables in all parts with the exception of Part 7 (Baseline Revised Sexual Assault Awareness Survey) which had variable labels for all variables.

ICPSR 20345

Reducing Repeat Sexual Assault Victimization: Design and Testing of a Risk Reduction Program in New York City, New York, and Seattle, Washington, 2003-2005

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Reducing Repeat Sexual Assault Victimization: Design and Testing of a Risk Reduction Program in New York City, New York, and Seattle, Washington, 2003-2005

Tonic Immobility Scale

PARTICIPIP **PARTICIPANT**

Location: 1-3 (width: 3; decimal: 0)
Variable Type: numeric
Based upon 84 valid cases out of 84 total cases.

- Mean: 142.50
- Median: 142.50
- Minimum: 101.00
- Maximum: 184.00
- Standard Deviation: 24.39

ASSIGN **ASSIGNED TREATMENT**

Location: 4-4 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Control	38	45.2 %
1	Experimental	46	54.8 %

Based upon 84 valid cases out of 84 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

TREATRCD **TREATMENT RECEIVED**

Location: 5-5 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Control	43	51.2 %
1	Experimental	41	48.8 %

Based upon 84 valid cases out of 84 total cases.

- Mean: 0.49

- Study 20345 -

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

RANDOM **WAS ASSIGNMENT RANDOM?**

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	7	8.3 %
1	Yes	77	91.7 %

Based upon 84 valid cases out of 84 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

CITY **STUDY SITE**

Location: 7-7 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	New York	61	72.6 %
2	Seattle	23	27.4 %

Based upon 84 valid cases out of 84 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

FOLLOWUP **SIX MONTH FOLLOW-UP OBTAINED?**

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	13	15.5 %
1	Yes	71	84.5 %

Based upon 84 valid cases out of 84 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

IV1 PARALYZED

Location: 9-10 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all frozen or paralyzed	6	7.1 %
2	Two	3	3.6 %
3	Three	4	4.8 %
4	Four	8	9.5 %
5	Five	13	15.5 %
6	Completely frozen or paralyzed	28	33.3 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 4.56
- Median: 5.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.89

IV2 UNABLE TO MOVE NOT RESTRAINED

Location: 11-12 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Could move freely	12	14.3 %

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One	2	2.4 %
2	Two	3	3.6 %
3	Three	4	4.8 %
4	Four	9	10.7 %
5	Five	11	13.1 %
6	Could not move at all	21	25.0 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 3.82
- Median: 5.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.29

IV3 BODY TREMBLING SHAKING

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Shaking a lot	9	10.7 %
1	One	7	8.3 %
2	Two	6	7.1 %
3	Three	6	7.1 %
4	Four	3	3.6 %
5	Five	8	9.5 %
6	Not shaking at all	22	26.2 %
-9 (M)	Blank	23	27.4 %

Based upon 61 valid cases out of 84 total cases.

- Mean: 3.62
- Median: 4.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.32

IV4 UNABLE CALL SCREAM (SKIP IF MOUTH COVERED)

- Study 20345 -

Location: 15-16 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Could scream freely	20	23.8 %
1	One	2	2.4 %
2	Two	1	1.2 %
3	Three	5	6.0 %
4	Four	5	6.0 %
5	Five	3	3.6 %
6	Could not scream at all	26	31.0 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 3.39
- Median: 4.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.66

IV5 REMEMBER DETAILS OF EVENT

Location: 17-18 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Can remember vividly	33	39.3 %
1	One	6	7.1 %
2	Two	2	2.4 %
3	Three	13	15.5 %
4	Four	5	6.0 %
5	Five	1	1.2 %
6	Unable to remember at all	2	2.4 %
99	N/A	5	6.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 8.67
- Median: 1.00
- Mode: 0.00

- Study 20345 -

- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 25.90

IV6 FELT NUMB OR NO PAIN

Location: 19-20 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Could not feel any pain	22	26.2 %
1	One	6	7.1 %
2	Two	3	3.6 %
3	Three	3	3.6 %
4	Four	5	6.0 %
5	Five	2	2.4 %
6	Could feel pain very clearly	21	25.0 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 2.85
- Median: 2.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.64

IV7 FELT COLD

Location: 21-22 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Did not feel cold at all	24	28.6 %
1	One	2	2.4 %
2	Two	3	3.6 %
3	Three	4	4.8 %
4	Four	7	8.3 %
5	Five	5	6.0 %
6	Felt extremely cold	17	20.2 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Study 20345 -

- Mean: 2.82
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.58

IV8 FEAR/ PANIC

Location: 23-24 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Felt extreme fear or panic	5	6.0 %
1	One	1	1.2 %
2	Two	3	3.6 %
3	Three	5	6.0 %
4	Four	3	3.6 %
5	Five	9	10.7 %
6	Could feel pain very clearly	36	42.9 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 4.76
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.91

IV9 THOUGHT GOING TO DIE

Location: 25-26 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Could not feel any pain	16	19.0 %
1	One	5	6.0 %
2	Two	6	7.1 %
3	Three	5	6.0 %
4	Four	4	4.8 %
5	Five	7	8.3 %

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	Could feel pain very clearly	19	22.6 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 3.18
- Median: 3.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.47

IV10 DETACHED FROM SELF

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No sense of detachment from myself	10	11.9 %
1	One	3	3.6 %
3	Three	6	7.1 %
4	Four	5	6.0 %
5	Five	8	9.5 %
6	Could feel pain very clearly	30	35.7 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 4.21
- Median: 5.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.28

IV11 DETACHED FROM WHAT GOING ON

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Extreme detachment	16	19.0 %

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One	5	6.0 %
2	Two	5	6.0 %
3	Three	7	8.3 %
4	Four	2	2.4 %
5	Five	4	4.8 %
6	Could feel pain very clearly	23	27.4 %
-9 (M)	Blank	22	26.2 %

Based upon 62 valid cases out of 84 total cases.

- Mean: 3.26
- Median: 3.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.53

IV12 FELT GUILT SHAME FOLLOWING RECENT SEXUAL EXP

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Extreme shame or guilt	32	38.1 %
1	One	7	8.3 %
2	Two	6	7.1 %
3	Three	5	6.0 %
4	Four	2	2.4 %
5	Five	1	1.2 %
6	Could feel pain very clearly	9	10.7 %
99	N/A	5	6.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 8.90
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 25.87

IV13 EXPERIENCED ANY ABOVE SYMPTOMS DURING ASSAULT BEFORE MOST RECENT

- Study 20345 -

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	14	16.7 %
1	Yes	39	46.4 %
2	-	1	1.2 %
96	Skipped	8	9.5 %
99	N/A	5	6.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 19.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 38.41

IV13A FROZEN OR PARALYZED

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6	7.1 %
1	Yes	40	47.6 %
96	Skipped	1	1.2 %
99	N/A	20	23.8 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 31.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 45.80

IV13B PS UNABLE TO MOVE NOT RESTRAINED

Location: 37-38 (width: 2; decimal: 0)

- Study 20345 -

Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	11	13.1 %
1	Yes	33	39.3 %
96	Skipped	2	2.4 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 34.39
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.88

IV13C PS BODY TREMBLING SHAKING

Location: 39-40 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	9	10.7 %
1	Yes	35	41.7 %
96	Skipped	2	2.4 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 34.42
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.86

IV13D PS UNABLE TO CALL OUT SCREAM

Location: 41-42 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	14	16.7 %
1	Yes	30	35.7 %
96	Skipped	2	2.4 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 34.34
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.91

IV13E PS DETAILS OF EVENT ARE CLEAR

Location: 43-44 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	7	8.3 %
1	Yes	35	41.7 %
96	Skipped	4	4.8 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 37.28
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 47.61

IV13F PS FELT NUMB OR NO PAIN

Location: 45-46 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	15	17.9 %
1	Yes	30	35.7 %
96	Skipped	1	1.2 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 32.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.47

IV13G

PS FELT COLD

Location: 47-48 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	19	22.6 %
1	Yes	25	29.8 %
96	Skipped	2	2.4 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 34.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.97

IV13H

PS EXTREME FEAR OR PANIC

Location: 49-50 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	6	7.1 %
1	Yes	38	45.2 %
96	Skipped	2	2.4 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 34.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.83

IV13I PS FEARED FOR LIFE

Location: 51-52 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	18	21.4 %
1	Yes	27	32.1 %
96	Skipped	1	1.2 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 32.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.50

IV13J PS BELIEVED GOING TO DIE

Location: 53-54 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26	31.0 %
1	Yes	18	21.4 %
2	Yes and no	1	1.2 %
96	Skipped	1	1.2 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 32.76
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.57

IV13K PS FELT DETACHED FROM SELF

Location: 55-56 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	9	10.7 %
1	Yes	36	42.9 %
96	Skipped	1	1.2 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 33.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.40

IV13L PS DETACHED FROM SURROUNDINGS

Location: 57-58 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	11	13.1 %
1	Yes	34	40.5 %
96	Skipped	1	1.2 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 32.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.42

IV13M

PS FELT GUILT SHAME

Location: 59-60 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2	2.4 %
1	Yes	43	51.2 %
96	Skipped	1	1.2 %
99	N/A	21	25.0 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 33.10
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 46.33

IV13N

PS COULD FIGHT RESIST DURING ASSAULT

Location: 61-62 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 20345 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24	28.6 %
1	Yes	20	23.8 %
96	Skipped	1	1.2 %
99	N/A	22	26.2 %
-9 (M)	Blank	17	20.2 %

Based upon 67 valid cases out of 84 total cases.

- Mean: 34.24
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 47.08

TISTOTAL

TISTOTAL

Location:

63-64 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 61 valid cases out of 84 total cases.

- Mean: 36.33
- Median: 37.00
- Mode: 30.00
- Minimum: 13.00
- Maximum: 59.00
- Standard Deviation: 10.92