ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 21600

National Longitudinal Study of Adolescent Health (Add Health), 1994-2008

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave 3, Public In-Home Questionnaire, Section 22 Data, Data Collection Instrument and User Guide

Terms of Use

Information about Copyrighted Content

			Variable	Type/
Frequency	Code	Response	Name	Length

Section 22: Completed Pregnancies

[Generate a Completed Pregnancies Data Set containing one record for each pregnancy represented in the Section 18 for which H3TP1 ≠ 5.

The next questions are about the {PREGNANCY/ PREGNANCIES} you reported that {HAS/ HAVE} ended.

[For each record in the Completed Pregnancy Data Set, ask Q.1 to Q.24.]

		Respondent identification number.	**AID**	num 8
		Range 10000000 - 99999999		
		Romantic relationship number.	**RRELNO**	num 2
		Range 1 to 48		
		Relationship pregnancy number.	**RPREGNO**	num 2
		Range 1 to 8		

1. *[If the respondent is male and number of pregnancies = 1:]* How many months pregnant was she when <PARTNER> told you that she was pregnant?
[If the respondent is male and number of pregnancies > 1:] With regard to <PARTNER>'s pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant was she when she told you that she was pregnant?
[If the respondent is female and number of pregnancies = 1:] How many months pregnant were you when you told <PARTNER> that you were pregnant?
[If the respondent is female and number of pregnancies > 1:] With regard to your pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant were you when you told <PARTNER> that you were pregnant?　　**H3PG1**　num 2

	0	0 months		
	1	1 month		
	2	2 months		
	3	3 months		
	4	4 months		
	5	5 months		

			Variable Name	Type/ Length
Frequency	Code	Response		

6	6 months	
7	7 months	
8	8 months	
9	9 months	
96	refused	
98	don't know	
99	not applicable	
●	missing	

[If the respondent is female, ask Q.2.]

			Variable Name	Type/Length
2.	How many weeks had you been pregnant when {YOUR/ THIS} pregnancy ended?		**H3PG2**	num 2
	0	0 weeks		
		range 1 to 40		
	96	refused		
	97	legitimate skip		
	98	don't know		
	99	not applicable		
	●	missing		

			Variable Name	Type/Length
3.	How far had <PARTNER> gone in school when {SHE/ YOU} got pregnant by {YOU/ HIM}?		**H3PG3**	num 2
	0	had never gone to school		
	1	8th grade or less		
	2	more than 8th grade, but not a high school graduate		
	3	had gone to a business, trade, or vocational school instead of high school		
	4	high school graduate		
	5	completed a GED		
	6	had gone to a business, trade, or vocational school after high school		
	7	attending college		

Frequency	Code	Response	Variable Name	Type/ Length
	8	had gone to college, but not a college graduate		
	9	college or university graduate		
	10	attending graduate school		
	11	receiving professional training beyond a four-year college or university		
	12	had received an advanced degree		
	96	refused		
	98	don't know		
	99	not applicable		
	●	missing		

4. Did {YOU/ <PARTNER>} have any contact with {<PARTNER>/ YOU} between the time {YOU/ HE} learned {SHE WAS/ YOU WERE} pregnant and the time {HER/ YOUR} pregnancy ended? **H3PG4** num 1

	0	no		
	1	yes		
	6	refused		
	8	don't know		
	9	not applicable		
	●	missing		

5. Before {<PARTNER>/ YOU} got pregnant, were you or {SHE/ <PARTNER>} using any kind of birth control when you had sex with each other? **H3PG5** num 1

	0	no *[skip to Q.8]*		
	1	yes		
	6	refused		
	8	don't know		
	9	not applicable		
	●	missing		

Frequency	Code	Response	Variable Name	Type/ Length

6. What kinds of birth control were you or {SHE/ HE} using?
You may report as many as three methods.
1st response

H3PG6A   num 2

Code	Response
1	condoms (rubbers)
2	withdrawal
3	rhythm (safe time) or safe period by the calendar
4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test
5	birth control pills (the pill)
6	vaginal sponge
7	spermicidal foam, jelly, creme, suppositories
8	diaphragm, with or without jelly or cream
10	female condom
11	IUD (intrauterine device), coil, loop
12	the implant of Norplant
13	ring
14	the injectable or Depo Provera
16	female sterilization or tubal ligation
17	hysterectomy
18	vasectomy
19	emergency contraception, such as high-dose birth control pills or the morning-after pill
20	some other method
21	no other method
96	refused
97	legitimate skip
98	don't know
99	not applicable

Frequency	Code	Response	Variable Name	Type/ Length
	●	missing		

6.   What kinds of birth control were you or {SHE/ HE} using?
You may report as many as three methods.
2nd response — **H3PG6B** — num 2

Code	Response
1	condoms (rubbers)
2	withdrawal
3	rhythm (safe time) or safe period by the calendar
4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test
5	birth control pills (the pill)
6	vaginal sponge
7	spermicidal foam, jelly, creme, suppositories
9	cervical cap
10	female condom
11	IUD (intrauterine device), coil, loop
12	the implant of Norplant
13	ring
14	the injectable or Depo Provera
15	vaginal contraceptive film or insert
16	female sterilization or tubal ligation
18	vasectomy
19	emergency contraception, such as high-dose birth control pills or the morning-after pill
20	some other method
21	no other method
96	refused
97	legitimate skip
98	don't know

Frequency	Code	Response	Variable Name	Type/ Length
	99	not applicable		
	●	missing		

6. What kinds of birth control were you or {SHE/ HE} using?
    You may report as many as three methods.
    3rd response   **H3PG6C**   num 2

Frequency	Code	Response
	1	condoms (rubbers)
	2	withdrawal
	3	rhythm (safe time) or safe period by the calendar
	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test
	5	birth control pills (the pill)
	6	vaginal sponge
	7	spermicidal foam, jelly, creme, suppositories
	8	diaphragm, with or without jelly or cream
	9	cervical cap
	10	female condom
	11	IUD (intrauterine device), coil, loop
	12	the implant of Norplant
	13	ring
	14	the injectable or Depo Provera
	15	vaginal contraceptive film or insert
	16	female sterilization or tubal ligation
	18	vasectomy
	19	emergency contraception, such as high-dose birth control pills or the morning-after pill
	20	some other method
	21	no other method
	96	refused

Frequency	Code	Response	Variable Name	Type/ Length
	97	legitimate skip		
	98	don't know		
	99	not applicable		
	●	missing		

7. In the month before {SHE/ YOU} got pregnant, did you or <PARTNER> use {THIS/ AT LEAST ONE} kind of birth control **every** time you and {SHE/ HE} had sexual intercourse? — **H3PG7** — num 1

	0	no		
	1	yes		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

8. Please think back to the time just before {<PARTNER>/ YOU} became pregnant. Did you want to have a child then? — **H3PG8** — num 1

	0	no		
	1	yes *[skip to Q.10]*		
	6	refused		
	8	don't know		
	9	not applicable		
	●	missing		

9. Did you want to have a child sometime later? — **H3PG9** — num 1

	0	no *[skip to Q.11]*		
	1	yes		
	6	refused		
	7	legitimate skip		

Frequency	Code	Response	Variable Name	Type/ Length
	8	don't know		
	9	not applicable		
	●	missing		

10. Did you want <PARTNER> to be your child's {MOTHER/ FATHER}? **H3PG10** num 1

	0	no		
	1	yes		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

[If the respondent is male and Q.4 = 1, or if the respondent is female, ask Q.11 to Q.18.]

11. While {<PARTNER> WAS/ YOU WERE} pregnant, did {SHE/ YOU} visit a doctor or nurse-midwife for prenatal care or pregnancy check-ups? **H3PG11** num 1

	0	no *[skip to Q.18]*		
	1	yes		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

12. Did {YOU/ HE} go along with {HER/ YOU} for any of these check-ups? **H3PG12** num 1

	0	no		
	1	yes		
	6	refused		

Frequency	Code	Response	Variable Name	Type/ Length
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

[If the respondent is female, ask Q.13 to Q.15.]

13. In which month of the pregnancy did you first see a doctor or nurse-midwife?

			H3PG13	num 2
	0	before the first month *		
	1	first month		
	2	second month		
	3	third month		
	4	fourth month		
	5	fifth month		
	6	sixth month		
	7	seventh month		
	8	eighth month		
	9	ninth month		
	96	refused		
	97	legitimate skip		
	98	don't know		
	99	not applicable		
	●	missing		

14. *[If Q.2 ≤ 24:]* How many prenatal-care visits did you have with a doctor or nurse-midwife?
    [If Q.2 > 24:] During the first six months of this pregnancy, how many prenatal-care visits did you have with a doctor or nurse-midwife?

			H3PG14	num 2
		visits range 1 to 90**		
	96	refused		

Frequency	Code	Response	Variable Name	Type/ Length
	97	legitimate skip		
	98	don't know		
	99	not applicable		
	●	missing		

[If Q.2 > 24, ask Q.15.]

15. After the first six months, how many prenatal-care visits did you have with a doctor or nurse-midwife? — **H3PG15** — num 2

	0	0 visits		
		visits range 1 to 70**		
	96	refused		
	97	legitimate skip		
	98	don't know		
	99	not applicable		
	●	missing		

16. Where did {SHE/ YOU} go for most of {HER/ YOUR} prenatal care? — **H3PG16** — num 2

	1	private doctor's office		
	2	nurse-midwife's office		
	3	county or city health department		
	4	community health center		
	5	HMO (health maintenance organization)		
	6	clinic at work or at school		
	7	clinic in a hospital		
	8	emergency room in a hospital		
	9	birthing center		
	10	another sort of place		
	96	refused		
	97	legitimate skip		

			Variable Name	Type/ Length
Frequency	Code	Response		

	98	don't know	
	99	not applicable	
	●	missing	

17. *[If MAX = 1:]* How was <PARTNER>'s/ YOUR} prenatal care paid for?
[If MAX > 1:] For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/ YOUR} prenatal care paid for?
Mark all the kinds of payments that apply.

your or <PARTNER>'s income or savings **H3PG17A** num 1

0	not marked
1	marked
6	refused
7	legitimate skip
8	don't know
9	not applicable
●	missing

your or <PARTNER>'s parents or other relatives **H3PG17B** num 1

0	not marked
1	marked
6	refused
7	legitimate skip
8	don't know
9	not applicable
●	missing

private insurance **H3PG17C** num 1

0	not marked
1	marked
6	refused
7	legitimate skip

Frequency	Code	Response	Variable Name	Type/ Length
	8	don't know		
	9	not applicable		
	●	missing		
Medicaid			**H3PG17D**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
government assistance other than Medicaid (state or local)			**H3PG17E**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
some other source of money			**H3PG17F**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

Frequency	Code	Response	Variable Name	Type/ Length

18. During this pregnancy, how often did {SHE/ YOU} drink alcoholic beverages? — **H3PG18** — num 1

0	never
1	less than once a month
2	several times a month
3	several times a week
4	almost every day
6	refused
7	legitimate skip
8	don't know
9	not applicable
●	missing

19. How often did {SHE/ YOU} use drugs such as marijuana, crack cocaine, or heroin? — **H3PG19** — num 1

0	never
1	less than once a month
2	several times a month
3	several times a week
4	almost every day
6	refused
7	legitimate skip
8	don't know
9	not applicable
●	missing

20. How many cigarettes did {SHE/ YOU} smoke? — **H3PG20** — num 1

0	none
1	1 pack a day or less
2	more than 1 pack a day, but less than 2 packs a day

			Variable	Type/
Frequency	Code	Response	Name	Length

	3	2 or more packs a day		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

[If CPOUTC = L or D (i.e., the pregnancy ended in a live birth), ask Q.21 to Q.24.]

21. *[If MAX = 1:]* How were <PARTNER>'s/ YOUR} delivery and hospital stay paid for?
 [If MAX > 1:] For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<PARTNER>'s/ YOUR} delivery and hospital stay paid for?
 Mark all the kinds of payments that apply.

		your or <PARTNER>'s income or savings	**H3PG21A**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
		your or <PARTNER>'s parents or other relatives	**H3PG21B**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
		private insurance	**H3PG21C**	num 1

Frequency	Code	Response	Variable Name	Type/Length
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
Medicaid			**H3PG21D**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
government assistance other than Medicaid (state or local)			**H3PG21E**	num 1
	0	not marked		
	1	marked		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		
some other source of money			**H3PG21F**	num 1
	0	not marked		
	1	marked		
	6	refused		

Frequency	Code	Response	Variable Name	Type/ Length
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

22. Were you and <PARTNER> married to each other at the time of this birth? **H3PG22** num 1

	0	no		
	1	yes		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

23. Were you and <PARTNER> living together at that time? **H3PG23** num 1

	0	no		
	1	yes		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

[If Q.22 = 0 and Q.23 = 0, ask Q.24.]

24. Which of the following statements best describes your relationship with <PARTNER> at the time of this birth? **H3PG24** num 1

	1	We did not see or talk to each other.		
	2	We hardly ever saw or talked to each other.		
	3	We were just friends.		
	4	We were involved in an on-again, off-again relationship.		

			Variable	Type/
Frequency	Code	Response	Name	Length

	5	We were romantically involved on a steady basis.		
	6	refused		
	7	legitimate skip		
	8	don't know		
	9	not applicable		
	●	missing		

* H3PG13

This was an open-ended question with a range of 0 to 9, making the response category of (0) ambiguous. Zero could mean before the first month or never.

** H3PG14, **H3PG15**

A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.