



ICPSR 22642

Assessing Consistency and Fairness in Sentencing in Michigan, Minnesota, and Virginia, 2001-2002, 2004

Brian J. Ostrom
National Center for State Courts

2004 Michigan Sentencing Outcomes Data
Codebook



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/22642.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR CODEBOOK NOTES
2004 Michigan Sentencing Outcomes Data

- 1) The data are restricted from general dissemination. Users interested in obtaining these data must complete a Restricted Data Use Agreement form and specify the reasons for the request. A copy of the Restricted Data Use Agreement form can be requested by calling 800-999-0960. Researchers can also download this form as a Portable Document Format (PDF) file from the download page associated with this dataset.

Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

- 2) ICPSR recoded blanks in numeric variables to -9 and labeled them Blank.
- 3) ICPSR created the CASEID variable, which is a unique identifier.

ICPSR 22642

Assessing Consistency and Fairness in Sentencing in Michigan, Minnesota, and Virginia, 2001-2002, 2004

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Assessing Consistency and Fairness in Sentencing in Michigan, Minnesota, and Virginia, 2001-2002, 2004

2004 Michigan Sentencing Outcomes Data

CASEID CASE IDENTIFIER CREATED BY ICPSR

Location: 1-8(width: 8; decimal: 0)
Variable Type: numeric (ISO)

- Mean: 16377.50
- Minimum: 1.00
- Maximum: 32754.00
- Standard Deviation: 9455.41

Based upon 32754 valid cases out of 32754 total cases.

DISPO TYPE OF DISPOSITION

Location: 9-9(width: 1; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M): 5

<i>DISPO: TYPE OF DISPOSITION</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Prison	5230	16.0 %
2	Jail	3017	9.2 %
3	Split	12282	37.5 %
4	Probation	12048	36.8 %
5 (M)	Other	177	0.5 %

- Mean: 2.96
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.05

Based upon 32577 valid cases out of 32754 total cases.

PRISON PRISON SENTENCE?

Location: 10-10(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>PRISON: PRISON SENTENCE?</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27531	84.1 %

- Study 22642 -

<i>PRISON: PRISON SENTENCE?</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	5223	15.9 %

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Based upon 32754 valid cases out of 32754 total cases.

PRISLEN LENGTH OF PRISON SENTENCE

Location: 11-16(width: 6; decimal: 2)
 Variable Type: numeric (ISO)

- Mean: 40.46
- Median: 23.00
- Mode: 12.00
- Minimum: 3.00
- Maximum: 720.00
- Standard Deviation: 54.22

Based upon 5223 valid cases out of 32754 total cases.

LPRISLEN LOG OF PRISON LENGTH

Location: 17-23(width: 7; decimal: 4)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9

<i>LPRISLEN: LOG OF PRISON LENGTH</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

- Mean: 3.2797
- Median: 3.1355
- Mode: 2.4849
- Minimum: 1.0986
- Maximum: 6.5793
- Standard Deviation: 0.8308

Based upon 5223 valid cases out of 32754 total cases.

LSTAT LOG OF STATMAX

Location: 24-29(width: 6; decimal: 4)

- Study 22642 -

Variable Type: numeric (ISO)

- Mean: 4.1235
- Median: 4.0943
- Mode: 4.0943
- Minimum: 3.1781
- Maximum: 7.0800
- Standard Deviation: 0.7944

Based upon 32754 valid cases out of 32754 total cases.

STATMAX STATUTORY MAXIMUM

Location: 30-33(width: 4; decimal: 0)
Variable Type: numeric (ISO)

- Mean: 98.54
- Median: 60.00
- Mode: 60.00
- Minimum: 24.00
- Maximum: 1188.00
- Standard Deviation: 174.68

Based upon 32754 valid cases out of 32754 total cases.

PLEV1 PRIOR RECORD LEVEL A

Location: 34-34(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>PLEV1: PRIOR RECORD LEVEL A</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24461	74.7 %
1	Yes	8293	25.3 %

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 32754 valid cases out of 32754 total cases.

PLEV2 PRIOR RECORD LEVEL B

Location: 35-35(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>PLEV2: PRIOR RECORD LEVEL B</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27148	82.9 %
1	Yes	5606	17.1 %

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Based upon 32754 valid cases out of 32754 total cases.

PLEV3 PRIOR RECORD LEVEL C

Location: 36-36(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>PLEV3: PRIOR RECORD LEVEL C</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	25091	76.6 %
1	Yes	7663	23.4 %

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Based upon 32754 valid cases out of 32754 total cases.

PLEV4 PRIOR RECORD LEVEL D

Location: 37-37(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>PLEV4: PRIOR RECORD LEVEL D</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26655	81.4 %
1	Yes	6099	18.6 %

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.39

Based upon 32754 valid cases out of 32754 total cases.

PLEV5 PRIOR RECORD LEVEL E

Location: 38-38(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>PLEV5: PRIOR RECORD LEVEL E</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29770	90.9 %
1	Yes	2984	9.1 %

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

Based upon 32754 valid cases out of 32754 total cases.

PLEV6 PRIOR RECORD LEVEL F

Location: 39-39(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>PLEV6: PRIOR RECORD LEVEL F</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30645	93.6 %
1	Yes	2109	6.4 %

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Based upon 32754 valid cases out of 32754 total cases.

OLEV1 OFFENSE LEVEL I

Location: 40-40(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>OLEV1: OFFENSE LEVEL I</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	15288	46.7 %
1	Yes	17466	53.3 %

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 32754 valid cases out of 32754 total cases.

OLEV2 OFFENSE LEVEL II

Location: 41-41(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>OLEV2: OFFENSE LEVEL II</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	23174	70.8 %
1	Yes	9580	29.2 %

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 32754 valid cases out of 32754 total cases.

OLEV3 OFFENSE LEVEL III

Location: 42-42(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>OLEV3: OFFENSE LEVEL III</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29089	88.8 %
1	Yes	3665	11.2 %

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.32

Based upon 32754 valid cases out of 32754 total cases.

OLEV4 **OFFENSE LEVEL IV**

Location: 43-43(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>OLEV4: OFFENSE LEVEL IV</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31759	97.0 %
1	Yes	995	3.0 %

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Based upon 32754 valid cases out of 32754 total cases.

OLEV5 **OFFENSE LEVEL V**

Location: 44-44(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>OLEV5: OFFENSE LEVEL V</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32095	98.0 %
1	Yes	659	2.0 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Based upon 32754 valid cases out of 32754 total cases.

OLEV6 **OFFENSE LEVEL VI**

Location: 45-45(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>OLEV6: OFFENSE LEVEL VI</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32365	98.8 %
1	Yes	389	1.2 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Based upon 32754 valid cases out of 32754 total cases.

CLASSA CRIME CLASS A AND MURDER 2

Location: 46-46(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CLASSA: CRIME CLASS A AND MURDER 2</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32020	97.8 %
1	Yes	734	2.2 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Based upon 32754 valid cases out of 32754 total cases.

CLASSB CRIME CLASS B

Location: 47-47(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CLASSB: CRIME CLASS B</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31680	96.7 %
1	Yes	1074	3.3 %

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.18

Based upon 32754 valid cases out of 32754 total cases.

CLASSC CRIME CLASS C

Location: 48-48(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

CLASSC: CRIME CLASS C			
Value	Label	Unweighted Frequency	%
0	No	30938	94.5 %
1	Yes	1816	5.5 %

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

Based upon 32754 valid cases out of 32754 total cases.

CLASSD CRIME CLASS D

Location: 49-49(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

CLASSD: CRIME CLASS D			
Value	Label	Unweighted Frequency	%
0	No	28096	85.8 %
1	Yes	4658	14.2 %

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Based upon 32754 valid cases out of 32754 total cases.

CLASSE CRIME CLASS E

Location: 50-50(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>CLASSE: CRIME CLASS E</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	23067	70.4 %
1	Yes	9687	29.6 %

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

Based upon 32754 valid cases out of 32754 total cases.

CLASSF CRIME CLASS F

Location: 51-51(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CLASSF: CRIME CLASS F</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27662	84.5 %
1	Yes	5092	15.5 %

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Based upon 32754 valid cases out of 32754 total cases.

CLASSG CRIME CLASS G

Location: 52-52(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CLASSG: CRIME CLASS G</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24445	74.6 %
1	Yes	8309	25.4 %

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 32754 valid cases out of 32754 total cases.

CLASSH **CRIME CLASS H**

Location: 53-53(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CLASSH: CRIME CLASS H</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31370	95.8 %
1	Yes	1384	4.2 %

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

Based upon 32754 valid cases out of 32754 total cases.

STRADCELL **STRADDLE CELL**

Location: 54-54(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>STRADCELL: STRADDLE CELL</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	25954	79.2 %
1	Yes	6800	20.8 %

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Based upon 32754 valid cases out of 32754 total cases.

PRISCELL **PRISON CELL**

Location: 55-55(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>PRISCELL: PRISON CELL</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29999	91.6 %
1	Yes	2755	8.4 %

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

Based upon 32754 valid cases out of 32754 total cases.

HAB2 HABITUAL 2ND

Location: 56-56(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>HAB2: HABITUAL 2ND</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31108	95.0 %
1	Yes	1646	5.0 %

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

Based upon 32754 valid cases out of 32754 total cases.

HAB3 HABITUAL 3RD

Location: 57-57(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>HAB3: HABITUAL 3RD</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31887	97.4 %
1	Yes	867	2.6 %

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.16

Based upon 32754 valid cases out of 32754 total cases.

HAB4 **HABITUAL 4TH**

Location: 58-58(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>HAB4: HABITUAL 4TH</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31813	97.1 %
1	Yes	941	2.9 %

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Based upon 32754 valid cases out of 32754 total cases.

GROUP1 **PROPERTY**

Location: 59-59(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>GROUP1: PROPERTY</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	23569	72.0 %
1	Yes	9185	28.0 %

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 32754 valid cases out of 32754 total cases.

GROUP2 **PERSON**

Location: 60-60(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>GROUP2: PERSON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24873	75.9 %
1	Yes	7881	24.1 %

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 32754 valid cases out of 32754 total cases.

GROUP3 CON SUB

Location: 61-61(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>GROUP3: CON SUB</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	23822	72.7 %
1	Yes	8932	27.3 %

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 32754 valid cases out of 32754 total cases.

GROUP4 PUBLIC SAFETY

Location: 62-62(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>GROUP4: PUBLIC SAFETY</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27862	85.1 %
1	Yes	4892	14.9 %

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.36

Based upon 32754 valid cases out of 32754 total cases.

GROUP5 PUBLIC ORDER

Location: 63-63(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>GROUP5: PUBLIC ORDER</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30992	94.6 %
1	Yes	1762	5.4 %

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

Based upon 32754 valid cases out of 32754 total cases.

GROUP6 PUBLIC TRUST

Location: 64-64(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>GROUP6: PUBLIC TRUST</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32652	99.7 %
1	Yes	102	0.3 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.

DEPART DEPARTURE

Location: 65-66(width: 2; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>DEPART: DEPARTURE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	Depart below	1248	3.8 %
0	No departure	31078	94.9 %
1	Depart above	428	1.3 %

- Mean: -0.03
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 1.00
- Standard Deviation: 0.22

Based upon 32754 valid cases out of 32754 total cases.

Z1 NON WHITE

Location: 67-67(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z1: NON WHITE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	18708	57.1 %
1	Yes	14046	42.9 %

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 32754 valid cases out of 32754 total cases.

Z2 FEMALE

Location: 68-68(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z2: FEMALE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27302	83.4 %
1	Yes	5452	16.6 %

- Mean: 0.17
- Median: 0.00
- Mode: 0.00

- Study 22642 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Based upon 32754 valid cases out of 32754 total cases.

Z3 EDUCATION

Location: 69-69(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z3: EDUCATION</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not grad	17711	54.1 %
1	Hi school grad	12663	38.7 %
2	Some college	1859	5.7 %
3	College grad	521	1.6 %

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

Based upon 32754 valid cases out of 32754 total cases.

Z4 EMPLOYED

Location: 70-70(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z4: EMPLOYED</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	18285	55.8 %
1	Yes	14469	44.2 %

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 32754 valid cases out of 32754 total cases.

Z5 ASSETS

Location: 71-71(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

Z5: ASSETS			
Value	Label	Unweighted Frequency	%
0	No	26460	80.8 %
1	Yes	6294	19.2 %

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

Based upon 32754 valid cases out of 32754 total cases.

Z6 INCOME

Location: 72-72(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

Z6: INCOME			
Value	Label	Unweighted Frequency	%
0	No	18176	55.5 %
1	Yes	14578	44.5 %

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 32754 valid cases out of 32754 total cases.

Z7 SINGLE

Location: 73-73(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

Z7: SINGLE			
Value	Label	Unweighted Frequency	%
0	No	11223	34.3 %
1	Yes	21531	65.7 %

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 32754 valid cases out of 32754 total cases.

Z8 DEPENDENTS

Location: 74-74(width: 1; decimal: 0)
Variable Type: numeric (ISO)

Z8: DEPENDENTS			
Value	Label	Unweighted Frequency	%
0	No	16392	50.0 %
1	Yes	16362	50.0 %

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 32754 valid cases out of 32754 total cases.

Z9 DRUG USE

Location: 75-75(width: 1; decimal: 0)
Variable Type: numeric (ISO)

Z9: DRUG USE			
Value	Label	Unweighted Frequency	%
0	No	15746	48.1 %
1	Yes	17008	51.9 %

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 32754 valid cases out of 32754 total cases.

Z10 ALCOHOL USE

Location: 76-76(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>Z10: ALCOHOL USE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21292	65.0 %
1	Yes	11462	35.0 %

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Based upon 32754 valid cases out of 32754 total cases.

Z13 NON US CITIZEN

Location: 77-77(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z13: NON US CITIZEN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32013	97.7 %
1	Yes	741	2.3 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Based upon 32754 valid cases out of 32754 total cases.

Z14 HONORABLE DISCHARGE

Location: 78-78(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z14: HONORABLE DISCHARGE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30881	94.3 %
1	Yes	1873	5.7 %

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.23

Based upon 32754 valid cases out of 32754 total cases.

Z15 MENTAL HEALTH

Location: 79-79(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Z15: MENTAL HEALTH</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	26668	81.4 %
1	Yes	6086	18.6 %

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

Based upon 32754 valid cases out of 32754 total cases.

YBM YOUNG BLACK MALE

Location: 80-80(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>YBM: YOUNG BLACK MALE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30269	92.4 %
1	Yes	2485	7.6 %

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Based upon 32754 valid cases out of 32754 total cases.

YDU YOUNG DRUG USER

Location: 81-81(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>YDU: YOUNG DRUG USER</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29427	89.8 %
1	Yes	3327	10.2 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 32754 valid cases out of 32754 total cases.

W1 PRIVATE ATTORNEY

Location: 82-82(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>W1: PRIVATE ATTORNEY</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	25394	77.5 %
1	Yes	7360	22.5 %

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Based upon 32754 valid cases out of 32754 total cases.

W2 CONVICTED AT TRIAL

Location: 83-83(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>W2: CONVICTED AT TRIAL</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31623	96.5 %
1	Yes	1131	3.5 %

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.18

Based upon 32754 valid cases out of 32754 total cases.

Z12 HIGH VOLUME JUDGE

Location: 84-84(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Z12: HIGH VOLUME JUDGE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	27604	84.3 %
1	Yes	5150	15.7 %

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Based upon 32754 valid cases out of 32754 total cases.

AGE18 AGE < 19

Location: 85-85(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>AGE18: AGE < 19</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29663	90.6 %
1	Yes	3091	9.4 %

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

Based upon 32754 valid cases out of 32754 total cases.

AGE20 AGE 20-29

Location: 86-86(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>AGE20: AGE 20-29</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	21001	64.1 %
1	Yes	11753	35.9 %

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Based upon 32754 valid cases out of 32754 total cases.

AGE30 **AGE 30-39**

Location: 87-87(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>AGE30: AGE 30-39</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24564	75.0 %
1	Yes	8190	25.0 %

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 32754 valid cases out of 32754 total cases.

AGE40 **AGE 40-49**

Location: 88-88(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>AGE40: AGE 40-49</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24917	76.1 %
1	Yes	7837	23.9 %

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 32754 valid cases out of 32754 total cases.

CIRC1 HILLSDALE

Location: 89-89(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC1: HILLSDALE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32655	99.7 %
1	Yes	99	0.3 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Based upon 32754 valid cases out of 32754 total cases.

CIRC2 BERRIEN

Location: 90-90(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC2: BERRIEN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31993	97.7 %
1	Yes	761	2.3 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Based upon 32754 valid cases out of 32754 total cases.

CIRC3 WAYNE

Location: 91-91(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC3: WAYNE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	24099	73.6 %
1	Yes	8655	26.4 %

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 32754 valid cases out of 32754 total cases.

CIRC4 JACKSON

Location: 92-92(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC4: JACKSON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32089	98.0 %
1	Yes	665	2.0 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Based upon 32754 valid cases out of 32754 total cases.

CIRC5 BARRY

Location: 93-93(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC5: BARRY</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32561	99.4 %
1	Yes	193	0.6 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.08

Based upon 32754 valid cases out of 32754 total cases.

CIRC6 OAKLAND

Location: 94-94(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC6: OAKLAND</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	29848	91.1 %
1	Yes	2906	8.9 %

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

Based upon 32754 valid cases out of 32754 total cases.

CIRC7 GENESEE

Location: 95-95(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC7: GENESEE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31303	95.6 %
1	Yes	1451	4.4 %

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Based upon 32754 valid cases out of 32754 total cases.

CIRC8 IONMONT

Location: 96-96(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC8: IONMONT</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32453	99.1 %
1	Yes	301	0.9 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 32754 valid cases out of 32754 total cases.

CIRC9 KALAMAZOO

Location: 97-97(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC9: KALAMAZOO</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31683	96.7 %
1	Yes	1071	3.3 %

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

Based upon 32754 valid cases out of 32754 total cases.

CIRC10 SAGINAW

Location: 98-98(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC10: SAGINAW</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31942	97.5 %
1	Yes	812	2.5 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.16

Based upon 32754 valid cases out of 32754 total cases.

CIRC11 **ALGLUSC**

Location: 99-99(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC11: ALGLUSC</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32642	99.7 %
1	Yes	112	0.3 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.

CIRC12 **BARHOKE**

Location: 100-100(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC12: BARHOKE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32706	99.9 %
1	Yes	48	0.1 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Based upon 32754 valid cases out of 32754 total cases.

CIRC13 **ANGLLEE**

Location: 101-101(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC13: ANGTLEE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32475	99.1 %
1	Yes	279	0.9 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Based upon 32754 valid cases out of 32754 total cases.

CIRC14 MUSKEGON

Location: 102-102(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC14: MUSKEGON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32001	97.7 %
1	Yes	753	2.3 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Based upon 32754 valid cases out of 32754 total cases.

CIRC15 BRANCH

Location: 103-103(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC15: BRANCH</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32610	99.6 %
1	Yes	144	0.4 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC16

MACOMB

Location: 104-104(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC16: MACOMB</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30648	93.6 %
1	Yes	2106	6.4 %

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Based upon 32754 valid cases out of 32754 total cases.

CIRC17

KENT

Location: 105-105(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC17: KENT</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	30438	92.9 %
1	Yes	2316	7.1 %

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Based upon 32754 valid cases out of 32754 total cases.

CIRC18

BAY

Location: 106-106(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC18: BAY</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32405	98.9 %
1	Yes	349	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 32754 valid cases out of 32754 total cases.

CIRC19 BENZMAN

Location: 107-107(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC19: BENZMAN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32675	99.8 %
1	Yes	79	0.2 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Based upon 32754 valid cases out of 32754 total cases.

CIRC20 OTTAWA

Location: 108-108(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC20: OTTAWA</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32174	98.2 %
1	Yes	580	1.8 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.13

Based upon 32754 valid cases out of 32754 total cases.

CIRC21 ISABELLA

Location: 109-109(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC21: ISABELLA</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32458	99.1 %
1	Yes	296	0.9 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Based upon 32754 valid cases out of 32754 total cases.

CIRC22 WASHTENAW

Location: 110-110(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC22: WASHTENAW</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32125	98.1 %
1	Yes	629	1.9 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Based upon 32754 valid cases out of 32754 total cases.

CIRC23 IOSOSC

Location: 111-111(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC23: IOSOSC</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32602	99.5 %
1	Yes	152	0.5 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC24 SANILAC

Location: 112-112(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC24: SANILAC</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32679	99.8 %
1	Yes	75	0.2 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Based upon 32754 valid cases out of 32754 total cases.

CIRC25 MARQUETTE

Location: 113-113(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC25: MARQUETTE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32631	99.6 %
1	Yes	123	0.4 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.

CIRC26

AIAIMPI

Location: 114-114(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC26: AIAIMPI</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32652	99.7 %
1	Yes	102	0.3 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.

CIRC27

NEWOCE

Location: 115-115(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC27: NEWOCE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32485	99.2 %
1	Yes	269	0.8 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Based upon 32754 valid cases out of 32754 total cases.

CIRC28

MISSWEX

Location: 116-116(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC28: MISSWEX</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32591	99.5 %
1	Yes	163	0.5 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC29 CLINGRAT

Location: 117-117(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC29: CLINGRAT</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32509	99.3 %
1	Yes	245	0.7 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Based upon 32754 valid cases out of 32754 total cases.

CIRC30 INGHAM

Location: 118-118(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC30: INGHAM</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31995	97.7 %
1	Yes	759	2.3 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.15

Based upon 32754 valid cases out of 32754 total cases.

CIRC31 ST. CLAIR

Location: 119-119(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC31: ST. CLAIR</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32162	98.2 %
1	Yes	592	1.8 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Based upon 32754 valid cases out of 32754 total cases.

CIRC32 GOGONTO

Location: 120-120(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC32: GOGONTO</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32711	99.9 %
1	Yes	43	0.1 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Based upon 32754 valid cases out of 32754 total cases.

CIRC33 CHARLEVOIX

Location: 121-121(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC33: CHARLEVOIX</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32690	99.8 %
1	Yes	64	0.2 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Based upon 32754 valid cases out of 32754 total cases.

CIRC34 AREOGROS

Location: 122-122(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC34: AREOGROS</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32575	99.5 %
1	Yes	179	0.5 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC35 SHIAWASSEE

Location: 123-123(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC35: SHIAWASSEE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32579	99.5 %
1	Yes	175	0.5 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC36

VAN BUREN

Location: 124-124(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC36: VAN BUREN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32401	98.9 %
1	Yes	353	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 32754 valid cases out of 32754 total cases.

CIRC37

CALHOUN

Location: 125-125(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC37: CALHOUN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31999	97.7 %
1	Yes	755	2.3 %

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Based upon 32754 valid cases out of 32754 total cases.

CIRC38

MONROE

Location: 126-126(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC38: MONROE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32311	98.6 %
1	Yes	443	1.4 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

Based upon 32754 valid cases out of 32754 total cases.

CIRC39 LENAWEЕ

Location: 127-127(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC39: LENAWEЕ</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32503	99.2 %
1	Yes	251	0.8 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Based upon 32754 valid cases out of 32754 total cases.

CIRC40 LAPEER

Location: 128-128(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC40: LAPEER</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32592	99.5 %
1	Yes	162	0.5 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC41 **DICIRMENO**

Location: 129-129(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC41: DICIRMENO</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32578	99.5 %
1	Yes	176	0.5 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC42 **MIDLAND**

Location: 130-130(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC42: MIDLAND</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32540	99.3 %
1	Yes	214	0.7 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Based upon 32754 valid cases out of 32754 total cases.

CIRC43 **CASS**

Location: 131-131(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC43: CASS</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32533	99.3 %
1	Yes	221	0.7 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Based upon 32754 valid cases out of 32754 total cases.

CIRC44 LIVINGSTON

Location: 132-132(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC44: LIVINGSTON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32431	99.0 %
1	Yes	323	1.0 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 32754 valid cases out of 32754 total cases.

CIRC45 ST JOSEPH

Location: 133-133(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC45: ST JOSEPH</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32528	99.3 %
1	Yes	226	0.7 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.08

Based upon 32754 valid cases out of 32754 total cases.

CIRC46

CRAKALOT

Location: 134-134(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC46: CRAKALOT</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32563	99.4 %
1	Yes	191	0.6 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Based upon 32754 valid cases out of 32754 total cases.

CIRC47

DELTA

Location: 135-135(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC47: DELTA</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32616	99.6 %
1	Yes	138	0.4 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.

CIRC48

ALLEGAN

Location: 136-136(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC48: ALLEGAN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32402	98.9 %
1	Yes	352	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 32754 valid cases out of 32754 total cases.

CIRC49

MECOOSCE

Location: 137-137(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC49: MECOOSCE</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32569	99.4 %
1	Yes	185	0.6 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC50

CHIPMACK

Location: 138-138(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC50: CHIPMACK</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32599	99.5 %
1	Yes	155	0.5 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC51 LAKEMASON

Location: 139-139(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC51: LAKEMASON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32588	99.5 %
1	Yes	166	0.5 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC52 HURON

Location: 140-140(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>CIRC52: HURON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32728	99.9 %
1	Yes	26	0.1 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

Based upon 32754 valid cases out of 32754 total cases.

CIRC53 CHEBOYGAN

Location: 141-141(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 22642 -

<i>CIRC53: CHEBOYGAN</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32619	99.6 %
1	Yes	135	0.4 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.

CIRC54 TUSCOLA

Location: 142-142(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC54: TUSCOLA</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32583	99.5 %
1	Yes	171	0.5 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC55 CLAREGLAD

Location: 143-143(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>CIRC55: CLAREGLAD</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32600	99.5 %
1	Yes	154	0.5 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 22642 -

- Maximum: 1.00
- Standard Deviation: 0.07

Based upon 32754 valid cases out of 32754 total cases.

CIRC56

EATON

Location: 144-144(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>CIRC56: EATON</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32530	99.3 %
1	Yes	224	0.7 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Based upon 32754 valid cases out of 32754 total cases.

CIRC57

EMMET

Location: 145-145(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>CIRC57: EMMET</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	32650	99.7 %
1	Yes	104	0.3 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Based upon 32754 valid cases out of 32754 total cases.