

ICPSR 24721

Focal Point Theory Test of Behavior and Attitudes

Janice Nadler

*Northwestern University School of Law and
American Bar Foundation*

Richard McAdams

University of Illinois College of Law

Part 1: Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocon/ICPSR/TERMS/24721.xml>

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Part 1

Variable Name and Label (Total Cases = 950)	Percent of Cases with Missing Values
93.4% (128 of 137 variables)	have 0% Missing Values
0.0% (0 of 137 variables)	have 0% - 1% Missing Values
0.7% (1 of 137 variables)	have 1% - 3% Missing Values
0.7% (1 of 137 variables)	have 3% - 5% Missing Values
2.9% (4 of 137 variables)	have 5% - 10% Missing Values
HIT	comply with recommended strategy summed over 9 rounds 10.0%
HITDOV	comply with recommended strategy of dove 10.0%
HITHAK	comply with recommended strategy of hawk 10.0%
DBLHIT	both players comply with recommended strategy 10.0%
1.5% (2 of 137 variables)	have 10% - 20% Missing Values
ROLE	subject role 14.0%
CHOICE	subject choice of hawk or dove 12.8%
0.7% (1 of 137 variables)	have 20% - 40% Missing Values
CNTPRT	counterpart subject number 32.2%
0.0% (0 of 137 variables)	have 40% - 99% Missing Values
0.0% (0 of 137 variables)	have 100% missing values

ICPSR 24721

Focal Point Theory Test of Behavior and Attitudes

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Focal Point Theory Test of Behavior and Attitudes

Part 1

SUBJECT	subject number	
Location:	1-4(width: 4; decimal: 0)	
Variable Type:	numeric (ISO)	
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1116	10	1.1 %
1121	10	1.1 %
1127	10	1.1 %
1132	10	1.1 %
1144	10	1.1 %
1152	10	1.1 %
1157	10	1.1 %
1165	10	1.1 %
1186	10	1.1 %
1191	10	1.1 %
1217	10	1.1 %
1224	10	1.1 %
1227	10	1.1 %
1231	10	1.1 %
1242	10	1.1 %
1248	10	1.1 %
1253	10	1.1 %
1267	10	1.1 %
1271	10	1.1 %
1281	10	1.1 %
1288	10	1.1 %
1297	10	1.1 %
2117	10	1.1 %
2124	10	1.1 %
2127	10	1.1 %
2131	10	1.1 %
2142	10	1.1 %
2148	10	1.1 %
2153	10	1.1 %
2167	10	1.1 %
2171	10	1.1 %
2181	10	1.1 %
2188	10	1.1 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2197	10	1.1 %
2212	10	1.1 %
2216	10	1.1 %
2222	10	1.1 %
2227	10	1.1 %
2231	10	1.1 %
2236	10	1.1 %
2241	10	1.1 %
2245	10	1.1 %
2248	10	1.1 %
2257	10	1.1 %
2267	10	1.1 %
2278	10	1.1 %
2281	10	1.1 %
3117	10	1.1 %
3124	10	1.1 %
3127	10	1.1 %
3131	10	1.1 %
3142	10	1.1 %
3148	10	1.1 %
3153	10	1.1 %
3167	10	1.1 %
3171	10	1.1 %
3181	10	1.1 %
3188	10	1.1 %
3217	10	1.1 %
3224	10	1.1 %
3227	10	1.1 %
3231	10	1.1 %
3242	10	1.1 %
3248	10	1.1 %
3253	10	1.1 %
3267	10	1.1 %
3271	10	1.1 %
3281	10	1.1 %
3288	10	1.1 %
3297	10	1.1 %
4112	10	1.1 %
4116	10	1.1 %
4122	10	1.1 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4127	10	1.1 %
4131	10	1.1 %
4136	10	1.1 %
4141	10	1.1 %
4145	10	1.1 %
4148	10	1.1 %
4157	10	1.1 %
4167	10	1.1 %
4178	10	1.1 %
4181	10	1.1 %
4217	10	1.1 %
4224	10	1.1 %
4227	10	1.1 %
4231	10	1.1 %
4242	10	1.1 %
4248	10	1.1 %
4253	10	1.1 %
4267	10	1.1 %
4271	10	1.1 %
4281	10	1.1 %
4288	10	1.1 %
4297	10	1.1 %

- Mean: 2738.38
- Median: 3117.00
- Minimum: 1116.00
- Maximum: 4297.00
- Standard Deviation: 1111.84

Based upon 950 valid cases out of 950 total cases.

HIT **comply with recommended strategy summed over 9 rounds**

Location: 5-5(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	282	29.7 %
1	Yes	573	60.3 %
. (M)	-	95	10.0 %

- Mean: 0.67
- Median: 1.00

- Study 24721 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 855 valid cases out of 950 total cases.

ROUND1 round 1 comply with recommended strategy

Location: 6-6(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND2 round 2 comply with recommended strategy

Location: 7-7(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND3 round 3 comply with recommended strategy

Location: 8-8(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %

- Study 24721 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND4 **round 4 comply with recommended strategy**

Location: 9-9(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND5 **round 5 comply with recommended strategy**

Location: 10-10(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

ROUND6 round 6 comply with recommended strategy

Location: 11-11(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND7 round 7 comply with recommended strategy

Location: 12-12(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND8 round 8 comply with recommended strategy

Location: 13-13(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 24721 -

- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND9 **round 9 comply with recommended strategy**

Location: 14-14(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND10 **round 10 comply with recommended strategy**

Location: 15-15(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	855	90.0 %
1	Yes	95	10.0 %

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Based upon 950 valid cases out of 950 total cases.

ROUND **round number**

Location: 16-17(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	95	10.0 %
2	95	10.0 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	95	10.0 %
4	95	10.0 %
5	95	10.0 %
6	95	10.0 %
7	95	10.0 %
8	95	10.0 %
9	95	10.0 %
10	95	10.0 %

- Mean: 5.50
- Median: 5.50
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.87

Based upon 950 valid cases out of 950 total cases.

HITDOV **comply with recommended strategy of dove**

Location: 18-18(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	548	57.7 %
1	Yes	307	32.3 %
. (M)	-	95	10.0 %

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Based upon 855 valid cases out of 950 total cases.

HITHAK **comply with recommended strategy of hawk**

Location: 19-19(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	610	64.2 %
1	Yes	245	25.8 %
. (M)	-	95	10.0 %

- Study 24721 -

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 855 valid cases out of 950 total cases.

DBLHIT **both players comply with recommended strategy**

Location: 20-20(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	452	47.6 %
1	Yes	403	42.4 %
. (M)	-	95	10.0 %

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 855 valid cases out of 950 total cases.

RECOMM **recommended strategy**

Location: 21-22(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	Player 1 Dove Player 2 Dove	0	0.0 %
12	Player 1 Dove Player 2 Hawk	665	70.0 %
21	Player 1 Hawk Player 2 Dove	285	30.0 %
22	Player 1 Hawk Player 2 Hawk	0	0.0 %

- Mean: 14.70
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 21.00
- Standard Deviation: 4.13

Based upon 950 valid cases out of 950 total cases.

CNTPRT **counterpart subject number**

- Study 24721 -

Location: 23-24(width: 2; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	12	1.3 %
16	19	2.0 %
17	34	3.6 %
21	7	0.7 %
22	12	1.3 %
24	34	3.6 %
27	53	5.6 %
31	46	4.8 %
32	7	0.7 %
36	14	1.5 %
41	12	1.3 %
42	34	3.6 %
44	7	0.7 %
45	14	1.5 %
48	49	5.2 %
52	7	0.7 %
53	34	3.6 %
57	21	2.2 %
65	7	0.7 %
67	48	5.1 %
71	35	3.7 %
78	12	1.3 %
81	49	5.2 %
86	7	0.7 %
88	35	3.7 %
91	7	0.7 %
97	28	2.9 %
. (M)	306	32.2 %

- Mean: 50.48
- Median: 48.00
- Mode: 27.00
- Minimum: 12.00
- Maximum: 97.00
- Standard Deviation: 24.63

Based upon 644 valid cases out of 950 total cases.

ROLE	subject role
-------------	---------------------

- Study 24721 -

Location: 25-25(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	410	43.2 %
2	407	42.8 %
. (M)	133	14.0 %

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Based upon 817 valid cases out of 950 total cases.

CHOICE **subject choice of hawk or dove**

Location: 26-26(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	477	50.2 %
2	351	36.9 %
. (M)	122	12.8 %

- Mean: 1.42
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

Based upon 828 valid cases out of 950 total cases.

CPCHC **counterpart choice of hawk or dove**

Location: 27-27(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	511	53.8 %
2	399	42.0 %
. (M)	40	4.2 %

- Mean: 1.44
- Median: 1.00

- Study 24721 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Based upon 910 valid cases out of 950 total cases.

SESSION **SESSION**

Location: 28-28(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	460	48.4 %
2	490	51.6 %

- Mean: 1.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Based upon 950 valid cases out of 950 total cases.

CONDITIO **treatment condition**

Location: 29-29(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	control	220	23.2 %
2	spinner	250	26.3 %
3	random leader	230	24.2 %
4	legitimate leader	250	26.3 %

- Mean: 2.54
- Median: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.11

Based upon 950 valid cases out of 950 total cases.

SEX **gender**

Location: 30-30(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	male	320	33.7 %
2	female	620	65.3 %
. (M)	-	10	1.1 %

- Mean: 1.66
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

Based upon 940 valid cases out of 950 total cases.

RACE **race**

Location: 31-31(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	African American	50	5.3 %
2	Asian American	370	38.9 %
3	Latino	60	6.3 %
4	White	410	43.2 %
5	Other	60	6.3 %

- Mean: 3.06
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.13

Based upon 950 valid cases out of 950 total cases.

FEMALE **1 if female**

Location: 32-32(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	330	34.7 %
1	620	65.3 %

- Mean: 0.65
- Median: 1.00
- Mode: 1.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Based upon 950 valid cases out of 950 total cases.

AFAM 1 if AfricanAmerican

Location: 33-33(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	900	94.7 %
1	50	5.3 %

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

Based upon 950 valid cases out of 950 total cases.

ASIAN 1 if Asian

Location: 34-34(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	580	61.1 %
1	370	38.9 %

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 950 valid cases out of 950 total cases.

LATINO 1 if Latino

Location: 35-35(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	890	93.7 %
1	60	6.3 %

- Study 24721 -

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Based upon 950 valid cases out of 950 total cases.

OTHER **1 if other nonwHITE**

Location: 36-36(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	540	56.8 %
1	410	43.2 %

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 950 valid cases out of 950 total cases.

NONWHITE **1 if nonwHITE**

Location: 37-37(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	60	6.3 %
1	890	93.7 %

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Based upon 950 valid cases out of 950 total cases.

SPINNER **1 if Spinner Treatment**

Location: 38-38(width: 1; decimal: 0)

Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	700	73.7 %
1	250	26.3 %

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 950 valid cases out of 950 total cases.

RLEADER **1 if Random Leader Treatment**

Location: 39-39(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	720	75.8 %
1	230	24.2 %

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 950 valid cases out of 950 total cases.

LLEADER **1 if Legitimate Leader Treatment**

Location: 40-40(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	700	73.7 %
1	250	26.3 %

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

TREAT **1 if Any Treatment**

Location: 41-41(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	220	23.2 %
1	730	76.8 %

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Based upon 950 valid cases out of 950 total cases.

SUBJ **ordered subject number**

Location: 42-43(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	1.1 %
2	10	1.1 %
3	10	1.1 %
4	10	1.1 %
5	10	1.1 %
6	10	1.1 %
7	10	1.1 %
8	10	1.1 %
9	10	1.1 %
10	10	1.1 %
11	10	1.1 %
12	10	1.1 %
13	10	1.1 %
14	10	1.1 %
15	10	1.1 %
16	10	1.1 %
17	10	1.1 %
18	10	1.1 %
19	10	1.1 %
20	10	1.1 %
21	10	1.1 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	10	1.1 %
23	10	1.1 %
24	10	1.1 %
25	10	1.1 %
26	10	1.1 %
27	10	1.1 %
28	10	1.1 %
29	10	1.1 %
30	10	1.1 %
31	10	1.1 %
32	10	1.1 %
33	10	1.1 %
34	10	1.1 %
35	10	1.1 %
36	10	1.1 %
37	10	1.1 %
38	10	1.1 %
39	10	1.1 %
40	10	1.1 %
41	10	1.1 %
42	10	1.1 %
43	10	1.1 %
44	10	1.1 %
45	10	1.1 %
46	10	1.1 %
47	10	1.1 %
48	10	1.1 %
49	10	1.1 %
50	10	1.1 %
51	10	1.1 %
52	10	1.1 %
53	10	1.1 %
54	10	1.1 %
55	10	1.1 %
56	10	1.1 %
57	10	1.1 %
58	10	1.1 %
59	10	1.1 %
60	10	1.1 %
61	10	1.1 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	10	1.1 %
63	10	1.1 %
64	10	1.1 %
65	10	1.1 %
66	10	1.1 %
67	10	1.1 %
68	10	1.1 %
69	10	1.1 %
70	10	1.1 %
71	10	1.1 %
72	10	1.1 %
73	10	1.1 %
74	10	1.1 %
75	10	1.1 %
76	10	1.1 %
77	10	1.1 %
78	10	1.1 %
79	10	1.1 %
80	10	1.1 %
81	10	1.1 %
82	10	1.1 %
83	10	1.1 %
84	10	1.1 %
85	10	1.1 %
86	10	1.1 %
87	10	1.1 %
88	10	1.1 %
89	10	1.1 %
90	10	1.1 %
91	10	1.1 %
92	10	1.1 %
93	10	1.1 %
94	10	1.1 %
95	10	1.1 %

- Mean: 48.00
- Median: 48.00
- Minimum: 1.00
- Maximum: 95.00
- Standard Deviation: 27.44

- Study 24721 -

Based upon 950 valid cases out of 950 total cases.

SUBJ_1 **SUBJ_1**

Location: 44-44(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_2 **SUBJ_2**

Location: 45-45(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_3 **SUBJ_3**

Location: 46-46(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00

- Study 24721 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_4

SUBJ_4

Location: 47-47(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_5

SUBJ_5

Location: 48-48(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_6

SUBJ_6

Location: 49-49(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_7 **SUBJ_7**

Location: 50-50(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_8 **SUBJ_8**

Location: 51-51(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_9

SUBJ_9

Location: 52-52(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_10

SUBJ_10

Location: 53-53(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_11

SUBJ_11

Location: 54-54(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Study 24721 -

- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_12

SUBJ_12

Location:

55-55(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_13

SUBJ_13

Location:

56-56(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_14

SUBJ_14

Location:

57-57(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_15

SUBJ_15

Location: 58-58(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_16

SUBJ_16

Location: 59-59(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_17

SUBJ_17

Location: 60-60(width: 1; decimal: 0)

Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_18

SUBJ_18

Location:

61-61(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_19

SUBJ_19

Location:

62-62(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_20

SUBJ_20

Location: 63-63(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_21

SUBJ_21

Location: 64-64(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_22

SUBJ_22

Location: 65-65(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_23

SUBJ_23

Location:

66-66(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_24

SUBJ_24

Location:

67-67(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_25

SUBJ_25

Location:

68-68(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_26

SUBJ_26

Location:

69-69(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_27

SUBJ_27

Location:

70-70(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_28

SUBJ_28

Location:

71-71(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_29

SUBJ_29

Location:

72-72(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_30

SUBJ_30

Location:

73-73(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_31 **SUBJ_31**

Location: 74-74(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_32 **SUBJ_32**

Location: 75-75(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_33 **SUBJ_33**

Location: 76-76(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_34

SUBJ_34

Location:

77-77(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_35

SUBJ_35

Location:

78-78(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_36

SUBJ_36

Location:

79-79(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_37

SUBJ_37

Location:

80-80(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_38

SUBJ_38

Location:

81-81(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_39

SUBJ_39

Location:

82-82(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_40

SUBJ_40

Location:

83-83(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_41

SUBJ_41

Location:

84-84(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_42

SUBJ_42

Location: 85-85(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_43

SUBJ_43

Location: 86-86(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_44

SUBJ_44

Location: 87-87(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_45

SUBJ_45

Location:

88-88(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_46

SUBJ_46

Location:

89-89(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_47

SUBJ_47

Location:

90-90(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_48

SUBJ_48

Location:

91-91(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_49

SUBJ_49

Location:

92-92(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_50

SUBJ_50

Location:

93-93(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_51

SUBJ_51

Location:

94-94(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_52

SUBJ_52

Location:

95-95(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_53

SUBJ_53

Location: 96-96(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_54

SUBJ_54

Location: 97-97(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_55

SUBJ_55

Location: 98-98(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_56

SUBJ_56

Location:

99-99(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_57

SUBJ_57

Location:

100-100(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_58

SUBJ_58

Location:

101-101(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_59

SUBJ_59

Location: 102-102(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_60

SUBJ_60

Location: 103-103(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_61

SUBJ_61

Location: 104-104(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_62

SUBJ_62

Location: 105-105(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_63

SUBJ_63

Location: 106-106(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_64 **SUBJ_64**

Location: 107-107(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_65 **SUBJ_65**

Location: 108-108(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_66 **SUBJ_66**

Location: 109-109(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_67

SUBJ_67

Location: 110-110(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_68

SUBJ_68

Location: 111-111(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_69

SUBJ_69

Location: 112-112(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_70

SUBJ_70

Location: 113-113(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_71

SUBJ_71

Location: 114-114(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_72

SUBJ_72

Location: 115-115(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_73

SUBJ_73

Location: 116-116(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_74

SUBJ_74

Location: 117-117(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_75 **SUBJ_75**

Location: 118-118(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_76 **SUBJ_76**

Location: 119-119(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_77 **SUBJ_77**

Location: 120-120(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_78

SUBJ_78

Location: 121-121(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_79

SUBJ_79

Location: 122-122(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_80

SUBJ_80

Location: 123-123(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_81

SUBJ_81

Location: 124-124(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_82

SUBJ_82

Location: 125-125(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_83

SUBJ_83

Location: 126-126(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_84

SUBJ_84

Location: 127-127(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_85

SUBJ_85

Location: 128-128(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

SUBJ_86 **SUBJ_86**

Location: 129-129(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_87 **SUBJ_87**

Location: 130-130(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_88 **SUBJ_88**

Location: 131-131(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00

- Study 24721 -

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_89

SUBJ_89

Location: 132-132(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_90

SUBJ_90

Location: 133-133(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_91

SUBJ_91

Location: 134-134(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Study 24721 -

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_92

SUBJ_92

Location: 135-135(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_93

SUBJ_93

Location: 136-136(width: 1; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_94

SUBJ_94

Location: 137-137(width: 1; decimal: 0)
Variable Type: numeric (ISO)

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

SUBJ_95

SUBJ_95

Location: 138-138(width: 1; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	940	98.9 %
1	10	1.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Based upon 950 valid cases out of 950 total cases.

I

I

Location: 139-140(width: 2; decimal: 0)
 Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
96	950	100.0 %

- Mean: 96.00
- Median: 96.00
- Mode: 96.00
- Minimum: 96.00
- Maximum: 96.00
- Standard Deviation: 0.00

Based upon 950 valid cases out of 950 total cases.

- Study 24721 -

LEADER **random or legitimate leader**

Location: 141-141(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	470	49.5 %
1	480	50.5 %

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 950 valid cases out of 950 total cases.

TRTRND **treatment * round interaction**

Location: 142-143(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	220	23.2 %
1	73	7.7 %
2	73	7.7 %
3	73	7.7 %
4	73	7.7 %
5	73	7.7 %
6	73	7.7 %
7	73	7.7 %
8	73	7.7 %
9	73	7.7 %
10	73	7.7 %

- Mean: 4.23
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.43

Based upon 950 valid cases out of 950 total cases.

HAWK **hawk is recommended strategy**

Location: 144-144(width: 1; decimal: 0)

- Study 24721 -

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	540	56.8 %
1	410	43.2 %

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 950 valid cases out of 950 total cases.

TRRDHK treatment*round*hawk interaction

Location: 145-145(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	854	89.9 %
1	11	1.2 %
2	14	1.5 %
3	12	1.3 %
4	12	1.3 %
5	12	1.3 %
6	12	1.3 %
8	12	1.3 %
9	11	1.2 %

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.64

Based upon 950 valid cases out of 950 total cases.

HAWKT hawk * treatment interaction

Location: 146-146(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	633	66.6 %

- Study 24721 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	317	33.4 %

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 950 valid cases out of 950 total cases.