ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 2477

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 1997

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 5 Data

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

CONTENTS

item		page
Introduction		ix
Data Collection Description		ix
Data Collection Procedures		ix
Sampling Information		x
Stage 1: Geographic Areas		x
Stage 2: Schools		x
Stage 3: Students		x
School Recruiting Procedure		xi
Advance Contact with Teachers and Students		xi
Questionnaire Administration		xii
Procedures for Protecting Confidentiality		xii
Content Areas and Questionnaire Design		xiii
Measurement Content Areas		xiii
Representativeness and Validity		xv
School Participation		xv
Student Participation		xvi
Validity of Self-Report Data		xvi
Accuracy of Sample		xvii
Consistency and the Measurement of Trends		xvii
Interpreting Racial Differences		xvii
Differential Representation		xviii
Differential Response Tendencies		xix
Covariance with Other Factors		xix
Weighting Information		xx
File Structure		xxi
Codebook Information		xxi
ICPSR Processing Information		xxii
CASEID		1
V13	975 :SCHL RGN-4 CAT	1
V16	975 :SELF-REP/NOT=0	1
V17	975 :SMSA/NON-SMSA=0	1
V1	975 :YEAR OF ADMINST	2
V3	975 :FORM ID	2
V4	975 :R	2
V45	975B12A:#X ICE/LIFETIME	3
V46	975B12B:#X ICE/LAST12MO	3
V47	975B12C:#X ICE/LAST30DA	4
V49	97C07R:# SIBLINGS	4
V5101	975B01 :EVR SMK CIG,REGL	5
V5102	975B02 :#CIGS SMKD/30DAY	5
V5103	975B03 :EVER DRINK	6
V5104	975B04A:#X ALC/LIF SIPS	6
V5105	975B04B:#X ALC/ANN SIPS	7
V5106	975B04C:#X ALC/30D SIPS	7
V5107	975B05 :#X DRK ENF FL HI	8
V5108	975B06 :5+DRK ROW/LST 2W	8
V5115	975B07A:#XMJ+HS/LIFETIME	9
V5116	975B07B:#XMJ+HS/LAST12MO	9
V5117	975B07C:#XMJ+HS/LAST30DA	10
V5118	975B08A:#X LSD/LIFETIME	10
V5119	975B08B:#X LSD/LAST 12MO	11
V5120	975B08C:#X LSD/LAST 30DA	11

item		page
V5121	975B09A:#X PSYD/LIFETIME	12
V5122	975B09B:#X PSYD/LAST12MO	12
V5123	975B09C:#X PSYD/LAST30DA	13
V5124	975B10A:#X COKE/LIFETIME	13
V5125	975B10B:#X COKE/LAST12MO	14
V5126	975B10C:#X COKE/LAST30DA	14
V5127	975B11A:#X AMPH/LIFETIME	15
V5128	975B11B:#X AMPH/LAST12MO	16
V5129	975B11C:#X AMPH/LAST30DA	17
V5133	975B13A:#X BRBT/LIFETIME	18
V5134	975B13B:#X BRBT/LAST12MO	19
V5135	975B13C:#X BRBT/LAST30DA	20
V5136	975B14A:#X TRQL/LIFETIME	21
V5137	975B14B:#X TRQL/LAST12MO	22
V5138	975B14C:#X TRQL/LAST30DA	23
V5139	975R* :#X H/LIFETIME	23
V5140	975R* :#X H/LAST12MO	24
V5141	975R* :#X H/LAST30DAY	24
V5142	975B17A:#X NARC/LIFETIME	25
V5143	975B17B:#X NARC/LAST12MO	26
V5144	975B17C:#X NARC/LAST30DA	27
V5145	975B18A:#X INHL/LIFETIME	27
V5146	975B18B:#X INHL/LAST12MO	28
V5147	975B18C:#X INHL/LAST30DA	28
V5148	975(R) :AGE <>18 DICHOTOMY	29
V5150	975C03 :R	29
V5151	975C04 :R	29
V5152	975C05 :R SPD >TIM R-URB	30
V5153	975C06 :R NOT MARRIED	30
V5155	975C07Cb(R):R	31
V5156	975C07Cc(R):R	31
V5157	975C07Cd(R):R	32
V5163	975C08 :FATHR EDUC LEVEL	32
V5164	975C09 :MOTHR EDUC LEVEL	33
V5165	975C10 :MOTH PD JB R YNG	33
V5166	975C11 :R	34
V5167	975C12 :R	34
V5169	975C13B:R	35
V5170	975C13C:RLGN IMP R	35
V5171	975C14 :WHEN R XPCT GRAD	36
V5172	975C15 :R	36
V5173	975C16 :RT SF SCH AB>AVG	37
V5174	975C17 :RT SF INTELL>AVG	37
V5175	975C18A:#DA/4W SC MS ILL	38
V5176	975C18B:#DA/4W SC MS CUT	38
V5177	975C18C:#DA/4W SC MS OTH	39
V5178	975C19 :#DA/4W SKP CLASS	39
V5179	975C20 :R HS GRADE/D=1	40
V5180	975C21A:R WL DO VOC/TEC	40
V5181	975C21B:R WL DO ARMD FC	41
V5182	975C21C:R WL DO 2YR CLG	41
V5183	975C21D:R WL DO 4YR CLG	42
V5184	975C21E:R WL DO GRD/PRF	42
V5185	975C22A:R WNTDO VOC/TEC	43
V5186	975C22B:R WNTDO ARMD FC	43

item		page
V5187	975C22C:R WNTDO 2YR CLG	44
V5188	975C22D:R WNTDO 4YR CLG	44
V5189	975C22E:R WNTDO GRD/PRF	45
V5190	975C22F:R WNTDO NONE	45
V5191	975C23 :HRS/W WRK SCHYR	46
V5192	975C24A:R$/AVG WEEK JOB	46
V5193	975C24B:R$/AVG WEEK OTH	47
V5194	975C25 :#X/AV WK GO OUT	47
V5195	975C26 :#X DATE 3+/WK	48
V5196	975C27 :DRIVE>200 MI/WK	48
V5197	975C28 :#X/12MO R TCKTD	49
V5198	975C29A:#TCKTS AFT DRNK	49
V5199	975C29B:#TCKTS AFT MARJ	50
V5200	975C29C:#TCKTS AFT OTDG	50
V5201	975C30 :#ACCIDNTS/12 MO	51
V5202	975C31A:#ACDTS AFT DRNK	51
V5203	975C31B:#ACDTS AFT MARJ	52
V5204	975C31C:#ACDTS AFT OTDG	52
V5205	975C32 :R	53
V5206	975C33 :R XPCTS B OFFCR	53
V5207	975C34 :R XPCTS MLTR CR	54
V5208	975A01 :VRY HPY THS DAYS	54
V5209	975A02 :THK ABT SOC ISSU	55
V5210	975A03A:WR/NT NUCLER WAR	55
V5211	975A03B:WR/NT POP GROWTH	56
V5212	975A03C:WR/NT CRIME&VLNC	56
V5213	975A03D:WR/NT POLLUTION	57
V5214	975A03E:WR/NT ENRGY SHRT	57
V5215	975A03F:WR/NT RACE RELTN	58
V5216	975A03G:WR/NT HNGR&PVRTY	58
V5217	975A03H:WR/NT USE OPN LD	59
V5218	975A03I:WR/NT URBN DECAY	59
V5219	975A03J:WR/NT ECON PRBLM	60
V5220	975A03K:WR/NT DRUG ABUSE	60
V5221	975A04A:XPRC MK R GD SPS	61
V5222	975A04B:XPRC MK R GD PRT	61
V5223	975A04C:XPRC MK R GD WKR	62
V5224	975A05A:PLC WRK LG CORPN	62
V5225	975A05B:PLC WRK SM BSNSS	63
V5226	975A05C:PLC WRK GVT AGCY	63
V5227	975A05D:PLC WRK MLTY SVC	64
V5228	975A05E:PLC WRK SCH/UNIV	64
V5229	975A05F:PLC WRK PLC DEPT	65
V5230	975A05G:PLC WRK SOC SVCS	65
V5231	975A05H:PLC WRK SML GRP	66
V5232	975A05I:PLC WRK SLF EMPL	66
V5233	975A06 :ENUF$,NT WNT WRK	67
V5234	975A07A:RCL CNTCT SCHOOL	67
V5235	975A07B:RCL CNTCT NGHBHD	68
V5236	975A07C:RCL CNTCT CHURCH	68
V5237	975A07D:RCL CNTCT SPORTS	69
V5238	975A07E:RCL CNTCT CLUBS	69
V5239	975A07F:RCL CNTCT JOB	70
V5240	975A08 :B/W RLTNS WRSE	70
V5241	975A09 :DNT HV DRVR LCNS	71

item		page
V5242	975A10 :DONT OWN CAR	71
V5243	975A11 :NEVR USE OTHS CR	72
V5244	975A12 :R CUT DRIVING	72
V5245	975A13 :R CUT ELECTRICTY	73
V5246	975A14 :RDCE HEAT R	73
V5247	975A15A:ENJOY SHOPPING	74
V5248	975A15B:CARE LATST FASHN	74
V5249	975A15C:CR FAM HV NBR HV	75
V5250	975A16 :XPCT 2 OWN>PRNTS	75
V5251	975A17 :LST CNT OWN>PRNT	76
V5252	975A18A:WRRY ABT OW CTRY	76
V5253	975A18B:BTTR IF CTZ WRLD	77
V5254	975A18C:-SYMP TWD STARVG	77
V5255	975A18D:MNRTY NT MY BSNS	78
V5256	975A18E:UPST PL TR -FAIR	78
V5257	975A18F:HELP POOR W MY $	79
V5258	975A18G:-MY PRB OT ND HP	79
V5259	975A18H:RB CHNG ETG HABT	80
V5260	975A18I:FAM BUYS THG -ND	80
V5261	975A18J:FULLR LVS IF MRY	81
V5262	975A18K:ENCRG=INDP DT/SN	81
V5263	975A18L:BNG MOTH V FULFL	82
V5264	975A18M:FTHR>TIME W CHLD	82
V5265	975A18N:HSB MAK IMP DCSN	83
V5266	975A19 :INTEREST IN GOVT	83
V5267	975A20A:CTB TO UNTD FUND	84
V5268	975A20B:CTB TO INTL RELF	84
V5269	975A20C:CTB TO MNRTY GRP	85
V5270	975A20D:CTB TO RELGS ORG	85
V5271	975A20E:CTB TO PLTCL PTY	86
V5272	975A20F:CTB TO CTZN LBBY	86
V5273	975A20G:CTB TO VS DISEAS	87
V5274	975A20H:CTB TO POP PRBMS	87
V5275	975A20I:CTB TO ENVIR PBM	88
V5276	975A21 :CMP SATFD W/LIFE	88
V5277	975A22A:DSCM WN COLLG ED	89
V5278	975A22B:DSCM WN LDRSHP	89
V5279	975A22C:DSCM WN EXEC/BSN	90
V5280	975A22D:DSCM WN TOP/PRFN	90
V5281	975A22E:DSCM WN SKL LABR	91
V5282	975A22F:DSCM WN PLTCL OF	91
V5283	975A22G:DSCM WN =PAY =WK	92
V5284	975A23A:RSK OF CIG1+PK/D	92
V5285	975A23B:RSK OF MJ 1-2 X	93
V5286	975A23C:RSK OF MJ OCSNLY	93
V5287	975A23D:RSK OF MJ REGLY	94
V5288	975A23E:RSK OF LSD 1-2 X	94
V5289	975A23F:RSK OF LSD REGLY	95
V5290	975A23G:RSK OF H 1-2 X	95
V5291	975A23H:RSK OF H OCSNL	96
V5292	975A23I:RSK OF H REGLY	96
V5293	975A23J:RSK OF BARB 1-2X	97
V5294	975A23K:RSK OF BARB REGY	97
V5295	975A23L:RSK OF AMPH 1-2X	98
V5296	975A23M:RSK OF AMPH REG	98

item		page
V5297	975A23N:RSK OF COKE 1-2X	99
V5298	975A23O:RSK OF COKE REG	99
V5299	975A23P:RSK OF 1-2 DRINK	100
V5300	975A23Q:RSK OF 1-2 DR/DA	100
V5301	975A23R:RSK OF 4-5 DR/DA	101
V5302	975A23S:RSK OF 5+DR/WKND	101
V5303	975D01A:POS ATT TWD SELF	102
V5304	975D01B:LUCK>IMP HRD WRK	102
V5305	975D01C:AM PRSN OF WORTH	103
V5306	975D01D:DO WELL AS OTHRS	103
V5307	975D01E:TRY GT AHD,STOPD	104
V5308	975D01F:PLNNG MKS UNHPPY	104
V5309	975D01G:ACPT LIFE->HAPPR	105
V5310	975D01H:SATISFD W MYSELF	105
V5311	975D01I:PPL LK ME -CHANC	106
V5312	975D01J:MY PLANS DO WORK	106
V5313	975D01K:OFTN FEEL LONELY	107
V5314	975D01L:-MUCH TO B PROUD	107
V5315	975D01M:ALWYS SM1 HELP R	108
V5316	975D01N:I AM NO GOOD	108
V5317	975D01O:OFTN FL LEFT OUT	109
V5318	975D01P:PPL MASTER FATE	109
V5319	975D01Q:USLY SM1 TALK TO	110
V5320	975D01R:I DO WRONG THING	110
V5321	975D01S:OFT WSH MOR FRND	111
V5322	975D01T:PLANS->BTR RSLTS	111
V5323	975D01U:MY LIFE NT USEFL	112
V5324	975D01V:USLY FRDS BE WTH	112
V5325	975D02 :LV TGTH=BD MRLTY	113
V5326	975D03 :FAM-MAR=BD MRLTY	113
V5327	975D04A:I HAVE ENOUGH $	114
V5328	975D04B:I LACK $ FR BILL	114
V5329	975D04C:I WRY@-FINDG JOB	115
V5330	975D04D:I CAN FIND JOB	115
V5331	975D04E:I CAN KEEP MYJOB	116
V5332	975D04F:I WRY@LOSS MYJOB	116
V5334	975E01A:I/MJ USR,>CREATV	117
V5335	975E01B:I/MJ USR,<SENSBL	117
V5336	975E01C:I/MJ USR,>INTRST	118
V5337	975E01D:I/MJ USR,<HRDWKG	118
V5338	975E01E:I/MJ USR,>INDPND	119
V5339	975E01F:I/MJ USR,>UNSTBL	119
V5340	975E01G:I/MJ USR,>CNCRND	120
V5341	975E01H:I/MJ USR,>WKWLD	120
V5342	975E01I:I/MJ USR,>CRMNL	121
V5352	975E02A:I/DG USR,>CREATV	121
V5353	975E02B:I/DG USR,<SENSBL	122
V5354	975E02C:I/DG USR,>INTRST	122
V5355	975E02D:I/DG USR,<HRDWKG	123
V5356	975E02E:I/DG USR,>INDPND	123
V5357	975E02F:I/DG USR,>UNSTBL	124
V5358	975E02G:I/DG USR,>CNCRND	124
V5359	975E02H:I/DG USR,>WKWLD	125
V5360	975E02I:I/DG USR,>CRMNL	125
V5411	975E11 :WLD ADMT USE MJ	126

item		page
V5412	975E12 :WLD ADMT USE AMP	126
V5413	975E13 :WLD ADMT USE HER	127
V5414	975D01W:EAGR TO LEAV HOM	127
V5415	975D01X:HEST PRT ADLT WL	128
V5416	975D05A:%$SAVE FUTR EDUC	128
V5417	975D05B:%$SAVE/SPEND CAR	129
V5418	975D05C:%$SAVE OTHER	129
V5419	975D05D:%$SPEND ON SELF	130
V5420	975D05E:%$SPEND HELP FAM	130
V5421	975E03A:GUY SMK COOL	131
V5422	975E03B:GUY SMK INSECURE	131
V5423	975E03C:GUY SMK INDPNDNT	132
V5424	975E03D:GUY SMK CONFORMG	132
V5425	975E03E:GUY SMK MATURE	133
V5426	975E03F:GUY SM TRY MATUR	133
V5427	975E04A:GIRL SMK COOL	134
V5428	975E04B:GRL SMK INSECURE	134
V5429	975E04C:GRL SMK INDPNDNT	135
V5430	975E04D:GRL SMK CONFORMG	135
V5431	975E04E:GRL SMK MATURE	136
V5432	975E04F:GRL SM TRY MATUR	136
V5433	975E05A:SMKRS ENJOY LIFE	137
V5434	975E05B:PRFR DATE N-SMKR	137
V5435	975E05C:HARMFUL CIG EXAG	138
V5436	975E05D:SMKR POOR JDGMNT	138
V5437	975E05E:DONT MIND SMOKNG	139
V5438	975E05F:SMKG DIRTY HABIT	139
V5451	975E07A:PRNT SUPRV PARTY	140
V5452	975E07B:PRNT SUPRV DATES	141
V5453	975E07C:PRNT SUPRV DRESS	142
V5454	975E07D:PRNT SUPRV MONEY	143
V5455	975E07E:PRNT SUPRV EVENG	144
V5456	975E07F:PRNT SUPRV HOMWK	145
V5457	975E07G:PRN SUPRV COURSE	146
V5458	975E07H:PRNT SUPRV WORK	147
V5459	975E07I:PRN SUPR TV QNTY	148
V5460	975E07J:PRN SUPR TV QLTY	149
V5461	975E08 :#X/LAST12M PARTY	149
V5462	975E09A:PARTY-PPL OVR 30	150
V5463	975E09B:PARTY-ONE HI ALC	150
V5464	975E09C:PARTY-OTH HI ALC	151
V5465	975E09D:PARTY-YOU HI ALC	151
V5466	975E09E:PARTY-PRESS ALCL	152
V5467	975E09F:PARTY-PRS HI ALC	152
V5468	975E09G:PARTY-ONE HI MJ	153
V5469	975E09H:PARTY-OTH HI MJ	153
V5470	975E09I:PARTY-YOU HI MJ	154
V5471	975E09J:PARTY-PRESS MJ	154
V5472	975E09K:PARTY-ONE HI OTD	155
V5473	975E09L:PARTY-OTH HI OTD	155
V5474	975E09M:PARTY-YOU HI OTD	156
V5475	975E09N:PARTY-PRESS OTDG	156
V5476	975E10A:PRFR PTY-PPL >30	157
V5477	975E10B:PRF PTY-U HI ALC	157
V5478	975E10C:PR PTY-OTH HI AL	158

V5479 975E10D:PRF PTY-U USE MJ 158
V5480 975E10E:PR PTY-OT USE MJ 159
V5481 975E10F:PR PTY-U USE OTD 159
V5482 975E10G:PR PTY-OT USE OT 160
V5483 975A23T:RSK OF COKE OCSN 160
V5484 975A23U:RSK OF SMKLSS RG 161
V5485 975E05G:DTEST NEAR SMKRS 161
V5486 975E06A:#X CRACK/LIFETIM 162
V5487 975E06B:#X CRACK/LAST12M 162
V5488 975E06C:#X CRACK/LAST30D 163
V5489 975B15A:#X H LIF USE NDL 163
V5490 975B15B:#X H 12M USE NDL 164
V5491 975B15C:#X H 30D USE NDL 164
V5492 975B16A:#X H LIF W/O NDL 165
V5493 975B16B:#X H 12M W/O NDL 165
V5494 975B16C:#X H 30D W/O NDL 166
V5 SAMPLING WEIGHT 166

APPENDICES

Appendix A - Publications 167
Appendix B - Sample Size and Student Response Rates 186
Table 1 - Subject Area Key 188
Key To: "& & - renumbered in second year" 194

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 1997, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling.

For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing

the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name

and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

MEASUREMENT CONTENT AREAS

A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.

B. EDUCATION. Educational lifestyle, values, experiences, and environments.

C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.

D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G. RELIGION. Religious affiliation, practices, and views.

H. POLITICS. Political affiliation, activities, and views.

I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.

R. BACKGROUND. Demographic and family background characteristics, living arrangements.

S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T. HEALTH. Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are

included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is

associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for

some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 1997 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	#variables	logical record length	unweighted N
Part 1	Core	108	122	15963
Part 2	Form 1	612	626	2684
Part 3	Form 2	329	342	2637
Part 4	Form 3	360	373	2662
Part 5	Form 4	293	308	2651
Part 6	Form 5	317	330	2646
Part 7	Form 6	331	345	2683

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

.....

[1] v6115 [2] 966B07A:#XMJ+HS/LIFETIME

[3] B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . .
B07A: . . . in your lifetime?

[4] PCT VALID	[5] PCT ALL	[6] N	[7] VALUE	[8] LABEL
52.6	51.3	1275	1	0 OCCAS
9.2	9.0	223	2	1-2X
5.8	5.6	140	3	3-5X
5.6	5.5	136	4	6-9X
5.0	4.9	122	5	10-19X
5.7	5.6	138	6	20-39X
16.0	15.6	388	7	40+OCCAS
	2.6	64	9	
		----		

[9] 2487 cases(Wtd)

[10] Type: numeric [12] Min: 1 [14] MD Codes: 9
[11] Decimals: 0 [13] Max: 7

[15] Input location: 1/27

.....

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.

[5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.

[6] Indicates the weighted frequency of occurrence of each code value for this variable.

[7] Indicates the code values occurring in the data for this variable.

[8] Indicates the textual definitions of the codes for this variable.

[9] Indicates the number of cases (weighted) for this variable (including the missing cases).

[10] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. ALPHANUMERIC variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[11] Indicates the number of decimal places in the variable.

[12] Indicates the minimum value of the variable.

[13] Indicates the maximum value of the variable.

[14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[15] Indicates the width and the starting column location of this variable. In this example, the variable named "966B07A:#XMJ+HS/LIFETIME" is 1 column wide and is located in the 27th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for

explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

CASEID

2647 cases (Wtd)

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 2646

Input location: 1/327-330

V13 975 :SCHL RGN-4 CAT

PCT VALID	PCT ALL	N	VALUE	LABEL
21.6	21.6	571	1	NE:(1)
26.4	26.4	700	2	NC:(2)
34.2	34.2	906	3	S:(3)
17.8	17.8	470	4	W:(4)
		2647		cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/1

V16 975 :SELF-REP/NOT=0

PCT VALID	PCT ALL	N	VALUE	LABEL
73.1	73.1	1936	0	NOT SELF-REP
26.9	26.9	712	1	SELF-REP
		2647		cases (Wtd)

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/2

V17 975 :SMSA/NON-SMSA=0

PCT VALID	PCT ALL	N	VALUE	LABEL
24.3	24.3	643	0	NON-SMSA
75.7	75.7	2004	1	SMSA
		2647		cases (Wtd)

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/3

V1 975 :YEAR OF ADMINST

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	100.0	2647	97	1997
		2647	cases (Wtd)	

Type: numeric Min: 97 MD Codes: none
Decimals: 0 Max: 97

Input location: 1/4-5

V3 975 :FORM ID

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	100.0	2647	5	FORM 5
		2647	cases (Wtd)	

Type: numeric Min: 5 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/6

V4 975 :R

2647 cases (Wtd)

Type: numeric Min: 50001 MD Codes: none
Decimals: 0 Max: 52646

Input location: 1/7-11

V45 975B12A:#X ICE/LIFETIME

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

B12A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.2	94.0	2489	1	0 OCCAS:(1)
1.9	1.8	48	2	1-2X:(2)
0.6	0.6	16	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.6	0.6	17	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	2.3	60	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/12

V46 975B12B:#X ICE/LAST12MO

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

B12B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	95.6	2531	1	0 OCCAS:(1)
1.2	1.1	30	2	1-2X:(2)
0.3	0.3	9	3	3-5X:(3)
0.1	0.1	4	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.3	60	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/13

V47 975B12C:#X ICE/LAST30DA

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

B12C: ..during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	97.2	2574	1	0 OCCAS:(1)
0.1	0.1	4	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.2	60	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/14

V49 97C07R:# SIBLINGS

C07: How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	4.5	119	0	NONE (0)
32.7	32.0	847	1	ONE (1)
27.2	26.6	703	2	TWO (2)
35.4	34.6	916	3	3 OR MORE (3)
	0.1	3	7	
	2.2	59	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/15

V5101 975B01 :EVR SMK CIG,REGL

B01: Have you ever smoked cigarettes?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
35.5	34.6	915	1	NEVER:(1)
22.4	21.8	576	2	1-2X:(2)
16.5	16.1	426	3	OCCASNLY:(3)
7.0	6.8	181	4	REG PAST:(4)
18.6	18.1	479	5	REG NOW:(5)
	2.5	67	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/16

V5102 975B02 :#CIGS SMKD/30DAY

B02: How frequently have you smoked cigarettes during the past 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
65.4	63.7	1687	1	NONE:(1)
11.7	11.3	300	2	<1 CIG/D:(2)
9.7	9.5	251	3	1-5/DAY:(3)
6.0	5.9	155	4	1/2PK/D:(4)
5.5	5.3	141	5	1 PK/DA:(5)
1.5	1.4	38	6	1.5 PK/D:(6)
0.3	0.3	7	7	2+ PKS/D:(7)
	0.0	0	8	INAP:(8)
	2.6	68	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 7

Input location: 1/17

V5103 975B03 :EVER DRINK

B03: Next we want to ask you about drinking alcoholic beverages, including beer, wine, wine coolers, and liquor. Have you ever had any beer, wine, wine coolers, or liquor to drink - more than just a few sips?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
18.7	18.0	476	1	NO:(1)
81.3	78.1	2066	2	YES:(2)
	4.0	105	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 2

Input location: 1/18

V5104 975B04A:#X ALC/LIF SIPS

B04: On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

B04A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.0	18.0	476	1	0 OCCAS:(1)
8.0	7.6	200	2	1-2X:(2)
10.8	10.2	270	3	3-5X:(3)
9.4	8.9	235	4	6-9X:(4)
13.9	13.1	347	5	10-19X:(5)
11.7	11.0	292	6	20-39X:(6)
27.2	25.7	680	7	40+OCCAS:(7)
	5.6	147	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/19

V5105 975B04B:#X ALC/ANN SIPS

B04: On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

B04B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.3	24.8	656	1	0 OCCAS:(1)
15.8	14.9	395	2	1-2X:(2)
13.5	12.7	337	3	3-5X:(3)
11.5	10.8	287	4	6-9X:(4)
11.7	11.1	294	5	10-19X:(5)
9.1	8.6	228	6	20-39X:(6)
12.1	11.4	302	7	40+OCCAS:(7)
	5.6	148	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/20

V5106 975B04C:#X ALC/30D SIPS

B04: On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

B04: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
48.6	45.8	1212	1	0 OCCAS:(1)
19.6	18.5	489	2	1-2X:(2)
12.9	12.2	322	3	3-5X:(3)
9.0	8.5	225	4	6-9X:(4)
6.5	6.1	162	5	10-19X:(5)
1.6	1.5	39	6	20-39X:(6)
1.8	1.7	44	7	40+OCCAS:(7)
	5.9	155	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/21

V5107 975B05 :#X DRK ENF FL HI

B05: On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.6	18.5	489	1	NONE:(1)
25.2	19.8	523	2	FEW:(2)
14.9	11.7	309	3	HALF:(3)
22.1	17.3	458	4	MOST:(4)
14.1	11.1	293	5	NRLY ALL:(5)
	18.0	476	8	
	3.7	99	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/22

V5108 975B06 :5+DRK ROW/LST 2W

B06: Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, or a mixed drink.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
68.6	64.0	1694	1	NONE:(1)
9.1	8.5	226	2	ONCE:(2)
8.6	8.1	214	3	TWICE:(3)
8.2	7.7	203	4	3-5X:(4)
3.5	3.2	86	5	6-9X:(5)
2.0	1.8	49	6	10+ TIME:(6)
	2.1	56	8	
	4.5	120	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/23

V5115 975B07A:#XMJ+HS/LIFETIME

B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

B07A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
52.1	50.3	1331	1	0 OCCAS:(1)
9.0	8.6	229	2	1-2X:(2)
5.9	5.7	151	3	3-5X:(3)
4.5	4.3	114	4	6-9X:(4)
5.5	5.3	140	5	10-19X:(5)
5.1	4.9	129	6	20-39X:(6)
18.0	17.3	459	7	40+OCCAS:(7)
	3.6	95	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/24

V5116 975B07B:#XMJ+HS/LAST12MO

B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

B07B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.8	60.5	1601	1	0 OCCAS:(1)
9.2	8.8	234	2	1-2X:(2)
5.6	5.4	142	3	3-5X:(3)
3.9	3.8	100	4	6-9X:(4)
4.1	4.0	105	5	10-19X:(5)
3.8	3.7	98	6	20-39X:(6)
10.7	10.3	272	7	40+OCCAS:(7)
	3.7	97	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/25

V5117 975B07C:#XMJ+HS/LAST30DA

B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

B07C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
76.6	73.9	1956	1	0 OCCAS:(1)
6.9	6.7	176	2	1-2X:(2)
3.5	3.3	89	3	3-5X:(3)
3.1	3.0	79	4	6-9X:(4)
4.0	3.9	103	5	10-19X:(5)
2.8	2.7	71	6	20-39X:(6)
3.2	3.0	81	7	40+OCCAS:(7)
	3.5	92	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/26

V5118 975B08A:#X LSD/LIFETIME

B08: On how many occasions (if any) have you used LSD ("acid")...

B08A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.6	84.2	2228	1	0 OCCAS:(1)
5.7	5.6	147	2	1-2X:(2)
2.4	2.3	61	3	3-5X:(3)
1.6	1.6	42	4	6-9X:(4)
1.5	1.5	40	5	10-19X:(5)
1.1	1.0	28	6	20-39X:(6)
1.1	1.1	28	7	40+OCCAS:(7)
	2.8	73	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/27

V5119 975B08B:#X LSD/LAST 12MO

B08: On how many occasions (if any) have you used LSD ("acid")...

B08B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.6	89.0	2357	1	0 OCCAS:(1)
4.8	4.7	124	2	1-2X:(2)
1.6	1.5	40	3	3-5X:(3)
0.9	0.9	23	4	6-9X:(4)
0.7	0.7	19	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	2.8	74	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/28

V5120 975B08C:#X LSD/LAST 30DA

B08: On how many occasions (if any) have you used LSD ("acid")...

B08C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.2	94.5	2501	1	0 OCCAS:(1)
1.9	1.9	50	2	1-2X:(2)
0.4	0.3	9	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.8	74	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/29

V5121 975B09A:#X PSYD/LIFETIME

B09: On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

B09A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.0	89.4	2368	1	0 OCCAS:(1)
3.6	3.5	92	2	1-2X:(2)
1.7	1.7	44	3	3-5X:(3)
1.4	1.3	36	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.3	0.3	9	7	40+OCCAS:(7)
	2.8	73	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/30

V5122 975B09B:#X PSYD/LAST12MO

B09: On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

B09B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.8	92.2	2441	1	0 OCCAS:(1)
3.1	3.0	79	2	1-2X:(2)
1.2	1.1	30	3	3-5X:(3)
0.5	0.5	14	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	2.7	72	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/31

V5123 975B09C:#X PSYD/LAST30DA

B09: On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

B09C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	95.7	2533	1	0 OCCAS:(1)
1.3	1.3	34	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.7	71	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/32

V5124 975B10A:#X COKE/LIFETIME

B10: On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

B10A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.3	89.9	2380	1	0 OCCAS:(1)
3.6	3.5	92	2	1-2X:(2)
1.2	1.2	32	3	3-5X:(3)
0.9	0.9	23	4	6-9X:(4)
0.5	0.5	14	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
1.0	0.9	25	7	40+OCCAS:(7)
	2.6	70	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/33

V5125 975B10B:#X COKE/LAST12MO

B10: On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

B10B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.1	92.6	2452	1	0 OCCAS:(1)
2.3	2.2	59	2	1-2X:(2)
1.0	1.0	26	3	3-5X:(3)
0.4	0.4	11	4	6-9X:(4)
0.3	0.3	9	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.3	0.3	9	7	40+OCCAS:(7)
	2.6	70	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/34

V5126 975B10C:#X COKE/LAST30DA

B10: On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

B10C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	96.0	2540	1	0 OCCAS:(1)
0.9	0.9	23	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.5	65	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/35

V5127 975B11A:#X AMPH/LIFETIME

B11: Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

B11A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.9	79.0	2092	1	0 OCCAS:(1)
8.4	8.2	216	2	1-2X:(2)
3.0	2.9	78	3	3-5X:(3)
2.5	2.5	65	4	6-9X:(4)
2.0	1.9	51	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
2.4	2.3	61	7	40+OCCAS:(7)
	2.3	61	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/36

V5128 975B11B:#X AMPH/LAST12MO

B11: Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

B11B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
88.0	85.9	2274	1	0 OCCAS:(1)
5.6	5.4	144	2	1-2X:(2)
1.8	1.8	48	3	3-5X:(3)
1.5	1.4	37	4	6-9X:(4)
1.3	1.3	34	5	10-19X:(5)
0.6	0.5	14	6	20-39X:(6)
1.2	1.2	32	7	40+OCCAS:(7)
	2.4	64	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/37

V5129 975B11C:#X AMPH/LAST30DA

B11: Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

B11C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.8	92.5	2450	1	0 OCCAS:(1)
2.5	2.4	65	2	1-2X:(2)
0.9	0.9	24	3	3-5X:(3)
0.9	0.8	22	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.4	62	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/38

V5133 975B13A:#X BRBT/LIFETIME

B13: Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

B13A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.9	87.7	2323	1	0 OCCAS:(1)
4.3	4.2	110	2	1-2X:(2)
1.6	1.6	42	3	3-5X:(3)
1.4	1.4	36	4	6-9X:(4)
1.1	1.0	27	5	10-19X:(5)
0.9	0.9	24	6	20-39X:(6)
0.8	0.8	22	7	40+OCCAS:(7)
	2.4	64	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/39

V5134 975B13B:#X BRBT/LAST12MO

B13: Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

B13B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.0	91.8	2430	1	0 OCCAS:(1)
2.6	2.5	67	2	1-2X:(2)
1.3	1.2	33	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
1.0	1.0	26	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	2.4	62	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/40

V5135 975B13C:#X BRBT/LAST30DA

B13: Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

B13C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	94.8	2510	1	0 OCCAS:(1)
1.5	1.4	38	2	1-2X:(2)
0.8	0.8	21	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	2.3	62	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/41

V5136 975B14A:#X TRQL/LIFETIME

B14: Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

B14A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.4	89.3	2364	1	0 OCCAS:(1)
4.2	4.1	110	2	1-2X:(2)
1.4	1.3	36	3	3-5X:(3)
0.9	0.9	24	4	6-9X:(4)
0.9	0.9	23	5	10-19X:(5)
0.6	0.6	16	6	20-39X:(6)
0.5	0.5	13	7	40+OCCAS:(7)
	2.3	62	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/42

V5137 975B14B:#X TRQL/LAST12MO

B14: Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

B14B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.8	92.6	2450	1	0 OCCAS:(1)
2.8	2.7	72	2	1-2X:(2)
1.0	1.0	27	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.4	0.4	11	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
0.1	0.1	4	7	40+OCCAS:(7)
	2.4	63	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/43

V5138 975B14C:#X TRQL/LAST30DA

B14: Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

B14C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.5	95.2	2521	1	0 OCCAS:(1)
1.5	1.5	40	2	1-2X:(2)
0.6	0.6	16	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.3	62	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/44

V5139 975R* :#X H/LIFETIME

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	95.5	2528	1	0 OCCAS:(1)
1.3	1.2	33	2	1-2X:(2)
0.5	0.4	12	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	2.2	59	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/45

V5140 975R* :#X H/LAST12MO

PCT VALID	PCT ALL	N	VALUE	LABEL
98.8	96.6	2558	1	0 OCCAS:(1)
0.6	0.6	16	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	2.2	58	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/46

V5141 975R* :#X H/LAST30DAY

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	97.2	2573	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.2	58	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/47

V5142 975B17A:#X NARC/LIFETIME

B17: There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

B17A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.1	86.7	2295	1	0 OCCAS:(1)
5.5	5.4	142	2	1-2X:(2)
1.8	1.7	45	3	3-5X:(3)
1.2	1.2	31	4	6-9X:(4)
1.0	1.0	25	5	10-19X:(5)
0.6	0.6	17	6	20-39X:(6)
0.8	0.7	20	7	40+OCCAS:(7)
	2.7	72	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/48

V5143 975B17B:#X NARC/LAST12MO

B17: There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

B17B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.4	90.9	2405	1	0 OCCAS:(1)
3.4	3.3	86	2	1-2X:(2)
1.3	1.2	33	3	3-5X:(3)
0.6	0.5	14	4	6-9X:(4)
0.7	0.7	18	5	10-19X:(5)
0.3	0.3	9	6	20-39X:(6)
0.3	0.3	9	7	40+OCCAS:(7)
	2.8	73	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/49

V5144 975B17C:#X NARC/LAST30DA

B17: There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

B17C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	95.0	2515	1	0 OCCAS:(1)
1.0	0.9	25	2	1-2X:(2)
0.5	0.5	14	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	2.7	72	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/50

V5145 975B18A:#X INHL/LIFETIME

B18: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

B18A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.0	81.6	2161	1	0 OCCAS:(1)
7.5	7.3	194	2	1-2X:(2)
3.1	3.0	79	3	3-5X:(3)
2.1	2.0	54	4	6-9X:(4)
1.4	1.3	36	5	10-19X:(5)
0.7	0.7	19	6	20-39X:(6)
1.2	1.2	31	7	40+OCCAS:(7)
	2.8	74	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/51

V5146 975B18B:#X INHL/LAST12MO

B18: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

B18B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.0	90.2	2389	1	0 OCCAS:(1)
3.6	3.5	92	2	1-2X:(2)
1.9	1.8	49	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.1	0.1	4	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	2.9	78	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/52

V5147 975B18C:#X INHL/LAST30DA

B18: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

B18C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.3	94.5	2502	1	0 OCCAS:(1)
1.6	1.6	42	2	1-2X:(2)
0.7	0.6	17	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.9	77	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/53

V5148 975(R) :AGE <>18 DICHOTOMY

C01: In what year were you born?

PCT VALID	PCT ALL	N	VALUE	LABEL
44.8	43.9	1162	1	< 18:(1)
55.2	54.0	1431	2	18+:(2)
	2.0	54	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 2

Input location: 1/54

V5150 975C03 :R

C03: What is your sex?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.8	47.9	1268	1	MALE:(1)
50.2	48.4	1280	2	FEMALE:(2)
	3.8	100	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 2

Input location: 1/55

V5151 975C04 :R

C04: How do you describe yourself?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.2	63.8	1689	0	WHITE: (0)
16.8	12.9	341	1	BLACK: (1)
	23.3	617	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/56

V5152 975C05 :R SPD >TIM R-URB

C05: Where did you grow up mostly?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.0	11.0	291	0	DK/MIXED:(0)
5.6	5.6	147	1	FARM:(1)
11.2	11.2	296	2	COUNTRY:(2)
27.6	27.6	731	3	SML TOWN:(3)
11.2	11.2	297	4	MED CITY:(4)
6.8	6.8	179	5	SUBURB 4:(5)
10.1	10.1	268	6	LRG CITY:(6)
6.5	6.5	172	7	SUBURB 6:(7)
6.2	6.2	164	8	VRYLG CY:(8)
3.8	3.8	101	9	SUBURB 8:(9)
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: none
Decimals: 0 Max: 9

Input location: 1/57

V5153 975C06 :R NOT MARRIED

C06: What is your marital status?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
3.1	3.1	81	1	MARRIED:(1)
5.7	5.6	148	2	ENGAGED:(2)
1.1	1.0	28	3	SEP/DIV:(3)
90.1	88.1	2332	4	SINGLE:(4)
	2.2	58	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/58

V5155 975C07Cb(R):R

C07C: Which of the following people live in the same household with you?

C07Cb: Father (or male guardian)

PCT VALID	PCT ALL	N	VALUE	LABEL
25.6	24.9	659	0	NT MARKD:(0)
74.4	72.2	1911	1	MARKED:(1)
	2.9	77	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/59

V5156 975C07Cc(R):R

C07C: Which of the following people live in the same household with you?

C07Cc: Mother (of female guardian)

PCT VALID	PCT ALL	N	VALUE	LABEL
10.2	9.9	263	0	NT MARKD:(0)
89.8	87.2	2307	1	MARKED:(1)
	2.9	77	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/60

V5157 975C07Cd(R):R

C07C: Which of the following people live in the same household with you?

C07Cd: Brother(s) and/or sister(s)

PCT VALID	PCT ALL	N	VALUE	LABEL
33.8	32.8	867	0	NT MARKD:(0)
66.2	64.3	1703	1	MARKED:(1)
	2.9	77	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/61

V5163 975C08 :FATHR EDUC LEVEL

C08: What is the highest level of schooling your father completed?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.4	4.1	107	1	GRDE SCH:(1)
9.6	8.8	233	2	SOME HS:(2)
30.5	28.1	743	3	HS GRAD:(3)
18.9	17.4	460	4	SOME CLG:(4)
20.8	19.1	507	5	CLG GRAD:(5)
15.7	14.5	383	6	GRAD SCH:(6)
	5.2	138	7	
	2.8	75	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,7-*
Decimals: 0 Max: 6

Input location: 1/62

V5164 975C09 :MOTHR EDUC LEVEL

C09: What is the highest level of schooling your mother completed?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	3.6	96	1	GRDE SCH:(1)
9.3	8.9	234	2	SOME HS:(2)
32.0	30.3	803	3	HS GRAD:(3)
19.0	18.1	478	4	SOME CLG:(4)
22.2	21.1	558	5	CLG GRAD:(5)
13.7	13.0	343	6	GRAD SCH:(6)
	2.3	61	7	
	2.8	74	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,7-*
Decimals: 0 Max: 6

Input location: 1/63

V5165 975C10 :MOTH PD JB R YNG

C10: Did you mother have a paid job (half-time or more) during the time you were growing up?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
15.8	15.3	404	1	NO:(1)
21.4	20.7	548	2	SOMETIME:(2)
18.9	18.3	484	3	MOSTTIME:(3)
44.0	42.6	1127	4	ALL TIME:(4)
	3.1	82	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/64

V5166 975C11 :R

C11: How would you describe your political preference?

PCT VALID	PCT ALL	N	VALUE	LABEL
	2.9	78	0	
9.9	7.0	185	1	STRG GOP:(1)
15.3	10.7	284	2	MILD GOP:(2)
18.9	13.3	353	3	MILD DEM:(3)
14.4	10.1	268	4	STRG DEM:(4)
13.0	9.1	241	5	INDEPNDT:(5)
25.8	18.2	481	6	NO PREF:(6)
2.7	1.9	50	7	OTHER:(7)
	23.4	620	8	
	3.3	86	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 7

Input location: 1/65

V5167 975C12 :R

C12: How would you describe your political beliefs?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
6.6	4.0	106	1	VRY CONS:(1)
17.6	10.6	280	2	CONSERV:(2)
39.8	24.0	636	3	MODERATE:(3)
24.0	14.5	384	4	LIBERAL:(4)
6.8	4.1	108	5	VRY LIB:(5)
5.2	3.1	83	6	RADICAL:(6)
	36.1	955	8	
	3.6	95	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/66

V5169 975C13B:R

C13: The next three questions are about religion.

C13B: How often do you attend religious services?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.9	13.5	356	1	NEVER:(1)
35.2	28.0	740	2	RARELY:(2)
16.0	12.7	336	3	1-2X/MO:(3)
31.9	25.4	672	4	1/WK OR+:(4)
	17.8	470	6	
	2.8	73	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/67

V5170 975C13C:RLGN IMP R

C13: The next three questions are about religion.

C13C: How important is religion in your life?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.7	12.5	330	1	NOT IMPT:(1)
26.0	20.6	545	2	LITL IMP:(2)
29.1	23.0	610	3	PRTY IMP:(3)
29.2	23.1	611	4	VERY IMP:(4)
	17.8	470	6	
	3.0	81	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/68

V5171 975C14 :WHEN R XPCT GRAD

C14: When are you most likely to graduate from high school?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	95.2	2520	1	BY JUNE:(1)
1.4	1.4	36	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.2	0.2	6	6	WONT:(6)
	3.2	85	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/69

V5172 975C15 :R

C15: Which of the following best describes your present high school program?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.5	14	0	
52.8	50.7	1343	1	CLG PREP:(1)
31.4	30.2	799	2	GENERAL:(2)
9.0	8.6	228	3	VOC-TECH:(3)
6.8	6.5	173	4	OTH/DK:(4)
	3.5	92	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/70

V5173 975C16 :RT SF SCH AB>AVG

C16: Compared with others your age throughout the country, how do you rate yourself on school ability?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
0.9	0.9	23	1	FAR BLOW:(1)
1.4	1.3	36	2	BELOW AV:(2)
4.9	4.7	125	3	SL BELOW:(3)
35.5	34.1	903	4	AVERAGE:(4)
22.9	22.0	582	5	SL ABOVE:(5)
27.9	26.9	711	6	ABOVE AV:(6)
6.5	6.2	164	7	FAR ABOV:(7)
	3.8	100	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/71

V5174 975C17 :RT SF INTELL>AVG

C17: How intelligent do you think you are compared with others your age?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
0.7	0.7	19	1	FAR BLOW:(1)
1.3	1.2	33	2	BELOW AV:(2)
4.9	4.7	125	3	SL BELOW:(3)
31.6	30.5	806	4	AVERAGE:(4)
24.0	23.2	613	5	SL ABOVE:(5)
29.2	28.2	745	6	ABOVE AV:(6)
8.2	7.9	208	7	FAR ABOV:(7)
	3.7	97	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/72

V5175 975C18A:#DA/4W SC MS ILL

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed...

C18A: Because of illness...

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
58.8	55.2	1461	1	NONE:(1)
18.1	17.0	450	2	1 DAY:(2)
10.4	9.8	259	3	2 DAYS:(3)
6.2	5.9	155	4	3 DAYS:(4)
4.3	4.0	106	5	4-5 DAYS:(5)
1.5	1.4	37	6	6-10 DA:(6)
0.7	0.7	18	7	11+ DAYS:(7)
	5.9	157	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/73

V5176 975C18B:#DA/4W SC MS CUT

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed...

C18B: Because you skipped or "cut"...

PCT VALID	PCT ALL	N	VALUE	LABEL
69.1	63.6	1684	1	NONE:(1)
12.7	11.7	310	2	1 DAY:(2)
7.4	6.8	181	3	2 DAYS:(3)
4.9	4.5	120	4	3 DAYS:(4)
3.0	2.8	73	5	4-5 DAYS:(5)
1.5	1.3	35	6	6-10 DA:(6)
1.4	1.2	33	7	11+ DAYS:(7)
	7.9	210	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/74

V5177 975C18C:#DA/4W SC MS OTH

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed...

C18C: For other reasons...

PCT VALID	PCT ALL	N	VALUE	LABEL
55.2	51.4	1361	1	NONE:(1)
21.4	20.0	528	2	1 DAY:(2)
10.3	9.6	254	3	2 DAYS:(3)
5.8	5.4	144	4	3 DAYS:(4)
4.2	3.9	103	5	4-5 DAYS:(5)
2.0	1.9	50	6	6-10 DA:(6)
1.1	1.0	26	7	11+ DAYS:(7)
	6.8	180	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/75

V5178 975C19 :#DA/4W SKP CLASS

C19: During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
63.9	61.4	1626	1	NONE:(1)
20.5	19.7	522	2	1-2:(2)
9.1	8.8	232	3	3-5:(3)
4.2	4.0	106	4	6-10:(4)
1.2	1.2	31	5	11-20:(5)
1.1	1.0	27	6	21+:(6)
	3.9	103	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/76

V5179 975C20 :R HS GRADE/D=1

C20: Which of the following best describes your average grade so far in high school?

PCT VALID	PCT ALL	N	VALUE	LABEL
	4.1	109	0	
1.2	1.1	29	1	D:(1)
3.2	3.1	81	2	C-:(2)
6.7	6.4	170	3	C:(3)
10.4	10.0	264	4	C+:(4)
13.0	12.5	331	5	B-:(5)
19.2	18.4	487	6	B:(6)
17.7	17.0	449	7	B+:(7)
16.2	15.5	411	8	A-:(8)
12.4	11.9	315	9	A:(9)
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/77

V5180 975C21A:R WL DO VOC/TEC

C21: How likely is it that you will do each of the following things after high school?

C21A: Attend a technical or vocational school...

PCT VALID	PCT ALL	N	VALUE	LABEL
53.8	50.2	1328	1	DEF WONT:(1)
22.9	21.3	565	2	PRB WONT:(2)
14.9	13.9	367	3	PRB WILL:(3)
8.5	7.9	210	4	DEF WILL:(4)
	6.7	177	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/78

V5181 975C21B:R WL DO ARMD FC

C21: How likely is it that you will do each of the following things after high school?

C21B: Serve in the armed forces...

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
71.6	65.1	1722	1	DEF WONT:(1)
16.1	14.6	386	2	PRB WONT:(2)
7.0	6.4	169	3	PRB WILL:(3)
5.3	4.8	128	4	DEF WILL:(4)
	9.1	241	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/79

V5182 975C21C:R WL DO 2YR CLG

C21: How likely is it that you will do each of the following things after high school?

C21C: Graduate from a two-year college program...

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
40.4	37.5	994	1	DEF WONT:(1)
23.4	21.8	576	2	PRB WONT:(2)
20.0	18.6	491	3	PRB WILL:(3)
16.2	15.0	397	4	DEF WILL:(4)
	7.0	186	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/80

V5183 975C21D:R WL DO 4YR CLG

C21: How likely is it that you will do each of the following things after high school?

C21D: Graduate from college (four-year program)...

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
11.4	10.8	285	1	DEF WONT:(1)
12.1	11.4	302	2	PRB WONT:(2)
21.0	19.8	524	3	PRB WILL:(3)
55.5	52.3	1386	4	DEF WILL:(4)
	5.7	150	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/81

V5184 975C21E:R WL DO GRD/PRF

C21: How likely is it that you will do each of the following things after high school?

C21E: Attend graduate or professional school after college...

PCT VALID	PCT ALL	N	VALUE	LABEL
18.9	17.5	464	1	DEF WONT:(1)
26.6	24.7	654	2	PRB WONT:(2)
32.6	30.3	801	3	PRB WILL:(3)
21.9	20.4	539	4	DEF WILL:(4)
	7.1	188	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/82

V5185 975C22A:R WNTDO VOC/TEC

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22A: Attend a technical of vocational school

PCT VALID	PCT ALL	N	VALUE	LABEL
80.2	76.1	2014	0	NT MARKD:(0)
19.8	18.7	496	1	MARKED:(1)
	5.2	137	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/83

V5186 975C22B:R WNTDO ARMD FC

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22B: Serve in the armed forces

PCT VALID	PCT ALL	N	VALUE	LABEL
86.6	82.1	2175	0	NT MARKD:(0)
13.4	12.7	336	1	MARKED:(1)
	5.2	137	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/84

V5187 975C22C:R WNTDO 2YR CLG

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22C: Graduate from a two-year college program

PCT VALID	PCT ALL	N	VALUE	LABEL
75.5	71.6	1895	0	NT MARKD:(0)
24.5	23.2	615	1	MARKED:(1)
	5.2	137	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/85

V5188 975C22D:R WNTDO 4YR CLG

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22D: Graduate from college (four-year program)

PCT VALID	PCT ALL	N	VALUE	LABEL
23.6	22.4	592	0	NT MARKD:(0)
76.4	72.5	1918	1	MARKED:(1)
	5.2	137	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/86

V5189 975C22E:R WNTDO GRD/PRF

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22E: Attend graduate or professional school after college

PCT VALID	PCT ALL	N	VALUE	LABEL
43.0	40.8	1080	0	NT MARKD:(0)
57.0	54.0	1430	1	MARKED:(1)
	5.2	137	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/87

V5190 975C22F:R WNTDO NONE

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22F: None of the above

PCT VALID	PCT ALL	N	VALUE	LABEL
94.0	89.2	2361	0	NT MARKD:(0)
6.0	5.7	150	1	MARKED:(1)
	5.2	137	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 1

Input location: 1/88

V5191 975C23 :HRS/W WRK SCHYR

C23: On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.2	6	0	
23.6	22.3	591	1	NONE:(1)
9.1	8.6	227	2	5 OR <:(2)
10.2	9.7	256	3	6-10 HRS:(3)
10.8	10.2	269	4	11-15 HR:(4)
15.8	14.9	395	5	16-20 HR:(5)
12.3	11.6	308	6	21-25 HR:(6)
8.8	8.4	221	7	26-30 HR:(7)
9.4	8.9	235	8	30+ HRS:(8)
	5.2	138	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 8

Input location: 1/89

V5192 975C24A:R$/AVG WEEK JOB

C24: During an average week, how much money do you get from...

C24A: A job or other work...

PCT VALID	PCT ALL	N	VALUE	LABEL
	7.6	200	0	
27.4	25.4	672	1	NONE:(1)
1.7	1.6	41	2	$1-5:(2)
2.6	2.4	64	3	$6-10:(3)
3.3	3.0	80	4	$11-20:(4)
5.3	4.9	129	5	$21-35:(5)
7.5	6.9	182	6	$36-50:(6)
13.4	12.4	327	7	$51-75:(7)
22.3	20.6	545	8	$76-125:(8)
16.6	15.4	407	9	$126+:(9)

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/90

V5193 975C24B:R$/AVG WEEK OTH

C24: During an average week, how much money do you get from...

C24B: Other sources (allowances, etc.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	9.9	262	0	
32.7	29.5	781	1	NONE:(1)
7.8	7.1	187	2	$1-5:(2)
13.6	12.3	325	3	$6-10:(3)
19.6	17.6	466	4	$11-20:(4)
11.1	10.0	265	5	$21-35:(5)
6.7	6.0	159	6	$36-50:(6)
3.0	2.7	71	7	$51-75:(7)
2.0	1.8	47	8	$76-125:(8)
3.5	3.2	84	9	$126+:(9)

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/91

V5194 975C25 :#X/AV WK GO OUT

C25: During a typical week, on how many evenings do you go out for fun and recreation?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
9.2	8.7	230	1	< 1:(1)
13.7	12.9	342	2	ONE:(2)
27.2	25.6	678	3	TWO:(3)
25.2	23.7	628	4	THREE:(4)
16.7	15.8	417	5	4-5:(5)
8.0	7.6	200	6	6-7:(6)
	5.7	150	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/92

V5195 975C26 :#X DATE 3+/WK

C26: On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
19.8	18.4	488	1	NEVER:(1)
19.2	17.9	474	2	1/MO OR<:(2)
15.6	14.6	386	3	2-3/MO:(3)
12.0	11.2	295	4	1/WK:(4)
21.7	20.2	536	5	2-3/WK:(5)
11.6	10.8	286	6	3+/WK:(6)
	6.9	182	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/93

V5196 975C27 :DRIVE>200 MI/WK

C27: During an average week, how much do you usually drive a car, truck, a motorcycle?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
15.3	14.3	379	1	NONE:(1)
8.3	7.8	206	2	1-10 MI:(2)
23.4	21.9	581	3	11-50:(3)
22.9	21.5	570	4	51-100:(4)
18.5	17.3	459	5	101-200:(5)
11.7	11.0	291	6	> 200:(6)
	6.0	158	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/94

V5197 975C28 :#X/12MO R TCKTD

C28: Within the LAST 12 MONTHS how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	61.9	1640	0	NONE:(0)
20.3	18.8	498	1	ONE:(1)
7.9	7.4	195	2	TWO:(2)
2.9	2.7	71	3	THREE:(3)
2.2	2.1	55	4	4+:(4)
	7.1	189	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 4

Input location: 1/95

V5198 975C29A:#TCKTS AFT DRNK

C29: How many of these tickets or warnings occurred after you were...

C29A: Drinking alcoholic beverages?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.7	27.6	731	0	None:(0)
7.1	2.2	58	1	One:(1)
2.0	0.6	17	2	Two:(2)
1.2	0.4	10	3	3-4 or +:(3-4)
	61.9	1640	8	
	7.3	192	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/96

V5199 975C29B:#TCKTS AFT MARJ

C29: How many of these tickets or warnings occurred after you were...

C29B: Smoking marijuana or hashish?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.8	28.5	755	0	None:(0)
3.9	1.2	32	1	One:(1)
1.6	0.5	13	2	Two:(2)
1.7	0.5	14	3	3-4 or +:(3-4)
	61.9	1640	8	
	7.3	193	9	

		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/97

V5200 975C29C:#TCKTS AFT OTDG

C29: How many of these tickets or warnings occurred after you were...

C29C: Using other illegal drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	29.8	788	0	None:(0)
1.5	0.5	13	1	One:(1)
0.7	0.2	6	2	Two:(2)
0.8	0.3	7	3	3-4 or +:(3-4)
	61.9	1640	8	
	7.3	194	9	

		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/98

V5201 975C30 :#ACCIDNTS/12 MO

C30: We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-not bumps or scratches in parking lots.)
During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT VALID	PCT ALL	N	VALUE	LABEL
73.3	67.1	1777	0	NONE:(0)
21.1	19.3	512	1	ONE:(1)
4.3	4.0	105	2	TWO:(2)
0.9	0.8	22	3	THREE:(3)
0.4	0.4	10	4	4+:(4)
	8.4	221	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 4

Input location: 1/99

V5202 975C31A:#ACDTS AFT DRNK

C31: How many of these accidents occurred after you were...

C31A: Drinking alcoholic beverages?

PCT VALID	PCT ALL	N	VALUE	LABEL
93.2	22.7	600	0	None:(0)
5.8	1.4	37	1	One:(1)
0.6	0.2	4	2	Two:(2)
0.4	0.1	2	3	3-4 or +:(3-4)
	67.1	1777	8	
	8.5	226	9	
		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/100

V5203 975C31B:#ACDTS AFT MARJ

C31: How many of these accidents occurred after you were...

C31B: Smoking marijuana or hashish?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	23.5	623	0	None:(0)
2.3	0.6	15	1	One:(1)
0.3	0.1	2	2	Two:(2)
0.5	0.1	3	3	3-4 or +:(3-4)
	67.1	1777	8	
	8.6	227	9	

		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/101

V5204 975C31C:#ACDTS AFT OTDG

C31: How many of these accidents occurred after you were...

C31C: Using other illegal drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	23.9	634	0	None:(0)
0.4	0.1	2	1	One:(1)
0.2	0.0	1	2	Two:(2)
0.4	0.1	2	3	3-4 or +:(3-4)
	67.1	1777	8	
	8.7	231	9	

		2647	cases (Wtd)	

Type: numeric Min: 0 MD Codes: 6-*
Decimals: 0 Max: 3

Input location: 1/102

V5205 975C32 :R

C32: If you have not entered military service, and do not expect to enter, GO TO PART D.
What is, or will be, your branch of service?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.3	7	0	
24.8	2.8	74	1	ARMY:(1)
17.0	1.9	50	2	NAVY:(2)
18.0	2.0	54	3	MARINES:(3)
23.0	2.6	68	4	AIRFORCE:(4)
1.8	0.2	5	5	COAST GD:(5)
15.4	1.7	46	6	UNCERTN:(6)
	88.3	2337	8	
	0.2	6	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,7-*
Decimals: 0 Max: 6

Input location: 1/103

V5206 975C33 :R XPCTS B OFFCR

C33: Do you expect to be an officer?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.2	1.6	43	1	NO:(1)
45.9	5.3	140	2	UNCERTN:(2)
39.9	4.6	122	3	YES:(3)
	88.3	2337	8	
	0.2	6	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/104

V5207 975C34 :R XPCTS MLTR CR

C34: Do you expect to have a career in the Armed Forces?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.3	2.3	60	1	NO:(1)
49.1	5.7	151	2	UNCERTN:(2)
31.6	3.7	97	3	YES:(3)
	88.3	2337	8	
	0.1	2	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/105

V5208 975A01 :VRY HPY THS DAYS

A01: Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.9	16.7	443	1	NT HAPPY:(1)
66.0	65.4	1732	2	PRTY HPY:(2)
17.2	17.0	451	3	VRY HPY:(3)
	0.8	22	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/106

V5209 975A02 :THK ABT SOC ISSU

A02: Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	3.1	83	1	NEVER:(1)
19.0	18.8	498	2	SELDOM:(2)
51.0	50.6	1340	3	SOMETIME:(3)
21.6	21.4	568	4	OFTEN:(4)
5.3	5.2	139	5	GRT DEAL:(5)
	0.7	19	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/107

V5210 975A03A:WR/NT NUCLER WAR

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03A: Chance of nuclear war

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
41.3	41.0	1084	1	NEVER:(1)
38.4	38.1	1009	2	SELDOM:(2)
16.3	16.1	427	3	SOMETIME:(3)
4.1	4.0	107	4	OFTEN:(4)
	0.7	18	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/108

V5211 975A03B:WR/NT POP GROWTH

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03B: Population growth

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
28.8	28.6	756	1	NEVER:(1)
33.0	32.7	866	2	SELDOM:(2)
27.3	27.1	718	3	SOMETIME:(3)
10.9	10.8	285	4	OFTEN:(4)
	0.8	21	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/109

V5212 975A03C:WR/NT CRIME&VLNC

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03C: Crime and violence

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
3.0	3.0	78	1	NEVER:(1)
10.5	10.4	275	2	SELDOM:(2)
37.2	36.9	978	3	SOMETIME:(3)
49.4	49.0	1298	4	OFTEN:(4)
	0.6	15	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/110

V5213 975A03D:WR/NT POLLUTION

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03D: Pollution

PCT VALID	PCT ALL	N	VALUE	LABEL
10.0	9.9	263	1	NEVER:(1)
28.5	28.2	747	2	SELDOM:(2)
40.2	39.8	1053	3	SOMETIME:(3)
21.4	21.2	560	4	OFTEN:(4)
	0.9	24	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/111

V5214 975A03E:WR/NT ENRGY SHRT

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03E: Energy shortages

PCT VALID	PCT ALL	N	VALUE	LABEL
44.3	43.8	1160	1	NEVER:(1)
36.2	35.9	950	2	SELDOM:(2)
15.3	15.1	401	3	SOMETIME:(3)
4.2	4.2	110	4	OFTEN:(4)
	1.0	26	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/112

V5215 975A03F:WR/NT RACE RELTN

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03F: Race relations

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
12.9	12.8	339	1	NEVER:(1)
22.1	21.9	581	2	SELDOM:(2)
34.3	34.1	902	3	SOMETIME:(3)
30.7	30.4	805	4	OFTEN:(4)
	0.8	20	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/113

V5216 975A03G:WR/NT HNGR&PVRTY

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03G: Hunger and poverty

PCT VALID	PCT ALL	N	VALUE	LABEL
9.6	9.5	251	1	NEVER:(1)
29.4	29.2	772	2	SELDOM:(2)
39.9	39.5	1046	3	SOMETIME:(3)
21.1	20.9	553	4	OFTEN:(4)
	0.9	25	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/114

V5217 975A03H:WR/NT USE OPN LD

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03H: Using open land for housing or industry

PCT VALID	PCT ALL	N	VALUE	LABEL
38.0	37.7	997	1	NEVER:(1)
29.2	29.0	768	2	SELDOM:(2)
20.8	20.6	547	3	SOMETIME:(3)
12.0	11.9	315	4	OFTEN:(4)
	0.8	20	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/115

V5218 975A03I:WR/NT URBN DECAY

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03I: Urban decay

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	4	0	
45.5	44.9	1188	1	NEVER:(1)
32.5	32.0	848	2	SELDOM:(2)
16.2	16.0	423	3	SOMETIME:(3)
5.9	5.8	154	4	OFTEN:(4)
	1.2	31	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/116

V5219 975A03J:WR/NT ECON PRBLM

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03J: Economic problems

PCT VALID	PCT ALL	N	VALUE	LABEL
15.6	15.5	409	1	NEVER:(1)
32.6	32.3	854	2	SELDOM:(2)
35.9	35.6	941	3	SOMETIME:(3)
16.0	15.8	419	4	OFTEN:(4)
	0.9	23	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/117

V5220 975A03K:WR/NT DRUG ABUSE

A03: Of all the problems facing the nation today, how often do you worry about each of the following?

A03K: Drug abuse

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
10.8	10.7	284	1	NEVER:(1)
18.2	18.0	477	2	SELDOM:(2)
35.4	35.2	931	3	SOMETIME:(3)
35.6	35.4	938	4	OFTEN:(4)
	0.6	17	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/118

V5221 975A04A:XPRC MK R GD SPS

A04: How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A04A: . . . husband or wife?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.6	3.5	93	1	POORLY:(1)
5.8	5.7	150	2	NOT WELL:(2)
20.9	20.2	536	3	FRLY WEL:(3)
39.9	38.6	1022	4	WELL:(4)
29.7	28.7	760	5	VRY WELL:(5)
	3.3	86	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/119

V5222 975A04B:XPRC MK R GD PRT

A04: How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A04B: . . . parent?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.9	2.9	76	1	POORLY:(1)
5.5	5.4	143	2	NOT WELL:(2)
19.3	19.0	503	3	FRLY WEL:(3)
33.9	33.3	882	4	WELL:(4)
38.3	37.7	997	5	VRY WELL:(5)
	1.7	45	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/120

V5223 975A04C:XPRC MK R GD WKR

A04: How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A04C: . . . worker on a job?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
1.4	1.4	37	1	POORLY:(1)
2.4	2.3	62	2	NOT WELL:(2)
12.2	12.0	319	3	FRLY WEL:(3)
37.3	36.8	975	4	WELL:(4)
46.8	46.2	1224	5	VRY WELL:(5)
	1.1	29	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/121

V5224 975A05A:PLC WRK LG CORPN

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05A: Working in a large corporation

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
4.7	4.7	125	1	NT ACCEP:(1)
21.7	21.5	569	2	SMWT ACC:(2)
50.3	50.0	1323	3	ACCEPTBL:(3)
23.3	23.1	611	4	DESIRABL:(4)
	0.7	19	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/122

V5225 975A05B:PLC WRK SM BSNSS

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05B: Working in a small business

PCT VALID	PCT ALL	N	VALUE	LABEL
3.5	3.4	91	1	NT ACCEP:(1)
24.2	24.0	636	2	SMWT ACC:(2)
56.0	55.5	1469	3	ACCEPTBL:(3)
16.3	16.2	429	4	DESIRABL:(4)
	0.8	22	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/123

V5226 975A05C:PLC WRK GVT AGCY

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05C: Working in a government agency

PCT VALID	PCT ALL	N	VALUE	LABEL
19.1	18.9	501	1	NT ACCEP:(1)
30.5	30.2	800	2	SMWT ACC:(2)
33.7	33.3	882	3	ACCEPTBL:(3)
16.7	16.5	437	4	DESIRABL:(4)
	1.0	27	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/124

V5227 975A05D:PLC WRK MLTY SVC

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05D: Working in the military service

PCT VALID	PCT ALL	N	VALUE	LABEL
50.7	50.3	1331	1	NT ACCEP:(1)
24.2	24.0	635	2	SMWT ACC:(2)
16.4	16.2	430	3	ACCEPTBL:(3)
8.8	8.7	230	4	DESIRABL:(4)
	0.8	21	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/125

V5228 975A05E:PLC WRK SCH/UNIV

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05E: Working in a school or university

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
17.6	17.4	460	1	NT ACCEP:(1)
28.9	28.5	756	2	SMWT ACC:(2)
35.1	34.7	918	3	ACCEPTBL:(3)
18.5	18.3	484	4	DESIRABL:(4)
	1.0	27	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/126

V5229 975A05F:PLC WRK PLC DEPT

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05F: Working in a police department or police agency

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	1	0	
31.4	31.1	824	1	NT ACCEP:(1)
30.2	29.9	792	2	SMWT ACC:(2)
26.6	26.4	698	3	ACCEPTBL:(3)
11.8	11.7	311	4	DESIRABL:(4)
	0.8	21	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/127

V5230 975A05G:PLC WRK SOC SVCS

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05G: Working in a social service organization

PCT VALID	PCT ALL	N	VALUE	LABEL
21.5	21.2	562	1	NT ACCEP:(1)
35.1	34.7	918	2	SMWT ACC:(2)
30.0	29.6	785	3	ACCEPTBL:(3)
13.4	13.3	351	4	DESIRABL:(4)
	1.2	31	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/128

V5231 975A05H:PLC WRK SML GRP

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05H: Working with a small group of partners

PCT VALID	PCT ALL	N	VALUE	LABEL
8.5	8.4	223	1	NT ACCEP:(1)
26.5	26.2	694	2	SMWT ACC:(2)
45.1	44.7	1183	3	ACCEPTBL:(3)
19.9	19.7	522	4	DESIRABL:(4)
	1.0	26	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/129

V5232 975A05I:PLC WRK SLF EMPL

A05: Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A05I: Working on your own (self-employed)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
9.1	9.0	239	1	NT ACCEP:(1)
17.7	17.5	464	2	SMWT ACC:(2)
32.8	32.6	862	3	ACCEPTBL:(3)
40.4	40.1	1061	4	DESIRABL:(4)
	0.7	19	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/130

V5233 975A06 :ENUF$,NT WNT WRK

A06: If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

PCT VALID	PCT ALL	N	VALUE	LABEL
77.8	76.3	2020	1	WORK:(1)
22.2	21.7	576	2	NOT WORK:(2)
	1.9	51	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 2

Input location: 1/131

V5234 975A07A:RCL CNTCT SCHOOL

A07: The next questions are about race relations. How much have you gotten to know people of other races . . .

A07A: In school?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.1	7.9	209	1	NOT @ALL:(1)
23.1	22.5	596	2	A LITTLE:(2)
27.9	27.2	721	3	SOME:(3)
40.9	39.9	1056	4	A LOT:(4)
	1.7	46	8	
	0.8	20	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/132

V5235 975A07B:RCL CNTCT NGHBHD

A07: The next questions are about race relations. How much have you gotten to know people of other races . . .

A07B: In your neighborhood?

PCT VALID	PCT ALL	N	VALUE	LABEL
38.6	35.1	929	1	NOT @ALL:(1)
25.9	23.5	623	2	A LITTLE:(2)
19.7	17.9	474	3	SOME:(3)
15.8	14.3	379	4	A LOT:(4)
	8.3	219	8	
	0.9	24	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/133

V5236 975A07C:RCL CNTCT CHURCH

A07: The next questions are about race relations. How much have you gotten to know people of other races . . .

A07C: In church?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
45.5	34.1	904	1	NOT @ALL:(1)
24.0	18.0	476	2	A LITTLE:(2)
17.6	13.2	350	3	SOME:(3)
13.0	9.7	258	4	A LOT:(4)
	23.8	630	8	
	1.0	27	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/134

V5237 975A07D:RCL CNTCT SPORTS

A07: The next questions are about race relations. How much have you gotten to know people of other races . . .

A07D: On sports teams?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
20.7	16.4	434	1	NOT @ALL:(1)
20.4	16.1	427	2	A LITTLE:(2)
24.4	19.3	511	3	SOME:(3)
34.6	27.4	725	4	A LOT:(4)
	19.5	517	8	
	1.2	33	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/135

V5238 975A07E:RCL CNTCT CLUBS

A07: The next questions are about race relations. How much have you gotten to know people of other races . . .

A07E: In clubs?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
28.4	23.0	608	1	NOT @ALL:(1)
23.5	19.1	505	2	A LITTLE:(2)
24.0	19.4	514	3	SOME:(3)
24.1	19.5	517	4	A LOT:(4)
	17.9	475	8	
	1.0	27	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/136

V5239 975A07F:RCL CNTCT JOB

A07: The next questions are about race relations. How much have you gotten to know people of other races . . .

A07F: On a job?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.4	15.1	399	1	NOT @ALL:(1)
19.3	16.8	444	2	A LITTLE:(2)
26.4	22.9	606	3	SOME:(3)
37.0	32.1	849	4	A LOT:(4)
	12.4	327	8	
	0.9	24	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/137

V5240 975A08 :B/W RLTNS WRSE

A08: Thinking about the country as a whole, would you say relations between white people and black people have been getting better, getting worse, or staying pretty much the same?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	4	0	
12.0	11.9	315	1	BETTER:(1)
41.7	41.1	1088	2	LITL BTR:(2)
26.7	26.3	697	3	SAME:(3)
12.4	12.2	324	4	LITL WSE:(4)
7.2	7.1	189	5	WORSE:(5)
	1.1	30	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/138

V5241 975A09 :DNT HV DRVR LCNS

A09: Do you have a driver's license?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.4	81.0	2143	1	YES:(1)
12.7	12.2	322	2	SOON WIL:(2)
2.9	2.8	74	3	NO:(3)
	4.1	107	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/139

V5242 975A10 :DONT OWN CAR

A10: Do you own a car?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.7	55.7	1473	1	YES:(1)
21.4	17.3	459	2	IN 1-2YR:(2)
9.8	8.0	211	3	NO:(3)
	15.0	397	8	
	4.0	107	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/140

V5243 975A11 :NEVR USE OTHS CR

A11: Are you able to use someone else's car when you want to?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
30.6	24.7	653	1	WHENEVER:(1)
41.1	33.2	878	2	MST TIME:(2)
18.7	15.1	400	3	SOMETIME:(3)
6.6	5.4	142	4	RARELY:(4)
3.0	2.4	64	5	NEVER:(5)
	15.0	397	8	
	4.2	112	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/141

V5244 975A12 :R CUT DRIVING

A12: Do you make an effort to cut down on driving, in order to save gasoline?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
26.4	20.9	552	1	NOT @ALL:(1)
34.4	27.2	720	2	NOT VMCH:(2)
32.7	25.9	684	3	SM EXTNT:(3)
6.5	5.1	135	4	QUITEBIT:(4)
	15.0	397	7	
	1.9	50	8	
	4.1	107	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,7-*
Decimals: 0 Max: 4

Input location: 1/142

V5245 975A13 :R CUT ELECTRICTY

A13: Do you make an effort to cut down on the amount of electricity you use, in order to save energy?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.1	15.6	412	1	NOT @ALL:(1)
29.7	28.7	760	2	NOT VMCH:(2)
41.1	39.7	1052	3	SM EXTNT:(3)
13.1	12.6	334	4	QUITEBIT:(4)
	2.8	73	8	
	0.6	17	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/143

V5246 975A14 :RDCE HEAT R

A14: In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.0	14.9	395	1	NOT @ALL:(1)
25.7	24.0	635	2	NOT VMCH:(2)
37.7	35.2	932	3	SM EXTNT:(3)
20.6	19.3	510	4	QUITEBIT:(4)
	5.8	152	8	
	0.9	23	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 4

Input location: 1/144

V5247 975A15A:ENJOY SHOPPING

A15: How do you feel about each of the following?

A15A: How much do you enjoy shopping for things like clothes, tapes and discs, sporting goods, and books?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.7	2.7	71	1	NOT @ALL:(1)
11.2	11.1	295	2	NOT VMCH:(2)
34.9	34.6	916	3	PRTY MCH:(3)
51.2	50.8	1346	4	VRY MUCH:(4)
	0.8	20	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/145

V5248 975A15B:CARE LATST FASHN

A15: How do you feel about each of the following?

A15B: How much do you care about having the latest fashion in your clothes, tapes and discs, leisure activities, and so on?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.9	11.8	313	1	NOT @ALL:(1)
33.0	32.8	867	2	NOT VMCH:(2)
35.7	35.4	938	3	PRTY MCH:(3)
19.4	19.3	511	4	VRY MUCH:(4)
	0.7	19	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/146

V5249 975A15C:CR FAM HV NBR HV

A15: How do you feel about each of the following?

A15C: How much do you care about whether your family has most of the things your friends and neighbors have?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.7	33.4	884	1	NOT @ALL:(1)
47.0	46.6	1233	2	NOT VMCH:(2)
14.4	14.3	378	3	PRTY MCH:(3)
4.9	4.9	129	4	VRY MUCH:(4)
	0.9	24	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/147

V5250 975A16 :XPCT 2 OWN>PRNTS

A16: When you are older, do you expect to own more possessions than your parents do now, or about the same, or less? I expect to own . . .

PCT VALID	PCT ALL	N	VALUE	LABEL
1.8	1.7	46	1	MCH LESS:(1)
6.9	6.8	181	2	SMWT LES:(2)
33.6	33.2	879	3	AS MUCH:(3)
36.4	36.0	953	4	SMWT MOR:(4)
21.3	21.0	556	5	MCH MORE:(5)
	1.2	32	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/148

V5251 975A17 :LST CNT OWN>PRNT

A17: Compared with your parents, what is the smallest amount that you could be content or satisfied to own? The least I could be content to own is . . .

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
10.4	10.2	270	1	MCH LESS:(1)
28.8	28.4	752	2	SMWT LES:(2)
39.8	39.2	1038	3	AS MUCH:(3)
15.3	15.1	399	4	SMWT MOR:(4)
5.7	5.6	148	5	MCH MORE:(5)
	1.5	39	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/149

V5252 975A18A:WRRY ABT OW CTRY

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18A: We ought to worry about our own country and let the rest of the world take care of itself

PCT VALID	PCT ALL	N	VALUE	LABEL
16.9	16.8	443	1	DISAGREE:(1)
19.6	19.4	515	2	MOST DIS:(2)
16.3	16.1	427	3	NEITHER:(3)
28.9	28.7	759	4	MOST AGR:(4)
18.4	18.2	482	5	AGREE:(5)
	0.8	21	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/150

V5253 975A18B:BTTR IF CTZ WRLD

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18B: It would be better if we all felt more like citizens of the world than of any particular country

PCT VALID	PCT ALL	N	VALUE	LABEL
12.1	12.0	317	1	DISAGREE:(1)
11.9	11.8	311	2	MOST DIS:(2)
27.9	27.5	729	3	NEITHER:(3)
24.7	24.4	647	4	MOST AGR:(4)
23.3	23.0	609	5	AGREE:(5)
	1.3	34	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/151

V5254 975A18C:-SYMP TWD STARVG

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18C: I find it hard to be sympathetic toward starving people in foreign lands, when there is so much trouble in our own country

PCT VALID	PCT ALL	N	VALUE	LABEL
34.0	33.6	889	1	DISAGREE:(1)
22.0	21.7	576	2	MOST DIS:(2)
15.7	15.5	411	3	NEITHER:(3)
16.1	15.9	422	4	MOST AGR:(4)
12.1	11.9	315	5	AGREE:(5)
	1.3	34	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/152

V5255 975A18D:MNRTY NT MY BSNS

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18D: Maybe some minority groups do get unfair treatment, but that's no business of mine

PCT VALID	PCT ALL	N	VALUE	LABEL
41.0	40.5	1073	1	DISAGREE:(1)
23.9	23.6	624	2	MOST DIS:(2)
19.2	18.9	501	3	NEITHER:(3)
8.1	8.0	213	4	MOST AGR:(4)
7.8	7.7	204	5	AGREE:(5)
	1.3	33	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/153

V5256 975A18E:UPST PL TR -FAIR

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18E: I get very upset when I see other people treated unfairly

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
3.8	3.8	100	1	DISAGREE:(1)
5.3	5.3	139	2	MOST DIS:(2)
9.0	8.9	235	3	NEITHER:(3)
32.2	31.8	843	4	MOST AGR:(4)
49.7	49.1	1301	5	AGREE:(5)
	1.1	28	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/154

V5257 975A18F:HELP POOR W MY $

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18F: I would agree to a good plan to make a better life for the poor, even if it cost me money

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
7.9	7.8	207	1	DISAGREE:(1)
11.4	11.3	298	2	MOST DIS:(2)
23.8	23.6	624	3	NEITHER:(3)
34.1	33.8	894	4	MOST AGR:(4)
22.8	22.5	596	5	AGREE:(5)
	1.1	28	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/155

V5258 975A18G:-MY PRB OT ND HP

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18G: It's not really my problem if others are in trouble and need help

PCT VALID	PCT ALL	N	VALUE	LABEL
38.4	38.0	1006	1	DISAGREE:(1)
33.4	33.1	876	2	MOST DIS:(2)
16.6	16.4	434	3	NEITHER:(3)
7.9	7.8	206	4	MOST AGR:(4)
3.7	3.7	98	5	AGREE:(5)
	1.0	28	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/156

V5259 975A18H:RB CHNG ETG HABT

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

PCT VALID	PCT ALL	N	VALUE	LABEL
12.4	12.2	324	1	DISAGREE:(1)
12.6	12.4	329	2	MOST DIS:(2)
23.5	23.2	613	3	NEITHER:(3)
27.3	27.0	715	4	MOST AGR:(4)
24.2	23.9	634	5	AGREE:(5)
	1.2	33	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/157

V5260 975A18I:FAM BUYS THG -ND

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18I: My family and I often buy things we really don't need; we could get along with much less (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
15.0	12.2	323	1	DISAGREE:(1)
15.1	12.2	323	2	MOST DIS:(2)
17.9	14.5	384	3	NEITHER:(3)
30.1	24.4	646	4	MOST AGR:(4)
21.9	17.8	471	5	AGREE:(5)
	17.8	470	6	
	1.1	29	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/158

V5261 975A18J:FULLR LVS IF MRY

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single or just living with someone (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
24.2	19.7	520	1	DISAGREE:(1)
12.9	10.4	276	2	MOST DIS:(2)
33.8	27.5	728	3	NEITHER:(3)
12.4	10.1	266	4	MOST AGR:(4)
16.7	13.6	360	5	AGREE:(5)
	17.8	470	6	
	1.0	26	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/159

V5262 975A18K:ENCRG=INDP DT/SN

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18K: Parents should encourage just as much independence in their daughters as in their sons

PCT VALID	PCT ALL	N	VALUE	LABEL
3.3	3.2	85	1	DISAGREE:(1)
5.4	5.3	141	2	MOST DIS:(2)
9.8	9.7	256	3	NEITHER:(3)
21.8	21.5	570	4	MOST AGR:(4)
59.7	59.0	1561	5	AGREE:(5)
	1.3	34	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/160

V5263 975A18L:BNG MOTH V FULFL

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18L: Being a mother and raising children is one of the most fulfilling experiences a woman can have

PCT VALID	PCT ALL	N	VALUE	LABEL
5.5	5.4	143	1	DISAGREE:(1)
5.2	5.1	135	2	MOST DIS:(2)
28.5	27.9	739	3	NEITHER:(3)
24.6	24.0	636	4	MOST AGR:(4)
36.2	35.4	937	5	AGREE:(5)
	2.2	58	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/161

V5264 975A18M:FTHR>TIME W CHLD

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18M: Most fathers should spend more time with their children than they do now

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	1.4	38	1	DISAGREE:(1)
2.6	2.6	69	2	MOST DIS:(2)
17.0	16.8	444	3	NEITHER:(3)
30.2	29.7	787	4	MOST AGR:(4)
48.7	47.9	1268	5	AGREE:(5)
	1.6	41	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/162

V5265 975A18N:HSB MAK IMP DCSN

A18: These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A18N: The husband should make all the important decisions in the family (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
50.5	41.2	1090	1	DISAGREE:(1)
16.4	13.4	355	2	MOST DIS:(2)
18.2	14.8	393	3	NEITHER:(3)
8.9	7.2	192	4	MOST AGR:(4)
5.9	4.8	128	5	AGREE:(5)
	17.8	470	6	
	0.7	19	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/163

V5266 975A19 :INTEREST IN GOVT

A19: Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.5	8.3	220	1	NO INTRS:(1)
22.4	22.0	583	2	LIT INTR:(2)
45.8	45.0	1191	3	SOM INTR:(3)
17.4	17.1	453	4	LOT INTR:(4)
5.9	5.8	154	5	VGRT INT:(5)
	1.8	47	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/164

V5267 975A20A:CTB TO UNTD FUND

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only.
Are you likely to contribute to . . .

A20A: The United Fund or other community charities?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.0	7.9	209	1	DEF NOT:(1)
14.9	14.7	389	2	PROB NOT:(2)
42.4	41.7	1103	3	DK:(3)
25.5	25.1	664	4	PRB WILL:(4)
4.1	4.0	107	5	DEF WILL:(5)
5.1	5.0	132	6	HAV DONE:(6)
	1.6	43	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,7-*
Decimals: 0 Max: 6

Input location: 1/165

V5268 975A20B:CTB TO INTL RELF

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only.
Are you likely to contribute to . . .

A20B: International relief organizations (CARE, UNICEF, etc.)?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
8.1	7.9	210	1	DEF NOT:(1)
17.9	17.6	466	2	PROB NOT:(2)
42.4	41.7	1103	3	DK:(3)
22.7	22.3	591	4	PRB WILL:(4)
4.3	4.2	112	5	DEF WILL:(5)
4.6	4.5	120	6	HAV DONE:(6)
	1.6	43	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/166

V5269 975A20C:CTB TO MNRTY GRP

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only.
Are you likely to contribute to . . .

A20C: Minority group organizations (NAACP, SCLC, etc.)?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
15.6	15.4	406	1	DEF NOT:(1)
21.6	21.2	562	2	PROB NOT:(2)
35.4	34.7	918	3	DK:(3)
17.6	17.3	458	4	PRB WILL:(4)
7.8	7.6	201	5	DEF WILL:(5)
2.0	1.9	51	6	HAV DONE:(6)
	1.8	48	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/167

V5270 975A20D:CTB TO RELGS ORG

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only.
Are you likely to contribute to . . .

A20D: Church or religious organizations?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.3	7	0	
9.7	9.5	252	1	DEF NOT:(1)
10.0	9.8	261	2	PROB NOT:(2)
15.2	14.9	396	3	DK:(3)
23.6	23.2	614	4	PRB WILL:(4)
15.5	15.2	402	5	DEF WILL:(5)
25.9	25.4	673	6	HAV DONE:(6)
	1.6	43	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/168

V5271 975A20E:CTB TO PLTCL PTY

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A20E: Political parties or organizations?

PCT VALID	PCT ALL	N	VALUE	LABEL
28.4	27.8	736	1	DEF NOT:(1)
26.9	26.3	696	2	PROB NOT:(2)
31.1	30.4	805	3	DK:(3)
9.8	9.6	253	4	PRB WILL:(4)
2.4	2.3	61	5	DEF WILL:(5)
1.6	1.6	41	6	HAV DONE:(6)
	2.1	55	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/169

V5272 975A20F:CTB TO CTZN LBBY

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A20F: Citizen lobbies (Common Cause, Public Citizen, etc.)?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.6	15.3	406	1	DEF NOT:(1)
23.4	23.0	608	2	PROB NOT:(2)
46.9	46.0	1218	3	DK:(3)
11.0	10.8	286	4	PRB WILL:(4)
1.9	1.8	48	5	DEF WILL:(5)
1.1	1.1	29	6	HAV DONE:(6)
	2.0	53	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/170

V5273 975A20G:CTB TO VS DISEAS

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only.
Are you likely to contribute to . . .

A20G: Charities to help fight diseases (Cancer, Heart Disease, etc.)?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	4	0	
2.7	2.7	71	1	DEF NOT:(1)
5.2	5.1	134	2	PROB NOT:(2)
15.2	15.0	397	3	DK:(3)
38.8	38.2	1012	4	PRB WILL:(4)
27.4	26.9	713	5	DEF WILL:(5)
10.7	10.5	278	6	HAV DONE:(6)
	1.4	38	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/171

V5274 975A20H:CTB TO POP PRBMS

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only.
Are you likely to contribute to . . .

A20H: Organizations concerned with population problems (Planned Parenthood, ZPG, etc.)?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.5	12.3	325	1	DEF NOT:(1)
17.3	17.0	451	2	PROB NOT:(2)
39.3	38.7	1024	3	DK:(3)
21.6	21.3	563	4	PRB WILL:(4)
7.5	7.3	195	5	DEF WILL:(5)
1.9	1.8	48	6	HAV DONE:(6)
	1.5	41	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/172

V5275 975A20I:CTB TO ENVIR PBM

A20: If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A20I: Organizations concerned with environmental problems (Sierra Club, Friends of Earth, etc.)?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
9.1	9.0	237	1	DEF NOT:(1)
13.6	13.4	355	2	PROB NOT:(2)
31.8	31.3	829	3	DK:(3)
28.0	27.5	729	4	PRB WILL:(4)
11.9	11.7	309	5	DEF WILL:(5)
5.6	5.5	146	6	HAV DONE:(6)
	1.4	38	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/173

V5276 975A21 :CMP SATFD W/LIFE

A21: How satisfied are you with your life as a whole these days?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
2.1	2.1	55	1	COMP DIS:(1)
6.8	6.7	178	2	QUITE DS:(2)
8.9	8.7	231	3	SMWT DIS:(3)
14.2	14.0	370	4	NEITHER:(4)
23.4	23.1	611	5	SMWT SAT:(5)
36.8	36.2	959	6	QUITE ST:(6)
7.8	7.7	204	7	COMP SAT:(7)
	1.4	38	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/174

V5277 975A22A:DSCM WN COLLG ED

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22A: In getting a college education?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
40.6	35.4	936	1	NOT @ALL:(1)
35.4	30.9	818	2	VRY LITL:(2)
18.4	16.0	424	3	SOME:(3)
3.6	3.2	84	4	GD DEAL:(4)
2.0	1.7	46	5	GRT DEAL:(5)
	11.0	293	8	
	1.7	46	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/175

V5278 975A22B:DSCM WN LDRSHP

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22B: In gaining positions of leadership over men and women?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	7.1	187	1	NOT @ALL:(1)
13.8	12.6	333	2	VRY LITL:(2)
36.4	33.2	879	3	SOME:(3)
27.5	25.0	663	4	GD DEAL:(4)
14.7	13.4	354	5	GRT DEAL:(5)
	6.9	184	8	
	1.8	48	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/176

V5279 975A22C:DSCM WN EXEC/BSN

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22C: In obtaining executive positions in business?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
11.1	9.8	258	1	NOT @ALL:(1)
17.5	15.4	406	2	VRY LITL:(2)
32.5	28.5	754	3	SOME:(3)
26.4	23.2	614	4	GD DEAL:(4)
12.4	10.9	288	5	GRT DEAL:(5)
	10.3	273	8	
	2.0	54	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/177

V5280 975A22D:DSCM WN TOP/PRFN

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22D: In obtaining top jobs in the professions?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
13.0	11.5	304	1	NOT @ALL:(1)
19.3	17.1	453	2	VRY LITL:(2)
31.4	27.8	737	3	SOME:(3)
23.6	20.9	554	4	GD DEAL:(4)
12.7	11.3	298	5	GRT DEAL:(5)
	9.4	248	8	
	2.0	53	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/178

V5281 975A22E:DSCM WN SKL LABR

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22E: In getting skilled labor jobs?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
13.9	11.6	308	1	NOT @ALL:(1)
22.8	19.1	506	2	VRY LITL:(2)
34.2	28.7	760	3	SOME:(3)
18.9	15.9	421	4	GD DEAL:(4)
10.3	8.6	229	5	GRT DEAL:(5)
	13.7	362	8	
	2.2	59	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/179

V5282 975A22F:DSCM WN PLTCL OF

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22F: In getting elected to political office?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.0	7.3	192	1	NOT @ALL:(1)
12.6	11.4	302	2	VRY LITL:(2)
26.4	23.8	631	3	SOME:(3)
23.6	21.3	564	4	GD DEAL:(4)
29.3	26.5	701	5	GRT DEAL:(5)
	7.7	203	8	
	2.1	54	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/180

V5283 975A22G:DSCM WN =PAY =WK

A22: These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A22G: In getting equal pay for equal work?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.8	18.3	484	1	NOT @ALL:(1)
19.7	17.3	458	2	VRY LITL:(2)
23.3	20.5	541	3	SOME:(3)
17.6	15.4	409	4	GD DEAL:(4)
18.5	16.3	431	5	GRT DEAL:(5)
	10.3	274	8	
	1.9	50	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/181

V5284 975A23A:RSK OF CIG1+PK/D

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23A: Smoke one or more packs of cigarettes per day

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	2.2	59	1	NO RISK:(1)
5.0	4.8	127	2	SLIGHT:(2)
22.9	22.1	584	3	MOD RISK:(3)
69.8	67.3	1781	4	GRT RISK:(4)
	1.6	42	5	
	2.0	53	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/182

V5285 975A23B:RSK OF MJ 1-2 X

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23B: Try marijuana (pot, grass) once or twice

PCT VALID	PCT ALL	N	VALUE	LABEL
39.3	37.5	992	1	NO RISK:(1)
30.8	29.4	777	2	SLIGHT:(2)
14.6	14.0	369	3	MOD RISK:(3)
15.2	14.5	383	4	GRT RISK:(4)
	2.8	74	5	
	1.9	51	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/183

V5286 975A23C:RSK OF MJ OCSNLY

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23C: Smoke marijuana occasionally

PCT VALID	PCT ALL	N	VALUE	LABEL
16.2	15.4	409	1	NO RISK:(1)
27.2	25.9	686	2	SLIGHT:(2)
31.4	29.9	791	3	MOD RISK:(3)
25.2	24.1	637	4	GRT RISK:(4)
	2.6	70	5	
	2.1	55	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/184

V5287 975A23D:RSK OF MJ REGLY

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23D: Smoke marijuana regularly

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
6.3	6.0	158	1	NO RISK:(1)
12.3	11.8	311	2	SLIGHT:(2)
21.7	20.7	548	3	MOD RISK:(3)
59.7	57.0	1508	4	GRT RISK:(4)
	2.4	62	5	
	2.2	58	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/185

V5288 975A23E:RSK OF LSD 1-2 X

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23E: Try LSD once or twice

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	4	0	
8.6	7.5	198	1	NO RISK:(1)
23.9	20.8	551	2	SLIGHT:(2)
28.8	25.1	665	3	MOD RISK:(3)
38.8	33.8	894	4	GRT RISK:(4)
	10.5	279	5	
	2.2	57	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/186

V5289 975A23F:RSK OF LSD REGLY

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23F: Take LSD regularly

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
2.7	2.4	63	1	NO RISK:(1)
2.1	1.8	49	2	SLIGHT:(2)
9.6	8.4	222	3	MOD RISK:(3)
85.6	75.0	1984	4	GRT RISK:(4)
	10.1	268	5	
	2.3	60	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/187

V5290 975A23G:RSK OF H 1-2 X

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23G: Try heroin once or twice

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
3.7	3.4	89	1	NO RISK:(1)
12.7	11.5	305	2	SLIGHT:(2)
23.0	20.9	554	3	MOD RISK:(3)
60.6	55.2	1461	4	GRT RISK:(4)
	6.7	179	5	
	2.2	58	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/188

V5291 975A23H:RSK OF H OCSNL

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23H: Take heroin occasionally

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	2.1	56	1	NO RISK:(1)
1.4	1.3	34	2	SLIGHT:(2)
14.4	13.1	346	3	MOD RISK:(3)
81.9	74.5	1971	4	GRT RISK:(4)
	6.8	179	5	
	2.3	61	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/189

V5292 975A23I:RSK OF H REGLY

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23I: Take heroin regularly

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
2.3	2.1	55	1	NO RISK:(1)
0.5	0.5	13	2	SLIGHT:(2)
1.6	1.5	38	3	MOD RISK:(3)
95.6	86.6	2293	4	GRT RISK:(4)
	6.7	177	5	
	2.7	71	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/190

V5293 975A23J:RSK OF BARB 1-2X

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23J: Try barbiturates (downers, goofballs, reds, yellows, etc.) once or twice

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.2	4	0	
9.5	7.0	186	1	NO RISK:(1)
25.3	18.7	496	2	SLIGHT:(2)
30.2	22.4	594	3	MOD RISK:(3)
35.1	26.0	689	4	GRT RISK:(4)
	23.3	618	5	
	2.3	60	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/191

V5294 975A23K:RSK OF BARB REGY

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23K: Take barbiturates regularly

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
3.1	2.3	60	1	NO RISK:(1)
4.7	3.5	92	2	SLIGHT:(2)
17.8	13.2	349	3	MOD RISK:(3)
74.4	55.1	1460	4	GRT RISK:(4)
	23.2	615	5	
	2.6	68	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/192

V5295 975A23L:RSK OF AMPH 1-2X

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23L: Try amphetamines (uppers, pep pills, bennies, speed) once or twice

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
9.7	8.4	222	1	NO RISK:(1)
23.9	20.7	548	2	SLIGHT:(2)
31.8	27.6	730	3	MOD RISK:(3)
34.7	30.1	796	4	GRT RISK:(4)
	10.7	284	5	
	2.5	67	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/193

V5296 975A23M:RSK OF AMPH REG

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23M: Take amphetamines regularly

PCT VALID	PCT ALL	N	VALUE	LABEL
3.1	2.6	69	1	NO RISK:(1)
4.9	4.2	112	2	SLIGHT:(2)
16.7	14.2	377	3	MOD RISK:(3)
75.3	64.4	1705	4	GRT RISK:(4)
	11.9	315	5	
	2.6	69	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/194

V5297 975A23N:RSK OF COKE 1-2X

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23N: Try cocaine once or twice

PCT VALID	PCT ALL	N	VALUE	LABEL
5.7	5.2	139	1	NO RISK:(1)
13.3	12.4	327	2	SLIGHT:(2)
24.8	23.0	608	3	MOD RISK:(3)
56.2	52.1	1380	4	GRT RISK:(4)
	4.9	131	5	
	2.4	63	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/195

V5298 975A23O:RSK OF COKE REG

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23O: Take cocaine regularly

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	2.0	54	1	NO RISK:(1)
1.2	1.1	29	2	SLIGHT:(2)
4.9	4.6	121	3	MOD RISK:(3)
91.7	85.0	2249	4	GRT RISK:(4)
	4.9	131	5	
	2.4	64	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/196

V5299 975A23P:RSK OF 1-2 DRINK

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23P: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT VALID	PCT ALL	N	VALUE	LABEL
49.0	47.1	1248	1	NO RISK:(1)
34.4	33.1	876	2	SLIGHT:(2)
9.8	9.4	250	3	MOD RISK:(3)
6.8	6.5	172	4	GRT RISK:(4)
	1.5	39	5	
	2.3	62	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/197

V5300 975A23Q:RSK OF 1-2 DR/DA

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23Q: Take one or two drinks nearly every day

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
12.4	11.9	315	1	NO RISK:(1)
25.6	24.6	651	2	SLIGHT:(2)
36.8	35.2	933	3	MOD RISK:(3)
25.2	24.1	639	4	GRT RISK:(4)
	1.6	43	5	
	2.4	65	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/198

V5301 975A23R:RSK OF 4-5 DR/DA

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23R: Take four or five drinks nearly every day

PCT VALID	PCT ALL	N	VALUE	LABEL
5.2	5.0	133	1	NO RISK:(1)
8.9	8.6	227	2	SLIGHT:(2)
21.9	21.0	557	3	MOD RISK:(3)
63.9	61.4	1624	4	GRT RISK:(4)
	1.6	42	5	
	2.4	64	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/199

V5302 975A23S:RSK OF 5+DR/WKND

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23S: Have five or more drinks once or twice each weekend

PCT VALID	PCT ALL	N	VALUE	LABEL
10.0	9.6	254	1	NO RISK:(1)
15.8	15.1	401	2	SLIGHT:(2)
30.7	29.4	779	3	MOD RISK:(3)
43.4	41.6	1100	4	GRT RISK:(4)
	1.7	45	5	
	2.6	69	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/200

V5303 975D01A:POS ATT TWD SELF

D01: Do you agree or disagree with each of the following?

D01A: I take a positive attitude toward myself

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
2.9	2.7	71	1	DISAGREE:(1)
6.5	6.0	159	2	MOST DIS:(2)
8.6	7.9	210	3	NEITHER:(3)
43.2	40.0	1059	4	MOST AGR:(4)
38.8	36.0	952	5	AGREE:(5)
	7.3	194	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 5

Input location: 1/201

V5304 975D01B:LUCK>IMP HRD WRK

D01: Do you agree or disagree with each of the following?

D01B: Good luck is more important than hard work for success

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
35.3	32.6	864	1	DISAGREE:(1)
35.6	32.9	872	2	MOST DIS:(2)
17.6	16.2	430	3	NEITHER:(3)
7.9	7.3	192	4	MOST AGR:(4)
3.7	3.4	90	5	AGREE:(5)
	7.5	199	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/202

V5305 975D01C:AM PRSN OF WORTH

D01: Do you agree or disagree with each of the following?

D01C: I feel I am a person of worth, on an equal plane with others

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.7	46	1	DISAGREE:(1)
4.4	4.1	108	2	MOST DIS:(2)
10.3	9.5	252	3	NEITHER:(3)
38.8	35.8	948	4	MOST AGR:(4)
44.6	41.2	1091	5	AGREE:(5)
	7.6	202	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/203

V5306 975D01D:DO WELL AS OTHRS

D01: Do you agree or disagree with each of the following?

D01D: I am able to do things as well as most other people

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
1.2	1.1	30	1	DISAGREE:(1)
3.3	3.1	81	2	MOST DIS:(2)
5.9	5.5	145	3	NEITHER:(3)
39.1	36.1	954	4	MOST AGR:(4)
50.4	46.5	1230	5	AGREE:(5)
	7.8	206	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/204

V5307 975D01E:TRY GT AHD,STOPD

D01: Do you agree or disagree with each of the following?

D01E: Every time I try to get ahead, something or somebody stops me

PCT VALID	PCT ALL	N	VALUE	LABEL
18.9	17.4	461	1	DISAGREE:(1)
31.2	28.8	762	2	MOST DIS:(2)
22.7	21.0	556	3	NEITHER:(3)
18.8	17.4	459	4	MOST AGR:(4)
8.4	7.8	206	5	AGREE:(5)
	7.7	203	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/205

V5308 975D01F:PLNNG MKS UNHPPY

D01: Do you agree or disagree with each of the following?

D01F: Planning only makes a person unhappy since plans hardly ever work out anyway

PCT VALID	PCT ALL	N	VALUE	LABEL
28.7	26.4	699	1	DISAGREE:(1)
29.6	27.2	721	2	MOST DIS:(2)
19.8	18.2	483	3	NEITHER:(3)
14.6	13.4	355	4	MOST AGR:(4)
7.4	6.8	181	5	AGREE:(5)
	7.9	209	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/206

V5309 975D01G:ACPT LIFE->HAPPR

D01: Do you agree or disagree with each of the following?

D01G: People who accept their condition in life are happier than those who try to change things

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
18.8	17.2	456	1	DISAGREE:(1)
21.2	19.4	514	2	MOST DIS:(2)
23.6	21.6	573	3	NEITHER:(3)
21.3	19.5	517	4	MOST AGR:(4)
15.2	13.9	368	5	AGREE:(5)
	8.3	219	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/207

V5310 975D01H:SATISFD W MYSELF

D01: Do you agree or disagree with each of the following?

D01H: On the whole, I'm satisfied with myself

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
3.5	3.2	86	1	DISAGREE:(1)
6.3	5.8	153	2	MOST DIS:(2)
9.5	8.8	232	3	NEITHER:(3)
37.7	34.7	917	4	MOST AGR:(4)
42.9	39.5	1045	5	AGREE:(5)
	8.1	214	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/208

V5311 975D01I:PPL LK ME -CHANC

D01: Do you agree or disagree with each of the following?

D01I: People like me don't have much of a chance to be successful in life

PCT VALID	PCT ALL	N	VALUE	LABEL
60.3	55.5	1468	1	DISAGREE:(1)
22.4	20.6	545	2	MOST DIS:(2)
10.4	9.6	253	3	NEITHER:(3)
4.5	4.2	111	4	MOST AGR:(4)
2.3	2.1	57	5	AGREE:(5)
	8.1	214	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/209

V5312 975D01J:MY PLANS DO WORK

D01: Do you agree or disagree with each of the following?

D01J: When I make plans, I am almost certain that I can make them work

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	2.0	54	1	DISAGREE:(1)
5.7	5.3	139	2	MOST DIS:(2)
15.3	14.1	372	3	NEITHER:(3)
46.2	42.4	1122	4	MOST AGR:(4)
30.5	28.0	741	5	AGREE:(5)
	8.2	218	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/210

V5313 975D01K:OFTN FEEL LONELY

D01: Do you agree or disagree with each of the following?

D01K: A lot of times I feel lonely

PCT VALID	PCT ALL	N	VALUE	LABEL
22.0	19.9	527	1	DISAGREE:(1)
26.6	24.1	638	2	MOST DIS:(2)
17.2	15.6	414	3	NEITHER:(3)
22.2	20.2	534	4	MOST AGR:(4)
12.0	10.9	287	5	AGREE:(5)
	9.4	248	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/211

V5314 975D01L:-MUCH TO B PROUD

D01: Do you agree or disagree with each of the following?

D01L: I feel I do not have much to be proud of

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
46.2	41.8	1105	1	DISAGREE:(1)
29.5	26.7	707	2	MOST DIS:(2)
10.3	9.3	246	3	NEITHER:(3)
9.5	8.6	228	4	MOST AGR:(4)
4.4	4.0	106	5	AGREE:(5)
	9.6	254	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/212

V5315 975D01M:ALWYS SM1 HELP R

D01: Do you agree or disagree with each of the following?

D01M: There is always someone I can turn to if I need help

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	3.8	100	1	DISAGREE:(1)
5.0	4.5	119	2	MOST DIS:(2)
5.9	5.3	141	3	NEITHER:(3)
28.6	25.8	683	4	MOST AGR:(4)
56.3	50.8	1344	5	AGREE:(5)
	9.9	261	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/213

V5316 975D01N:I AM NO GOOD

D01: Do you agree or disagree with each of the following?

D01N: Sometimes I think that I am no good at all

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
40.3	36.4	963	1	DISAGREE:(1)
22.4	20.2	535	2	MOST DIS:(2)
15.0	13.5	358	3	NEITHER:(3)
13.8	12.5	330	4	MOST AGR:(4)
8.5	7.6	202	5	AGREE:(5)
	9.7	257	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/214

V5317 975D01O:OFTN FL LEFT OUT

D01: Do you agree or disagree with each of the following?

D01O: I often feel left out of things

PCT VALID	PCT ALL	N	VALUE	LABEL
24.4	22.0	582	1	DISAGREE:(1)
26.1	23.4	621	2	MOST DIS:(2)
18.4	16.6	439	3	NEITHER:(3)
21.2	19.1	505	4	MOST AGR:(4)
9.8	8.8	233	5	AGREE:(5)
	10.1	267	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/215

V5318 975D01P:PPL MASTER FATE

D01: Do you agree or disagree with each of the following?

D01P: I believe a person is master of his/her own fate

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	4.8	127	1	DISAGREE:(1)
4.9	4.4	116	2	MOST DIS:(2)
15.7	14.1	373	3	NEITHER:(3)
33.3	29.9	793	4	MOST AGR:(4)
40.8	36.7	973	5	AGREE:(5)
	10.1	266	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/216

V5319 975D01Q:USLY SM1 TALK TO

D01: Do you agree or disagree with each of the following?

D01Q: There is usually someone I can talk to, if I need to

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	2.2	57	1	DISAGREE:(1)
4.2	3.8	101	2	MOST DIS:(2)
6.0	5.4	143	3	NEITHER:(3)
27.8	25.0	661	4	MOST AGR:(4)
59.6	53.6	1419	5	AGREE:(5)
	10.0	266	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/217

V5320 975D01R:I DO WRONG THING

D01: Do you agree or disagree with each of the following?

D01R: I feel that I can't do anything right

PCT VALID	PCT ALL	N	VALUE	LABEL
47.4	42.5	1124	1	DISAGREE:(1)
26.3	23.6	624	2	MOST DIS:(2)
14.0	12.6	333	3	NEITHER:(3)
8.5	7.6	202	4	MOST AGR:(4)
3.7	3.3	88	5	AGREE:(5)
	10.4	276	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/218

V5321 975D01S:OFT WSH MOR FRND

D01: Do you agree or disagree with each of the following?

D01S: I often wish I had more good friends

PCT VALID	PCT ALL	N	VALUE	LABEL
22.1	19.7	523	1	DISAGREE:(1)
15.9	14.2	376	2	MOST DIS:(2)
14.7	13.1	347	3	NEITHER:(3)
26.1	23.4	618	4	MOST AGR:(4)
21.2	18.9	501	5	AGREE:(5)
	10.7	282	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/219

V5322 975D01T:PLANS->BTR RSLTS

D01: Do you agree or disagree with each of the following?

D01T: Planning ahead makes things turn out better

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
4.2	3.8	100	1	DISAGREE:(1)
6.7	6.0	158	2	MOST DIS:(2)
21.4	19.2	507	3	NEITHER:(3)
37.0	33.1	876	4	MOST AGR:(4)
30.7	27.4	725	5	AGREE:(5)
	10.6	280	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/220

V5323 975D01U:MY LIFE NT USEFL

D01: Do you agree or disagree with each of the following?

D01U: I feel that my life is not very useful

PCT VALID	PCT ALL	N	VALUE	LABEL
54.0	48.0	1270	1	DISAGREE:(1)
24.0	21.3	565	2	MOST DIS:(2)
11.9	10.6	280	3	NEITHER:(3)
6.9	6.1	162	4	MOST AGR:(4)
3.2	2.9	76	5	AGREE:(5)
	11.1	294	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/221

V5324 975D01V:USLY FRDS BE WTH

D01: Do you agree or disagree with each of the following?

D01V: I usually have a few friends around that I can get together with

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
5.9	5.2	139	1	DISAGREE:(1)
5.1	4.5	120	2	MOST DIS:(2)
6.6	5.9	157	3	NEITHER:(3)
34.4	30.7	813	4	MOST AGR:(4)
48.0	42.8	1133	5	AGREE:(5)
	10.8	286	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/222

V5325 975D02 :LV TGTH=BD MRLTY

D02: A man and a woman who live together without being married are . . . (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
21.8	14.1	372	1	EXPERIMT:(1)
60.2	38.8	1028	2	OWNTHING:(2)
4.8	3.1	83	3	DESTRUCT:(3)
13.2	8.5	225	4	VIOLATNG:(4)
	17.8	470	6	
	6.6	176	8	
	11.1	293	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/223

V5326 975D03 :FAM-MAR=BD MRLTY

D03: A man and a woman who decide to have and raise a child out of wedlock are . . . (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
9.1	5.6	148	1	EXPERIMT:(1)
50.6	31.1	825	2	OWNTHING:(2)
19.2	11.8	313	3	DESTRUCT:(3)
21.1	13.0	344	4	VIOLATNG:(4)
	17.8	470	6	
	9.0	238	8	
	11.7	310	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/224

V5327 975D04A:I HAVE ENOUGH $

D04: These next questions ask how you feel about your present financial situation and your future financial situation.

D04A: I feel that I have enough money to get along pretty well

PCT VALID	PCT ALL	N	VALUE	LABEL
13.7	11.9	315	1	NEVER:(1)
18.9	16.5	436	2	SELDOM:(2)
30.6	26.6	705	3	SOMETIME:(3)
26.0	22.6	600	4	OFTEN:(4)
10.9	9.5	251	5	ALWAYS:(5)
	12.9	340	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/225

V5328 975D04B:I LACK $ FR BILL

D04: These next questions ask how you feel about your present financial situation and your future financial situation.

D04B: I get very concerned about how I am going to be able to pay my next bills

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
28.9	25.0	661	1	NEVER:(1)
25.8	22.2	589	2	SELDOM:(2)
23.9	20.6	546	3	SOMETIME:(3)
14.1	12.2	323	4	OFTEN:(4)
7.4	6.4	169	5	ALWAYS:(5)
	13.6	360	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/226

V5329 975D04C:I WRY@-FINDG JOB

D04: These next questions ask how you feel about your present financial situation and your future financial situation.

D04C: I worry whether I will have any job at all in a few months

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
45.4	39.1	1034	1	NEVER:(1)
23.3	20.1	531	2	SELDOM:(2)
15.8	13.6	360	3	SOMETIME:(3)
9.3	8.0	211	4	OFTEN:(4)
6.2	5.3	141	5	ALWAYS:(5)
	14.0	370	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/227

V5330 975D04D:I CAN FIND JOB

D04: These next questions ask how you feel about your present financial situation and your future financial situation.

D04D: I feel sure that I could go out and get a new job (with decent pay) whenever I want one

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
8.8	7.6	202	1	NEVER:(1)
14.5	12.5	332	2	SELDOM:(2)
33.1	28.6	758	3	SOMETIME:(3)
26.7	23.1	611	4	OFTEN:(4)
16.8	14.6	385	5	ALWAYS:(5)
	13.5	358	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/228

V5331 975D04E:I CAN KEEP MYJOB

D04: These next questions ask how you feel about your present financial situation and your future financial situation.

D04E: I feel sure that I can keep working steadily with my present employer as long as I want to

PCT VALID	PCT ALL	N	VALUE	LABEL
5.4	3.2	85	1	NEVER:(1)
5.6	3.3	88	2	SELDOM:(2)
12.4	7.4	197	3	SOMETIME:(3)
24.3	14.5	384	4	OFTEN:(4)
52.3	31.3	828	5	ALWAYS:(5)
	40.2	1065	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/229

V5332 975D04F:I WRY@LOSS MYJOB

D04: These next questions ask how you feel about your present financial situation and your future financial situation.

D04F: I worry about getting fired or laid-off from my job

PCT VALID	PCT ALL	N	VALUE	LABEL
64.6	38.4	1015	1	NEVER:(1)
20.2	12.0	318	2	SELDOM:(2)
9.2	5.4	144	3	SOMETIME:(3)
3.4	2.0	53	4	OFTEN:(4)
2.7	1.6	42	5	ALWAYS:(5)
	40.6	1075	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/230

V5334 975E01A:I/MJ USR,>CREATV

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01A: . . . more creative than average

PCT VALID	PCT ALL	N	VALUE	LABEL
58.4	49.9	1320	1	NO:(1)
20.6	17.6	466	2	YES:(2)
21.0	17.9	475	3	NOT SURE:(3)
	14.6	386	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/231

V5335 975E01B:I/MJ USR,<SENSBL

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01B: . . . less sensible than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
25.9	22.2	588	1	NO:(1)
54.8	46.9	1242	2	YES:(2)
19.3	16.5	437	3	NOT SURE:(3)
	14.4	380	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/232

V5336 975E01C:I/MJ USR,>INTRST

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01C: . . . more interesting people than average

PCT VALID	PCT ALL	N	VALUE	LABEL
59.5	50.6	1340	1	NO:(1)
21.6	18.4	487	2	YES:(2)
18.9	16.1	427	3	NOT SURE:(3)
	14.9	394	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/233

V5337 975E01D:I/MJ USR,<HRDWKG

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01D: . . . less hard-working than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	3	0	
24.5	20.8	551	1	NO:(1)
58.1	49.3	1306	2	YES:(2)
17.4	14.8	391	3	NOT SURE:(3)
	15.0	398	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/234

V5338 975E01E:I/MJ USR,>INDPND

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01E: . . . more independent than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
54.0	45.8	1211	1	NO:(1)
24.1	20.4	539	2	YES:(2)
21.9	18.6	492	3	NOT SURE:(3)
	15.3	404	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/235

V5339 975E01F:I/MJ USR,>UNSTBL

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01F: . . . more emotionally unstable than average

PCT VALID	PCT ALL	N	VALUE	LABEL
27.8	23.6	624	1	NO:(1)
52.0	44.0	1166	2	YES:(2)
20.2	17.1	452	3	NOT SURE:(3)
	15.3	406	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/236

V5340 975E01G:I/MJ USR,>CNCRND

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01G: . . . more concerned about other people than average

PCT VALID	PCT ALL	N	VALUE	LABEL
66.5	56.4	1492	1	NO:(1)
10.8	9.2	243	2	YES:(2)
22.7	19.2	509	3	NOT SURE:(3)
	15.2	403	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/237

V5341 975E01H:I/MJ USR,>WKWLD

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01H: . . . more weak-willed than average

PCT VALID	PCT ALL	N	VALUE	LABEL
28.7	24.3	644	1	NO:(1)
47.7	40.3	1068	2	YES:(2)
23.6	19.9	528	3	NOT SURE:(3)
	15.4	407	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/238

V5342 975E01I:I/MJ USR,>CRMNL

E01: Do YOU think that people who smoke marijuana several times a week tend to be . . .

E01I: . . . more criminal than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
31.1	26.3	697	1	NO:(1)
47.9	40.5	1073	2	YES:(2)
21.0	17.7	470	3	NOT SURE:(3)
	15.3	406	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/239

V5352 975E02A:I/DG USR,>CREATV

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02A: . . . more creative than average

PCT VALID	PCT ALL	N	VALUE	LABEL
60.2	50.6	1338	1	NO:(1)
13.0	11.0	290	2	YES:(2)
26.8	22.5	595	3	NOT SURE:(3)
	16.0	424	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/240

V5353 975E02B:I/DG USR,<SENSBL

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02B: . . . less sensible than average

PCT VALID	PCT ALL	N	VALUE	LABEL
15.8	13.3	352	1	NO:(1)
59.2	49.7	1315	2	YES:(2)
24.9	20.9	553	3	NOT SURE:(3)
	16.1	427	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/241

V5354 975E02C:I/DG USR,>INTRST

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02C: . . . more interesting people than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
60.0	50.1	1327	1	NO:(1)
13.7	11.5	303	2	YES:(2)
26.3	22.0	582	3	NOT SURE:(3)
	16.4	434	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/242

V5355 975E02D:I/DG USR,<HRDWKG

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02D: . . . less hard-working than average

PCT VALID	PCT ALL	N	VALUE	LABEL
16.7	14.0	369	1	NO:(1)
58.1	48.6	1287	2	YES:(2)
25.3	21.2	560	3	NOT SURE:(3)
	16.3	431	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/243

V5356 975E02E:I/DG USR,>INDPND

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02E: . . . more independent than average

PCT VALID	PCT ALL	N	VALUE	LABEL
53.9	45.0	1190	1	NO:(1)
17.5	14.6	386	2	YES:(2)
28.6	23.9	632	3	NOT SURE:(3)
	16.6	439	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/244

V5357 975E02F:I/DG USR,>UNSTBL

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02F: . . . more emotionally unstable than average

PCT VALID	PCT ALL	N	VALUE	LABEL
14.1	11.8	311	1	NO:(1)
61.5	51.4	1361	2	YES:(2)
24.5	20.5	542	3	NOT SURE:(3)
	16.4	433	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/245

V5358 975E02G:I/DG USR,>CNCRND

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02G: . . . more concerned about other people than average

PCT VALID	PCT ALL	N	VALUE	LABEL
64.4	53.8	1423	1	NO:(1)
7.4	6.2	165	2	YES:(2)
28.1	23.5	621	3	NOT SURE:(3)
	16.5	438	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/246

V5359 975E02H:I/DG USR,>WKWLD

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02H: . . . more weak-willed than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
15.2	12.7	335	1	NO:(1)
56.8	47.4	1254	2	YES:(2)
28.1	23.4	620	3	NOT SURE:(3)
	16.5	437	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/247

V5360 975E02I:I/DG USR,>CRMNL

E02: Do YOU think that people who use illegal drugs (other than marijuana) several times a week tend to be . . .

E02I: . . . more criminal than average

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
15.4	12.9	340	1	NO:(1)
58.9	49.1	1301	2	YES:(2)
25.7	21.5	569	3	NOT SURE:(3)
	16.5	437	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 3

Input location: 1/248

V5411 975E11 :WLD ADMT USE MJ

E11: If you had ever used marijuana or hashish, do you think you would have said so in this questionnaire?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.1	6.2	164	1	NO:(1)
5.2	4.0	106	2	NOT SURE:(2)
52.2	40.0	1058	3	YES:(3)
34.5	26.4	698	4	DID SAY:(4)
	23.5	622	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/249

V5412 975E12 :WLD ADMT USE AMP

E12: If you had ever used amphetamines (without a doctor's orders), do you think that you would have said so in this questionnaire?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.5	8.0	211	1	NO:(1)
6.5	5.0	131	2	NOT SURE:(2)
69.4	52.8	1399	3	YES:(3)
13.6	10.4	274	4	DID SAY:(4)
	23.9	632	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/250

V5413 975E13 :WLD ADMT USE HER

E13: If you had ever used heroin, do you think that you would have said so in this questionnaire?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.1	9.2	243	1	NO:(1)
7.7	5.9	155	2	NOT SURE:(2)
72.1	54.8	1450	3	YES:(3)
8.1	6.2	164	4	DID SAY:(4)
	24.0	635	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/251

V5414 975D01W:EAGR TO LEAV HOM

D01: Do you agree or disagree with each of the following?

D01W: I am eager to leave home and live on my own--independent from my parents

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	6.3	166	1	DISAGREE:(1)
9.3	8.3	219	2	MOST DIS:(2)
16.7	14.9	393	3	NEITHER:(3)
29.3	26.1	690	4	MOST AGR:(4)
37.6	33.4	883	5	AGREE:(5)
	11.2	296	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/252

V5415 975D01X:HEST PRT ADLT WL

D01: Do you agree or disagree with each of the following?

D01X: I feel hesitant about taking a full-time job and becoming part of the "adult world"

PCT VALID	PCT ALL	N	VALUE	LABEL
29.6	26.4	699	1	DISAGREE:(1)
20.1	17.9	474	2	MOST DIS:(2)
15.6	13.9	369	3	NEITHER:(3)
21.3	18.9	501	4	MOST AGR:(4)
13.4	11.9	315	5	AGREE:(5)
	10.9	290	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/253

V5416 975D05A:%$SAVE FUTR EDUC

D05: Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

D05A: Savings for your future education

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
49.2	39.9	1057	1	NONE:(1)
22.4	18.2	482	2	1-20%:(2)
12.1	9.8	259	3	21-40%:(3)
7.0	5.6	150	4	41-60%:(4)
4.9	3.9	105	5	61-80%:(5)
3.2	2.6	69	6	81-99%:(6)
1.2	1.0	26	7	ALL:(7)
	18.9	500	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/254

V5417 975D05B:%$SAVE/SPEND CAR

D05: Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

D05B: Savings or payments for a car or car expenses

PCT VALID	PCT ALL	N	VALUE	LABEL
40.2	32.5	861	1	NONE:(1)
16.3	13.2	350	2	1-20%:(2)
14.5	11.7	311	3	21-40%:(3)
12.2	9.9	262	4	41-60%:(4)
8.8	7.2	190	5	61-80%:(5)
5.8	4.7	124	6	81-99%:(6)
2.2	1.8	47	7	ALL:(7)
	19.0	502	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/255

V5418 975D05C:%$SAVE OTHER

D05: Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

D05C: Other savings for long-range purposes

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
46.4	37.5	994	1	NONE:(1)
23.7	19.2	507	2	1-20%:(2)
13.6	11.0	291	3	21-40%:(3)
7.6	6.2	164	4	41-60%:(4)
3.7	3.0	78	5	61-80%:(5)
3.2	2.6	69	6	81-99%:(6)
1.8	1.4	38	7	ALL:(7)
	19.1	505	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/256

V5419 975D05D:%$SPEND ON SELF

D05: Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

D05D: Spending on your own needs and activities--things such as clothing, stereo, TV, tapes and discs, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	5.8	152	1	NONE:(1)
20.6	16.6	440	2	1-20%:(2)
19.7	15.9	422	3	21-40%:(3)
15.3	12.3	326	4	41-60%:(4)
16.4	13.3	352	5	61-80%:(5)
12.6	10.2	269	6	81-99%:(6)
8.3	6.7	177	7	ALL:(7)
	19.2	509	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/257

V5420 975D05E:%$SPEND HELP FAM

D05: Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

D05E: Helping to pay family living expenses (groceries, housing, etc.)

PCT VALID	PCT ALL	N	VALUE	LABEL
53.0	42.8	1132	1	NONE:(1)
24.0	19.4	513	2	1-20%:(2)
12.0	9.7	256	3	21-40%:(3)
3.8	3.1	81	4	41-60%:(4)
2.6	2.1	56	5	61-80%:(5)
2.4	2.0	52	6	81-99%:(6)
2.1	1.7	46	7	ALL:(7)
	19.3	512	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/258

V5421 975E03A:GUY SMK COOL

E03: In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E03A: Cool, calm, in control

PCT VALID	PCT ALL	N	VALUE	LABEL
56.8	47.2	1251	1	DISAGREE:(1)
10.6	8.8	234	2	MOST DIS:(2)
26.7	22.2	587	3	NEITHER:(3)
4.3	3.6	95	4	MOST AGR:(4)
1.6	1.4	36	5	AGREE:(5)
	16.8	444	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/259

V5422 975E03B:GUY SMK INSECURE

E03: In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E03B: Insecure

PCT VALID	PCT ALL	N	VALUE	LABEL
19.1	15.8	418	1	DISAGREE:(1)
7.8	6.5	171	2	MOST DIS:(2)
38.4	31.7	840	3	NEITHER:(3)
17.6	14.6	386	4	MOST AGR:(4)
17.1	14.2	375	5	AGREE:(5)
	17.3	457	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/260

V5423 975E03C:GUY SMK INDPNDNT

E03: In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E03C: Rugged, tough, independent

PCT VALID	PCT ALL	N	VALUE	LABEL
50.1	41.5	1098	1	DISAGREE:(1)
9.1	7.5	199	2	MOST DIS:(2)
31.0	25.7	680	3	NEITHER:(3)
7.0	5.8	153	4	MOST AGR:(4)
2.8	2.3	61	5	AGREE:(5)
	17.2	456	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/261

V5424 975E03D:GUY SMK CONFORMG

E03: In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E03D: Conforming

PCT VALID	PCT ALL	N	VALUE	LABEL
32.5	26.7	707	1	DISAGREE:(1)
7.8	6.4	170	2	MOST DIS:(2)
41.8	34.4	911	3	NEITHER:(3)
9.6	7.9	209	4	MOST AGR:(4)
8.3	6.8	180	5	AGREE:(5)
	17.8	471	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/262

V5425 975E03E:GUY SMK MATURE

E03: In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E03E: Mature, sophisticated

PCT VALID	PCT ALL	N	VALUE	LABEL
56.1	46.2	1223	1	DISAGREE:(1)
11.2	9.2	244	2	MOST DIS:(2)
28.3	23.3	616	3	NEITHER:(3)
2.8	2.3	61	4	MOST AGR:(4)
1.6	1.3	35	5	AGREE:(5)
	17.7	468	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/263

V5426 975E03F:GUY SM TRY MATUR

E03: In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

E03F: Like he's trying to appear mature and sophisticated

PCT VALID	PCT ALL	N	VALUE	LABEL
18.7	15.4	407	1	DISAGREE:(1)
4.7	3.9	102	2	MOST DIS:(2)
26.6	21.9	579	3	NEITHER:(3)
21.1	17.4	459	4	MOST AGR:(4)
29.0	23.9	634	5	AGREE:(5)
	17.6	466	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/264

V5427 975E04A:GIRL SMK COOL

E04: In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E04A: Cool, calm, in control

PCT VALID	PCT ALL	N	VALUE	LABEL
62.1	51.0	1350	1	DISAGREE:(1)
9.7	8.0	211	2	MOST DIS:(2)
23.9	19.6	518	3	NEITHER:(3)
3.0	2.5	65	4	MOST AGR:(4)
1.3	1.1	28	5	AGREE:(5)
	17.9	475	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/265

V5428 975E04B:GRL SMK INSECURE

E04: In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E04B: Insecure

PCT VALID	PCT ALL	N	VALUE	LABEL
20.6	16.9	447	1	DISAGREE:(1)
5.5	4.5	120	2	MOST DIS:(2)
32.4	26.5	701	3	NEITHER:(3)
15.6	12.8	338	4	MOST AGR:(4)
25.8	21.1	558	5	AGREE:(5)
	18.3	484	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/266

V5429 975E04C:GRL SMK INDPNDNT

E04: In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E04C: Independent and liberated

PCT VALID	PCT ALL	N	VALUE	LABEL
52.7	43.1	1140	1	DISAGREE:(1)
9.9	8.1	214	2	MOST DIS:(2)
28.7	23.5	622	3	NEITHER:(3)
6.2	5.1	135	4	MOST AGR:(4)
2.4	2.0	53	5	AGREE:(5)
	18.2	483	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/267

V5430 975E04D:GRL SMK CONFORMG

E04: In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E04D: Conforming

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	1	0	
36.9	30.1	796	1	DISAGREE:(1)
6.6	5.4	142	2	MOST DIS:(2)
36.7	29.8	790	3	NEITHER:(3)
9.3	7.5	199	4	MOST AGR:(4)
10.6	8.6	227	5	AGREE:(5)
	18.6	491	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/268

V5431 975E04E:GRL SMK MATURE

E04: In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E04E: Mature, sophisticated

PCT VALID	PCT ALL	N	VALUE	LABEL
59.4	48.4	1282	1	DISAGREE:(1)
11.0	9.0	238	2	MOST DIS:(2)
24.9	20.2	536	3	NEITHER:(3)
3.0	2.4	64	4	MOST AGR:(4)
1.7	1.4	37	5	AGREE:(5)
	18.5	491	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/269

V5432 975E04F:GRL SM TRY MATUR

E04: In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E04F: Like she's trying to appear mature and sophisticated

PCT VALID	PCT ALL	N	VALUE	LABEL
18.7	15.2	403	1	DISAGREE:(1)
4.5	3.7	98	2	MOST DIS:(2)
24.7	20.1	532	3	NEITHER:(3)
17.7	14.4	382	4	MOST AGR:(4)
34.3	27.9	740	5	AGREE:(5)
	18.6	493	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/270

V5433 975E05A:SMKRS ENJOY LIFE

E05: Do you agree or disagree . . .

E05A: Smokers know how to enjoy life more than non-smokers

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
70.9	58.2	1541	1	DISAGREE:(1)
8.2	6.8	179	2	MOST DIS:(2)
17.7	14.5	385	3	NEITHER:(3)
1.6	1.3	35	4	MOST AGR:(4)
1.6	1.3	34	5	AGREE:(5)
	17.8	471	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/271

V5434 975E05B:PRFR DATE N-SMKR

E05: Do you agree or disagree . . .

E05B: I prefer to date people who don't smoke

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
11.0	9.0	239	1	DISAGREE:(1)
3.4	2.8	73	2	MOST DIS:(2)
21.8	17.9	473	3	NEITHER:(3)
8.6	7.0	186	4	MOST AGR:(4)
55.3	45.4	1201	5	AGREE:(5)
	17.9	473	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/272

V5435 975E05C:HARMFUL CIG EXAG

E05: Do you agree or disagree . . .

E05C: The harmful effects of cigarettes have been exaggerated

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
52.2	42.7	1131	1	DISAGREE:(1)
16.2	13.3	352	2	MOST DIS:(2)
17.7	14.5	385	3	NEITHER:(3)
7.7	6.3	167	4	MOST AGR:(4)
6.2	5.0	134	5	AGREE:(5)
	18.0	477	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/273

V5436 975E05D:SMKR POOR JDGMNT

E05: Do you agree or disagree . . .

E05D: I think that becoming a smoker reflects poor judgment

PCT VALID	PCT ALL	N	VALUE	LABEL
13.8	11.3	299	1	DISAGREE:(1)
7.0	5.7	152	2	MOST DIS:(2)
23.0	18.8	498	3	NEITHER:(3)
17.4	14.2	376	4	MOST AGR:(4)
38.8	31.7	838	5	AGREE:(5)
	18.3	484	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/274

V5437 975E05E:DONT MIND SMOKNG

E05: Do you agree or disagree . . .

E05E: I personally don't mind being around people who are smoking

PCT VALID	PCT ALL	N	VALUE	LABEL
29.2	23.8	629	1	DISAGREE:(1)
12.5	10.2	271	2	MOST DIS:(2)
16.1	13.1	348	3	NEITHER:(3)
19.9	16.2	429	4	MOST AGR:(4)
22.3	18.2	482	5	AGREE:(5)
	18.5	489	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/275

V5438 975E05F:SMKG DIRTY HABIT

E05: Do you agree or disagree . . .

E05F: Smoking is a dirty habit

PCT VALID	PCT ALL	N	VALUE	LABEL
9.2	7.5	198	1	DISAGREE:(1)
5.5	4.5	119	2	MOST DIS:(2)
15.5	12.6	333	3	NEITHER:(3)
17.7	14.4	381	4	MOST AGR:(4)
52.2	42.4	1123	5	AGREE:(5)
	18.6	494	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/276

V5451 975E07A:PRNT SUPRV PARTY

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07A: What kinds of parties, dances or other events you could go to (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
15.4	10.0	264	1	FAR LITL:(1)
8.0	5.2	137	2	TOO LITL:(2)
59.1	38.4	1016	3	ABT RITE:(3)
11.6	7.5	200	4	TOO MUCH:(4)
5.9	3.8	102	5	FAR MUCH:(5)
	17.8	470	6	
	17.3	458	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/277

V5452 975E07B:PRNT SUPRV DATES

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07B: How late you stayed out on dates (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
9.7	6.3	166	1	FAR LITL:(1)
7.7	4.9	131	2	TOO LITL:(2)
58.1	37.4	991	3	ABT RITE:(3)
15.0	9.7	257	4	TOO MUCH:(4)
9.5	6.1	163	5	FAR MUCH:(5)
	17.8	470	6	
	17.7	468	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/278

V5453 975E07C:PRNT SUPRV DRESS

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07C: The way you dressed (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
8.9	5.8	152	1	FAR LITL:(1)
5.8	3.7	98	2	TOO LITL:(2)
74.2	47.7	1262	3	ABT RITE:(3)
6.9	4.4	117	4	TOO MUCH:(4)
4.2	2.7	72	5	FAR MUCH:(5)
	17.8	470	6	
	17.9	473	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/279

V5454 975E07D:PRNT SUPRV MONEY

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07D: What you did with your money (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
8.0	5.1	135	1	FAR LITL:(1)
9.9	6.4	168	2	TOO LITL:(2)
62.0	39.7	1051	3	ABT RITE:(3)
13.1	8.4	223	4	TOO MUCH:(4)
7.0	4.5	119	5	FAR MUCH:(5)
	17.8	470	6	
	18.1	479	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/280

V5455 975E07E:PRNT SUPRV EVENG

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07E: How often you went out in the evening (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.1	2	0	
7.6	4.9	129	1	FAR LITL:(1)
7.9	5.1	135	2	TOO LITL:(2)
58.5	37.5	993	3	ABT RITE:(3)
17.0	10.9	288	4	TOO MUCH:(4)
9.0	5.8	154	5	FAR MUCH:(5)
	17.8	470	6	
	18.0	477	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/281

V5456 975E07F:PRNT SUPRV HOMWK

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07F: How much time you spent on homework (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
9.7	6.3	166	1	FAR LITL:(1)
17.0	10.9	290	2	TOO LITL:(2)
55.0	35.4	936	3	ABT RITE:(3)
12.0	7.7	205	4	TOO MUCH:(4)
6.2	4.0	106	5	FAR MUCH:(5)
	17.8	470	6	
	17.9	473	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/282

V5457 975E07G:PRN SUPRV COURSE

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07G: What courses you took in school (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
8.5	5.4	143	1	FAR LITL:(1)
9.8	6.3	166	2	TOO LITL:(2)
67.8	43.4	1150	3	ABT RITE:(3)
8.9	5.7	151	4	TOO MUCH:(4)
5.1	3.2	86	5	FAR MUCH:(5)
	17.8	470	6	
	18.2	481	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/283

V5458 975E07H:PRNT SUPRV WORK

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07H: The hours you could work during the school year (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
8.2	5.2	138	1	FAR LITL:(1)
8.3	5.3	140	2	TOO LITL:(2)
70.8	45.0	1191	3	ABT RITE:(3)
7.3	4.6	123	4	TOO MUCH:(4)
5.4	3.4	91	5	FAR MUCH:(5)
	17.8	470	6	
	18.7	495	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/284

V5459 975E07I:PRN SUPR TV QNTY

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07I: How much TV you watched (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
12.9	8.2	218	1	FAR LITL:(1)
10.1	6.5	171	2	TOO LITL:(2)
66.4	42.4	1124	3	ABT RITE:(3)
5.7	3.6	96	4	TOO MUCH:(4)
4.9	3.1	83	5	FAR MUCH:(5)
	17.8	470	6	
	18.3	485	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/285

V5460 975E07J:PRN SUPR TV QLTY

E07: The next questions ask how you feel about the amount of supervision that you received from your parents (or guardians) during your high school years. For each of the following areas, do you feel that you received about the right amount of supervision, too little, or too much? (These questions are omitted from Western Region questionnaires.)

E07J: What kinds of TV programs you watched (This question is omitted from Western Region questionnaires.)

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
15.5	9.9	261	1	FAR LITL:(1)
7.8	4.9	131	2	TOO LITL:(2)
67.5	43.0	1137	3	ABT RITE:(3)
5.1	3.3	86	4	TOO MUCH:(4)
4.1	2.6	69	5	FAR MUCH:(5)
	17.8	470	6	
	18.6	492	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/286

V5461 975E08 :#X/LAST12M PARTY

E08: Over the LAST 12 MONTHS, about how often have you gone to parties?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
18.2	14.3	380	1	NO TIMES:(1)
30.2	23.8	631	2	0-1/MO:(2)
24.7	19.5	515	3	2-3/MO:(3)
13.4	10.5	279	4	ONCE/WK:(4)
9.6	7.6	200	5	2-3/WEEK:(5)
4.0	3.1	82	6	OVR 3/WK:(6)
	21.1	559	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 6

Input location: 1/287

V5462 975E09A:PARTY-PPL OVR 30

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09A: Were people over age 30 present at least some of the time?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.3	27.3	722	1	NEVER:(1)
30.5	20.2	534	2	SELDOM:(2)
16.3	10.8	285	3	SOMETIME:(3)
7.2	4.8	126	4	MST TIME:(4)
4.8	3.2	84	5	ALWAYS:(5)
	33.9	897	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/288

V5463 975E09B:PARTY-ONE HI ALC

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09B: Did someone get high on alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.8	7.8	206	1	NEVER:(1)
6.4	4.2	112	2	SELDOM:(2)
12.2	8.1	214	3	SOMETIME:(3)
23.0	15.3	404	4	MST TIME:(4)
46.6	30.8	817	5	ALWAYS:(5)
	33.8	893	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/289

V5464 975E09C:PARTY-OTH HI ALC

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09C: Did most people get high on alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.2	9.4	248	1	NEVER:(1)
8.8	5.8	154	2	SELDOM:(2)
16.4	10.8	286	3	SOMETIME:(3)
28.6	18.9	500	4	MST TIME:(4)
32.0	21.1	560	5	ALWAYS:(5)
	34.0	900	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/290

V5465 975E09D:PARTY-YOU HI ALC

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09D: Did you get high on alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.0	22.4	592	1	NEVER:(1)
13.6	9.0	237	2	SELDOM:(2)
20.8	13.7	362	3	SOMETIME:(3)
17.8	11.7	311	4	MST TIME:(4)
13.8	9.1	240	5	ALWAYS:(5)
	34.2	905	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/291

V5466 975E09E:PARTY-PRESS ALCL

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09E: Did you feel pressure to drink alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
65.8	43.3	1147	1	NEVER:(1)
17.9	11.8	312	2	SELDOM:(2)
9.4	6.2	165	3	SOMETIME:(3)
3.8	2.5	66	4	MST TIME:(4)
3.1	2.1	54	5	ALWAYS:(5)
	34.1	903	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/292

V5467 975E09F:PARTY-PRS HI ALC

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09F: Did you feel pressure to drink enough to get high?

PCT VALID	PCT ALL	N	VALUE	LABEL
73.4	48.2	1276	1	NEVER:(1)
12.4	8.1	215	2	SELDOM:(2)
8.0	5.3	139	3	SOMETIME:(3)
3.0	2.0	52	4	MST TIME:(4)
3.3	2.2	57	5	ALWAYS:(5)
	34.3	908	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/293

V5468 975E09G:PARTY-ONE HI MJ

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09G: Did someone get high on marijuana?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.2	19.2	509	1	NEVER:(1)
11.2	7.4	196	2	SELDOM:(2)
18.7	12.3	325	3	SOMETIME:(3)
17.9	11.8	312	4	MST TIME:(4)
22.9	15.1	400	5	ALWAYS:(5)
	34.2	905	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/294

V5469 975E09H:PARTY-OTH HI MJ

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09H: Did most people get high on marijuana?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.4	22.6	597	1	NEVER:(1)
17.9	11.8	311	2	SELDOM:(2)
20.0	13.1	347	3	SOMETIME:(3)
12.4	8.2	216	4	MST TIME:(4)
15.3	10.0	266	5	ALWAYS:(5)
	34.4	910	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/295

V5470 975E09I:PARTY-YOU HI MJ

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09I: Did you get high on marijuana?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.4	41.6	1102	1	NEVER:(1)
11.2	7.3	194	2	SELDOM:(2)
9.8	6.4	171	3	SOMETIME:(3)
7.0	4.6	121	4	MST TIME:(4)
8.7	5.7	151	5	ALWAYS:(5)
	34.3	908	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/296

V5471 975E09J:PARTY-PRESS MJ

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09J: Did you feel pressure to use marijuana?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.0	54.6	1444	1	NEVER:(1)
9.0	5.9	157	2	SELDOM:(2)
5.2	3.4	91	3	SOMETIME:(3)
0.7	0.5	13	4	MST TIME:(4)
2.0	1.3	35	5	ALWAYS:(5)
	34.3	908	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/297

V5472 975E09K:PARTY-ONE HI OTD

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09K: Did someone get high on other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
56.7	37.1	983	1	NEVER:(1)
17.2	11.3	299	2	SELDOM:(2)
15.8	10.4	274	3	SOMETIME:(3)
5.4	3.5	94	4	MST TIME:(4)
4.8	3.2	83	5	ALWAYS:(5)
	34.5	914	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/298

V5473 975E09L:PARTY-OTH HI OTD

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09L: Did most people get high on other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.7	40.8	1080	1	NEVER:(1)
19.0	12.4	328	2	SELDOM:(2)
11.4	7.4	196	3	SOMETIME:(3)
3.6	2.3	62	4	MST TIME:(4)
3.3	2.2	58	5	ALWAYS:(5)
	34.9	923	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/299

V5474 975E09M:PARTY-YOU HI OTD

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09M: Did you get high on other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.6	56.5	1495	1	NEVER:(1)
6.7	4.4	116	2	SELDOM:(2)
3.8	2.5	65	3	SOMETIME:(3)
1.2	0.8	20	4	MST TIME:(4)
1.7	1.1	30	5	ALWAYS:(5)
	34.8	921	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/300

V5475 975E09N:PARTY-PRESS OTDG

E09: Now think about the parties you went to in the last 12 months. How often . . .

E09N: Did you feel pressure to use other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.4	59.8	1583	1	NEVER:(1)
4.2	2.7	72	2	SELDOM:(2)
2.9	1.9	50	3	SOMETIME:(3)
1.0	0.7	17	4	MST TIME:(4)
0.5	0.3	8	5	ALWAYS:(5)
	34.6	917	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/301

V5476 975E10A:PRFR PTY-PPL >30

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10A: Would you like people over age 30 to be present at least some of the time?

PCT VALID	PCT ALL	N	VALUE	LABEL
51.9	39.9	1057	1	NEVER:(1)
23.0	17.7	468	2	SELDOM:(2)
18.6	14.3	379	3	SOMETIME:(3)
3.0	2.3	62	4	MST TIME:(4)
3.6	2.7	72	5	ALWAYS:(5)
	23.0	609	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/302

V5477 975E10B:PRF PTY-U HI ALC

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10B: Would you like to get high on alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.6	31.2	825	1	NEVER:(1)
13.7	10.5	279	2	SELDOM:(2)
20.5	15.8	417	3	SOMETIME:(3)
13.8	10.6	281	4	MST TIME:(4)
11.4	8.7	231	5	ALWAYS:(5)
	23.2	614	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/303

V5478 975E10C:PR PTY-OTH HI AL

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10C: Would you like other people to get high on alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
38.5	29.4	779	1	NEVER:(1)
14.0	10.7	283	2	SELDOM:(2)
22.1	16.9	447	3	SOMETIME:(3)
14.3	10.9	289	4	MST TIME:(4)
11.2	8.6	227	5	ALWAYS:(5)
	23.5	621	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/304

V5479 975E10D:PRF PTY-U USE MJ

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10D: Would you like to use marijuana?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.1	52.4	1387	1	NEVER:(1)
9.2	7.1	188	2	SELDOM:(2)
9.5	7.3	193	3	SOMETIME:(3)
5.0	3.9	102	4	MST TIME:(4)
8.2	6.3	166	5	ALWAYS:(5)
	23.1	611	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/305

V5480 975E10E:PR PTY-OT USE MJ

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10E: Would you like other people to use marijuana?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
64.0	48.8	1292	1	NEVER:(1)
11.8	9.0	238	2	SELDOM:(2)
12.0	9.1	241	3	SOMETIME:(3)
4.9	3.7	98	4	MST TIME:(4)
7.3	5.6	147	5	ALWAYS:(5)
	23.8	630	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/306

V5481 975E10F:PR PTY-U USE OTD

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10F: Would you like to use other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.6	65.7	1740	1	NEVER:(1)
5.9	4.6	121	2	SELDOM:(2)
4.9	3.7	99	3	SOMETIME:(3)
1.0	0.8	20	4	MST TIME:(4)
2.7	2.0	54	5	ALWAYS:(5)
	23.2	614	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/307

V5482 975E10G:PR PTY-OT USE OT

E10: Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

E10G: Would you like other people to use other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.7	63.7	1686	1	NEVER:(1)
7.3	5.5	146	2	SELDOM:(2)
5.0	3.8	100	3	SOMETIME:(3)
1.2	0.9	24	4	MST TIME:(4)
2.9	2.2	59	5	ALWAYS:(5)
	23.9	632	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/308

V5483 975A23T:RSK OF COKE OCSN

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23T: Take cocaine occasionally

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
2.9	2.7	71	1	NO RISK:(1)
4.6	4.2	112	2	SLIGHT:(2)
16.6	15.4	408	3	MOD RISK:(3)
75.9	70.4	1864	4	GRT RISK:(4)
	4.8	127	5	
	2.4	64	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/309

V5484 975A23U:RSK OF SMKLSS RG

A23: The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A23U: Use smokeless tobacco regularly (chewing tobacco, plug, dipping tobacco, snuff)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.9	4.6	122	1	NO RISK:(1)
17.6	16.4	435	2	SLIGHT:(2)
37.3	34.9	923	3	MOD RISK:(3)
40.2	37.6	996	4	GRT RISK:(4)
	4.1	109	5	
	2.4	63	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,5-*
Decimals: 0 Max: 4

Input location: 1/310

V5485 975E05G:DTEST NEAR SMKRS

E05: Do you agree or disagree . . .

E05G: I strongly dislike being near people who are smoking

PCT VALID	PCT ALL	N	VALUE	LABEL
26.0	21.2	560	1	DISAGREE:(1)
14.3	11.7	309	2	MOST DIS:(2)
21.6	17.6	465	3	NEITHER:(3)
11.6	9.4	250	4	MOST AGR:(4)
26.5	21.6	571	5	AGREE:(5)
	18.6	492	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/311

V5486 975E06A:#X CRACK/LIFETIM

E06: On how many occasions (if any) have you used "crack" cocaine?

E06A: . . . in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.0	77.0	2038	1	0 OCCAS:(1)
2.3	1.9	50	2	1-2X:(2)
0.6	0.5	12	3	3-5X:(3)
0.6	0.5	13	4	6-9X:(4)
0.5	0.4	10	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.9	0.7	19	7	40+OCCAS:(7)
	19.0	503	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/312

V5487 975E06B:#X CRACK/LAST12M

E06: On how many occasions (if any) have you used "crack" cocaine?

E06B: . . . during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	78.7	2082	1	0 OCCAS:(1)
1.1	0.9	25	2	1-2X:(2)
0.5	0.4	10	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	19.0	504	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/313

V5488 975E06C:#X CRACK/LAST30D

E06: On how many occasions (if any) have you used "crack" cocaine?

E06C: . . . during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.8	80.1	2121	1	0 OCCAS:(1)
0.5	0.4	10	2	1-2X:(2)
0.3	0.2	6	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	18.9	500	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/314

V5489 975B15A:#X H LIF USE NDL

B15: On how many occasions (if any) have you taken heroin using a needle...

B15A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	96.9	2565	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	2.4	65	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/315

V5490 975B15B:#X H 12M USE NDL

B15: On how many occasions (if any) have you taken heroin using a needle...

B15B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	97.2	2572	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	2.4	64	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/316

V5491 975B15C:#X H 30D USE NDL

B15: On how many occasions (if any) have you taken heroin using a needle...

B15C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.7	97.4	2577	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.4	63	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/317

V5492 975B16A:#X H LIF W/O NDL

B16: On how many occasions (if any) have you taken heroin WITHOUT using a needle...

B16A: ...in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
97.8	95.4	2525	1	0 OCCAS:(1)
1.5	1.5	38	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	2.5	66	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/318

V5493 975B16B:#X H 12M W/O NDL

B16: On how many occasions (if any) have you taken heroin WITHOUT using a needle...

B16B: ...during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	96.6	2556	1	0 OCCAS:(1)
0.6	0.6	16	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.4	64	9	

		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/319

V5494 975B16C:#X H 30D W/O NDL

B16: On how many occasions (if any) have you taken heroin WITHOUT using a needle...

B16C: ...during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	97.0	2568	1	
0.4	0.4	12	2	
0.1	0.1	3	3	
0.0	0.0	0	7	
	2.4	64	9	
		2647	cases (Wtd)	

Type: numeric Min: 1 MD Codes: 0,9-*
Decimals: 0 Max: 7

Input location: 1/320

V5 SAMPLING WEIGHT

2647 cases (Wtd)

Type: numeric Min: 0.1143 MD Codes: none
Decimals: 4 Max: 4.2725

Input location: 1/321-326

APPENDIX A

PUBLICATIONS

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from, Monitoring the Future, Institute for Social Research, Room 2311, The University of Michigan, P. 0. Box 1248, Ann Arbor, Michigan 48106-1248.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L.D. Johnston and J.G. Bachman, 1980.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J. G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991.

REFERENCE VOLUMES

Johnston, L.D,, Bachman, J.G., & O'Malley, P.M. (1993). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1989. Ann Arbor, MI: Institute for Social Research, 327 pp.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1994). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1990. Ann Arbor, MI: Institute for Social Research, 339 pp.

Johnston, L.D,, Bachman, J.G., & O'Malley, P.M. (1994). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1991. Ann Arbor, MI: Institute for Social Research, 339 pp.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1994). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1992. Ann Arbor, MI: Institute for Social Research, 335 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20852 (Tel. 1-800-729-6686). There is no charge for single copies. Most recent copy may be ordered directly from the project (Tel. 313-763-5043).

Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.

Highlights from Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.

Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.

Highlights from Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.

1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.

Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.

Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.

Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.

Student drug use, altitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.

Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.

Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.

Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.

Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-14SO). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.

National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.

Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.

Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.

Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989. (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.

Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 231 pp. and 176 pp., respectively.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1993). National survey results on drug use from the Monitoring the Future study, 1975-1992. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 250 pp. and 185 pp., respectively.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1994). National survey results on drug use from the Monitoring the Future study, 1975-1993. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 281 pp. and 182 pp., respectively.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1995). National survey results on drug use from the Monitoring the Future study, 1975-1994. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 316 pp. and 183 pp., respectively.

Johnston, L.D., O'Malley, P.M., and Bachman, J.G. (1996). National Survey Results on Drug Use from the Monitoring the Future Study, 1975-1995, Vol.I, Secondary School Students. (National Institute on Drug Abuse) Washington D.C.: U.S. Government Printing Office.

MONITORING THE FUTURE OCCASIONAL PAPERS

1 The Monitoring the Future project: Design and procedures. J.G. Bachman and L.D. Johnston, 1978, 67 pp.

2 Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.

3 High school seniors' preferences for sharing work and family responsibilities between husband and wife. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.

4 Fewer rebels, fewer causes: A profile of today's college freshmen. J.G. Bachman and L.D. Johnston, 1979, 30 pp.

5 Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.

6 Description of a special survey using a single combined form of the Monitoring the Future questionnaires. A.R. Herzog and J.G. Bachman, 1979, 35 pp.

7 Ecological concerns among high school seniors: 1976-1979. J.D. Miller and J.G. Bachman, 1980, 28 pp.

8 Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.

9 When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. J.G. Bachman and P.M. O'Malley, 1980, 12 pp.

10 High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980. A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)

11 Changes in drug use after high school as a function of role status and social environment. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.

12 Trends in high school seniors' views of the military. J.G. Bachman, 1981, 28 pp.

13 Marijuana decriminalization: The impact on youth 1975-1980. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.

14 Period, age, and cohort effects on substance use among American youth 1976-1982. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.

15 Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982. L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.

16 The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth. J.G. Bachman and P.M. O'Malley, 1983, 30 pp.

18 The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school. J.G. Bachman, L.D. Johnston, P.M. O`Malley, and D.E. Bare, 1985, 135 pp.

19 Changes in marijuana use linked to changes in perceived risks and disapproval. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.

20 Correlates of employment among high school seniors. J.G. Bachman, D.E. Bare, and E.I. Frankie, 1986, 105 pp.

21 Change and consistency in the correlates of drug use among high school seniors: 1975-1986. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.

22 Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.

23 Sex differences in adolescents' health-threatening behaviors: What accounts for them? A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.

24 Student drug use in America: Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.

25 Drug use among American college students and their non college age peers. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.

26 Reducing drug use in America: A perspective, a strategy, and some promising approaches. L.D. Johnston, 1988, 57 pp.

28 Minimum drinking age laws effects on American youth 1976-1987 P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.

29 Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.

30 Drug use among black, white, hispanic, native American, and asian American high school seniors (1976-1989): Prevalence, trends, and correlates. J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.

31 The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987 L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.

32 Part-time work by high school seniors: Sorting out correlates and possible consequences. J.G. Bachman, and J. Schulenberg, 1991, 154 pp.

33 Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.

34 The Aims and Objectives of the Monitoring the Future Study and Progress Toward Fulfilling Them. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996.

38 The Monitoring the Future Project After Twenty-Two Years: Design and Procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996.

CHAPTERS

Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (In press). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J.Brooks-Gunn, & A.C. Petersen (Eds.) Transitions through adolescence: Interpersonal domains and contexts. Hillsdale, NJ: Lawrence Erlbaum.

Bachman, J.G., Wadsworth, K.N., O'Malley, P.M., Schulenberg, J., & Johnston, L.D. (In press). Marriage, divorce, and parenthood during the transition to young adulthood: Impacts on drug use and abuse. In J. Schulenberg, J. Maggs, & K. Hurrelman (Eds.), Health risks and developmental transitions during adolescence. New York: Cambridge University Press.

Johnston, L.D., and O'Malley, P.M. (in press). Internal consistency and changes in self-reported drug use over time. In Harrison, L. (Ed.), Validity of self-reported drug use: Improving the accuracy of survey estimates. (NIDA Research Monograph). Rockville, MD: National Institute on Drug Abuse.

Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), Psychological responses to social change: Human development in changing environments. Berlin: Walter de Gruyter.

Wallace, J.M.Jr., Bachman, J.G., Johnston, L.D., O'Malley, P.M.,(1995) Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In Botvin, G., Schinke, S., & Orlandi, M. (Eds.), Multi-ethnic Drug Abuse Prevention. Thousand Oaks, CA: Sage.

Bachman, J.G. (1994). Measurement of the relationship of variables over time: Trend analysis incorporating individual-level correlations among variables. In Collins, L. & Seitz, L. (Eds.) Advances in data analysis for prevention intervention research. NIDA Research Monograph 142 (NIH Pub. No. 94-3599).

Bachman, J.G. & Wallace, J.M., Jr. Religion and drug use. In Clayton, R. (Ed.) Encyclopedia of drugs and alcohol. Macmillian Publishing.

Wallace, J.M.Jr., Bachman, J.G.(1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M.R.De LaRosa and J.R. Adrados (Eds.) Drug Abuse Among Minority Youth: Advances in Research and Methodology (pp 167-200). NIDA Research Monograph 130. Rockville, MD.

Segal, D.R., & Bachman, J.G. (1993). Change in the all-volunteer-force: Reflection in youth attitudes. In M. Eitelberg & S. Mehay (Eds.) Marching toward the twenty-first century: Military manpower issues for the future force. Greenwood press.

Wallace, J. M. & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa (Ed.) Drug abuse among minority youth: Advances in research and methodology. NIDA Research Monograph.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. In Schydlower, M. & Rogers, P.D. (Eds.) Adolescent Medicine: Adolescent Substance Abuse and Addictions (pp.227-249). Philadelphia, PA: Hanley & Belfus, Inc.

Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) Drug abuse prevention research: Methodological issues. (NIDA Research Monograph). Washington, DC: National Institute on Drug Abuse.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), The epidemiology of cocaine use. Washington, DC: National Institute on Drug Abuse.

Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Ginn (Eds.) Encyclopedia of adolescence. New York, NY: Garland.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.

Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.

Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.

Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it Memorex(TM)? In P. Shoemaker (Ed.), Communication campaigns about drugs: Government, media, and the public (pp. 97-1 1 1). Hillsdale, NJ: Lawrence Erlbaum.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), Research on the quality of life (pp. 215-234). Ann Arbor, MI: Institute for Social Research.

Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), Etiology of drug abuse: Implications for prevention. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L.N. Robins (Ed.), Studying drug abuse (pp. 117-136). New Brunswick, NJ: Rutgers University Press.

Johnston, L.D. & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), Alcohol and the developing brain (pp. 161-170). New York: Raven Press.

Johnston, L.D. & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), Self-report methods of estimating drug use. Meeting current challeges to validity. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), Cocaine use in America: Epidemiologic and clinical perspectives. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.

Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), The social psychology of the self-concept. Arlington Heights, IL: AMH Press.

Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In Marijuana: The national impact on education (pp. 8-13). New York: American Council on Marijuana.

Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), Treating the marijuana dependent person (pp. 8-14). New York: American Council on Marijuana.

Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), The yearbook of substance use and abuse (Vol. 2). New York: Human Sciences Press.

Brooke, E., & Johnston, L.D. (1979). The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.

Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), Longitudinal research on drug use: Empirical findings and methodological issues (pp. 137-156). Washington, DC: Hemisphere Publishing.

Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), The epidemiology of drug abuse: Current issues. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), The epidemiology of heroin and other narcotics. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), Understanding adolescence (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.

Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), Operational definitions in socio-behavioral drug use research. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., and Johnston, L.D. (1995). Racial/Ethnic Differences in Adolescent Drug Use. In G.J. Botvin, S. Schinke, and M.A. Orlandi (Eds.), Drug Abuse Prevention with Multiethnic Youth (pp. 59-80). Sage Publications, Inc.

Wallace, J.M., Jr., Bachman, J.G., "Validity of Self-Reports in Student-Based Studies on minority Populations: Issues and Concerns." In M.R. De La Rosa; and J.L.R. Adrados (Eds.), Drug Abuse Among Minority Youth: Advances in Research and Methodology, NIDA Research Monograph 130, (1993):167-200.

JOURNAL ARTICLES

Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (in press). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. Developmental Psychology.

Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. Journal of Studies on Alcohol, 57, 1-15.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995). Adolescent substance use: Epidemiology and implications for public policy. Pediatrics Clinics of North America, 42, 241-260.

Wallace, J.M.,Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. African-American Research Perspectives. 1(1):31-35.

Bachman, J.G., Wallace, J.M. Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. American Journal of Public Health, 81, 372-377.

O'Malley, P.M. & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. Journal of Studies on Alcohol, 52, 478-491.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. Journal of Health and Social Behavior, 31, 173-184.

Johnston, L.D. (1989). The survey technique in drug abuse assessment. Bulletin on Narcotics, 41, 29-40.

Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. Criminology, 27, 389-417.

Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. Journal of Health and Social Behavior, 29, 92-112.

Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. Social Psychology Quarterly, 51, 329-345.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. American Journal of Public Health, 78, 1315-1321.

Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. American Sociological Review, 53, 81-93.

Bachman, J.G. (1987). An eye on the future. Psychology Today, 21(7), 6-8.

Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. Armed Forces and Society, 13(2), 169-187.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. Journal of Adolescent Health Care, 8, 36-51.

Bachman, J.G. (1986). Effects of early marriage on substance abuse. Medical Aspects of Human Sexuality, 20(10), 15.

Bachman, J.G. & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). Journal of Personality and Social Psychology, 50, 35-46.

Diamond, G. & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. International Journal of Mental Health, 15, 210-241.

Johnston, L.D. & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. Journal of Drug Issues, 16, 29-66.

Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)

Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. Journal of Personality and Social Psychology, 47, 629-645.

Bachman, J.G. & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? American Journal of Sociology, 90, 624-639.

Bachman, J.G. & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? Public Opinion Quarterly, 48, 491-509.

O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? Preventive Medicine, 13, 421426.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. American Journal of Public Health, 74, 682-688.

Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. Armed Forces and Society, 10(1), 86-104.

Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? Economic Outlook U.S.A., 10(3), 64-67.

Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. International Review of Applied Psychology, 32, 347-360.

Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. Sex Roles, 9(1), 109-135. (Work funded by NIE.)

Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. Contemporary Drug Problems, 10, 463-480.

Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? The U.S. Journal of Drug and Alcohol Dependence, 7, 7.

O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. Developmental Psychology, 19, 257-268.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. International Journal of the Addictions, 18, 805-824.

Bachman, J.G. (1981). Youth views about the military: Recent trends. Economic Outlook U.S.A., 8(3), 61-65.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. American Journal of Public Health, 71, 59-69.

Bachman, J.G. & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. Public Opinion Quarterly, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, Survey research methods. Chicago: Univ. of Chicago Press.)

Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. Youth and Adolescence, 10, 407-441.

Herzog, A.R. & Bachman, J.G. (1981). Effects of questionnaire length on response quality. Public Opinion Quarterly, 45(4), 549-559.

Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in Connections, 1981, 1(4), 11-14.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. Economic Outlook U.S.A., 7(2), 39-42.

Bachman, J.G. & Johnston, L.D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.

O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. Journal of Personality and Social Psychology, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, Social psychology of the self-concept. Arlington Heights, IL: AHM Press.)

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. Science Teacher, 45(6), 26-31.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. Youth and Society, 10, 65-77.

Segal, D.R. & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. Youth and Society, 10, 47-64.

Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. Youth and Society, 10, 127-134.

Bachman, J.G. & Johnston, L.D. (1976). Drug use among American youth. Economic Outlook U.S.A., 3, 32-33.

TESTIMONY AND COMMISSIONED PAPERS

Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in The Congressional Record, 134:89, D774.

Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in The Congressional Record, 134:87, D756.

Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in Advertising of tobacco products (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).

Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in Beer and wine advertising: Impact of electronic media (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).

Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in Alcohol Advertising (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).

Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In Health consequences of marijuana use (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).

O'Malley, P.M. & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commisssion Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

Johnston, L.D. (1986, August). Policy issues and the drug abuse problem in America: Overview, critique, and recommendations. Paper commissioned by the Kaiser Family Foundation, 25 pp. (From author.)

Johnston, L.D. (1977). Drug use among American youth: Selected findings and recommendations. Paper commissioned by the White House Office of Drug Abuse Policy, Washington, DC, 22 pp. (From author.)

APPENDIX B

SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

SAMPLE SIZE AND STUDENT RESPONSE RATES
(continued)

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%

	1993	1994	1995	1996	1997
# Public Schools	121	119	120	118	125
# Private Schools	18	20	24	21	21
Total # Schools	139	139	144	139	146
Total # Students	16,763	15,929	15,876	14,824	15,963
Student Response Rate (%) *	84%	84%	84%	83%	83%

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.

Table 1

SUBJECT AREA KEY

(Referenced by letter in the Question Index)

A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.

A01 Use of Various Licit and Illicit Drugs
- A01a - . . . in lifetime
- A01b - . . . in the last 12 months
- A01c - . . . in the last 30 days
- A01d -Quantity used
- A01e -How high? (How often?)
- A01f -How long high?
- A01g -Incidence of first use
- A01h -Use with other drugs
- A01i -Try to stop?
- A01j -Use on doctor's orders?
- A01k -Bad trip?
- A01l -Kinds of drugs

A02 Exposure to Drug Use
- A02a -Friends' use of drugs
- A02b -Exposure to users

A03a Availability of Drugs

A04a Expected Future Use

A05 Conditions of Use
- A05a -Alone
- A05b -With others
- A05c -Settings (at school, at home, etc.)
- A05d -Mode of drug administration

A06 Reasons for Use, Abstention, and Stopping
- A06a -Reasons for drug use
- A06b -Reasons for abstention from, or stopping drug use

A07 Drug Problems
- A07a -Driving, tickets, and accidents after use
- A07b -Other problems

A08a Sources of Help and Treatment regarding Drugs

A09 Others' Awareness of Use
- A09a -Parental awareness of use
- A09b -Others' awareness of use
- A09c -Police awareness of use

A10 Drug Education and Communication
- A10a -In school
- A10b -In the mass media

A11 Own Attitudes regarding Drugs and Drug Users
- A11a -For adults
- A11b -For own children
- A11c -Perception of drug users
- A11d -Use by high school age people

A12 Others' Attitudes regarding Drugs and Drug Users
- A12a -Parents
- A12b -Friends and students
- A12c -Perception of drug users

A13 Legal Issues regarding Drugs
- A13a -Preferred legality for adults
- A13b -Own response to legalization
- A13c -Knowledge of marijuana laws

A14 Risk of Drug Harm
- A14a -To self
- A14b -To others

A15a Admitting Use in Questionnaire

A16a Parent Groups

A17 Role Models in the Larger Environment
- A17a -Perceived use of drugs
- A17b -Perceived attitudes regarding drugs

B. EDUCATION.

B01 High school: scholastic status, objectives, experiences

B02 Combining work and school: attitudes, experiences

B03 Interracial contact at school

B04 Student norms, misbehavior in class

B05 Counseling

B06 Absenteeism and truancy

B07 Delinquency, victimization and feeling safe at school

B08 Opinions regarding competency testing

B09 Post high school: status, plans, characteristics

B10 Attitudes regarding educational institutions

B11 High school: length of experiences

C. WORK AND LEISURE

C01 Present or recent work experience

C02 Income sources; financial security

C03 Vocational plans, aspirations, expectations

C04 Preferences regarding job characteristics

C05 Desirability of different working arrangements and settings

C06 Work ethic/success orientation

C07 Leisure time: extent, activities

C08 Attitudes toward leisure time

D. SEX ROLES AND FAMILY.

D01 Dating and marriage: status, attitudes, expectations

D02 Parenthood: status, attitudes, expectations

D03 Values surrounding marriage and family

D04 Preferences regarding marital/familial arrangements

D05 Sex role attitudes

D06 Opinions regarding sex discrimination

E. POPULATION CONCERNS.

E01 Overpopulation

E02 Birth control

F. CONSERVATION, MATERIALISM, EQUITY, ETC.

F01 Personal materialism

F02 Societal materialism and advertising

F03 Concern with world hunger and poverty

F04 Ecological concerns

F05 Concern with conservation of resources

F06 Preferences regarding dwelling type and urbanicity

F07 Driving and use of mass transit

G. RELIGION. Religious preferences, activities, views.

H. POLITICS.

H01 Political interest and preferences

H02 Attitudes toward governmental policies and practices

H03 Views about the role of citizens in government (See also I02: Attitudes regarding activism)

H04 Confidence in government

H05 Voting, political activism

I. SOCIAL CHANGE.

I01 Expectations concerning societal change

I02 Attitudes regarding activism

I03 Reactions to personal and social change

J. SOCIAL PROBLEMS. Interest and concerns

K. MAJOR SOCIAL INSTITUTIONS.

K01 Trust (See also C05: Institutions as work settings)

K02 Satisfaction with performance

K03 Preferred influence

L. MILITARY.

L01 Plans for military service

L02 Attitudes toward a draft

L03 Views about the use of military force

L04 Attitudes toward the military as an institution and occupation

M. INTERPERSONAL RELATIONSHIPS.

M01 Dating

M02 Cross-age relationships with adults outside the family (See also B05)

M03 Agreement/disagreement with parents

M04 Friendships (See also Q03: Loneliness)

M05 Community at large

N. RACE RELATIONS.

N01 Preferred interracial contact

N02 Attitudes about discrimination

N03 Actual interracial contacts

O. CONCERN FOR OTHERS.

O01 Attitudes regarding social service, charitable activism

O02 Involvement in community, altruistic activities

O03 Concern with the problems of others

P. HAPPINESS.

P01 Happiness: satisfaction with life and self

P02 Satisfaction with specific life domains

Q. OTHER PERSONALITY VARIABLES.

Q01 Attitudes about self, self-esteem

Q02 Locus of control

Q03 Loneliness

Q04 Risk taking

Q05 Trust in others

Q06 (Changed to Subject Areas T01-TO4.)

Q07 Importance placed on various life goals

Q08 Social, political, cultural orientation

Q09 Hostility

R. BACKGROUND.

R01 Age, sex, race, and marital status

R02 Family characteristics

R03 Living arrangements and household characteristics

S. DEVIANCE AND VICTIMIZATION.

S01 Delinquent behaviors

S02 Driving violations and accidents

S03 Victimization experiences

T. HEALTH.

T01 Symptoms

T02 Habits

T03 Height and weight

T04 Medical treatment

KEY TO:

"& & - renumbered in second year"

Question 4D13a was numbered 4D15a in 1988.
Question 4D15a was numbered 4D17a in 1988.

Question 4D13b was numbered 4D15b in 1988.
Question 4D15b was numbered 4D17b in 1988.

Question 4D13c was numbered 4D15c in 1988.
Question 4D15c was numbered 4D17c in 1988.
Question 4D14 was numbered 4D16 in 1988.
Question 4D16 was numbered 4D18 in 1988.

Questions 6A20a-m were numbered 6A21a-m in 1994-1995.
Question 6A17p was numbered 6A18p in 1994-1995.

Questions 6A15a-c were numbered 6A16a-c in 1994-1995.
Questions 6A16a-c were numbered 6A17a-c in 1994-1995.

Question 4E11 was numbered 4E10 in 1988.
Questions 4E12a-d were numbered 4E11a-d in 1988.
Questions 6A19a-o were numbered 6A20a-o in 1994-1995.

Questions 4E08a-m were numbered 4E07a-m in 1988.

Questions 6A18a-o were numbered 6A19a-o in 1994-1995.

Questions 5E09-11 were numbered 5E014-16 in 1981.
Questions 4E09a-c were numbered 4E08a-c in 1988.
Questions 4E10a-d were numbered 4E09a-d in 1988.

Question 6A14 was numbered 6A15 in 1994-1995.
Questions 6A15a-c were numbered 6A16a-c in 1994-1995.
Questions 6A16a-c were numbered 6A17a-c in 1994-1995.

Questions 5E08a-g were numbered 5E13a-g in 1981.
Questions 6A17c and 6A17n were numbered 6A18c and 6A18n in 1994-1995.

Questions 5D04a-f were numbered 5D02a-f in 1981.

Question 4E07b was numbered 4E06b in 1988.

Question 4E07k was numbered 4E06k in 1988.

Question 4E07I was numbered 4E06I in 1988.

Questions 4E07n-o were numbered 4E06n-o in 1988.

Questions 4E07a-o were numbered 4E06a-o in 1988.
Questions 6A17a-b were numbered 6A18a-b in 1994-1995.

Question 4E07m was numbered 4E06m in 1988.

Questions 6A17a-q were numbered 6A18a-q in 1994-1995.

Questions 5E08a-g were numbered 5E13a-g in 1981.