ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Diet Behavior and Alcohol Consumption

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Questionnaire: Diet Behavior and Alcohol Consumption

SEQN	Respondent sequence number

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number.

DBQ010 Ever breastfed or fed breastmilk

Location: 5-7 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Mos. - 6 Yrs.) Version 1.0 English Text: Now I'm going to ask you some general questions

about {SP's} eating habits. Was {SP} ever breastfed or fed breastmilk? English Instructions:< blank

>

Value	Label	Unweighted Frequency	%
1	Yes	1078	10.8 %
2	No (Skip to: DBD040)	654	6.6 %
9	Don't know (Skip to: DBD040)	6	0.1 %
. (M)	-	8227	82.6 %

DBD020 Age started eating other foods (days)

Location: 8-13 (width: 6; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: How old was {SP} when {he/she} was first fed

something other than breastmilk or water? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never (Skip to: DBD085)	37	0.4 %
1	-	175	1.8 %
2	-	26	0.3 %
3	-	16	0.2 %
4	-	6	0.1 %
5	-	4	0.0 %
6	-	4	0.0 %
7	-	27	0.3 %
8	-	1	0.0 %
11	-	1	0.0 %
13	-	1	0.0 %
14	-	52	0.5 %
21	-	32	0.3 %
28	-	6	0.1 %
30	-	64	0.6 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
35	-	6	0.1 %
42	-	23	0.2 %
45	-	1	0.0 %
56	-	6	0.1 %
60	-	82	0.8 %
63	-	3	0.0 %
70	-	5	0.1 %
77	-	1	0.0 %
91	-	131	1.3 %
121	-	144	1.4 %
152	-	39	0.4 %
182	-	107	1.1 %
212	-	11	0.1 %
243	-	16	0.2 %
273	-	11	0.1 %
304	-	4	0.0 %
334	-	3	0.0 %
364	-	6	0.1 %
365	-	13	0.1 %
395	-	1	0.0 %
425	-	4	0.0 %
486	-	2	0.0 %
547	-	2	0.0 %
730	-	2	0.0 %
999999	Don't know (Skip to: DBD085)	3	0.0 %
. (M)	-	8887	89.2 %

DBD030

Age stopped breastfeeding(days)

Location: 14-17 (width: 4; decimal: 0)

Variable Type:

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: How old was {SP} when {he/she} completely

stopped breastfeeding or being fed breastmilk? English Instructions:

Value	Label	Unweighted Frequency	%
0	Still breastfeeding	130	1.3 %
1	-	8	0.1 %
2	-	11	0.1 %
3	-	8	0.1 %
4	-	7	0.1 %
5	-	2	0.0 %
6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7	-	23	0.2 %
8	-	1	0.0 %
13	-	1	0.0 %
14	-	47	0.5 %
15	-	3	0.0 %
21	-	27	0.3 %
28	-	4	0.0 %
30	-	73	0.7 %
35	-	2	0.0 %
42	-	22	0.2 %
45	-	2	0.0 %
49	-	2	0.0 %
56	-	6	0.1 %
60	-	73	0.7 %
63	-	1	0.0 %
70	-	6	0.1 %
77	-	1	0.0 %
84	-	1	0.0 %
91	-	104	1.0 %
98	-	2	0.0 %
105	-	1	0.0 %
121	-	74	0.7 %
152	-	39	0.4 %
182	-	87	0.9 %
212	-	25	0.3 %
243	-	40	0.4 %
273	-	31	0.3 %
304	-	14	0.1 %
315	-	1	0.0 %
334	-	13	0.1 %
364	-	22	0.2 %
365	-	54	0.5 %
395	-	4	0.0 %
425	-	12	0.1 %
456	-	8	0.1 %
486	-	1	0.0 %
516	-	4	0.0 %
547	-	13	0.1 %
577	-	1	0.0 %
608	-	2	0.0 %

Value	Label	Unweighted Frequency	%
668	-	3	0.0 %
699	-	1	0.0 %
730	-	16	0.2 %
912	-	2	0.0 %
1064	-	2	0.0 %
1460	-	1	0.0 %
. (M)	-	8926	89.6 %

DBD040

Age fed formula daily basis(days)

Location: 18-23 (width: 6; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: How old was {SP} when {he/she} was first fed formula on a daily basis? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never on a daily basis (Skip to: DBD060)	168	1.7 %
1	-	768	7.7 %
2	-	33	0.3 %
3	-	21	0.2 %
4	-	7	0.1 %
5	-	4	0.0 %
6	-	5	0.1 %
7	-	28	0.3 %
9	-	1	0.0 %
10	-	2	0.0 %
11	-	2	0.0 %
13	-	2	0.0 %
14	-	44	0.4 %
15	-	3	0.0 %
16	-	1	0.0 %
21	-	28	0.3 %
28	-	6	0.1 %
30	-	71	0.7 %
31	-	1	0.0 %
35	-	2	0.0 %
42	-	23	0.2 %
45	-	2	0.0 %
49	-	1	0.0 %
56	-	6	0.1 %
60	-	75	0.8 %
63	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
70	-	3	0.0 %
84	-	1	0.0 %
90	-	1	0.0 %
91	-	103	1.0 %
98	-	1	0.0 %
105	-	2	0.0 %
121	-	61	0.6 %
152	-	35	0.4 %
182	-	76	0.8 %
212	-	20	0.2 %
243	-	23	0.2 %
273	-	25	0.3 %
304	-	6	0.1 %
334	-	4	0.0 %
364	-	4	0.0 %
365	-	14	0.1 %
425	-	2	0.0 %
456	-	1	0.0 %
547	-	2	0.0 %
999999	Don't know	10	0.1 %
. (M)	-	8266	83.0 %

DBD050

Age when stopped receiving formula(days)

Location: 24-29 (width: 6; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: How old was {SP} when {he/she} completely stopped drinking formula? English Instructions:

Value Unweighted % Label Frequency 0 Still drinking formula 376 3.8 % 0.0 % 1 4 7 0.0 % 1 21 0.0 % 1 30 3 0.0 % 2 0.0 % 35 0.0 % 60 3 0.0 % 91 121 8 0.1 % 152 4 0.0 % 182 31 0.3 % 212 15 0.2 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
243	-	41	0.4 %
273	-	58	0.6 %
304	-	84	0.8 %
334	-	65	0.7 %
364	-	141	1.4 %
365	-	543	5.4 %
395	-	15	0.2 %
425	-	16	0.2 %
456	-	11	0.1 %
486	-	11	0.1 %
516	-	4	0.0 %
547	-	37	0.4 %
608	-	1	0.0 %
668	-	2	0.0 %
729	-	1	0.0 %
730	-	38	0.4 %
1095	-	3	0.0 %
999999	Don't know	11	0.1 %
. (M)	-	8434	84.6 %

DBD060

Age first fed milk daily basis(days)

Location: 30-35 (width: 6; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: How old was {SP} when {he/she} was first fed milk on a daily basis? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never on a daily basis	414	4.2 %
1	-	20	0.2 %
2	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
7	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
14	-	3	0.0 %
30	-	8	0.1 %
35	-	2	0.0 %
77	-	1	0.0 %
91	-	5	0.1 %
105	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
121	-	6	0.1 %
152	-	4	0.0 %
182	-	38	0.4 %
212	-	20	0.2 %
243	-	47	0.5 %
273	-	67	0.7 %
304	-	93	0.9 %
334	-	78	0.8 %
364	-	141	1.4 %
365	-	589	5.9 %
395	-	14	0.1 %
425	-	15	0.2 %
456	-	14	0.1 %
486	-	5	0.1 %
516	-	4	0.0 %
547	-	38	0.4 %
577	-	3	0.0 %
608	-	2	0.0 %
638	-	1	0.0 %
668	-	1	0.0 %
729	-	1	0.0 %
730	-	41	0.4 %
1095	-	4	0.0 %
1276	-	1	0.0 %
1460	-	1	0.0 %
1825	-	1	0.0 %
999999	Don't know	8	0.1 %
. (M)	-	8267	83.0 %

DBQ070A Type of milk first fed - whole milk

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Mos. - 6 Yrs.) Version 1.0 English Text: What type of milk was {SP} first fed on a daily

basis? Was it . . . English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
10	Whole or regular	1046	10.5 %
99	Don't know	3	0.0 %
. (M)	-	8916	89.5 %

DBQ070B Type of milk first fed - 2% milk

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Mos. - 6 Yrs.) Version 1.0 English Text: What type of milk was {SP} first fed on a daily

basis? Was it . . . English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
11	2% fat milk (includes low fat milk not further specified)	179	1.8 %
. (M)	-	9786	98.2 %

DBQ070C Type of milk first fed - 1% milk

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Mos. - 6 Yrs.) Version 1.0 English Text: What type of milk was {SP} first fed on a daily

basis? Was it . . . English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
12	1% fat milk	12	0.1 %
. (M)	-	9953	99.9 %

DBQ070D Type of milk first fed - skim/nonfat

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Mos. - 6 Yrs.) Version 1.0 English Text: What type of milk was {SP} first fed on a daily

basis? Was it . . . English Instructions:CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
13	Skim, nonfat, or 0.5% fat milk (liquid/reconstituted f/dry)	10	0.1 %
. (M)	-	9955	99.9 %

DBD070J Type of milk first fed - other

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: What type of milk was {SP} first fed on a daily

basis? Was it . . . English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
19	Another type	44	0.4 %
. (M)	-	9921	99.6 %

DBD080 Age started eating solid foods(days)

Location: 51-56 (width: 6; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. - 6 Yrs.) Version 1.0 English Text: How old was {SP} when {he/she} started eating

solid foods [such as strained foods like baby food or any other nonliquid foods] on a daily basis?

English Instructions:

Value	Label	Unweighted Frequency	%
0	Never on a daily basis	133	1.3 %
1	-	2	0.0 %
3	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
14	-	8	0.1 %
21	-	5	0.1 %
28	-	2	0.0 %
30	-	21	0.2 %
42	-	8	0.1 %
49	-	1	0.0 %
56	-	1	0.0 %
60	-	51	0.5 %
63	-	1	0.0 %
70	-	3	0.0 %
77	-	1	0.0 %
91	-	201	2.0 %
98	-	3	0.0 %
121	-	338	3.4 %
152	-	180	1.8 %
182	-	381	3.8 %
212	-	62	0.6 %
243	-	75	0.8 %
273	-	46	0.5 %
304		39	0.4 %
334	-	9	
	-	12	0.1 %
364	-	73	0.1 %
365	-		
395	-	3	0.0 %
425	-	6	0.1 %
456	-	1	0.0 %
486	-	1	0.0 %
516	-	2	0.0 %
547	-	9	0.1 %
730	-	7	0.1 %
912	-	1	0.0 %
1095	-	2	0.0 %
999999	Don't know	8	0.1 %
. (M)	-	8266	83.0 %

Location: 57-60 (width: 4; decimal: 0)

Variable Type: numeric

Question:

Target: B(1 Yrs. - 120 Yrs.) Version 2.0 English Text: {Next I have some general questions about {your/SP's} eating habits.} {First/Next} are questions about the kinds of food {you eat/SP eats}. On average, how many times per week {do you/does SP} eat meals that were prepared in a restaurant? Please include eat-in restaurants, carry out restaurants and restaurants that deliver food to your house. English Instructions:

Value	Label	Unweighted Frequency	%
0	Never	1272	12.8 %
1	-	2301	23.1 %
2	-	1538	15.4 %
3	-	1017	10.2 %
4	-	485	4.9 %
5	-	521	5.2 %
6	-	128	1.3 %
7	-	320	3.2 %
8	-	59	0.6 %
9	-	17	0.2 %
10	-	76	0.8 %
11	-	4	0.0 %
12	-	20	0.2 %
13	-	2	0.0 %
14	-	40	0.4 %
15	-	15	0.2 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	2	0.0 %
21	-	9	0.1 %
6666	Less than weekly	1654	16.6 %
7777	Refused	5	0.1 %
9999	Don't know	5	0.1 %
. (M)	-	473	4.7 %

DBQ095 Type of salt used at table

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1

Target: B(1 Yrs. - 120 Yrs.) Version 2.0 English Text: What type of salt {do you/does SP} usually add to {your/his/her/SP's} food at the table? Would you say . . . English Instructions: CAPI INSTRUCTION: IF SP AGE <= 5, DISPLAY "DO YOU" FOR FIRST DISPLAY AND {SP'S} FOR SECOND DISPLAY.

Value	Label	Unweighted Frequency	%
1	regular/iodized, sea, and seasoning salts	4338	43.5 %
2	Lite salt, or (Skip to: DBD105)	217	2.2 %

Value	Label	Unweighted Frequency	%
3	Salt substitute? (Skip to: DBD105)	94	0.9 %
4	Doesn't use or add salt products at the table (Skip to: DBD105)	4837	48.5 %
7	Refused (Skip to: DBD105)	5	0.1 %
9	Don't know (Skip to: DBD105)	1	0.0 %
. (M)	-	473	4.7 %

DBQ100 How often add salt to food at table

Location: 64-66 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: How often {do you/does SP} add ordinary salt to {your/his/her/SP's} food at the table? Would you say . . . English Instructions: CAPI INSTRUCTION:

IF SP AGE <= 5, DISPLAY "DO YOU" FOR FIRST DISPLAY AND {SP'S} FOR SECOND DISPLAY.

Value	Label	Unweighted Frequency	%
1	Rarely	1652	16.6 %
2	Occasionally	1506	15.1 %
3	Very often	1180	11.8 %
. (M)	-	5627	56.5 %

DBQ110 Ever eat poultry

Location: 67-69 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 120 Yrs.) Version 1.0 English Text: {Do you/Does SP} ever eat poultry such as

chicken and turkey? Please include foods that are made with poultry such as soups, sandwiches, stews and salads. English Instructions:IF EATEN RARELY OR OCCASIONALLY, ENTER 'YES'

Value	Label	Unweighted Frequency	%
1	Yes	7160	71.9 %
2	No (Skip to: DBQ130)	128	1.3 %
7	Refused (Skip to: DBQ130)	5	0.1 %
. (M)	-	2672	26.8 %

DBQ120 When eat poultry, how often eat skin

Location: 70-72 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 120 Yrs.) Version 1.0 English Text: When {you eat/SP eats} chicken or other

types of poultry, how often {do you/does s/he} eat the skin? Would you say . . . English Instructions:<

blank >

'	Value	Label	Unweighted Frequency	%
()	Never	2750	27.6 %
	1	Rarely or seldom	1106	11.1 %

Value	Label	Unweighted Frequency	%
2	Sometimes or occasionally	1177	11.8 %
3	Often or very often	508	5.1 %
4	Always	1619	16.2 %
. (M)	-	2805	28.1 %

DBQ130

Ever eat beef, pork, lamb or veal

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 120 Yrs.) Version 2.0 English Text: {Do you/Does SP} ever eat meat such as

beef, pork, lamb and veal? Please include foods that are made with meat such as soups, stews, sandwiches, lunch meats, and casseroles. English Instructions:IF EATEN RARELY OR

OCCASIONALLY, ENTER 'YES'

Value	Label	Unweighted Frequency	%
1	Yes	6963	69.9 %
2	No (Skip to: DBD195)	325	3.3 %
7	Refused (Skip to: DBD195)	5	0.1 %
. (M)	-	2672	26.8 %

DBQ140

When eating meat, ever eat visible fat

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs.- 120 Yrs.) Version 1.0 English Text: When {you eat/SP eats} meat, how often {do

you/does s/he} eat the visible fat? [Visible fat is the fat tissue that you may see around the edge of

a piece of meat.] Would you say . . . English Instructions:< blank >

Value	Label	Unweighted Frequency	%
0	Never	4376	43.9 %
1	Rarely or seldom	1160	11.6 %
2	Sometimes or occasionally	764	7.7 %
3	Often or very often	202	2.0 %
4	Always	459	4.6 %
9	Don't know	2	0.0 %
. (M)	-	3002	30.1 %

DBD195

Past 30 day milk product consumption

Location: 79-81 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 2.0 English Text: Now I'm going to ask a few questions about

milk products. Do not include their use in cooking. In the past 30 days, how often did {you/SP} have milk to drink or on {your/his/her} cereal? Please include chocolate and other flavored milks as well as hot cocoa made with milk. Do not count small amoun of milk added to coffee or tea. Would you

say... English Instructions: HAND CARD DBQ3

Value	Label	Unweighted Frequency	%
0	Never (Skip to: DBD225)	825	8.3 %
1	Rarely-less than once a week	738	7.4 %
2	Sometimes-once a week or more, but less than once a day	2125	21.3 %
3	Often-once a day or more	5704	57.2 %
4	Varied	83	0.8 %
7	Refused (Skip to: DBD225)	6	0.1 %
9	Don't know (Skip to: DBD225)	11	0.1 %
. (M)	-	473	4.7 %

DBQ220A

You drink whole or regular milk

Location: 82-84 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs.- 120 Yrs.) Version 1.0 English Text: What type of milk was it? Was it usually . . .

English Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
10	Whole or regular	4542	45.6 %
99	Don't know	21	0.2 %
. (M)	-	5402	54.2 %

DBQ220B

You drink 2% fat milk

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: What type of milk was it? Was it usually . . .

English Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
11	2% fat milk (includes low fat milk not further specified)	2785	27.9 %
. (M)	-	7180	72.1 %

DBQ220C

You drink 1% fat milk

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: What type of milk was it? Was it usually . . .

English Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
12	1% fat milk	547	5.5 %
. (M)	-	9418	94.5 %

DBQ220D

You drink skim, nonfat or .5% milk

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: What type of milk was it? Was it usually . . .

English Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
13	Skim, nonfat, or 0.5% fat milk (liquid/reconstituted f/dry)	851	8.5 %
. (M)	-	9114	91.5 %

DBD220J You drank another type of milk

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: What type of milk was it? Was it usually . . .

English Instructions: IF RESPONDENT CANNOT PROVIDE USUAL TYPE, CODE ALL THAT APPLY.

Value	Label	Unweighted Frequency	%
19	Another type	171	1.7 %
. (M)	-	9794	98.3 %

DBD235A How often drank milk age 5-12

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 2.0 English Text: Now, I'm going to ask you how often {you/SP}

drank milk at different times in {your/his/her} life. How often did {you/SP} drink any type of milk, including milk added to cereal when {you were/s/he was} a child between the ages of 5 and 12 years old? Would you say... English Instructions:HAND CARD DBQ5 IF NECESSARY, PROBE FOR

USUAL OR MOST COMMON AMOUNT FOR THIS TIME PERIOD

Value	Label	Unweighted Frequency	%
0	Never	804	8.1 %
1	Rarely-less than once a week	136	1.4 %
2	Sometimes-once a week or more, but less than once a day	447	4.5 %
3	Often-once a day or more	3345	33.6 %
4	Varied	33	0.3 %
7	Refused	6	0.1 %
9	Don't know	108	1.1 %
. (M)	-	5086	51.0 %

DBD235B How often drank milk age 13-17

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 2.0 English Text: Now, I'm going to ask you how often {you/SP}

drank milk at different times in {your/his/her} life. How often did {you/SP} drink any type of milk, including milk added to cereal when {you were/s/he was} a teenager between the ages of 13 and 17 years old? Would you say... English Instructions:HAND CARD DBQ5 IF NECESSARY, PROBE FOR

USUAL OR MOST COMMON AMOUNT FOR THIS TIME PERIOD

Value	Label	Unweighted Frequency	%
0	Never	884	8.9 %
1	Rarely-less than once a week	194	1.9 %
2	Sometimes-once a week or more, but less than once a day	720	7.2 %
3	Often-once a day or more	2968	29.8 %
4	Varied	45	0.5 %
7	Refused	5	0.1 %
9	Don't know	63	0.6 %
. (M)	-	5086	51.0 %

DBD235C

How often drank milk age 18-35

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 2.0 English Text: Now, I'm going to ask you how often {you/SP} drank milk at different times in {your/his/her} life. How often did {you/SP} drink any type of milk, including milk added to cereal when {you were/s/he was} a teenager between the ages of 18 and 35 years old? Would you say... English Instructions:HAND CARD DBQ5 IF NECESSARY, PROBE FOR USUAL OR MOST COMMON AMOUNT FOR THIS TIME PERIOD

Value	Label	Unweighted Frequency	%
0	Never	958	9.6 %
1	Rarely-less than once a week	313	3.1 %
2	Sometimes-once a week or more, but less than once a day	1082	10.9 %
3	Often-once a day or more	2391	24.0 %
4	Varied	85	0.9 %
7	Refused	5	0.1 %
9	Don't know	45	0.5 %
. (M)	-	5086	51.0 %

ALD240

How often drink beer(per month)

Location: 106-110 (width: 5; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: The next questions are about alcoholic beverages. When answering think about {your/SP's} use over the past 30 days. How often did {you/SP} drink beer or lite beer? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never	3184	32.0 %
1	-	309	3.1 %
2	-	208	2.1 %
3	-	108	1.1 %
4	-	289	2.9 %
5	-	42	0.4 %

Value	Label	Unweighted Frequency	%
6	-	31	0.3 %
7	-	8	0.1 %
8	-	180	1.8 %
9	-	1	0.0 %
10	-	26	0.3 %
12	-	24	0.2 %
13	-	76	0.8 %
14	-	2	0.0 %
15	-	18	0.2 %
16	-	1	0.0 %
17	-	47	0.5 %
20	-	25	0.3 %
21	-	17	0.2 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	6	0.1 %
26	-	14	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	195	2.0 %
31	-	1	0.0 %
43	-	1	0.0 %
52	-	4	0.0 %
60	-	20	0.2 %
78	-	1	0.0 %
91	-	16	0.2 %
121	-	4	0.0 %
182	-	3	0.0 %
208	-	1	0.0 %
212	-	1	0.0 %
243	-	2	0.0 %
304	-	1	0.0 %
77777	Refused	7	0.1 %
99999	Don't know	1	0.0 %
. (M)	-	5086	51.0 %

ALD250 How often drink wine(per month)

Location: 111-115 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: [During the past 30 days] how often did

{you/SP} drink wine, wine coolers, sangria or champagne? English Instructions:

- Study 25501 -

Value	Label	Unweighted Frequency	%
0	Never	3776	37.9 %
1	-	343	3.4 %
2	-	178	1.8 %
3	-	79	0.8 %
4	-	145	1.5 %
5	-	27	0.3 %
6	-	11	0.1 %
7	-	4	0.0 %
8	-	80	0.8 %
9	-	2	0.0 %
10	-	24	0.2 %
12	-	9	0.1 %
13	-	35	0.4 %
14	-	4	0.0 %
15	-	5	0.1 %
17	-	15	0.2 %
20	-	11	0.1 %
21	-	12	0.1 %
23	-	1	0.0 %
25	-	2	0.0 %
26	-	2	0.0 %
30	-	93	0.9 %
36	-	1	0.0 %
49	-	1	0.0 %
60	-	7	0.1 %
86	-	1	0.0 %
91	-	3	0.0 %
77777	Refused	7	0.1 %
99999	Don't know	1	0.0 %
. (M)	-	5086	51.0 %

ALD260

How often drink hard liquor(per month)

Location: 116-120 (width: 5; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: [During the past 30 days] how often did {you/SP} drink hard liquor such as tequila, gin, vodka, scotch, rum, whiskey, or liqueurs, either alone or mixed? English Instructions:

Value	Label	Unweighted Frequency	%
0	Never	3848	38.6 %
1	-	343	3.4 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
2	-	170	1.7 %
3	-	66	0.7 %
4	-	136	1.4 %
5	-	26	0.3 %
6	-	20	0.2 %
7	-	5	0.1 %
8	-	64	0.6 %
10	-	9	0.1 %
12	-	3	0.0 %
13	-	18	0.2 %
15	-	16	0.2 %
16	-	2	0.0 %
17	-	12	0.1 %
20	-	13	0.1 %
21	-	6	0.1 %
25	-	6	0.1 %
26	-	1	0.0 %
30	-	88	0.9 %
43	-	1	0.0 %
60	-	13	0.1 %
91	-	2	0.0 %
121	-	1	0.0 %
182	-	1	0.0 %
77777	Refused	7	0.1 %
99999	Don't know	2	0.0 %
. (M)	-	5086	51.0 %

DBD270A

Helping of protein food eaten/day

Location:

121-124 (width: 4; decimal: 0)

Variable Type:

numeric

Question:

Target: B(60 Yrs. - 120 Yrs.) Version 2.0 English Text: The next questions are about the amount of food {you/SP}eat{s}. On an average day, how many helpings of the following kinds of foods {do you/does SP} eat? Protein foods, such as meat, fish, seafood, chicken, or turkey, or eggs. Also include protein foods, such as peanut butter or foods that are mad from dried beans such as bean soup, baked beans, or refried beans, meat substitutes and soy protein foods such as tofu. English Instructions:HAND CARD DBQ6 CAPI INSTRUCTION: RESPONDENT SHOULD DEFINE `HELPINGS'

Value	Label	Unweighted Frequency	%
0	None, never, or rarely eat these foods	58	0.6 %
1	-	721	7.2 %
2	-	710	7.1 %

Value	Label	Unweighted Frequency	%
3	-	254	2.5 %
4	-	46	0.5 %
5	-	22	0.2 %
6	-	5	0.1 %
7	-	3	0.0 %
11	-	1	0.0 %
17	-	1	0.0 %
7777	Refused	4	0.0 %
9999	Don't know	8	0.1 %
. (M)	-	8132	81.6 %

DBD270B

Helping of milk/dairy foods eaten/day

Location: 125-128 (width: 4; decimal: 0)

Variable Type: numeric

Question:

Target: B(60 Yrs. - 120 Yrs.) Version 2.0 English Text: On an average day, how many helpings of the following kinds of foods {do you/does SP} eat? Milk or dairy foods that are made from milk, such as cheese, cottage cheese, ice cream, milk shakes, or yogurt. English Instructions:CAPI INSTRUCTION: RESPONDENT SHOULD DEFINE 'HELPINGS'.

Value	Label	Unweighted Frequency	%
0	None, never, or rarely eat these foods	331	3.3 %
1	-	813	8.2 %
2	-	479	4.8 %
3	-	155	1.6 %
4	-	27	0.3 %
5	-	12	0.1 %
6	-	2	0.0 %
7	-	1	0.0 %
10	-	2	0.0 %
7777	Refused	4	0.0 %
9999	Don't know	7	0.1 %
. (M)	-	8132	81.6 %

DBD270C

Helping of fruit/fruit juices eaten/day

Location: 129-132 (width: 4; decimal: 0)

numeric Variable Type:

Question: Target: B(60 Yrs. - 120 Yrs.) Version 2.0 English Text: On an average day, how many helpings of

the following kinds of foods {do you/does SP} eat? Fruits or fruit juices. English Instructions:CAPI

INSTRUCTION: RESPONDENT SHOULD DEFINE 'HELPINGS'.

Value	Label	Unweighted Frequency	%
0	None, never, or rarely eat these foods	205	2.1 %

Value	Label	Unweighted Frequency	%
1	-	813	8.2 %
2	-	501	5.0 %
3	-	203	2.0 %
4	-	68	0.7 %
5	-	20	0.2 %
6	-	7	0.1 %
7	-	5	0.1 %
10	-	2	0.0 %
7777	Refused	4	0.0 %
9999	Don't know	5	0.1 %
. (M)	-	8132	81.6 %

DBD270D

Helping of vegetables eaten/day

Location: 133-136 (width: 4; decimal: 0)

Variable Type: numeric

Question:

Target: B(60 Yrs. - 120 Yrs.) Version 2.0 English Text: On an average day, how many helpings of the following kinds of foods {do you/does SP} eat? Vegetables, including vegetable salads. English Instructions: CAPI INSTRUCTION: RESPONDENT SHOULD DEFINE `HELPINGS'.

Value	Label	Unweighted Frequency	%
0	None, never, or rarely eat these foods	177	1.8 %
1	-	877	8.8 %
2	-	539	5.4 %
3	-	165	1.7 %
4	-	54	0.5 %
5	-	9	0.1 %
6	-	2	0.0 %
7	-	2	0.0 %
7777	Refused	4	0.0 %
9999	Don't know	4	0.0 %
. (M)	-	8132	81.6 %

DBD270E

Helping of breads/grain foods eaten/day

Location: 137-140 (width: 4; decimal: 0)

Variable Type: numeric

Question:

Target: B(60 Yrs. - 120 Yrs.) Version 2.0 English Text: On an average day, how many helpings of the following kinds of foods {do you/does SP} eat? Breads and other foods that are made from grains, such as cereals, spaghetti, pasta, rice, or tortillas. English Instructions:CAPI INSTRUCTION: RESPONDENT SHOULD DEFINE `HELPINGS'.

Value	Label	Unweighted Frequency	%
0	None, never, or rarely eat these foods	128	1.3 %

Value	Label	Unweighted Frequency	%
1	-	712	7.1 %
2	-	591	5.9 %
3	-	280	2.8 %
4	-	59	0.6 %
5	-	24	0.2 %
6	-	16	0.2 %
7	-	5	0.1 %
8	-	5	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
7777	Refused	4	0.0 %
9999	Don't know	6	0.1 %
. (M)	-	8132	81.6 %

DBQ300

Community/Government meals delivered

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(60 Yrs. - 120 Yrs.) Version 1.0 English Text: The next questions are about meals provided by community or government programs. In the past 12 months, did {you/SP} receive any meals delivered to {your/his/her} home from community programs, "Meals on Wheels", or any other programs? English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Yes	69	0.7 %
2	No	1759	17.7 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	8132	81.6 %

DBQ330

Eat meals at community/senior center

Location: 144-146 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(60 Yrs. - 120 Yrs.) Version 1.0 English Text: In the past 12 months, did {you/SP} go to a community program or senior center to eat prepared meals? English Instructions:INCLUDE ADULT DAY CARE

Value	Label	Unweighted Frequency	%
1	Yes	94	0.9 %
2	No (End of Section)	1735	17.4 %
7	Refused (End of Section)	4	0.0 %
. (M)	-	8132	81.6 %

DBD360 Attend kindergarten thru high school

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Yes	3206	32.2 %
2	No (End of Section)	692	6.9 %
. (M)	-	6067	60.9 %

DBD370 School serves school lunches

Location: 150-152 (width: 3; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Yes	3052	30.6 %
2	No (Skip to: DBD400)	143	1.4 %
9	Don't know (Skip to: DBD400)	11	0.1 %
. (M)	-	6759	67.8 %

DBD380 # of times/week get school lunch

Location: 153-156 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. - 19 Yrs.) Version 1.0 English Text: During the school year, approximately how many times a week {do you/does SP} usually eat a complete school lunch? English Instructions:

Value	Label	Unweighted Frequency	%
0	None (Skip to: DBD400)	582	5.8 %
1	-	158	1.6 %
2	-	152	1.5 %
3	-	189	1.9 %
4	-	117	1.2 %
5	-	1845	18.5 %
9999	Don't know (Skip to: DBD400)	9	0.1 %
. (M)	-	6913	69.4 %

DBQ390 School lunch free, reduced or full price

Location: 157-159 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. - 19 Yrs.) Version 1.0 English Text: {Do you/Does SP} get these lunches free, at a

reduced price, or {do you/does he/she} pay ful price? English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Free	1482	14.9 %
2	Reduced price	241	2.4 %

Value	Label	Unweighted Frequency	%
3	Full price	737	7.4 %
9	Don't know	3	0.0 %
. (M)	-	7502	75.3 %

DBD400

School serve complete breakfast each day

Location: 160-162 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. - 19 Yrs.) Version 1.0 English Text: Does {your/SP's} school serve a complete

breakfast that costs the same every day? English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Yes	2508	25.2 %
2	No (End of Section)	604	6.1 %
7	Refused (End of Section)	3	0.0 %
9	Don't know (End of Section)	91	0.9 %
. (M)	-	6759	67.8 %

DBD410

of times/week get school breakfast

Location: 163-166 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. - 19 Yrs.) Version 1.0 English Text: During the school year, approximately how many

times a week {do you/does SP} usually get a complete breakfast at school? {Do you/Does SP} get those breakfasts free, at a reduced price, or {do you/does he/she} pay full price? English Instructions:

Value	Label	Unweighted Frequency	%
0	None (End of Section)	1335	13.4 %
1	-	95	1.0 %
2	-	135	1.4 %
3	-	134	1.3 %
4	-	47	0.5 %
5	-	755	7.6 %
9999	Don't know (End of Section)	7	0.1 %
. (M)	-	7457	74.8 %

DBQ420

School breakfast free/reduced/full price

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. - 19 Yrs.) Version 1.0 English Text: {Do you/Does SP} get those breakfasts free, at

a reduced price, or {do you/does he/she} pay full price? English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Free	908	9.1 %

Value	Label	Unweighted Frequency	%
2	Reduced price	103	1.0 %
3	Full price	154	1.5 %
9	Don't know	2	0.0 %
. (M)	-	8798	88.3 %

SDDSRVYR Data Release Number

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%	
1	NHANES 1999-2000 Public Release	9965	100.0 %	

RIDSTATR Interview/Examination Status

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	683	6.9 %
2	Both Interviewed and MEC examined.	9282	93.1 %

RIAGENDR Gender - Adjudicated

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	4883	49.0 %
2	Female	5082	51.0 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
0	-	472	4.7 %
1	-	263	2.6 %
2	-	261	2.6 %

Value	Label	Unweighted Frequency	%
3	-	190	1.9 %
4	-	198	2.0 %
5	-	173	1.7 %
6	-	181	1.8 %
7	-	190	1.9 %
8	-	198	2.0 %
9	-	172	1.7 %
10	-	182	1.8 %
11	-	190	1.9 %
12	-	328	3.3 %
13	-	329	3.3 %
14	-	311	3.1 %
15	-	283	2.8 %
16	-	311	3.1 %
17	-	285	2.9 %
18	-	287	2.9 %
19	-	281	2.8 %
20	-	85	0.9 %
21	-	82	0.8 %
22	-	100	1.0 %
23	-	97	1.0 %
24	-	86	0.9 %
25	-	78	0.8 %
26	-	90	0.9 %
27	-	81	0.8 %
28	-	80	0.8 %
29	-	92	0.9 %
30	-	83	0.8 %
31	-	87	0.9 %
32	-	94	0.9 %
33	-	69	0.7 %
34	-	86	0.9 %
35	-	80	0.8 %
36	-	77	0.8 %
37	-	87	0.9 %
38	-	73	0.7 %
39	-	88	0.9 %
40	-	92	0.9 %
41	-	81	0.8 %
42	-	90	0.9 %

Value	Label	Unweighted Frequency	%
43	-	73	0.7 %
44	-	79	0.8 %
45	-	89	0.9 %
46	-	70	0.7 %
47	-	70	0.7 %
48	-	61	0.6 %
49	-	60	0.6 %
50	-	57	0.6 %
51	-	75	0.8 %
52	-	71	0.7 %
53	-	64	0.6 %
54	-	77	0.8 %
55	-	48	0.5 %
56	-	62	0.6 %
57	-	50	0.5 %
58	-	38	0.4 %
59	-	44	0.4 %
60	-	110	1.1 %
61	-	86	0.9 %
62	-	90	0.9 %
63	-	68	0.7 %
64	-	88	0.9 %
65	-	89	0.9 %
66	-	79	0.8 %
67	-	78	0.8 %
68	-	69	0.7 %
69	-	61	0.6 %
70	-	81	0.8 %
71	-	73	0.7 %
72	-	60	0.6 %
73	-	69	0.7 %
74	-	54	0.5 %
75	-	57	0.6 %
76	-	50	0.5 %
77	-	55	0.6 %
78	-	49	0.5 %
79	-	46	0.5 %
80	-	64	0.6 %
81	-	63	0.6 %
82	-	49	0.5 %

Value	Label	Unweighted Frequency	%
83	-	31	0.3 %
84	-	42	0.4 %
85	>= 85 years of age	173	1.7 %

RIDAGEMN Age in Months - Recode

Location: 182-185 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 186-189 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 190-192 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	3393	34.0 %
2	Other Hispanic	589	5.9 %
3	Non-Hispanic White	3367	33.8 %
4	Non-Hispanic Black	2228	22.4 %
5	Other Race - Including Multi-Racial	388	3.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 193-195 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	3423	34.4 %
2	Non-Hispanic Black	2273	22.8 %
3	Mexican American	3393	34.0 %
4	Other Race - Including Multi-Racial	287	2.9 %
5	Other Hispanic	589	5.9 %

DMQMILIT Veteran/Military Status

Location: 196-198 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	717	7.2 %
2	No	5004	50.2 %
7	Refused	5	0.1 %
9	Don't know	5	0.1 %
. (M)	-	4234	42.5 %

DMDBORN

Country of Birth - Recode

Location:

199-201 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	8069	81.0 %
2	Born in Mexico	1146	11.5 %
3	Born Elsewhere	737	7.4 %
7	Refused	1	0.0 %
9	Don't Know	1	0.0 %
. (M)	-	11	0.1 %

DMDCITZN

Citizenship Status

Location:

202-204 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	8663	86.9 %
2	Not a citizen of the US	1240	12.4 %
7	Refused	30	0.3 %
9	Don't know	29	0.3 %
. (M)	-	3	0.0 %

DMDYRSUS

Length of time in US

Location:

205-207 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	116	1.2 %
2	1 yr., less than 5 yrs.	341	3.4 %
3	5 yrs., less than 10 yrs.	359	3.6 %
4	10 yrs., less than 15 yrs.	256	2.6 %
5	15 yrs., less than 20 yrs.	156	1.6 %
6	20 yrs., less than 30 yrs.	252	2.5 %
7	30 yrs., less than 40 yrs.	174	1.7 %
8	40 yrs., less than 50 yrs.	120	1.2 %
9	50 years or more	63	0.6 %
77	Refused	34	0.3 %
88	Could not determine	1	0.0 %
99	Don't know	26	0.3 %
. (M)	-	8067	81.0 %

DMDEDUC3

Education level - Children/Youth 6-19

Location: 208-210 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten	210	2.1 %
1	1st Grade	202	2.0 %
2	2nd Grade	186	1.9 %
3	3rd Grade	186	1.9 %
4	4th Grade	204	2.0 %
5	5th Grade	244	2.4 %
6	6th Grade	318	3.2 %
7	7th Grade	323	3.2 %
8	8th Grade	320	3.2 %
9	9th Grade	309	3.1 %
10	10th Grade	307	3.1 %
11	11th Grade	281	2.8 %
12	12th Grade, No Diploma	81	0.8 %
13	High School Graduate	177	1.8 %
14	GED or Equivalent	12	0.1 %
15	More than high school	108	1.1 %
55	Less Than 5th Grade	3	0.0 %
66	Less Than 9th Grade	53	0.5 %

Value	Label	Unweighted Frequency	%
77	Refused	2	0.0 %
99	Don't know	1	0.0 %
. (M)	-	6438	64.6 %

DMDEDUC2 Education level - Adults 20+

Location: 211-213 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	932	9.4 %
2	9-11th Grade (Includes 12th grade with no diploma)	964	9.7 %
3	High School Grad/GED or Equivalent	1097	11.0 %
4	Some College or AA degree	1070	10.7 %
5	College Graduate or above	793	8.0 %
7	Refused	8	0.1 %
9	Don't Know	14	0.1 %
. (M)	-	5087	51.0 %

DMDEDUC Education - Recode (old version)

Location: 214-216 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	5124	51.4 %
2	High School Diploma (including GED)	1286	12.9 %
3	More Than High School	1971	19.8 %
7	Refused	10	0.1 %
9	Don't know	15	0.2 %
. (M)	-	1559	15.6 %

DMDSCHOL Now attending school?

Location: 217-219 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2348	23.6 %
2	On vacation from school (between grades)	618	6.2 %
3	Neither in school or on vacation from school (between grades)	344	3.5 %
9	Don't know	1	0.0 %
. (M)	-	6654	66.8 %

DMDMARTL Marital Status

Location: 220-222 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2485	24.9 %
2	Widowed	475	4.8 %
3	Divorced	378	3.8 %
4	Separated	177	1.8 %
5	Never married	2316	23.2 %
6	Living with partner	232	2.3 %
77	Refused	7	0.1 %
99	Don't know	2	0.0 %
. (M)	-	3893	39.1 %

DMDHHSIZ Total number of people in the Household

Location: 223-225 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	752	7.5 %
2	-	1852	18.6 %
3	-	1717	17.2 %
4	-	1972	19.8 %
5	-	1598	16.0 %
6	-	927	9.3 %
7	7 or more people in the Household	1147	11.5 %

INDHHINC Annual Household Income

Location: 226-228 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	298	3.0 %
2	\$ 5,000 to \$ 9,999	654	6.6 %
3	\$10,000 to \$14,999	843	8.5 %
4	\$15,000 to \$19,999	762	7.6 %
5	\$20,000 to \$24,999	777	7.8 %
6	\$25,000 to \$34,999	1118	11.2 %
7	\$35,000 to \$44,999	804	8.1 %
8	\$45,000 to \$54,999	607	6.1 %
9	\$55,000 to \$64,999	509	5.1 %
10	\$65,000 to \$74,999	371	3.7 %
11	\$75,000 and Over	1255	12.6 %
12	Over \$20,000	314	3.2 %
13	Under \$20,000	53	0.5 %
77	Refused	41	0.4 %
99	Don't know	41	0.4 %
. (M)	-	1518	15.2 %

INDFMINC

Annual Family Income

Location: 229-231 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: Bo

Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	569	5.7 %
2	\$ 5,000 to \$ 9,999	877	8.8 %
3	\$10,000 to \$14,999	1062	10.7 %
4	\$15,000 to \$19,999	829	8.3 %
5	\$20,000 to \$24,999	844	8.5 %
6	\$25,000 to \$34,999	1077	10.8 %
7	\$35,000 to \$44,999	740	7.4 %
8	\$45,000 to \$54,999	611	6.1 %
9	\$55,000 to \$64,999	451	4.5 %
10	\$65,000 to \$74,999	348	3.5 %
11	\$75,000 and Over	1074	10.8 %
12	Over \$20,000	404	4.1 %
13	Under \$20,000	366	3.7 %
77	Refused	301	3.0 %
99	Don't know	230	2.3 %
. (M)	-	182	1.8 %

INDFMPIR Family PIR

Location: 232-236 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 237-239 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	311	3.1 %
2	SP not pregnant at exam	1443	14.5 %
3	Cannot ascertain if SP is pregnant at exam	208	2.1 %
. (M)	-	8003	80.3 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 240-242 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	285	2.9 %
2	SP not pregnant	1544	15.5 %
. (M)	-	8136	81.6 %

DMDHRGND HH Ref Person Gender

Location: 243-245 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5597	56.2 %
2	Female	4356	43.7 %
. (M)	-	12	0.1 %

DMDHRAGE HH Ref Person Age

Location: 246-248 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	63	0.6 %
19	-	78	0.8 %
20	-	107	1.1 %
21	-	90	0.9 %
22	-	124	1.2 %
23	-	143	1.4 %
24	-	120	1.2 %
25	-	140	1.4 %
26	-	160	1.6 %
27	-	174	1.7 %
28	-	215	2.2 %
29	-	249	2.5 %
30	-	237	2.4 %
31	-	275	2.8 %
32	-	261	2.6 %
33	-	241	2.4 %
34	-	257	2.6 %
35	-	318	3.2 %
36	-	260	2.6 %
37	-	298	3.0 %
38	-	305	3.1 %
39	-	254	2.5 %
40	-	370	3.7 %
41	-	279	2.8 %
42	-	276	2.8 %
43	-	246	2.5 %
44	-	233	2.3 %
45	-	239	2.4 %
46	-	222	2.2 %
47	-	156	1.6 %
48	-	157	1.6 %
49	-	166	1.7 %
50	-	172	1.7 %
51	-	188	1.9 %

Value	Label	Unweighted Frequency	%
52	-	154	1.5 %
53	-	123	1.2 %
54	-	120	1.2 %
55	=	88	0.9 %
56	-	106	1.1 %
57	-	106	1.1 %
58	-	95	1.0 %
59	-	83	0.8 %
60	-	128	1.3 %
61	-	94	0.9 %
62	-	101	1.0 %
63	-	91	0.9 %
64	-	98	1.0 %
65	-	92	0.9 %
66	-	85	0.9 %
67	-	99	1.0 %
68	-	81	0.8 %
69	-	62	0.6 %
70	-	101	1.0 %
71	-	78	0.8 %
72	-	68	0.7 %
73	-	85	0.9 %
74	-	58	0.6 %
75	-	65	0.7 %
76	-	50	0.5 %
77	-	50	0.5 %
78	-	63	0.6 %
79	-	45	0.5 %
80	-	65	0.7 %
81	-	61	0.6 %
82	-	45	0.5 %
83	-	32	0.3 %
84	-	36	0.4 %
85	>= 85 years of age	171	1.7 %
. (M)	-	12	0.1 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 249-251 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	6545	65.7 %
2	Born in Mexico	1974	19.8 %
3	Born Elsewhere	1046	10.5 %
7	Refused	12	0.1 %
. (M)	-	388	3.9 %

DMDHREDU

HH Ref Person Education Level

Location: 252-254 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1747	17.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	2100	21.1 %
3	High School Grad/GED or equivalent	2188	22.0 %
4	Some College or AA degree	2026	20.3 %
5	College Graduate or above	1431	14.4 %
7	Refused	13	0.1 %
9	Don't know	66	0.7 %
. (M)	-	394	4.0 %

DMDHRMAR

HH Ref Person Marital Status

Location: 255-257 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	4673	46.9 %
2	Widowed	577	5.8 %
3	Divorced	861	8.6 %
4	Separated	538	5.4 %
5	Never married	1115	11.2 %
6	Living with partner	267	2.7 %
77	Refused	18	0.2 %
99	Don't know	13	0.1 %
. (M)	-	1903	19.1 %

DMDHSEDU

HH Ref Person's Spouse Education Level

Location: 258-260 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	607	6.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	729	7.3 %
3	High School Grad/GED or	728	7.3 %
4	Some College or AA degree	661	6.6 %
5	College Graduate or above	483	4.8 %
7	Refused	3	0.0 %
9	Don't know	21	0.2 %
. (M)	-	6733	67.6 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 261-275 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 276-289 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 290-304 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 305-318 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 319-321 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

	Unweighted Frequency	%
1	4884	49.0 %
2	4757	47.7 %

١	/alue	Unweighted Frequency	%
3		324	3.3 %

SDMVSTRA

Masked Variance Pseudo-Stratum

Location: 322-324 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	1065	10.7 %
2	694	7.0 %
3	787	7.9 %
4	858	8.6 %
5	749	7.5 %
6	730	7.3 %
7	859	8.6 %
8	749	7.5 %
9	690	6.9 %
10	646	6.5 %
11	737	7.4 %
12	815	8.2 %
13	586	5.9 %

SDJ1REPN

Jack Knife Replicate Number

Location: 325-327 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

Value	Unweighted Frequency	%
1	189	1.9 %
2	256	2.6 %
3	176	1.8 %
4	212	2.1 %
5	154	1.5 %
6	159	1.6 %
7	117	1.2 %
8	182	1.8 %
9	193	1.9 %
10	177	1.8 %
11	183	1.8 %
12	192	1.9 %

Value	Unweighted Frequency	%
13	178	1.8 %
14	140	1.4 %
15	223	2.2 %
16	179	1.8 %
17	216	2.2 %
18	274	2.7 %
19	166	1.7 %
20	173	1.7 %
21	182	1.8 %
22	173	1.7 %
23	170	1.7 %
24	236	2.4 %
25	318	3.2 %
26	160	1.6 %
27	205	2.1 %
28	232	2.3 %
29	188	1.9 %
30	214	2.1 %
31	200	2.0 %
32	210	2.1 %
33	169	1.7 %
34	290	2.9 %
35	163	1.6 %
36	136	1.4 %
37	197	2.0 %
38	165	1.7 %
39	149	1.5 %
40	168	1.7 %
41	216	2.2 %
42	165	1.7 %
43	191	1.9 %
44	150	1.5 %
45	177	1.8 %
46	188	1.9 %
47	202	2.0 %
48	296	3.0 %
49	157	1.6 %
50	139	1.4 %
51	171	1.7 %
52	249	2.5 %

DMAETHN Logical Imputation Flag for Ethnicity

Location: 328-330 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

 Value
 Label
 Unweighted Frequency
 %

 1
 Value Imputed
 2
 0.0 %

 . (M)
 9963
 100.0 %

DMARACE Logical Imputation Flag for Race Recode

Location: 331-333 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Logical Imputation Flag for Race Recode English

Instructions:

 Value
 Label
 Unweighted Frequency
 %

 1
 Value Imputed
 2
 0.0 %

 . (M)
 9963
 100.0 %

WTMREP01 MEC Exam Weight Jack Knife Replicate 01

Location: 334-348 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English

Instructions:

WTMREP02 MEC Exam Weight Jack Knife Replicate 02

Location: 349-363 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English

Instructions:

WTMREP03 MEC Exam Weight Jack Knife Replicate 03

Location: 364-378 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English

Instructions:

WTMREP04 MEC Exam Weight Jack Knife Replicate 04

Location: 379-393 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English

Instructions:

WTMREP05 MEC Exam Weight Jack Knife Replicate 05

Location: 394-408 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English

Instructions:

WTMREP06 MEC Exam Weight Jack Knife Replicate 06

Location: 409-423 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English

Instructions:

WTMREP07 MEC Exam Weight Jack Knife Replicate 07

Location: 424-438 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 439-453 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 454-468 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions:

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 469-483 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 484-498 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 499-513 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 514-528 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 529-543 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions:

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 544-558 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 559-573 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions:

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 574-588 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 589-603 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 604-618 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 619-633 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 634-648 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 649-663 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 664-678 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 679-693 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 694-708 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 709-723 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 724-738 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 739-753 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 754-768 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 769-783 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions:

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 784-798 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions:

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 799-813 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 814-828 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions:

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 829-843 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 844-858 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions:

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 859-873 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 874-888 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 889-903 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 904-918 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 919-933 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 934-948 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 949-963 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 964-978 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 979-993 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 994-1008 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions:

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 1009-1023 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 1024-1038 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions:

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 1039-1053 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions:

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 1054-1068 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 1069-1083 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions:

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 1084-1098 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 1099-1113 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1114-1128 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1129-1143 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1144-1158 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1159-1173 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1174-1188 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1189-1203 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1204-1218 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1219-1233 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1234-1248 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1249-1263 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1264-1278 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1279-1293 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1294-1308 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1309-1323 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1324-1338 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1339-1353 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1354-1368 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1369-1383 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1384-1398 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1399-1413 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1414-1428 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1429-1443 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1444-1458 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1459-1473 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1474-1488 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1489-1503 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1504-1518 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1519-1533 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1534-1548 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1549-1563 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1564-1578 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1579-1593 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1594-1608 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1609-1623 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1624-1638 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 1639-1653 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 1654-1668 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 1669-1683 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 1684-1698 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 1699-1713 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 1714-1728 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 1729-1743 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 1744-1758 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 1759-1773 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 1774-1788 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 1789-1803 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 1804-1818 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 1819-1833 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 1834-1848 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 1849-1863 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 1864-1878 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 1879-1893 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English

Instructions: