ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Physical Functioning

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Questionnaire: Physical Functioning

SEQN	Respond	dent sequence number			
Location:	1-4 (widt	h: 4; decimal: 0)			
Variable Type:	numeric				
Question:		arget: B(1 Yrs 120 Yrs.) Version 1.0 English Text: Respondent sequence number. English			
PFQ010	Physical	l,mental,emotional limitations			
Location:	5-7 (widt	h: 3; decimal: 0)			
Variable Type:	numeric				
Question:	caused b temporar	Id 1 Yrs 4 Yrs.) Version 1.0 English Text: The next set of questions is about lirely any long-term physical, mental or emotional problem or illness. Please do not conditions, such as a cold. Is {SP} limited in the kind or amount of play activities are graphs of a physical, mental or emotional problem? English Instructions: < black	ot include ies {he/she}		
	Value	Label Unweighte Frequency	d %		
	1	Yes 2	2 0.2 %		
			2 0.2 /0		
	2	No (Skip to: PFQ020)			

PFQ015 Able to take part in most type of play

Location: 8-10 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 4 Yrs.) Version 1.0 English Text: Is {SP} able to take part at all in the usual kinds

of play activities done by most children {his/her} age? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	18	0.2 %
2	No	4	0.0 %
. (M)	-	9471	99.8 %

PFQ020 Crawl, walk, run, play limitations

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 19 Yrs.) Version 1.0 English Text: {Do you/Does SP} have an impairment or health

problem that limits {your/his/her} ability to {crawl, walk or play} {walk, run or play} {walk or run}? English Instructions: CAPI INSTRUCTION: IF CHILD'S AGE = 1-4, DISPLAY "CRAWL, WALK OR PLAY". IF CHILD'S AGE = 5-15, DISPLAY "WALK, RUN OR PLAY". IF SP'S AGE = 16-19, DISPLAY

"WALK OR RUN".

Value	Label	Unweighted Frequency	%
1	Yes	161	1.7 %
2	No (Skip to: PFQ035)	4448	46.9 %

Value	Label	Unweighted Frequency	%
. (M)	-	4884	51.4 %

PFQ030 Long term impairment/health problem

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 19 Yrs.) Version 1.0 English Text: Is this an impairment or health problem that has

lasted, or is expected to last 12 months or longer? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	128	1.3 %
2	No	26	0.3 %
9	Don't know	7	0.1 %
. (M)	-	9332	98.3 %

PFQ040 Receive Special Ed or Early Intervention

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 15 Yrs.) Version 1.0 English Text: Does {SP} receive Special Education or Early

Intervention Services? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	265	2.8 %
2	No	3176	33.5 %
9	Don't know	3	0.0 %
. (M)	-	6049	63.7 %

PFQ048 Limitations keeping you from working

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: The next set of questions is about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include

caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold [or pregnancy]. Does a physical, mental or emotional problem

now keep {yo u/SP} from working at a job or business? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	596	6.3 %
2	No (Skip to: PFQ056)	4280	45.1 %
9	Don't know (Skip to: PFQ056)	2	0.0 %
. (M)	-	4615	48.6 %

PFQ050 Limited in amount of work you can do

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: {Are you/Is SP} limited in the kind or amount of work {you/s/he} can do because of a physical, mental or emotional problem? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	547	5.8 %
2	No	46	0.5 %
9	Don't know	3	0.0 %
. (M)	-	8897	93.7 %

PFQ055 Need special equipment to walk

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: Because of a health problem, {do you/does

SP} have difficulty walking without using any special equipment? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	234	2.5 %
2	No	361	3.8 %
9	Don't know	1	0.0 %
. (M)	-	8897	93.7 %

PFQ056 Experience confusion/memory problems

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: {Are you/Is SP} limited in any way because

of difficulty remembering or because {you/s/he} experience{s} periods of confusion? English

Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	417	4.4 %
2	No	4459	47.0 %
9	Don't know	2	0.0 %
. (M)	-	4615	48.6 %

PFQ059 Physical, mental, emotional limitations

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: {Are you/Is SP} limited in any way in any

activity because of a physical, mental or emotional problem? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	287	3.0 %
2	No	3779	39.8 %
7	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
9	Don't know	1	0.0 %
. (M)	-	5425	57.1 %

PFQ060A Managing money difficulty

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: The next questions ask about difficulties

{you/SP} may have doing certain activities because of a health problem. By "health problem" we mean any long-term physical, mental or emotional problem or illness {not including pregnancy}. By {yourself/himself /herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .managing {your/his/her} money [such as keeping track of {your/his/her} expenses or paying bills]? English Instructions: HAND CARD PFQ1. DO NOT INCLUDE TEMPORARY CONDITIONS LIKE PREGNANCY OR BROKEN LIMBS. CAPI INSTRUCTION: IF PFQ.055 = '1' (YES), DO NOT DISPLAY 'B' OR 'C'. IF SP FEMALE, DISPLAY 'NOT INCLUDING PREGNANCY'.

Value	Label	Unweighted Frequency	%
1	No difficulty	1898	20.0 %
2	Some difficulty	189	2.0 %
3	Much difficulty	55	0.6 %
4	Unable to do	113	1.2 %
9	Don't know	8	0.1 %
. (M)	-	7230	76.2 %

PFQ060B Walking for a quarter mile difficulty

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . . walking for a quarter of a mile

[that is about 2 or 3 blocks]? English Instructions: HAND CARD PFQ1. DO NOT INCLUDE TEMPORARY CONDITIONS LIKE PREGNANCY OR BROKEN LIMBS. CAPI INSTRUCTION: IF PFQ.055 = '1' (YES), DO NOT DISPLAY 'B' OR 'C'. IF SP FEMALE, DISPLAY 'NOT INCLUDING

PREGNANCY'.

Value	Label	Unweighted Frequency	%
1	No difficulty	1347	14.2 %
2	Some difficulty	367	3.9 %
3	Much difficulty	155	1.6 %
4	Unable to do	155	1.6 %
9	Don't know	5	0.1 %
. (M)	-	7464	78.6 %

PFQ060C Walking up ten steps difficulty

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .walking up 10 steps without resting? English Instructions: HAND CARD PFQ1. DO NOT INCLUDE TEMPORARY CONDITIONS LIKE PREGNANCY OR BROKEN LIMBS. CAPI INSTRUCTION: IF PFQ.055 = '1' (YES), DO NOT DISPLAY 'B' OR 'C'. IF SP FEMALE, DISPLAY 'NOT INCLUDING PREGNANCY'.

Value	Label	Unweighted Frequency	%
1	No difficulty	1449	15.3 %
2	Some difficulty	367	3.9 %
3	Much difficulty	112	1.2 %
4	Unable to do	93	1.0 %
9	Don't know	8	0.1 %
. (M)	-	7464	78.6 %

PFQ060D

Stooping, crouching, kneeling difficulty

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .stooping, crouching, or kneeling? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1066	11.2 %
2	Some difficulty	632	6.7 %
3	Much difficulty	310	3.3 %
4	Unable to do	254	2.7 %
9	Don't know	1	0.0 %
. (M)	-	7230	76.2 %

PFQ060E

Lifting or carrying difficulty

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .lifting or carrying something as heavy as 10 pounds [like a sack of potatoes or rice]? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1510	15.9 %
2	Some difficulty	362	3.8 %
3	Much difficulty	143	1.5 %
4	Unable to do	244	2.6 %
9	Don't know	4	0.0 %
. (M)	-	7230	76.2 %

PFQ060F

House chore difficulty

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have \ldots doing chores around the house

[like vacuuming, sweeping, dusting, or straightening up]? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1514	15.9 %
2	Some difficulty	422	4.4 %
3	Much difficulty	155	1.6 %
4	Unable to do	169	1.8 %
9	Don't know	3	0.0 %
. (M)	-	7230	76.2 %

PFQ060G Preparing meals difficulty

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have . . .preparing {your/his/her} own

meals? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1892	19.9 %
2	Some difficulty	183	1.9 %
3	Much difficulty	66	0.7 %
4	Unable to do	114	1.2 %
9	Don't know	8	0.1 %
. (M)	-	7230	76.2 %

PFQ060H Walking between rooms on same floor

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have . . .walking from one room to

another on the same level? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1929	20.3 %
2	Some difficulty	215	2.3 %
3	Much difficulty	63	0.7 %
4	Unable to do	55	0.6 %
9	Don't know	1	0.0 %
. (M)	-	7230	76.2 %

PFQ060I Standingup from armless chair difficulty

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have . . .standing up from an armless

straight chair? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1601	16.9 %
2	Some difficulty	439	4.6 %
3	Much difficulty	126	1.3 %
4	Unable to do	97	1.0 %
. (M)	-	7230	76.2 %

PFQ060J Getting in and out of bed difficulty

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have . . .getting in or out of bed? English

Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1739	18.3 %
2	Some difficulty	373	3.9 %
3	Much difficulty	111	1.2 %
4	Unable to do	40	0.4 %
. (M)	-	7230	76.2 %

PFQ060K Using fork, knife, drinking from cup

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have . . .eating, like holding a fork,

cutting food or drinking from a glass? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	2075	21.9 %
2	Some difficulty	139	1.5 %
3	Much difficulty	32	0.3 %
4	Unable to do	17	0.2 %
. (M)	-	7230	76.2 %

PFQ060L Dressing yourself difficulty

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .dressing {yourself/himself/herself}, including tying shoes, working zippers, and doing buttons? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1878	19.8 %
2	Some difficulty	256	2.7 %
3	Much difficulty	75	0.8 %
4	Unable to do	53	0.6 %
7	Refused	1	0.0 %
. (M)	-	7230	76.2 %

PFQ060M

Standing for long periods difficulty

Location:

71-73 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .standing or being on {your/his/her} feet for about 2 hours? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1219	12.8 %
2	Some difficulty	426	4.5 %
3	Much difficulty	255	2.7 %
4	Unable to do	347	3.7 %
7	Refused	1	0.0 %
9	Don't know	15	0.2 %
. (M)	-	7230	76.2 %

PFQ060N

Sitting for long periods difficulty

Location:

74-76 (width: 3; decimal: 0)

Variable Type:

numerio

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .sitting for about 2 hours? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1665	17.5 %
2	Some difficulty	387	4.1 %
3	Much difficulty	132	1.4 %
4	Unable to do	75	0.8 %
7	Refused	1	0.0 %
9	Don't know	3	0.0 %
. (M)	-	7230	76.2 %

PFQ060O Reaching up over head difficulty

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . . reaching up over {your/his/her}

head? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1780	18.8 %
2	Some difficulty	308	3.2 %
3	Much difficulty	112	1.2 %
4	Unable to do	61	0.6 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	7230	76.2 %

PFQ060P Grasp/holding small objects difficulty

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using

any special equipment, how much difficulty {do you/does SP} have . . . using {your/his/her} fingers to

grasp or handle small objects? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1840	19.4 %
2	Some difficulty	314	3.3 %
3	Much difficulty	76	0.8 %
4	Unable to do	32	0.3 %
7	Refused	1	0.0 %
. (M)	-	7230	76.2 %

PFQ060Q Going out to movies, events difficulty

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .going out to things like shopping,

movies, or sporting events? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1655	17.4 %
2	Some difficulty	317	3.3 %
3	Much difficulty	138	1.5 %
4	Unable to do	149	1.6 %
7	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
9	Don't know	3	0.0 %
. (M)	-	7230	76.2 %

PFQ060R Attending social event difficulty

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .participating in social activities [visiting friends, attending clubs or meetings or going to parties]? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1740	18.3 %
2	Some difficulty	282	3.0 %
3	Much difficulty	108	1.1 %
4	Unable to do	126	1.3 %
7	Refused	1	0.0 %
9	Don't know	6	0.1 %
. (M)	-	7230	76.2 %

PFQ060S Leisure activity at home difficulty

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: By {yourself/himself/herself} and without using any special equipment, how much difficulty {do you/does SP} have . . .doing things to relax at home or for leisure [reading, watching TV, sewing, listening to music]? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	No difficulty	1990	21.0 %
2	Some difficulty	196	2.1 %
3	Much difficulty	46	0.5 %
4	Unable to do	28	0.3 %
7	Refused	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	7230	76.2 %

PFD067A Health problems causing difficulty

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: What condition or health problem causes

{you/SP} to have difficulty with or need help with {NAME OF UP TO 3 ACTIVITIES/these activities}? English Instructions: HAND CARD PFQ2. ENTER ALL THAT APPLY UP TO 5 BUT DO NOT PROBE. DO NOT ENTER 'OLD AGE' AS CONDITION -- IF OLD AGE IS REPORTED, PROBE FOR ANY OTHER CONDITION. CAPI INSTRUCTION: IF THE TOTAL NUMBER OF ITEMS CODED 'SOME DIFFICULTY' (CODE 2), 'MUCH DIFFI CULTY' (CODE 3), OR 'UNABLE TO DO' (CODE 4) IN

PFQ.060 A THROUGH S <= 3, DISPLAY EACH ITEM NAME IN THE TEXT OF QUESTION. IF MORE THAN 3 ITEMS ARE CODED IN THIS MANNER DISPLAY "THESE ACTIVITIES" IN THE TEXT OF QUESTION.

Value	Label	Unweighted Frequency	%
10	Arthritis/rheumatism	635	6.7 %
11	Back or neck problem	198	2.1 %
12	Birth defect	2	0.0 %
13	Cancer	18	0.2 %
14	Depression/anxiety/emotional problem	62	0.7 %
15	Other developmental problem (such as cerebral palsy)	4	0.0 %
16	Diabetes	41	0.4 %
17	Fractures, bone/joint injury	96	1.0 %
18	Hearing problem	20	0.2 %
19	Heart problem	29	0.3 %
20	Hypertension/high blood pressure	22	0.2 %
21	Lung/breathing problem	41	0.4 %
22	Mental retardation	6	0.1 %
23	Other injury	37	0.4 %
24	Senility	9	0.1 %
25	Stroke problem	45	0.5 %
26	Vision/problem seeing	32	0.3 %
27	Weight problem	42	0.4 %
28	Other impairment/problem	211	2.2 %
77	Refused	2	0.0 %
99	Don't know	32	0.3 %
. (M)	-	7909	83.3 %

PFD067B

Health problems causing difficulty

Location:

95-97 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: What condition or health problem causes {you/SP} to have difficulty with or need help with {NAME OF UP TO 3 ACTIVITIES/these activities}? English Instructions: HAND CARD PFQ2. ENTER ALL THAT APPLY UP TO 5 BUT DO NOT PROBE. DO NOT ENTER 'OLD AGE' AS CONDITION -- IF OLD AGE IS REPORTED, PROBE FOR ANY OTHER CONDITION. CAPI INSTRUCTION: IF THE TOTAL NUMBER OF ITEMS CODED 'SOME DIFFICULTY' (CODE 2), 'MUCH DIFFI CULTY' (CODE 3), OR 'UNABLE TO DO' (CODE 4) IN PFQ.060 A THROUGH S <=3, DISPLAY EACH ITEM NAME IN THE TEXT OF QUESTION. IF MORE THAN 3 ITEMS ARE CODED IN THIS MANNER DISPLAY "THESE ACTIVITIES" IN THE TEXT OF QUESTION.

Value	Label	Unweighted Frequency	%
10	Arthritis/rheumatism	36	0.4 %
11	Back or neck problem	186	2.0 %
12	Birth defect	2	0.0 %

Value	Label	Unweighted Frequency	%
13	Cancer	15	0.2 %
14	Depression/anxiety/emotional problem	41	0.4 %
15	Other developmental problem (such as cerebral palsy)	1	0.0 %
16	Diabetes	51	0.5 %
17	Fractures, bone/joint injury	61	0.6 %
18	Hearing problem	28	0.3 %
19	Heart problem	31	0.3 %
20	Hypertension/high blood pressure	38	0.4 %
21	Lung/breathing problem	30	0.3 %
22	Mental retardation	2	0.0 %
23	Other injury	19	0.2 %
24	Senility	8	0.1 %
25	Stroke problem	16	0.2 %
26	Vision/problem seeing	46	0.5 %
27	Weight problem	31	0.3 %
28	Other impairment/problem	79	0.8 %
. (M)	-	8772	92.4 %

PFD067C

Health problems causing difficulty

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: What condition or health problem causes {you/SP} to have difficulty with or need help with {NAME OF UP TO 3 ACTIVITIES/these activities}? English Instructions: HAND CARD PFQ2. ENTER ALL THAT APPLY UP TO 5 BUT DO NOT PROBE. DO NOT ENTER 'OLD AGE' AS CONDITION -- IF OLD AGE IS REPORTED, PROBE FOR ANY OTHER CONDITION. CAPI INSTRUCTION: IF THE TOTAL NUMBER OF ITEMS CODED 'SOME DIFFICULTY' (CODE 2), 'MUCH DIFFI CULTY' (CODE 3), OR 'UNABLE TO DO' (CODE 4) IN PFQ.060 A THROUGH S <=3, DISPLAY EACH ITEM NAME IN THE TEXT OF QUESTION. IF MORE THAN 3 ITEMS ARE CODED IN THIS MANNER DISPLAY "THESE ACTIVITIES" IN THE TEXT OF QUESTION.

Value	Label	Unweighted Frequency	%
10	Arthritis/rheumatism	4	0.0 %
11	Back or neck problem	12	0.1 %
12	Birth defect	2	0.0 %
13	Cancer	4	0.0 %
14	Depression/anxiety/emotional problem	35	0.4 %
16	Diabetes	28	0.3 %
17	Fractures, bone/joint injury	33	0.3 %
18	Hearing problem	24	0.3 %
19	Heart problem	37	0.4 %
20	Hypertension/high blood pressure	46	0.5 %
21	Lung/breathing problem	15	0.2 %

Value	Label	Unweighted Frequency	%
22	Mental retardation	2	0.0 %
23	Other injury	7	0.1 %
24	Senility	3	0.0 %
25	Stroke problem	9	0.1 %
26	Vision/problem seeing	43	0.5 %
27	Weight problem	27	0.3 %
28	Other impairment/problem	39	0.4 %
. (M)	-	9123	96.1 %

PFD067D

Health problems causing difficulty

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: What condition or health problem causes {you/SP} to have difficulty with or need help with {NAME OF UP TO 3 ACTIVITIES/these activities}? English Instructions: HAND CARD PFQ2. ENTER ALL THAT APPLY UP TO 5 BUT DO NOT PROBE. DO NOT ENTER 'OLD AGE' AS CONDITION -- IF OLD AGE IS REPORTED, PROBE FOR ANY OTHER CONDITION. CAPI INSTRUCTION: IF THE TOTAL NUMBER OF ITEMS CODED 'SOME DIFFICULTY' (CODE 2), 'MUCH DIFFI CULTY' (CODE 3), OR 'UNABLE TO DO' (CODE 4) IN PFQ.060 A THROUGH S <=3, DISPLAY EACH ITEM NAME IN THE TEXT OF QUESTION. IF MORE THAN 3 ITEMS ARE CODED IN THIS MANNER DISPLAY "THESE ACTIVITIES" IN THE TEXT OF QUESTION.

Value	Label	Unweighted Frequency	%
10	Arthritis/rheumatism	4	0.0 %
11	Back or neck problem	6	0.1 %
14	Depression/anxiety/emotional problem	7	0.1 %
16	Diabetes	4	0.0 %
17	Fractures, bone/joint injury	12	0.1 %
18	Hearing problem	13	0.1 %
19	Heart problem	14	0.1 %
20	Hypertension/high blood pressure	29	0.3 %
21	Lung/breathing problem	25	0.3 %
23	Other injury	3	0.0 %
24	Senility	5	0.1 %
25	Stroke problem	4	0.0 %
26	Vision/problem seeing	37	0.4 %
27	Weight problem	24	0.3 %
28	Other impairment/problem	17	0.2 %
. (M)	-	9289	97.9 %

PFD067E

Health problems causing difficulty

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: What condition or health problem causes {you/SP} to have difficulty with or need help with {NAME OF UP TO 3 ACTIVITIES/these activities}? English Instructions: HAND CARD PFQ2. ENTER ALL THAT APPLY UP TO 5 BUT DO NOT PROBE. DO NOT ENTER 'OLD AGE' AS CONDITION -- IF OLD AGE IS REPORTED, PROBE FOR ANY OTHER CONDITION. CAPI INSTRUCTION: IF THE TOTAL NUMBER OF ITEMS CODED 'SOME DIFFICULTY' (CODE 2), 'MUCH DIFFI CULTY' (CODE 3), OR 'UNABLE TO DO' (CODE 4) IN PFQ.060 A THROUGH S <=3, DISPLAY EACH ITEM NAME IN THE TEXT OF QUESTION. IF MORE THAN 3 ITEMS ARE CODED IN THIS MANNER DISPLAY "THESE ACTIVITIES" IN THE TEXT OF QUESTION.

Value	Label	Unweighted Frequency	%
10	Arthritis/rheumatism	2	0.0 %
11	Back or neck problem	1	0.0 %
13	Cancer	1	0.0 %
14	Depression/anxiety/emotional problem	1	0.0 %
16	Diabetes	1	0.0 %
17	Fractures, bone/joint injury	1	0.0 %
18	Hearing problem	4	0.0 %
19	Heart problem	4	0.0 %
20	Hypertension/high blood pressure	8	0.1 %
21	Lung/breathing problem	9	0.1 %
22	Mental retardation	1	0.0 %
23	Other injury	4	0.0 %
25	Stroke problem	5	0.1 %
26	Vision/problem seeing	31	0.3 %
27	Weight problem	20	0.2 %
28	Other impairment/problem	11	0.1 %
. (M)	-	9389	98.9 %

PFD069AG Arthritis or rheumatism problems

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long have you had {CONDITION 10-11 or 13-28}? How long (have/has) (you/SP) had arthritis or rheumatism? English Instructions: GATE QUESTION. CAPI INSTRUCTION: IF CODE 28 IN PFQ.067, THE FILL SHOULD BE {THE OTHER

CONDITION YOU MENTIONED).

Value	Label	Unweighted Frequency	%
1	Enter number	663	7.0 %
2	Since birth	6	0.1 %
9	Don't know	12	0.1 %
. (M)	-	8812	92.8 %

PFD069AQ Number of days/weeks/months/years

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had arthritis or rheumatism? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	37	0.4 %
2	-	39	0.4 %
3	-	38	0.4 %
4	-	33	0.3 %
5	-	46	0.5 %
6	-	28	0.3 %
7	-	24	0.3 %
8	-	10	0.1 %
9	-	10	0.1 %
10	-	79	0.8 %
11	-	5	0.1 %
12	-	13	0.1 %
13	-	11	0.1 %
14	-	9	0.1 %
15	-	34	0.4 %
16	-	4	0.0 %
17	-	6	0.1 %
18	-	12	0.1 %
19	-	6	0.1 %
20	-	48	0.5 %
21	-	4	0.0 %
22	-	5	0.1 %
23	-	7	0.1 %
24	-	4	0.0 %
25	-	23	0.2 %
26	-	4	0.0 %
27	-	4	0.0 %
28	-	6	0.1 %
29	-	4	0.0 %
30	-	32	0.3 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	2	0.0 %
34	-	6	0.1 %
35	-	9	0.1 %
36	-	3	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
39	-	2	0.0 %
40	-	8	0.1 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	8	0.1 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
50	-	6	0.1 %
52	-	2	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
57	-	2	0.0 %
58	-	1	0.0 %
60	-	3	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
. (M)	-	8830	93.0 %

PFD069AU Unit of measure (da/wk/mo/yr)

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
2	Weeks	2	0.0 %
3	Months	25	0.3 %
4	Years	636	6.7 %
. (M)	-	8830	93.0 %

PFD069BG Back or neck problems

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had back or

neck problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	392	4.1 %
2	Since birth	4	0.0 %
9	Don't know	7	0.1 %
. (M)	-	9090	95.8 %

PFD069BQ

Number of days/weeks/months/years

Location:

119-121 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had back or neck problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	24	0.3 %
2	-	31	0.3 %
3	-	25	0.3 %
4	-	20	0.2 %
5	-	30	0.3 %
6	-	17	0.2 %
7	-	13	0.1 %
8	-	7	0.1 %
9	-	5	0.1 %
10	-	37	0.4 %
11	-	4	0.0 %
12	-	8	0.1 %
13	-	3	0.0 %
14	-	4	0.0 %
15	-	21	0.2 %
16	-	5	0.1 %
17	-	3	0.0 %
18	-	5	0.1 %
19	-	3	0.0 %
20	-	23	0.2 %
21	-	3	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	11	0.1 %
26	-	1	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
30	-	24	0.3 %
31	=	3	0.0 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	5	0.1 %
37	=	2	0.0 %
38	=	2	0.0 %
39	-	2	0.0 %
40	=	6	0.1 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
55	-	1	0.0 %
57	-	3	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
. (M)	-	9101	95.9 %

PFD069BU

Unit of measure (da/wk/mo/yr)

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numer

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions: ENTER UNIT

Unweighted % Value Label Frequency 1 0.0 % Days 2 Weeks 3 0.0 % 3 Months 30 0.3 % Years 355 3.7 % . (M) 9101 95.9 %

PFQ069CG Cancer condition

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had cancer?

English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	38	0.4 %
. (M)	-	9455	99.6 %

PFQ069CQ Number of days/weeks/months/years

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had cancer?

English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	5	0.1 %
2	-	5	0.1 %
3	-	6	0.1 %
4	-	6	0.1 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
. (M)	-	9455	99.6 %

PFQ069CU Unit of measure (da/wk/mo/yr)

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
3	Months	13	0.1 %

Value	Label	Unweighted Frequency	%
4	Years	25	0.3 %
. (M)	-	9455	99.6 %

PFD069DG Depression, anxiety, emotional problems

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had depression,

anxiety or emotional problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	135	1.4 %
2	Since birth	5	0.1 %
9	Don't know	6	0.1 %
. (M)	-	9347	98.5 %

PFD069DQ Number of days/weeks/months/years

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had depression, anxiety or emotional problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS

OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	16	0.2 %
2	-	12	0.1 %
3	-	15	0.2 %
4	-	10	0.1 %
5	-	9	0.1 %
6	-	6	0.1 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	5	0.1 %
10	-	11	0.1 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	4	0.0 %
14	-	2	0.0 %
15	-	7	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
30	-	4	0.0 %
35	-	4	0.0 %
37	-	2	0.0 %
40	-	4	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
60	-	1	0.0 %
74	=	1	0.0 %
79	=	1	0.0 %
. (M)	-	9358	98.6 %

PFD069DU Unit of measure (da/wk/mo/yr)

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
2	Weeks	1	0.0 %
3	Months	15	0.2 %
4	Years	119	1.3 %
. (M)	-	9358	98.6 %

PFQ069EG Other development problems

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had other

developmental problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	2	0.0 %
2	Since birth	3	0.0 %
. (M)	-	9488	99.9 %

PFQ069EQ Number of days/weeks/months/years

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had other

developmental problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS

OR YEARS)

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
50	-	1	0.0 %
. (M)	-	9491	100.0 %

PFQ069EU Unit of measure (da/wk/mo/yr)

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
4	Years	2	0.0 %
. (M)	-	9491	100.0 %

PFQ069FG Diabetes condition

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had diabetes?

English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	123	1.3 %
9	Don't know	2	0.0 %
. (M)	-	9368	98.7 %

PFQ069FQ Number of days/weeks/months/years

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had diabetes?

English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	7	0.1 %
2	-	4	0.0 %
3	-	3	0.0 %
4	-	5	0.1 %
5	-	8	0.1 %
6	-	6	0.1 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
8	-	4	0.0 %
9	-	3	0.0 %
10	-	13	0.1 %
11	-	5	0.1 %
12	-	4	0.0 %
14	-	9	0.1 %
15	-	8	0.1 %
16	-	2	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
20	-	12	0.1 %
24	-	1	0.0 %
25	-	4	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
30	-	9	0.1 %
31	-	1	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
43	-	1	0.0 %
48	-	1	0.0 %
55	-	1	0.0 %
. (M)	-	9370	98.7 %

PFQ069FU Unit of measure (da/wk/mo/yr)

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
2	Weeks	1	0.0 %
3	Months	8	0.1 %
4	Years	114	1.2 %
. (M)	-	9370	98.7 %

PFQ069GG Fractures, bone, joint injury problems

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had fractures or bone or joint injury problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	198	2.1 %
2	Since birth	2	0.0 %
9	Don't know	3	0.0 %
. (M)	-	9290	97.9 %

PFQ069GQ

Number of days/weeks/months/years

Location:

164-166 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had fractures or bone or joint injury problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	14	0.1 %
2	-	23	0.2 %
3	-	16	0.2 %
4	-	13	0.1 %
5	-	18	0.2 %
6	-	4	0.0 %
7	-	5	0.1 %
8	-	4	0.0 %
9	-	5	0.1 %
10	-	12	0.1 %
11	-	4	0.0 %
12	-	4	0.0 %
13	-	1	0.0 %
14	-	7	0.1 %
15	-	6	0.1 %
16	-	4	0.0 %
17	-	4	0.0 %
18	-	4	0.0 %
19	-	1	0.0 %
20	-	9	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	3	0.0 %
25	-	5	0.1 %
26	-	3	0.0 %
27	-	2	0.0 %

Value	Label	Unweighted Frequency	%
28	-	4	0.0 %
29	-	1	0.0 %
30	-	4	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
59	-	1	0.0 %
65	-	1	0.0 %
73	-	1	0.0 %
. (M)	-	9295	97.9 %

PFQ069GU Unit of measure (da/wk/mo/yr)

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	1	0.0 %
2	Weeks	4	0.0 %
3	Months	20	0.2 %
4	Years	173	1.8 %
. (M)	-	9295	97.9 %

PFQ069HG Hearing problems

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had hearing

problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	82	0.9 %
2	Since birth	4	0.0 %

Value	Label	Unweighted Frequency	%
9	Don't know	3	0.0 %
. (M)	-	9404	99.1 %

PFQ069HQ

Number of days/weeks/months/years

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had hearing problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	_	4	0.0 %
2		8	0.0 %
	-		
3	-	5	0.1 %
4	-	6	0.1 %
5	-	7	0.1 %
7	-	7	0.1 %
8	-	1	0.0 %
9	-	2	0.0 %
10	-	11	0.1 %
12	-	2	0.0 %
15	-	5	0.1 %
20	-	4	0.0 %
25	-	4	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
50	-	2	0.0 %
55	-	1	0.0 %
65	-	2	0.0 %
67	-	1	0.0 %
. (M)	-	9411	99.1 %

PFQ069HU

Unit of measure (da/wk/mo/yr)

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
3	Months	3	0.0 %
4	Years	79	0.8 %
. (M)	-	9411	99.1 %

PFD069IG Heart problems

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had heart

problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	109	1.1 %
2	Since birth	3	0.0 %
9	Don't know	3	0.0 %
. (M)	-	9378	98.8 %

PFD069IQ Number of days/weeks/months/years

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had heart problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	9	0.1 %
2	-	6	0.1 %
3	-	6	0.1 %
4	-	8	0.1 %
5	-	7	0.1 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	9	0.1 %
9	-	4	0.0 %
10	-	11	0.1 %
11	-	2	0.0 %
12	-	3	0.0 %
14	-	5	0.1 %
15	-	4	0.0 %
16	-	2	0.0 %
17	-	2	0.0 %
20	-	6	0.1 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23	-	2	0.0 %
25	-	2	0.0 %
27	-	2	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
32	-	2	0.0 %
35	-	2	0.0 %
40	-	2	0.0 %
47	-	1	0.0 %
60	-	1	0.0 %
64	-	1	0.0 %
68	-	1	0.0 %
. (M)	-	9384	98.9 %

PFD069IU Unit of measure (da/wk/mo/yr)

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	1	0.0 %
2	Weeks	1	0.0 %
3	Months	10	0.1 %
4	Years	97	1.0 %
. (M)	-	9384	98.9 %

PFD069JG Hypertension or high blood pressure

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had hypertension

or high blood pressure? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	139	1.5 %
9	Don't know	4	0.0 %
. (M)	-	9350	98.5 %

PFD069JQ Number of days/weeks/months/years

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had hypertension or high blood pressure? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	7	0.1 %
2	-	8	0.1 %
3	-	4	0.0 %
4	-	12	0.1 %
5	-	12	0.1 %
6	-	6	0.1 %
7	-	2	0.0 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	14	0.1 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
14	-	3	0.0 %
15	-	7	0.1 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	5	0.1 %
19	-	1	0.0 %
20	-	11	0.1 %
23	-	4	0.0 %
25	-	3	0.0 %
27	-	3	0.0 %
30	-	7	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
55	-	1	0.0 %
. (M)	-	9354	98.5 %

PFD069JU

Unit of measure (da/wk/mo/yr)

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
3	Months	3	0.0 %
4	Years	136	1.4 %
. (M)	-	9354	98.5 %

PFQ069KG Lung or breathing problems

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had lung or

breathing problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	116	1.2 %
2	Since birth	4	0.0 %
. (M)	-	9373	98.7 %

PFQ069KQ Number of days/weeks/months/years

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had lung or

breathing problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR

YEARS)

Value	Label	Unweighted Frequency	%
1	-	8	0.1 %
2	-	6	0.1 %
3	-	6	0.1 %
4	-	7	0.1 %
5	-	16	0.2 %
6	-	7	0.1 %
7	-	3	0.0 %
8	-	2	0.0 %
9	-	3	0.0 %
10	-	10	0.1 %
11	-	1	0.0 %
12	-	4	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	8	0.1 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	2	0.0 %
20	-	9	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	3	0.0 %
27	-	1	0.0 %
30	-	3	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
70	-	1	0.0 %
. (M)	-	9377	98.8 %

PFQ069KU Unit of measure (da/wk/mo/yr)

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	1	0.0 %
3	Months	8	0.1 %
4	Years	107	1.1 %
. (M)	-	9377	98.8 %

PFQ069LG Mental retardation condition

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had mental

retardation? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	5	0.1 %
2	Since birth	5	0.1 %
9	Don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	9482	99.9 %

PFQ069LQ Number of days/weeks/months/years

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had mental

retardation? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
30	-	2	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
. (M)	-	9488	99.9 %

PFQ069LU Unit of measure (da/wk/mo/yr)

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
4	Years	5	0.1 %
. (M)	-	9488	99.9 %

PFQ069MG Other injury problems

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had other injury

problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	68	0.7 %
9	Don't know	2	0.0 %
. (M)	-	9423	99.3 %

PFQ069MQ Number of days/weeks/months/years

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had other injury

problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

- Study 25501 -

Value	Label	Unweighted Frequency	%
1	=	2	0.0 %
2	-	3	0.0 %
3	-	6	0.1 %
4	-	5	0.1 %
5	=	5	0.1 %
6	=	4	0.0 %
7	-	3	0.0 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	3	0.0 %
11	-	2	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
20	-	6	0.1 %
22	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
32	-	2	0.0 %
35	-	1	0.0 %
40	-	2	0.0 %
46	-	1	0.0 %
50	-	2	0.0 %
52	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
66	-	1	0.0 %
. (M)	-	9425	99.3 %

PFQ069MU Unit of measure (da/wk/mo/yr)

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	1	0.0 %

Value	Label	Unweighted Frequency	%
2	Weeks	3	0.0 %
3	Months	10	0.1 %
4	Years	54	0.6 %
. (M)	-	9425	99.3 %

PFQ069NG Senility condition

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had senility?

English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	22	0.2 %
9	Don't know	3	0.0 %
. (M)	-	9468	99.7 %

PFQ069NQ Number of days/weeks/months/years

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had senility?

English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	6	0.1 %
2	-	2	0.0 %
3	-	2	0.0 %
4	-	4	0.0 %
5	-	3	0.0 %
7	-	2	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
. (M)	-	9471	99.8 %

PFQ069NU Unit of measure (da/wk/mo/yr)

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
4	Years	22	0.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	9471	99.8 %

PFQ069OG Stroke problems

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had stroke

problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	75	0.8 %
2	Since birth	3	0.0 %
9	Don't know	1	0.0 %
. (M)	-	9414	99.2 %

PFQ069OQ Number of days/weeks/months/years

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had stroke problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	10	0.1 %
2	-	8	0.1 %
3	-	10	0.1 %
4	-	6	0.1 %
5	-	6	0.1 %
6	-	4	0.0 %
7	-	5	0.1 %
8	-	3	0.0 %
9	-	2	0.0 %
10	-	9	0.1 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
. (M)	-	9418	99.2 %

PFQ069OU Unit of measure (da/wk/mo/yr)

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	1	0.0 %
2	Weeks	6	0.1 %
3	Months	9	0.1 %
4	Years	59	0.6 %
. (M)	-	9418	99.2 %

PFD069PG Vision problems

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had vision

problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	183	1.9 %
2	Since birth	2	0.0 %
9	Don't know	4	0.0 %
. (M)	-	9304	98.0 %

PFD069PQ Number of days/weeks/months/years

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had vision problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value Label Unweighted % Frequency 1 14 0.1 % 2 15 0.2 % 22 3 0.2 % 9 0.1 % 4 5 12 0.1 % 6 12 0.1 % 3 0.0 % 7 8 11 0.1 % 9 0.0 % 4 0.2 % 10 18 0.0 % 11

- Study 25501 -

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
14	-	3	0.0 %
15	-	8	0.1 %
16	-	1	0.0 %
18	-	3	0.0 %
20	-	7	0.1 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
27	-	2	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
32	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	2	0.0 %
56	-	2	0.0 %
60	-	1	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
75	-	1	0.0 %
84	-	1	0.0 %
86	-	1	0.0 %
. (M)	-	9310	98.1 %

PFD069PU Unit of measure (da/wk/mo/yr)

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	1	0.0 %

Value	Label	Unweighted Frequency	%
2	Weeks	2	0.0 %
3	Months	12	0.1 %
4	Years	168	1.8 %
. (M)	-	9310	98.1 %

PFD069QG Weight problems

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had weight

problems? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	136	1.4 %
2	Since birth	5	0.1 %
9	Don't know	3	0.0 %
. (M)	-	9349	98.5 %

PFD069QQ Number of days/weeks/months/years

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had weight problems? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	8	0.1 %
2	-	8	0.1 %
3	-	7	0.1 %
4	-	10	0.1 %
5	-	8	0.1 %
6	-	5	0.1 %
7	-	4	0.0 %
8	-	7	0.1 %
9	-	2	0.0 %
10	-	16	0.2 %
11	-	3	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
16	-	2	0.0 %
18	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
20	-	9	0.1 %
21	-	1	0.0 %
24	-	1	0.0 %
25	-	5	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	8	0.1 %
31	-	1	0.0 %
32	-	2	0.0 %
35	-	2	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	6	0.1 %
41	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
61	-	1	0.0 %
. (M)	-	9357	98.6 %

PFD069QU Unit of measure (da/wk/mo/yr)

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
3	Months	3	0.0 %
4	Years	133	1.4 %
. (M)	-	9357	98.6 %

PFD069RG Other impairment problems

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had the other

impairment you mentioned? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	320	3.4 %
2	Since birth	19	0.2 %
9	Don't know	18	0.2 %
. (M)	-	9136	96.2 %

PFD069RQ

Number of days/weeks/months/years

Location:

263-265 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How long (have/has) (you/SP) had the other impairment you mentioned? English Instructions: ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	36	0.4 %
2	-	55	0.6 %
3	-	32	0.3 %
4	-	18	0.2 %
5	-	39	0.4 %
6	-	15	0.2 %
7	-	5	0.1 %
8	-	12	0.1 %
9	-	6	0.1 %
10	-	26	0.3 %
11	-	2	0.0 %
12	-	5	0.1 %
13	-	4	0.0 %
14	-	2	0.0 %
15	-	10	0.1 %
16	-	2	0.0 %
17	-	3	0.0 %
18	-	7	0.1 %
19	-	2	0.0 %
20	-	7	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	2	0.0 %
28	-	2	0.0 %
30	-	6	0.1 %
35	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
50	-	2	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
66	-	1	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %
88	-	1	0.0 %
. (M)	-	9173	96.6 %

PFD069RU Unit of measure (da/wk/mo/yr)

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	3	0.0 %
2	Weeks	3	0.0 %
3	Months	33	0.3 %
4	Years	281	3.0 %
. (M)	-	9173	96.6 %

PFQ090 Require special healthcare equipment

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: {Do you/Does SP} now have any health problem that requires {you/him/her} to use special equipment, such as a cane, a wheelchair, a special

bed, or a special telephone? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	417	4.4 %
2	No	4460	47.0 %
7	Refused	1	0.0 %
. (M)	-	4615	48.6 %

PFQ100 Special eating utensils

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: {Do you/Does SP} usually use any special

eating utensils? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	38	0.4 %
2	No	4839	51.0 %
7	Refused	1	0.0 %
. (M)	-	4615	48.6 %

PFQ110 Dressing aids or devices

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: {Do you/Does SP} usually use any aids or

devices to help {you/him/her} dress [such as button hooks, zipper pulls, long-handled shoe horn,

etc.]? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	76	0.8 %
2	No	4800	50.6 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	4615	48.6 %

SDDSRVYR Data Release Number

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value		Unweighted Frequency	%	
1	NHANES 1999-2000 Public Release	9493	100.0 %	

RIDSTATR Interview/Examination Status

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	661	7.0 %
2	Both Interviewed and MEC examined.	8832	93.0 %

RIAGENDR Gender - Adjudicated

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	4638	48.9 %
2	Female	4855	51.1 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
1	-	263	2.8 %
2	-	261	2.7 %
3	-	190	2.0 %
4	-	198	2.1 %
5	-	173	1.8 %
6	-	181	1.9 %
7	=	190	2.0 %
8	-	198	2.1 %
9	-	172	1.8 %
10	-	182	1.9 %
11	-	190	2.0 %
12	-	328	3.5 %
13	-	329	3.5 %
14	-	311	3.3 %
15	-	283	3.0 %
16	-	311	3.3 %
17	-	285	3.0 %
18	-	287	3.0 %
19	-	281	3.0 %
20	-	85	0.9 %
21	-	82	0.9 %
22	-	100	1.1 %
23	=	97	1.0 %
24	-	86	0.9 %
25	-	78	0.8 %
26	-	90	0.9 %
27	-	81	0.9 %

Value	Label	Unweighted Frequency	%
28	-	80	0.8 %
29	-	92	1.0 %
30	-	83	0.9 %
31	-	87	0.9 %
32	-	94	1.0 %
33	-	69	0.7 %
34	-	86	0.9 %
35	-	80	0.8 %
36	-	77	0.8 %
37	-	87	0.9 %
38	-	73	0.8 %
39	-	88	0.9 %
40	-	92	1.0 %
41	-	81	0.9 %
42	-	90	0.9 %
43	-	73	0.8 %
44	-	79	0.8 %
45	-	89	0.9 %
46	-	70	0.7 %
47	-	70	0.7 %
48	-	61	0.6 %
49	-	60	0.6 %
50	-	57	0.6 %
51	-	75	0.8 %
52	-	71	0.7 %
53	-	64	0.7 %
54	-	77	0.8 %
55	-	48	0.5 %
56	-	62	0.7 %
57	-	50	0.5 %
58	-	38	0.4 %
59	-	44	0.5 %
60	-	110	1.2 %
61	-	86	0.9 %
62	-	90	0.9 %
63	-	68	0.7 %
64	-	88	0.9 %
65	-	89	0.9 %
66	-	79	0.8 %
67	-	78	0.8 %

Value	Label	Unweighted Frequency	%
68	=	69	0.7 %
69	-	61	0.6 %
70	-	81	0.9 %
71	-	73	0.8 %
72	-	60	0.6 %
73	-	69	0.7 %
74	-	54	0.6 %
75	-	57	0.6 %
76	-	50	0.5 %
77	-	55	0.6 %
78	-	49	0.5 %
79	-	46	0.5 %
80	-	64	0.7 %
81	-	63	0.7 %
82	-	49	0.5 %
83	-	31	0.3 %
84	-	42	0.4 %
85	>= 85 years of age	173	1.8 %

RIDAGEMN Age in Months - Recode

Location: 290-293 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 294-297 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 298-300 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	3176	33.5 %
2	Other Hispanic	552	5.8 %
3	Non-Hispanic White	3244	34.2 %
4	Non-Hispanic Black	2155	22.7 %
5	Other Race - Including Multi-Racial	366	3.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 301-303 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	3299	34.8 %
2	Non-Hispanic Black	2198	23.2 %
3	Mexican American	3176	33.5 %
4	Other Race - Including Multi-Racial	268	2.8 %
5	Other Hispanic	552	5.8 %

DMQMILIT Veteran/Military Status

Location: 304-306 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	717	7.6 %
2	No	5004	52.7 %
7	Refused	5	0.1 %
9	Don't know	5	0.1 %
. (M)	-	3762	39.6 %

DMDBORN Country of Birth - Recode

Location: 307-309 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	7600	80.1 %
2	Born in Mexico	1146	12.1 %
3	Born Elsewhere	735	7.7 %
7	Refused	1	0.0 %
9	Don't Know	1	0.0 %
. (M)	-	10	0.1 %

DMDCITZN Citizenship Status

Location: 310-312 (width: 3; decimal: 0)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	8193	86.3 %
2	Not a citizen of the US	1239	13.1 %
7	Refused	30	0.3 %
9	Don't know	28	0.3 %
. (M)	-	3	0.0 %

DMDYRSUS

Question:

Length of time in US

numeric

313-315 (width: 3; decimal: 0) Location:

Variable Type:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	114	1.2 %
2	1 yr., less than 5 yrs.	341	3.6 %
3	5 yrs., less than 10 yrs.	359	3.8 %
4	10 yrs., less than 15 yrs.	256	2.7 %
5	15 yrs., less than 20 yrs.	156	1.6 %
6	20 yrs., less than 30 yrs.	252	2.7 %
7	30 yrs., less than 40 yrs.	174	1.8 %
8	40 yrs., less than 50 yrs.	120	1.3 %
9	50 years or more	63	0.7 %
77	Refused	34	0.4 %
88	Could not determine	1	0.0 %
99	Don't know	25	0.3 %
. (M)	-	7598	80.0 %

DMDEDUC3

Education level - Children/Youth 6-19

Location: 316-318 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten	210	2.2 %
1	1st Grade	202	2.1 %
2	2nd Grade	186	2.0 %

Value	Label	Unweighted Frequency	%
3	3rd Grade	186	2.0 %
4	4th Grade	204	2.1 %
5	5th Grade	244	2.6 %
6	6th Grade	318	3.3 %
7	7th Grade	323	3.4 %
8	8th Grade	320	3.4 %
9	9th Grade	309	3.3 %
10	10th Grade	307	3.2 %
11	11th Grade	281	3.0 %
12	12th Grade, No Diploma	81	0.9 %
13	High School Graduate	177	1.9 %
14	GED or Equivalent	12	0.1 %
15	More than high school	108	1.1 %
55	Less Than 5th Grade	3	0.0 %
66	Less Than 9th Grade	53	0.6 %
77	Refused	2	0.0 %
99	Don't know	1	0.0 %
. (M)	-	5966	62.8 %

DMDEDUC2 Education level - Adults 20+

Location: 319-321 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	932	9.8 %
2	9-11th Grade (Includes 12th grade with no diploma)	964	10.2 %
3	High School Grad/GED or Equivalent	1097	11.6 %
4	Some College or AA degree	1070	11.3 %
5	College Graduate or above	793	8.4 %
7	Refused	8	0.1 %
9	Don't Know	14	0.1 %
. (M)	-	4615	48.6 %

DMDEDUC Education - Recode (old version)

Location: 322-324 (width: 3; decimal: 0)

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	5124	54.0 %
2	High School Diploma (including GED)	1286	13.5 %
3	More Than High School	1971	20.8 %
7	Refused	10	0.1 %
9	Don't know	15	0.2 %
. (M)	-	1087	11.5 %

DMDSCHOL Now attending school?

Location: 325-327 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2348	24.7 %
2	On vacation from school (between grades)	618	6.5 %
3	Neither in school or on vacation from school (between grades)	344	3.6 %
9	Don't know	1	0.0 %
. (M)	-	6182	65.1 %

DMDMARTL Marital Status

Location: 328-330 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2485	26.2 %
2	Widowed	475	5.0 %
3	Divorced	378	4.0 %
4	Separated	177	1.9 %
5	Never married	2316	24.4 %
6	Living with partner	232	2.4 %
77	Refused	7	0.1 %
99	Don't know	2	0.0 %
. (M)	-	3421	36.0 %

DMDHHSIZ Total number of people in the Household

Location: 331-333 (width: 3; decimal: 0)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

Value	Label	Unweighted Frequency	%
1	-	752	7.9 %
2	-	1843	19.4 %
3	-	1612	17.0 %
4	-	1856	19.6 %
5	-	1499	15.8 %
6	-	858	9.0 %
7	7 or more people in the Household	1073	11.3 %

INDHHINC Annual Household Income

Location: 334-336 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	274	2.9 %
2	\$ 5,000 to \$ 9,999	617	6.5 %
3	\$10,000 to \$14,999	812	8.6 %
4	\$15,000 to \$19,999	721	7.6 %
5	\$20,000 to \$24,999	736	7.8 %
6	\$25,000 to \$34,999	1068	11.3 %
7	\$35,000 to \$44,999	763	8.0 %
8	\$45,000 to \$54,999	583	6.1 %
9	\$55,000 to \$64,999	481	5.1 %
10	\$65,000 to \$74,999	351	3.7 %
11	\$75,000 and Over	1210	12.7 %
12	Over \$20,000	305	3.2 %
13	Under \$20,000	45	0.5 %
77	Refused	38	0.4 %
99	Don't know	34	0.4 %
. (M)	-	1455	15.3 %

INDFMINC Annual Family Income

Location: 337-339 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	505	5.3 %

Value	Label	Unweighted Frequency	%
2	\$ 5,000 to \$ 9,999	821	8.6 %
3	\$10,000 to \$14,999	1009	10.6 %
4	\$15,000 to \$19,999	786	8.3 %
5	\$20,000 to \$24,999	810	8.5 %
6	\$25,000 to \$34,999	1040	11.0 %
7	\$35,000 to \$44,999	707	7.4 %
8	\$45,000 to \$54,999	590	6.2 %
9	\$55,000 to \$64,999	431	4.5 %
10	\$65,000 to \$74,999	332	3.5 %
11	\$75,000 and Over	1042	11.0 %
12	Over \$20,000	395	4.2 %
13	Under \$20,000	340	3.6 %
77	Refused	289	3.0 %
99	Don't know	220	2.3 %
. (M)	-	176	1.9 %

INDFMPIR Family PIR

Location: 340-344 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 345-347 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	311	3.3 %
2	SP not pregnant at exam	1443	15.2 %
3	Cannot ascertain if SP is pregnant at exam	208	2.2 %
. (M)	-	7531	79.3 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 348-350 (width: 3; decimal: 0)

Question:

Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	285	3.0 %
2	SP not pregnant	1544	16.3 %
. (M)	-	7664	80.7 %

DMDHRGND HH Ref Person Gender

Location: 351-353 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5326	56.1 %
2	Female	4155	43.8 %
. (M)	-	12	0.1 %

DMDHRAGE HH Ref Person Age

Location: 354-356 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	61	0.6 %
19	-	71	0.7 %
20	-	85	0.9 %
21	-	76	0.8 %
22	-	109	1.1 %
23	-	123	1.3 %
24	-	102	1.1 %
25	-	121	1.3 %
26	-	147	1.5 %
27	-	151	1.6 %
28	-	195	2.1 %
29	-	226	2.4 %
30	-	216	2.3 %
31	-	258	2.7 %
32	-	245	2.6 %

Value	Label	Unweighted Frequency	%
33	-	224	2.4 %
34	-	239	2.5 %
35	-	301	3.2 %
36	-	238	2.5 %
37	-	281	3.0 %
38	-	291	3.1 %
39	-	246	2.6 %
40	-	356	3.8 %
41	-	274	2.9 %
42	-	267	2.8 %
43	-	236	2.5 %
44	-	221	2.3 %
45	-	233	2.5 %
46	-	219	2.3 %
47	-	152	1.6 %
48	-	151	1.6 %
49	-	164	1.7 %
50	-	165	1.7 %
51	-	185	1.9 %
52	-	149	1.6 %
53	-	120	1.3 %
54	-	118	1.2 %
55	-	88	0.9 %
56	-	104	1.1 %
57	-	105	1.1 %
58	-	91	1.0 %
59	-	82	0.9 %
60	-	127	1.3 %
61	-	93	1.0 %
62	-	100	1.1 %
63	-	91	1.0 %
64	-	98	1.0 %
65	-	91	1.0 %
66	-	85	0.9 %
67	-	98	1.0 %
68	-	81	0.9 %
69	-	61	0.6 %
70	-	101	1.1 %
71	-	77	0.8 %
72	-	68	0.7 %

Value	Label	Unweighted Frequency	%
73	-	85	0.9 %
74	-	58	0.6 %
75	-	64	0.7 %
76	-	50	0.5 %
77	-	50	0.5 %
78	-	62	0.7 %
79	-	45	0.5 %
80	-	65	0.7 %
81	-	61	0.6 %
82	-	45	0.5 %
83	-	31	0.3 %
84	-	36	0.4 %
85	>= 85 years of age	171	1.8 %
. (M)	-	12	0.1 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 357-359 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	6272	66.1 %
2	Born in Mexico	1839	19.4 %
3	Born Elsewhere	1000	10.5 %
7	Refused	12	0.1 %
. (M)	-	370	3.9 %

DMDHREDU

HH Ref Person Education Level

Location: 360-362 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1657	17.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	1982	20.9 %
3	High School Grad/GED or equivalent	2097	22.1 %
4	Some College or AA degree	1934	20.4 %
5	College Graduate or above	1372	14.5 %
7	Refused	13	0.1 %

Value	Label	Unweighted Frequency	%
9	Don't know	60	0.6 %
. (M)	-	378	4.0 %

DMDHRMAR HH Ref Person Marital Status

Location: 363-365 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	4481	47.2 %
2	Widowed	567	6.0 %
3	Divorced	843	8.9 %
4	Separated	520	5.5 %
5	Never married	1060	11.2 %
6	Living with partner	259	2.7 %
77	Refused	16	0.2 %
99	Don't know	12	0.1 %
. (M)	-	1735	18.3 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 366-368 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	584	6.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	691	7.3 %
3	High School Grad/GED or	690	7.3 %
4	Some College or AA degree	637	6.7 %
5	College Graduate or above	456	4.8 %
7	Refused	3	0.0 %
9	Don't know	21	0.2 %
. (M)	-	6411	67.5 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 369-383 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 384-397 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 398-412 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 413-426 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 427-429 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	4663	49.1 %
2	4520	47.6 %
3	310	3.3 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 430-432 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	1018	10.7 %
2	646	6.8 %
3	731	7.7 %
4	814	8.6 %
5	718	7.6 %
6	699	7.4 %
7	834	8.8 %
8	726	7.6 %
9	661	7.0 %
10	618	6.5 %
11	703	7.4 %

Value	Unweighted Frequency	%
12	778	8.2 %
13	547	5.8 %

SDJ1REPN

Jack Knife Replicate Number

Location: 433-435 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

Value	Unweighted Frequency	%
1	182	1.9 %
2	246	2.6 %
3	169	1.8 %
4	201	2.1 %
5	151	1.6 %
6	152	1.6 %
7	108	1.1 %
8	171	1.8 %
9	182	1.9 %
10	165	1.7 %
11	176	1.9 %
12	187	2.0 %
13	171	1.8 %
14	135	1.4 %
15	216	2.3 %
16	173	1.8 %
17	207	2.2 %
18	254	2.7 %
19	157	1.7 %
20	153	1.6 %
21	175	1.8 %
22	161	1.7 %
23	164	1.7 %
24	226	2.4 %
25	302	3.2 %
26	153	1.6 %
27	194	2.0 %
28	220	2.3 %
29	179	1.9 %
30	205	2.2 %
31	192	2.0 %

Value	Unweighted Frequency	%
32	199	2.1 %
33	164	1.7 %
34	269	2.8 %
35	155	1.6 %
36	129	1.4 %
37	181	1.9 %
38	161	1.7 %
39	149	1.6 %
40	154	1.6 %
41	208	2.2 %
42	155	1.6 %
43	184	1.9 %
44	145	1.5 %
45	170	1.8 %
46	183	1.9 %
47	195	2.1 %
48	278	2.9 %
49	150	1.6 %
50	133	1.4 %
51	162	1.7 %
52	242	2.5 %

DMAETHN Logical Imputation Flag for Ethnicity

Location: 436-438 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	9491	100.0 %

DMARACE Logical Imputation Flag for Race Recode

Location: 439-441 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Race Recode English

Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	9491	100.0 %

WTMREP01 MEC Exam Weight Jack Knife Replicate 01

Location: 442-456 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English

Instructions:

WTMREP02 MEC Exam Weight Jack Knife Replicate 02

Location: 457-471 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English

Instructions:

WTMREP03 MEC Exam Weight Jack Knife Replicate 03

Location: 472-486 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English

Instructions:

WTMREP04 MEC Exam Weight Jack Knife Replicate 04

Location: 487-501 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English

Instructions:

WTMREP05 MEC Exam Weight Jack Knife Replicate 05

Location: 502-516 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English

Instructions:

WTMREP06 MEC Exam Weight Jack Knife Replicate 06

Location: 517-531 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English

Instructions:

WTMREP07 MEC Exam Weight Jack Knife Replicate 07

Location: 532-546 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 547-561 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 562-576 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions:

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 577-591 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 592-606 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 607-621 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions:

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 622-636 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 637-651 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions:

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 652-666 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 667-681 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 682-696 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 697-711 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 712-726 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 727-741 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 742-756 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 757-771 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 772-786 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 787-801 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 802-816 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 817-831 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 832-846 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 847-861 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 862-876 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions:

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 877-891 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions:

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 892-906 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions:

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 907-921 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 922-936 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 937-951 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 952-966 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions:

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 967-981 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 982-996 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 997-1011 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 1012-1026 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 1027-1041 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 1042-1056 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 1057-1071 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 1072-1086 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 1087-1101 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 1102-1116 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions:

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 1117-1131 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions:

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 1132-1146 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions:

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 1147-1161 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions:

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 1162-1176 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 1177-1191 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 1192-1206 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 1207-1221 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1222-1236 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1237-1251 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1252-1266 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1267-1281 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1282-1296 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1297-1311 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1312-1326 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1327-1341 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1342-1356 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1357-1371 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1372-1386 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1387-1401 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1402-1416 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1417-1431 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1432-1446 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1447-1461 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1462-1476 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1477-1491 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1492-1506 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1507-1521 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1522-1536 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1537-1551 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1552-1566 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1567-1581 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1582-1596 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1597-1611 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1612-1626 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1627-1641 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1642-1656 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1657-1671 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1672-1686 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1687-1701 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1702-1716 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1717-1731 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1732-1746 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 1747-1761 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 1762-1776 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 1777-1791 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 1792-1806 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 1807-1821 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 1822-1836 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 1837-1851 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 1852-1866 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 1867-1881 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 1882-1896 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 1897-1911 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 1912-1926 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 1927-1941 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 1942-1956 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 1957-1971 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 1972-1986 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 1987-2001 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English

Instructions: