

ICPSR 25501

**National Health and Nutrition  
Examination Survey (NHANES),  
1999-2000**

*United States Department of Health and  
Human Services. Centers for Disease  
Control and Prevention. National Center  
for Health Statistics*

Codebook -- Examination: Shared Exclusion  
Questions

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

# **ICPSR 25501**

## **National Health and Nutrition Examination Survey (NHANES), 1999-2000**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## National Health and Nutrition Examination Survey (NHANES), 1999-2000

### Examination: Shared Exclusion Questions

#### SEQN Respondent sequence number

Location: 1-4 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number.

#### SEQ010 Hemophilia?

Location: 5-7 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. - 150 Yrs.) Version 1.0 English Text: Hemophilia? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	3	0.0 %
2	No	8598	97.4 %
7	Refused	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	228	2.6 %

#### SEQ020 cancer chemotherapy past or future 4 wks

Location: 8-10 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. - 150 Yrs.) Version 1.0 English Text: Have you received cancer chemotherapy in the past four weeks or do you anticipate such therapy in the next four weeks? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	32	0.4 %
2	No	8467	95.9 %
. (M)	-	333	3.8 %

#### SEQ030 pacemaker or automatic defibrillator?

Location: 11-13 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(8 Yrs. - 150 Yrs.) Version 1.0 English Text: Do you have a pacemaker or automatic defibrillator? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	37	0.4 %
2	No	7240	82.0 %
9	Don't know	3	0.0 %
. (M)	-	1552	17.6 %

- Study 25501 -

**SEQ040                      amputations of legs/feet other than toes**

Location:                      14-16 (width: 3; decimal: 0)

Variable Type:                numeric

Question:                      Target: B(8 Yrs. - 150 Yrs.) Version 1.0 English Text: Do you have any amputations of your legs and feet other than toes? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	10	0.1 %
2	No	7224	81.8 %
. (M)	-	1598	18.1 %

**SEQ050                      Where is the amputation?**

Location:                      17-19 (width: 3; decimal: 0)

Variable Type:                numeric

Question:                      Target: B(8 Yrs. - 150 Yrs.) Version 1.0 English Text: Where is the amputation? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Right	5	0.1 %
2	Left	3	0.0 %
3	Both	2	0.0 %
. (M)	-	8822	99.9 %

**SEQ060                      Are you currently pregnant?**

Location:                      20-22 (width: 3; decimal: 0)

Variable Type:                numeric

Question:                      Target: F(12 Yrs. - 59 Yrs.) Version 1.0 English Text: Are you currently pregnant? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	284	3.2 %
2	No	2307	26.1 %
9	Don't know	16	0.2 %
. (M)	-	6225	70.5 %

**SEQ070                      How many weeks?**

Location:                      23-25 (width: 3; decimal: 0)

Variable Type:                numeric

Question:                      Target: F(12 Yrs. - 59 Yrs.) Version 1.0 English Text: How many weeks? English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	6	0.1 %
5	-	2	0.0 %

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	1	0.0 %
7	-	1	0.0 %
8	-	7	0.1 %
9	-	4	0.0 %
10	-	2	0.0 %
11	-	5	0.1 %
12	-	9	0.1 %
13	-	4	0.0 %
14	-	7	0.1 %
15	-	3	0.0 %
16	-	18	0.2 %
17	-	7	0.1 %
18	-	12	0.1 %
19	-	3	0.0 %
20	-	22	0.2 %
21	-	4	0.0 %
22	-	4	0.0 %
23	-	8	0.1 %
24	-	23	0.3 %
25	-	1	0.0 %
26	-	8	0.1 %
27	-	7	0.1 %
28	-	27	0.3 %
29	-	1	0.0 %
30	-	6	0.1 %
31	-	5	0.1 %
32	-	19	0.2 %
33	-	9	0.1 %
34	-	9	0.1 %
35	-	7	0.1 %
36	-	11	0.1 %
37	-	6	0.1 %
38	-	7	0.1 %
39	-	2	0.0 %
40	-	2	0.0 %
99	Don't know	5	0.1 %
. (M)	-	8548	96.8 %

**WHQ020L**

**How much weight without clothes or shoes**

Location:

26-28 (width: 3; decimal: 0)

- Study 25501 -

Variable Type: numeric  
 Question: Target: B(8 Yrs. - 150 Yrs.) Version 1.0 English Text: How much {do you/does SP} weigh without clothes or shoes? English Instructions: ENTER NUMBER OF POUNDS

**SEQ080 CV Exclusion & Physician Medical Review**

Location: 29-31 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. - 49 Yrs.) Version 1.0 English Text: CV Exclusions and Medical Review by Physician English Instructions: < blank >

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excluded	367	4.2 %
2	Reviewed, not excluded	3426	38.8 %
. (M)	-	5039	57.1 %

**SDDSRVYR Data Release Number**

Location: 32-34 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	NHANES 1999-2000 Public Release	8832	100.0 %

**RIDSTATR Interview/Examination Status**

Location: 35-37 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined.	8832	100.0 %

**RIAGENDR Gender - Adjudicated**

Location: 38-40 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4330	49.0 %
2	Female	4502	51.0 %

**RIDAGEYR Age at Screening Adjudicated - Recode**

Location: 41-43 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	245	2.8 %
2	-	243	2.8 %
3	-	183	2.1 %
4	-	184	2.1 %
5	-	158	1.8 %
6	-	169	1.9 %
7	-	183	2.1 %
8	-	189	2.1 %
9	-	161	1.8 %
10	-	177	2.0 %
11	-	182	2.1 %
12	-	321	3.6 %
13	-	320	3.6 %
14	-	297	3.4 %
15	-	271	3.1 %
16	-	298	3.4 %
17	-	275	3.1 %
18	-	270	3.1 %
19	-	262	3.0 %
20	-	81	0.9 %
21	-	80	0.9 %
22	-	87	1.0 %
23	-	89	1.0 %
24	-	76	0.9 %
25	-	71	0.8 %
26	-	80	0.9 %
27	-	79	0.9 %
28	-	70	0.8 %
29	-	85	1.0 %
30	-	77	0.9 %
31	-	82	0.9 %
32	-	91	1.0 %
33	-	66	0.7 %
34	-	82	0.9 %
35	-	72	0.8 %
36	-	68	0.8 %
37	-	82	0.9 %
38	-	69	0.8 %
39	-	82	0.9 %
40	-	87	1.0 %



- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	-	75	0.8 %
42	-	87	1.0 %
43	-	68	0.8 %
44	-	77	0.9 %
45	-	84	1.0 %
46	-	64	0.7 %
47	-	68	0.8 %
48	-	55	0.6 %
49	-	54	0.6 %
50	-	53	0.6 %
51	-	71	0.8 %
52	-	67	0.8 %
53	-	60	0.7 %
54	-	68	0.8 %
55	-	45	0.5 %
56	-	58	0.7 %
57	-	50	0.6 %
58	-	36	0.4 %
59	-	42	0.5 %
60	-	103	1.2 %
61	-	72	0.8 %
62	-	88	1.0 %
63	-	66	0.7 %
64	-	81	0.9 %
65	-	83	0.9 %
66	-	75	0.8 %
67	-	72	0.8 %
68	-	62	0.7 %
69	-	56	0.6 %
70	-	79	0.9 %
71	-	62	0.7 %
72	-	55	0.6 %
73	-	63	0.7 %
74	-	50	0.6 %
75	-	46	0.5 %
76	-	46	0.5 %
77	-	41	0.5 %
78	-	43	0.5 %
79	-	41	0.5 %
80	-	51	0.6 %

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
81	-	57	0.6 %
82	-	44	0.5 %
83	-	24	0.3 %
84	-	29	0.3 %
85	>= 85 years of age	117	1.3 %

**RIDAGEMN      Age in Months - Recode**

Location: 44-47 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

**RIDAGEEX      Exam Age in Months - Recode**

Location: 48-51 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

**RIDRETH1      Race/Ethnicity - Recode**

Location: 52-54 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	3015	34.1 %
2	Other Hispanic	509	5.8 %
3	Non-Hispanic White	2931	33.2 %
4	Non-Hispanic Black	2045	23.2 %
5	Other Race - Including Multi-Racial	332	3.8 %

**RIDRETH2      Linked NH3 Race/Ethnicity - Recode**

Location: 55-57 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	2983	33.8 %
2	Non-Hispanic Black	2087	23.6 %
3	Mexican American	3015	34.1 %
4	Other Race - Including Multi-Racial	238	2.7 %
5	Other Hispanic	509	5.8 %

- Study 25501 -

**DMQMILIT      Veteran/Military Status**

Location: 58-60 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	655	7.4 %
2	No	4591	52.0 %
7	Refused	1	0.0 %
9	Don't know	4	0.0 %
. (M)	-	3581	40.5 %

**DMDBORN      Country of Birth - Recode**

Location: 61-63 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	7076	80.1 %
2	Born in Mexico	1082	12.3 %
3	Born Elsewhere	668	7.6 %
7	Refused	1	0.0 %
9	Don't Know	1	0.0 %
. (M)	-	4	0.0 %

**DMDCITZN      Citizenship Status**

Location: 64-66 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	7632	86.4 %
2	Not a citizen of the US	1147	13.0 %
7	Refused	26	0.3 %
9	Don't know	26	0.3 %
. (M)	-	1	0.0 %

**DMDYRSUS      Length of time in US**

Location: 67-69 (width: 3; decimal: 0)

- Study 25501 -

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	102	1.2 %
2	1 yr., less than 5 yrs.	323	3.7 %
3	5 yrs., less than 10 yrs.	340	3.8 %
4	10 yrs., less than 15 yrs.	242	2.7 %
5	15 yrs., less than 20 yrs.	142	1.6 %
6	20 yrs., less than 30 yrs.	230	2.6 %
7	30 yrs., less than 40 yrs.	165	1.9 %
8	40 yrs., less than 50 yrs.	108	1.2 %
9	50 years or more	57	0.6 %
77	Refused	27	0.3 %
88	Could not determine	1	0.0 %
99	Don't know	22	0.2 %
. (M)	-	7073	80.1 %

**DMDEDUC3**

**Education level - Children/Youth 6-19**

Location:

70-72 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten	196	2.2 %
1	1st Grade	196	2.2 %
2	2nd Grade	172	1.9 %
3	3rd Grade	179	2.0 %
4	4th Grade	197	2.2 %
5	5th Grade	237	2.7 %
6	6th Grade	312	3.5 %
7	7th Grade	310	3.5 %
8	8th Grade	305	3.5 %
9	9th Grade	296	3.4 %
10	10th Grade	298	3.4 %
11	11th Grade	265	3.0 %
12	12th Grade, No Diploma	73	0.8 %
13	High School Graduate	171	1.9 %
14	GED or Equivalent	10	0.1 %
15	More than high school	101	1.1 %

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55	Less Than 5th Grade	3	0.0 %
66	Less Than 9th Grade	52	0.6 %
99	Don't know	1	0.0 %
. (M)	-	5458	61.8 %

**DMDEDUC2 Education level - Adults 20+**

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	837	9.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	882	10.0 %
3	High School Grad/GED or Equivalent	1007	11.4 %
4	Some College or AA degree	989	11.2 %
5	College Graduate or above	714	8.1 %
7	Refused	4	0.0 %
9	Don't Know	11	0.1 %
. (M)	-	4388	49.7 %

**DMDEDUC Education - Recode (old version)**

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	4811	54.5 %
2	High School Diploma (including GED)	1188	13.5 %
3	More Than High School	1804	20.4 %
7	Refused	4	0.0 %
9	Don't know	12	0.1 %
. (M)	-	1013	11.5 %

**DMDSCHOL Now attending school?**

Location: 79-81 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2257	25.6 %
2	On vacation from school (between grades)	597	6.8 %
3	Neither in school or on vacation from school (between grades)	319	3.6 %
9	Don't know	1	0.0 %
. (M)	-	5658	64.1 %

**DMDMARTL**

**Marital Status**

Location: 82-84 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2301	26.1 %
2	Widowed	390	4.4 %
3	Divorced	344	3.9 %
4	Separated	170	1.9 %
5	Never married	2194	24.8 %
6	Living with partner	211	2.4 %
77	Refused	4	0.0 %
99	Don't know	1	0.0 %
. (M)	-	3217	36.4 %

**DMDHHSIZ**

**Total number of people in the Household**

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	627	7.1 %
2	-	1674	19.0 %
3	-	1485	16.8 %
4	-	1764	20.0 %
5	-	1419	16.1 %
6	-	814	9.2 %
7	7 or more people in the Household	1049	11.9 %

**INDHHINC**

**Annual Household Income**

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	251	2.8 %
2	\$ 5,000 to \$ 9,999	561	6.4 %
3	\$10,000 to \$14,999	768	8.7 %
4	\$15,000 to \$19,999	675	7.6 %
5	\$20,000 to \$24,999	697	7.9 %
6	\$25,000 to \$34,999	1021	11.6 %
7	\$35,000 to \$44,999	735	8.3 %
8	\$45,000 to \$54,999	543	6.1 %
9	\$55,000 to \$64,999	450	5.1 %
10	\$65,000 to \$74,999	329	3.7 %
11	\$75,000 and Over	1110	12.6 %
12	Over \$20,000	287	3.2 %
13	Under \$20,000	40	0.5 %
77	Refused	35	0.4 %
99	Don't know	30	0.3 %
. (M)	-	1300	14.7 %

**INDFMINC**

**Annual Family Income**

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)  
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	468	5.3 %
2	\$ 5,000 to \$ 9,999	753	8.5 %
3	\$10,000 to \$14,999	962	10.9 %
4	\$15,000 to \$19,999	740	8.4 %
5	\$20,000 to \$24,999	773	8.8 %
6	\$25,000 to \$34,999	992	11.2 %
7	\$35,000 to \$44,999	673	7.6 %
8	\$45,000 to \$54,999	544	6.2 %
9	\$55,000 to \$64,999	398	4.5 %
10	\$65,000 to \$74,999	311	3.5 %
11	\$75,000 and Over	961	10.9 %
12	Over \$20,000	353	4.0 %
13	Under \$20,000	314	3.6 %
77	Refused	260	2.9 %
99	Don't know	198	2.2 %
. (M)	-	132	1.5 %

- Study 25501 -

**INDFMPIR                      Family PIR**

Location: 94-98 (width: 5; decimal: 2)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

**RIDEXPRG                      Pregnancy Status at Exam - Recode**

Location: 99-101 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	283	3.2 %
2	SP not pregnant at exam	1443	16.3 %
3	Cannot ascertain if SP is pregnant at exam	110	1.2 %
. (M)	-	6996	79.2 %

**RIDPREG                      Pregnancy Status - Recode (old version)**

Location: 102-104 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	285	3.2 %
2	SP not pregnant	1544	17.5 %
. (M)	-	7003	79.3 %

**DMDHRGND                      HH Ref Person Gender**

Location: 105-107 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4952	56.1 %
2	Female	3868	43.8 %
. (M)	-	12	0.1 %



- Study 25501 -

**DMDHRAGE**

**HH Ref Person Age**

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	-	1	0.0 %
18	-	58	0.7 %
19	-	65	0.7 %
20	-	80	0.9 %
21	-	68	0.8 %
22	-	99	1.1 %
23	-	114	1.3 %
24	-	95	1.1 %
25	-	109	1.2 %
26	-	128	1.4 %
27	-	147	1.7 %
28	-	188	2.1 %
29	-	210	2.4 %
30	-	203	2.3 %
31	-	247	2.8 %
32	-	236	2.7 %
33	-	216	2.4 %
34	-	230	2.6 %
35	-	281	3.2 %
36	-	222	2.5 %
37	-	257	2.9 %
38	-	276	3.1 %
39	-	232	2.6 %
40	-	334	3.8 %
41	-	261	3.0 %
42	-	259	2.9 %
43	-	226	2.6 %
44	-	203	2.3 %
45	-	223	2.5 %
46	-	198	2.2 %
47	-	143	1.6 %
48	-	135	1.5 %
49	-	150	1.7 %
50	-	158	1.8 %
51	-	178	2.0 %

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	-	142	1.6 %
53	-	115	1.3 %
54	-	105	1.2 %
55	-	81	0.9 %
56	-	98	1.1 %
57	-	104	1.2 %
58	-	84	1.0 %
59	-	79	0.9 %
60	-	120	1.4 %
61	-	79	0.9 %
62	-	96	1.1 %
63	-	88	1.0 %
64	-	90	1.0 %
65	-	85	1.0 %
66	-	83	0.9 %
67	-	92	1.0 %
68	-	74	0.8 %
69	-	57	0.6 %
70	-	100	1.1 %
71	-	68	0.8 %
72	-	66	0.7 %
73	-	81	0.9 %
74	-	55	0.6 %
75	-	52	0.6 %
76	-	42	0.5 %
77	-	38	0.4 %
78	-	55	0.6 %
79	-	41	0.5 %
80	-	54	0.6 %
81	-	54	0.6 %
82	-	43	0.5 %
83	-	24	0.3 %
84	-	25	0.3 %
85	>= 85 years of age	120	1.4 %
. (M)	-	12	0.1 %

**DMDHRBRN**

**HH Ref Person Country of Birth**

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?  
English Instructions:

- Study 25501 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	5845	66.2 %
2	Born in Mexico	1746	19.8 %
3	Born Elsewhere	930	10.5 %
7	Refused	9	0.1 %
. (M)	-	302	3.4 %

**DMDHREDU HH Ref Person Education Level**

Location: 114-116 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON\_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1534	17.4 %
2	9-11th Grade (Includes 12th grade with no diploma)	1869	21.2 %
3	High School Grad/GED or equivalent	1980	22.4 %
4	Some College or AA degree	1820	20.6 %
5	College Graduate or above	1257	14.2 %
7	Refused	6	0.1 %
9	Don't know	56	0.6 %
. (M)	-	310	3.5 %

**DMDHRMAR HH Ref Person Marital Status**

Location: 117-119 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	4200	47.6 %
2	Widowed	489	5.5 %
3	Divorced	783	8.9 %
4	Separated	494	5.6 %
5	Never married	1002	11.3 %
6	Living with partner	241	2.7 %
77	Refused	13	0.1 %
99	Don't know	12	0.1 %
. (M)	-	1598	18.1 %

**DMDHSEDU HH Ref Person's Spouse Education Level**

Location: 120-122 (width: 3; decimal: 0)

- Study 25501 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	554	6.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	640	7.2 %
3	High School Grad/GED or	648	7.3 %
4	Some College or AA degree	595	6.7 %
5	College Graduate or above	421	4.8 %
7	Refused	2	0.0 %
9	Don't know	20	0.2 %
. (M)	-	5952	67.4 %

**WTINT2YR Full Sample 2 Year Interview Weight**

Location: 123-137 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

**WTINT4YR Full Sample 4 Year Interview Weight**

Location: 138-151 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**WTMEC2YR Full Sample 2 Year MEC Exam Weight**

Location: 152-166 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

**WTMEC4YR Full Sample 4 Year MEC Exam Weight**

Location: 167-180 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**SDMVPSU Masked Variance Pseudo-PSU**

Location: 181-183 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4340	49.1 %
2	4218	47.8 %

- Study 25501 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	274	3.1 %

**SDMVSTRA Masked Variance Pseudo-Stratum**

Location: 184-186 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	938	10.6 %
2	604	6.8 %
3	705	8.0 %
4	769	8.7 %
5	670	7.6 %
6	661	7.5 %
7	774	8.8 %
8	665	7.5 %
9	615	7.0 %
10	547	6.2 %
11	652	7.4 %
12	727	8.2 %
13	505	5.7 %

**SDJ1REPN Jack Knife Replicate Number**

Location: 187-189 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	155	1.8 %
2	236	2.7 %
3	167	1.9 %
4	194	2.2 %
5	137	1.6 %
6	146	1.7 %
7	102	1.2 %
8	159	1.8 %
9	172	1.9 %
10	156	1.8 %
11	158	1.8 %
12	178	2.0 %

- Study 25501 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	161	1.8 %
14	111	1.3 %
15	204	2.3 %
16	162	1.8 %
17	201	2.3 %
18	240	2.7 %
19	142	1.6 %
20	141	1.6 %
21	155	1.8 %
22	155	1.8 %
23	152	1.7 %
24	222	2.5 %
25	292	3.3 %
26	136	1.5 %
27	180	2.0 %
28	202	2.3 %
29	155	1.8 %
30	192	2.2 %
31	177	2.0 %
32	185	2.1 %
33	132	1.5 %
34	248	2.8 %
35	147	1.7 %
36	115	1.3 %
37	177	2.0 %
38	152	1.7 %
39	137	1.6 %
40	149	1.7 %
41	201	2.3 %
42	145	1.6 %
43	174	2.0 %
44	137	1.6 %
45	154	1.7 %
46	172	1.9 %
47	176	2.0 %
48	257	2.9 %
49	133	1.5 %
50	125	1.4 %
51	147	1.7 %
52	229	2.6 %

- Study 25501 -

**DMAETHN Logical Imputation Flag for Ethnicity**

Location: 190-192 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	8832	100.0 %

**DMARACE Logical Imputation Flag for Race Recode**

Location: 193-195 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Race Recode English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	8832	100.0 %

**WTMREP01 MEC Exam Weight Jack Knife Replicate 01**

Location: 196-210 (width: 15; decimal: 8)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English Instructions:

**WTMREP02 MEC Exam Weight Jack Knife Replicate 02**

Location: 211-225 (width: 15; decimal: 8)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English Instructions:

**WTMREP03 MEC Exam Weight Jack Knife Replicate 03**

Location: 226-240 (width: 15; decimal: 8)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English Instructions:

**WTMREP04 MEC Exam Weight Jack Knife Replicate 04**

Location: 241-255 (width: 15; decimal: 8)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English Instructions:

**WTMREP05 MEC Exam Weight Jack Knife Replicate 05**

Location: 256-270 (width: 15; decimal: 8)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English Instructions:

**WTMREP06 MEC Exam Weight Jack Knife Replicate 06**

- Study 25501 -

Location: 271-285 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English Instructions:

**WTMREP07 MEC Exam Weight Jack Knife Replicate 07**

Location: 286-300 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English Instructions:

**WTMREP08 MEC Exam Weight Jack Knife Replicate 08**

Location: 301-315 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English Instructions:

**WTMREP09 MEC Exam Weight Jack Knife Replicate 09**

Location: 316-330 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English Instructions:

**WTMREP10 MEC Exam Weight Jack Knife Replicate 10**

Location: 331-345 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English Instructions:

**WTMREP11 MEC Exam Weight Jack Knife Replicate 11**

Location: 346-360 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English Instructions:

**WTMREP12 MEC Exam Weight Jack Knife Replicate 12**

Location: 361-375 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English Instructions:

**WTMREP13 MEC Exam Weight Jack Knife Replicate 13**

Location: 376-390 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English Instructions:

**WTMREP14 MEC Exam Weight Jack Knife Replicate 14**

Location: 391-405 (width: 15; decimal: 8)  
Variable Type: numeric



- Study 25501 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English Instructions:

**WTMREP15 MEC Exam Weight Jack Knife Replicate 15**

Location: 406-420 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English Instructions:

**WTMREP16 MEC Exam Weight Jack Knife Replicate 16**

Location: 421-435 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English Instructions:

**WTMREP17 MEC Exam Weight Jack Knife Replicate 17**

Location: 436-450 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English Instructions:

**WTMREP18 MEC Exam Weight Jack Knife Replicate 18**

Location: 451-465 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English Instructions:

**WTMREP19 MEC Exam Weight Jack Knife Replicate 19**

Location: 466-480 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English Instructions:

**WTMREP20 MEC Exam Weight Jack Knife Replicate 20**

Location: 481-495 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English Instructions:

**WTMREP21 MEC Exam Weight Jack Knife Replicate 21**

Location: 496-510 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English Instructions:

**WTMREP22 MEC Exam Weight Jack Knife Replicate 22**

Location: 511-525 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English Instructions:

**WTMREP23 MEC Exam Weight Jack Knife Replicate 23**

- Study 25501 -

Location: 526-540 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English Instructions:

**WTMREP24 MEC Exam Weight Jack Knife Replicate 24**

Location: 541-555 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English Instructions:

**WTMREP25 MEC Exam Weight Jack Knife Replicate 25**

Location: 556-570 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English Instructions:

**WTMREP26 MEC Exam Weight Jack Knife Replicate 26**

Location: 571-585 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English Instructions:

**WTMREP27 MEC Exam Weight Jack Knife Replicate 27**

Location: 586-600 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English Instructions:

**WTMREP28 MEC Exam Weight Jack Knife Replicate 28**

Location: 601-615 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English Instructions:

**WTMREP29 MEC Exam Weight Jack Knife Replicate 29**

Location: 616-630 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English Instructions:

**WTMREP30 MEC Exam Weight Jack Knife Replicate 30**

Location: 631-645 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English Instructions:

**WTMREP31 MEC Exam Weight Jack Knife Replicate 31**

Location: 646-660 (width: 15; decimal: 8)  
Variable Type: numeric

- Study 25501 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English Instructions:

**WTMREP32 MEC Exam Weight Jack Knife Replicate 32**

Location: 661-675 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English Instructions:

**WTMREP33 MEC Exam Weight Jack Knife Replicate 33**

Location: 676-690 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English Instructions:

**WTMREP34 MEC Exam Weight Jack Knife Replicate 34**

Location: 691-705 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English Instructions:

**WTMREP35 MEC Exam Weight Jack Knife Replicate 35**

Location: 706-720 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English Instructions:

**WTMREP36 MEC Exam Weight Jack Knife Replicate 36**

Location: 721-735 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English Instructions:

**WTMREP37 MEC Exam Weight Jack Knife Replicate 37**

Location: 736-750 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English Instructions:

**WTMREP38 MEC Exam Weight Jack Knife Replicate 38**

Location: 751-765 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English Instructions:

**WTMREP39 MEC Exam Weight Jack Knife Replicate 39**

Location: 766-780 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English Instructions:

**WTMREP40 MEC Exam Weight Jack Knife Replicate 40**

- Study 25501 -

Location: 781-795 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English Instructions:

**WTMREP41 MEC Exam Weight Jack Knife Replicate 41**

Location: 796-810 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English Instructions:

**WTMREP42 MEC Exam Weight Jack Knife Replicate 42**

Location: 811-825 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English Instructions:

**WTMREP43 MEC Exam Weight Jack Knife Replicate 43**

Location: 826-840 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English Instructions:

**WTMREP44 MEC Exam Weight Jack Knife Replicate 44**

Location: 841-855 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English Instructions:

**WTMREP45 MEC Exam Weight Jack Knife Replicate 45**

Location: 856-870 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English Instructions:

**WTMREP46 MEC Exam Weight Jack Knife Replicate 46**

Location: 871-885 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English Instructions:

**WTMREP47 MEC Exam Weight Jack Knife Replicate 47**

Location: 886-900 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English Instructions:

**WTMREP48 MEC Exam Weight Jack Knife Replicate 48**

Location: 901-915 (width: 15; decimal: 8)  
Variable Type: numeric

- Study 25501 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English Instructions:

**WTMREP49 MEC Exam Weight Jack Knife Replicate 49**

Location: 916-930 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English Instructions:

**WTMREP50 MEC Exam Weight Jack Knife Replicate 50**

Location: 931-945 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English Instructions:

**WTMREP51 MEC Exam Weight Jack Knife Replicate 51**

Location: 946-960 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English Instructions:

**WTMREP52 MEC Exam Weight Jack Knife Replicate 52**

Location: 961-975 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English Instructions:

**WTIREP01 Interview Weight Jack Knife Replicate 01**

Location: 976-990 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English Instructions:

**WTIREP02 Interview Weight Jack Knife Replicate 02**

Location: 991-1005 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English Instructions:

**WTIREP03 Interview Weight Jack Knife Replicate 03**

Location: 1006-1020 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English Instructions:

**WTIREP04 Interview Weight Jack Knife Replicate 04**

Location: 1021-1035 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English Instructions:

**WTIREP05 Interview Weight Jack Knife Replicate 05**

- Study 25501 -

Location: 1036-1050 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English Instructions:

**WTIREP06 Interview Weight Jack Knife Replicate 06**

Location: 1051-1065 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English Instructions:

**WTIREP07 Interview Weight Jack Knife Replicate 07**

Location: 1066-1080 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English Instructions:

**WTIREP08 Interview Weight Jack Knife Replicate 08**

Location: 1081-1095 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English Instructions:

**WTIREP09 Interview Weight Jack Knife Replicate 09**

Location: 1096-1110 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English Instructions:

**WTIREP10 Interview Weight Jack Knife Replicate 10**

Location: 1111-1125 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English Instructions:

**WTIREP11 Interview Weight Jack Knife Replicate 11**

Location: 1126-1140 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English Instructions:

**WTIREP12 Interview Weight Jack Knife Replicate 12**

Location: 1141-1155 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English Instructions:

**WTIREP13 Interview Weight Jack Knife Replicate 13**

Location: 1156-1170 (width: 15; decimal: 8)  
Variable Type: numeric

- Study 25501 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English Instructions:

**WTIREP14 Interview Weight Jack Knife Replicate 14**

Location: 1171-1185 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English Instructions:

**WTIREP15 Interview Weight Jack Knife Replicate 15**

Location: 1186-1200 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English Instructions:

**WTIREP16 Interview Weight Jack Knife Replicate 16**

Location: 1201-1215 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English Instructions:

**WTIREP17 Interview Weight Jack Knife Replicate 17**

Location: 1216-1230 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English Instructions:

**WTIREP18 Interview Weight Jack Knife Replicate 18**

Location: 1231-1245 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English Instructions:

**WTIREP19 Interview Weight Jack Knife Replicate 19**

Location: 1246-1260 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English Instructions:

**WTIREP20 Interview Weight Jack Knife Replicate 20**

Location: 1261-1275 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English Instructions:

**WTIREP21 Interview Weight Jack Knife Replicate 21**

Location: 1276-1290 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English Instructions:

**WTIREP22 Interview Weight Jack Knife Replicate 22**

- Study 25501 -

Location: 1291-1305 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English Instructions:

**WTIREP23 Interview Weight Jack Knife Replicate 23**

Location: 1306-1320 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English Instructions:

**WTIREP24 Interview Weight Jack Knife Replicate 24**

Location: 1321-1335 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English Instructions:

**WTIREP25 Interview Weight Jack Knife Replicate 25**

Location: 1336-1350 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English Instructions:

**WTIREP26 Interview Weight Jack Knife Replicate 26**

Location: 1351-1365 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English Instructions:

**WTIREP27 Interview Weight Jack Knife Replicate 27**

Location: 1366-1380 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English Instructions:

**WTIREP28 Interview Weight Jack Knife Replicate 28**

Location: 1381-1395 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English Instructions:

**WTIREP29 Interview Weight Jack Knife Replicate 29**

Location: 1396-1410 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English Instructions:

**WTIREP30 Interview Weight Jack Knife Replicate 30**

Location: 1411-1425 (width: 15; decimal: 8)  
Variable Type: numeric



- Study 25501 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English Instructions:

**WTIREP31 Interview Weight Jack Knife Replicate 31**

Location: 1426-1440 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English Instructions:

**WTIREP32 Interview Weight Jack Knife Replicate 32**

Location: 1441-1455 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English Instructions:

**WTIREP33 Interview Weight Jack Knife Replicate 33**

Location: 1456-1470 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English Instructions:

**WTIREP34 Interview Weight Jack Knife Replicate 34**

Location: 1471-1485 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English Instructions:

**WTIREP35 Interview Weight Jack Knife Replicate 35**

Location: 1486-1500 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English Instructions:

**WTIREP36 Interview Weight Jack Knife Replicate 36**

Location: 1501-1515 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English Instructions:

**WTIREP37 Interview Weight Jack Knife Replicate 37**

Location: 1516-1530 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English Instructions:

**WTIREP38 Interview Weight Jack Knife Replicate 38**

Location: 1531-1545 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English Instructions:

**WTIREP39 Interview Weight Jack Knife Replicate 39**

- Study 25501 -

Location: 1546-1560 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English Instructions:

**WTIREP40 Interview Weight Jack Knife Replicate 40**

Location: 1561-1575 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English Instructions:

**WTIREP41 Interview Weight Jack Knife Replicate 41**

Location: 1576-1590 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English Instructions:

**WTIREP42 Interview Weight Jack Knife Replicate 42**

Location: 1591-1605 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English Instructions:

**WTIREP43 Interview Weight Jack Knife Replicate 43**

Location: 1606-1620 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English Instructions:

**WTIREP44 Interview Weight Jack Knife Replicate 44**

Location: 1621-1635 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English Instructions:

**WTIREP45 Interview Weight Jack Knife Replicate 45**

Location: 1636-1650 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English Instructions:

**WTIREP46 Interview Weight Jack Knife Replicate 46**

Location: 1651-1665 (width: 15; decimal: 8)  
Variable Type: numeric  
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English Instructions:

**WTIREP47 Interview Weight Jack Knife Replicate 47**

Location: 1666-1680 (width: 15; decimal: 8)  
Variable Type: numeric

- Study 25501 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English Instructions:

**WTIREP48 Interview Weight Jack Knife Replicate 48**

Location: 1681-1695 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English Instructions:

**WTIREP49 Interview Weight Jack Knife Replicate 49**

Location: 1696-1710 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English Instructions:

**WTIREP50 Interview Weight Jack Knife Replicate 50**

Location: 1711-1725 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English Instructions:

**WTIREP51 Interview Weight Jack Knife Replicate 51**

Location: 1726-1740 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English Instructions:

**WTIREP52 Interview Weight Jack Knife Replicate 52**

Location: 1741-1755 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English Instructions: