ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Examination: Vision Exam

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Examination: Vision Exam

| Respondent sequence number |
|----------------------------|
| |

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number.

VIQ110 SP has a severe eye infection?

Location: 5-7 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Does SP appear to have a severe eye infection in one

or both eyes? English Instructions: The examiner observes the examinee's eyes for possible infection.

If either eye has a sign of infection, the examinee is excluded from the vision component.

| Value | Label | Unweighted Frequency | % |
|-------|-----------|-------------------------|--------|
| 1 | Yes | 2 | 0.0 % |
| 2 | No VIQ130 | 6450 | 95.4 % |
| . (M) | - | 306 | 4.5 % |

VIQ121 Which eye(s) infected?

Location: 8-10 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: if VIQ110 = "Yes" record which eye(s) is/are affected.

English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|-------------------------|---------|
| 1 | Right End of Section | 1 | 0.0 % |
| 3 | Both End of Section | 1 | 0.0 % |
| . (M) | - | 6756 | 100.0 % |

VIQ130 Is SP wearing an eye patch?

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Is SP wearing an eye patch? English Instructions: Although

the SP is not excluded from the vision examination because he/she wears an eye patch, the examiner

will not conduct the examination on the affected eye.

| Value | Label | Unweighted Frequency | % |
|-------|-----------|-------------------------|--------|
| 2 | No VIQ150 | 6450 | 95.4 % |
| . (M) | - | 308 | 4.6 % |

VIQ141 Which eye has eye patch?

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: If VIQ130 = "Yes" record which eye(s) is/are affected.

English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|---------|
| . (M) | - | 6758 | 100.0 % |

VIQ150 Glasses/contact lenses for near work?

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Do you wear glasses or contact lenses for reading or

near work? English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|------------|-------------------------|--------|
| 1 | Yes | 1743 | 25.8 % |
| 2 | No VIXNC1 | 269 | 4.0 % |
| 9 | Don't know | 2 | 0.0 % |
| . (M) | - | 4744 | 70.2 % |

VIQ160 Glasses/contact lenses available?

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: If VIQ150 = "Yes", record if the examinee brought their

near work glasses, contacts, or a combination of glasses and/or contacts to the testing facility. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-----------|-------------------------|--------|
| 1 | Yes | 1551 | 23.0 % |
| 2 | No VIXNC1 | 192 | 2.8 % |
| . (M) | - | 5015 | 74.2 % |

VIQ170 Glasses or contacts worn for near test?

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: If VIQ160 = "Yes", record whether the examinee wore

glasses, contacts, or a combination of glasses and/or contacts for test of near vision. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------|-------------------------|--------|
| 1 | Glasses | 1529 | 22.6 % |
| 2 | Contacts | 14 | 0.2 % |
| 3 | Both glasses and contact lenses | 8 | 0.1 % |
| . (M) | - | 5207 | 77.0 % |

VIXNC1 Line read on near card

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

Question: Targe

Target: B(50 Yrs. to 150 Yrs.) English Text: The number of the last line the examinee read with one or fewer misses, that is the number of the last line where the examinee read at least four out of the five characters correctly. Line 1 has the largest print: line 5 has the smallest print. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|------------------|-------------------------|--------|
| 0 | - | 5 | 0.1 % |
| 1 | - | 9 | 0.1 % |
| 2 | - | 105 | 1.6 % |
| 3 | - | 243 | 3.6 % |
| 4 | - | 644 | 9.5 % |
| 5 | - | 983 | 14.5 % |
| 8 | Could not obtain | 25 | 0.4 % |
| . (M) | - | 4744 | 70.2 % |

VIXNC2

Testing distance of near card

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(50 Yrs. to 150 Yrs.) English Text: Record to the nearest inch the distance from the center of the card to the examinee's brow. English Instructions: A measuring tape is used to determine the distance. (Rounding rule: Numbers less than 0.5, round down (example 16 1/4 = 16) and numbers equal to or greater than 0.5, round up (13 1/2 = 14, 21 3/4 = 22).)

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 5 | - | 1 | 0.0 % |
| 6 | - | 3 | 0.0 % |
| 7 | - | 4 | 0.1 % |
| 8 | - | 20 | 0.3 % |
| 9 | - | 17 | 0.3 % |
| 10 | - | 46 | 0.7 % |
| 11 | - | 72 | 1.1 % |
| 12 | - | 107 | 1.6 % |
| 13 | - | 178 | 2.6 % |
| 14 | - | 224 | 3.3 % |
| 15 | - | 226 | 3.3 % |
| 16 | - | 212 | 3.1 % |
| 17 | - | 204 | 3.0 % |
| 18 | - | 140 | 2.1 % |
| 19 | - | 113 | 1.7 % |
| 20 | - | 92 | 1.4 % |
| 21 | - | 68 | 1.0 % |
| 22 | - | 56 | 0.8 % |
| 23 | = | 48 | 0.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|------------------|-------------------------|--------|
| 24 | - | 63 | 0.9 % |
| 25 | - | 41 | 0.6 % |
| 26 | - | 14 | 0.2 % |
| 27 | - | 19 | 0.3 % |
| 28 | - | 14 | 0.2 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 3 | 0.0 % |
| 31 | - | 3 | 0.0 % |
| 32 | - | 2 | 0.0 % |
| 33 | - | 2 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 88 | Could not obtain | 18 | 0.3 % |
| . (M) | - | 4744 | 70.2 % |

VIQ180

Eye surgery for near sightedness?

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Have you ever had eye surgery to treat or prevent

nearsightedness or myopia? English Instructions: The interest is in laser or radial keratotomy (RK) surgeries used to improve nearsightedness. Some other terms to describe this surgery include: PRK,

RK, Lasik, Eximer, or Refractive Surgery.

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|-------------------------|--------|
| 1 | Yes | 51 | 0.8 % |
| 2 | No VIQ200 | 6378 | 94.4 % |
| 9 | Don't know VIQ200 | 9 | 0.1 % |
| . (M) | - | 320 | 4.7 % |

VIQ191

Which eye(s) surgery - near-sightedness?

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: If VIQ180 = "Yes", record which eye(s) was/were operated

on. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| 1 | Right | 7 | 0.1 % |
| 2 | Left | 5 | 0.1 % |
| 3 | Both | 39 | 0.6 % |
| . (M) | - | 6707 | 99.2 % |

VIQ200

Eye surgery for cataracts?

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Have you ever had eye surgery to treat cataracts? English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|-------------------------|--------|
| 1 | Yes | 338 | 5.0 % |
| 2 | No VIQ220 | 6093 | 90.2 % |
| 9 | Don't know VIQ220 | 7 | 0.1 % |
| . (M) | - | 320 | 4.7 % |

VIQ211 Which eye(s) cataract surgery?

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: if VIQ200 = "Yes", record which eye(s) was/were operated

on for cataracts. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|------------|-------------------------|--------|
| 1 | Right | 55 | 0.8 % |
| 2 | Left | 55 | 0.8 % |
| 3 | Both | 225 | 3.3 % |
| 9 | Don't know | 3 | 0.0 % |
| . (M) | - | 6420 | 95.0 % |

VIQ220 Glasses/contact lenses worn for distance

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Do you wear glasses or contact lenses for distance

vision, such as when you watch television? English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|------------|-------------------------|--------|
| 1 | Yes | 2607 | 38.6 % |
| 2 | No VIXOCMT | 3827 | 56.6 % |
| 9 | Don't know | 4 | 0.1 % |
| . (M) | - | 320 | 4.7 % |

VIQ230 Is distance correction available?

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: If VIQ220 = "Yes", record if examinee brought their

distance correction to the testing center. English Instructions: The SP could be wearing the correction

or brought it with them.

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| 1 | Yes | 2238 | 33.1 % |
| 2 | No | 369 | 5.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| . (M) | - | 4151 | 61.4 % |

VIQ240 Which type? Glasses or contacts?

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: If VIQ230 = "Yes", record the type of correction (glasses,

contacts, or a combination of glasses and contacts) the SP has with them. English Instructions: This specifies the type of correction worn by the SP for the presenting VA tests (VIDRVA and VIDLVA).

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------|-------------------------|--------|
| 1 | Glasses | 1904 | 28.2 % |
| 2 | Contacts VIXOCMT | 263 | 3.9 % |
| 3 | Both glasses and contact lenses | 71 | 1.1 % |
| . (M) | - | 4520 | 66.9 % |

VIQ250 Was prescription obtained?

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Did the examiner capture the prescription of the examinee's

lens? English Instructions: This pertains to the lens prescription used for viewing distant objects.

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| 1 | Yes | 1956 | 28.9 % |
| 2 | No | 8 | 0.1 % |
| . (M) | - | 4794 | 70.9 % |

VIXPRS Prescription, right sphere

Location: 56-62 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The prescription of the sphere in the right lens used for

distance correction. English Instructions: For distance eyeglasses only.

| Value | Label | Unweighted Frequency | % |
|--------|-------|-------------------------|-------|
| -14.25 | - | 1 | 0.0 % |
| -14.00 | - | 1 | 0.0 % |
| -13.75 | - | 1 | 0.0 % |
| -12.50 | - | 2 | 0.0 % |
| -12.25 | - | 1 | 0.0 % |
| -11.75 | - | 2 | 0.0 % |
| -11.25 | - | 1 | 0.0 % |
| -11.00 | - | 1 | 0.0 % |
| -10.50 | - | 1 | 0.0 % |

| Value | Label Unweighted Frequency | d % |
|--------|----------------------------|---------|
| -10.25 | - | 1 0.0 % |
| -9.75 | - | 3 0.0 % |
| -9.50 | - | 2 0.0 % |
| -9.25 | - | 2 0.0 % |
| -9.00 | - | 4 0.1 % |
| -8.75 | - | 1 0.0 % |
| -8.50 | - | 3 0.0 % |
| -8.25 | - | 7 0.1 % |
| -8.00 | - | 1 0.0 % |
| -7.75 | - | 5 0.1 % |
| -7.50 | - | 6 0.1 % |
| -7.25 | - | 8 0.1 % |
| -7.00 | - | 7 0.1 % |
| -6.75 | - | 4 0.1 % |
| -6.50 | - 1 | 1 0.2 % |
| -6.25 | - | 7 0.1 % |
| -6.00 | - 2 | 0.3 % |
| -5.75 | - | 4 0.1 % |
| -5.50 | - 1 | 7 0.3 % |
| -5.25 | - 1 | 9 0.3 % |
| -5.00 | - 2 | 3 0.3 % |
| -4.75 | - 2 | 1 0.3 % |
| -4.72 | - | 1 0.0 % |
| -4.50 | - 3 | 6 0.5 % |
| -4.25 | - 1 | 9 0.3 % |
| -4.00 | - 2 | 4 0.4 % |
| -3.75 | - 2 | 6 0.4 % |
| -3.50 | - 2 | 5 0.4 % |
| -3.25 | - 3 | 6 0.5 % |
| -3.00 | - 4 | 1 0.6 % |
| -2.75 | - 3 | 4 0.5 % |
| -2.50 | - 5 | 0.7 % |
| -2.25 | - 6 | 7 1.0 % |
| -2.00 | - 6 | 3 0.9 % |
| -1.75 | - 8 | 0 1.2 % |
| -1.57 | - | 1 0.0 % |
| -1.50 | - 7 | 5 1.1 % |
| -1.47 | - | 1 0.0 % |
| -1.25 | - 8 | 6 1.3 % |
| -1.12 | - | 1 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| -1.03 | - | 1 | 0.0 % |
| -1.00 | - | 92 | 1.4 % |
| -0.75 | - | 79 | 1.2 % |
| -0.71 | - | 1 | 0.0 % |
| -0.50 | - | 70 | 1.0 % |
| -0.43 | - | 1 | 0.0 % |
| -0.25 | - | 56 | 0.8 % |
| 0.00 | - | 77 | 1.1 % |
| 0.25 | - | 53 | 0.8 % |
| 0.50 | - | 62 | 0.9 % |
| 0.75 | - | 82 | 1.2 % |
| 1.00 | - | 58 | 0.9 % |
| 1.05 | - | 1 | 0.0 % |
| 1.25 | - | 72 | 1.1 % |
| 1.50 | - | 55 | 0.8 % |
| 1.62 | - | 1 | 0.0 % |
| 1.71 | - | 1 | 0.0 % |
| 1.75 | - | 59 | 0.9 % |
| 2.00 | - | 50 | 0.7 % |
| 2.25 | - | 41 | 0.6 % |
| 2.50 | - | 31 | 0.5 % |
| 2.75 | - | 24 | 0.4 % |
| 3.00 | - | 22 | 0.3 % |
| 3.25 | - | 18 | 0.3 % |
| 3.50 | - | 9 | 0.1 % |
| 3.75 | - | 9 | 0.1 % |
| 4.00 | - | 13 | 0.2 % |
| 4.25 | - | 1 | 0.0 % |
| 4.50 | - | 6 | 0.1 % |
| 4.75 | - | 4 | 0.1 % |
| 5.00 | - | 4 | 0.1 % |
| 5.25 | - | 1 | 0.0 % |
| 5.50 | - | 2 | 0.0 % |
| 5.75 | - | 2 | 0.0 % |
| 6.00 | - | 1 | 0.0 % |
| 6.75 | - | 1 | 0.0 % |
| 7.00 | - | 1 | 0.0 % |
| 7.50 | - | 2 | 0.0 % |
| 7.75 | - | 1 | 0.0 % |
| 11.50 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|------------------|-------------------------|--------|
| 12.75 | - | 1 | 0.0 % |
| 88.00 | Could not obtain | 46 | 0.7 % |
| . (M) | - | 4793 | 70.9 % |

VIXPRC

Prescription, right cylinder

Location: 63-67 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Prescription of the cylinder in the right lens used for distance correction English Instructions: For distance eyeglasses only

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 0.00 | - | 403 | 6.0 % |
| 0.02 | - | 1 | 0.0 % |
| 0.07 | - | 1 | 0.0 % |
| 0.12 | - | 2 | 0.0 % |
| 0.25 | - | 276 | 4.1 % |
| 0.28 | - | 1 | 0.0 % |
| 0.37 | - | 1 | 0.0 % |
| 0.38 | - | 1 | 0.0 % |
| 0.47 | - | 1 | 0.0 % |
| 0.48 | - | 1 | 0.0 % |
| 0.50 | - | 353 | 5.2 % |
| 0.62 | - | 1 | 0.0 % |
| 0.75 | - | 247 | 3.7 % |
| 0.78 | - | 1 | 0.0 % |
| 1.00 | - | 153 | 2.3 % |
| 1.20 | - | 1 | 0.0 % |
| 1.25 | - | 137 | 2.0 % |
| 1.50 | - | 87 | 1.3 % |
| 1.75 | - | 68 | 1.0 % |
| 2.00 | - | 45 | 0.7 % |
| 2.25 | - | 31 | 0.5 % |
| 2.50 | - | 30 | 0.4 % |
| 2.75 | - | 20 | 0.3 % |
| 3.00 | - | 12 | 0.2 % |
| 3.25 | - | 13 | 0.2 % |
| 3.50 | - | 5 | 0.1 % |
| 3.75 | - | 7 | 0.1 % |
| 4.00 | - | 6 | 0.1 % |
| 4.12 | - | 1 | 0.0 % |
| 4.25 | - | 6 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|------------------|-------------------------|--------|
| 4.50 | - | 1 | 0.0 % |
| 5.00 | - | 1 | 0.0 % |
| 5.25 | - | 1 | 0.0 % |
| 5.50 | - | 2 | 0.0 % |
| 6.00 | - | 1 | 0.0 % |
| 6.75 | - | 1 | 0.0 % |
| 88.00 | Could not obtain | 46 | 0.7 % |
| . (M) | - | 4793 | 70.9 % |

VIXPRA

Prescription, right axis

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Prescription of the axis in the right lens used for distance

correction English Instructions: For distance eyeglasses only.

Value Label
888 Could not obtain

VIXPLS

Prescription, left sphere

Location: 71-77 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Prescription of the sphere in the left lens used for distance

correction. English Instructions: For distance eyeglasses only.

| Value | Label | Unweighted Frequency | % |
|--------|-------|-------------------------|-------|
| -14.75 | - | 1 | 0.0 % |
| -13.75 | - | 1 | 0.0 % |
| -13.00 | - | 1 | 0.0 % |
| -12.75 | - | 1 | 0.0 % |
| -12.25 | - | 1 | 0.0 % |
| -12.00 | - | 1 | 0.0 % |
| -11.50 | - | 1 | 0.0 % |
| -11.00 | - | 1 | 0.0 % |
| -10.50 | - | 2 | 0.0 % |
| -10.25 | - | 3 | 0.0 % |
| -10.00 | - | 3 | 0.0 % |
| -9.75 | - | 1 | 0.0 % |
| -9.50 | - | 3 | 0.0 % |
| -9.25 | - | 1 | 0.0 % |
| -9.00 | - | 3 | 0.0 % |
| -8.50 | - | 4 | 0.1 % |
| -8.25 | - | 3 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| -8.00 | - | 4 | 0.1 % |
| -7.75 | - | 6 | 0.1 % |
| -7.50 | - | 10 | 0.1 % |
| -7.25 | - | 5 | 0.1 % |
| -7.00 | - | 4 | 0.1 % |
| -6.75 | - | 10 | 0.1 % |
| -6.50 | - | 10 | 0.1 % |
| -6.25 | - | 12 | 0.2 % |
| -6.00 | - | 20 | 0.3 % |
| -5.75 | - | 15 | 0.2 % |
| -5.50 | - | 18 | 0.3 % |
| -5.27 | - | 1 | 0.0 % |
| -5.25 | - | 16 | 0.2 % |
| -5.00 | - | 17 | 0.3 % |
| -4.87 | - | 1 | 0.0 % |
| -4.75 | - | 21 | 0.3 % |
| -4.62 | - | 1 | 0.0 % |
| -4.50 | - | 23 | 0.3 % |
| -4.25 | - | 19 | 0.3 % |
| -4.00 | - | 19 | 0.3 % |
| -3.75 | - | 27 | 0.4 % |
| -3.50 | - | 43 | 0.6 % |
| -3.25 | - | 29 | 0.4 % |
| -3.00 | - | 31 | 0.5 % |
| -2.75 | - | 39 | 0.6 % |
| -2.50 | - | 55 | 0.8 % |
| -2.25 | - | 59 | 0.9 % |
| -2.12 | - | 1 | 0.0 % |
| -2.00 | - | 71 | 1.1 % |
| -1.92 | - | 1 | 0.0 % |
| -1.87 | - | 1 | 0.0 % |
| -1.76 | - | 1 | 0.0 % |
| -1.75 | - | 84 | 1.2 % |
| -1.50 | - | 69 | 1.0 % |
| -1.46 | - | 1 | 0.0 % |
| -1.25 | - | 80 | 1.2 % |
| -1.00 | - | 88 | 1.3 % |
| -0.75 | - | 86 | 1.3 % |
| -0.50 | - | 69 | 1.0 % |
| -0.25 | - | 59 | 0.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|------------------|-------------------------|--------|
| 0.00 | - | 72 | 1.1 % |
| 0.25 | - | 58 | 0.9 % |
| 0.37 | - | 1 | 0.0 % |
| 0.50 | - | 75 | 1.1 % |
| 0.75 | - | 72 | 1.1 % |
| 0.87 | - | 1 | 0.0 % |
| 1.00 | - | 58 | 0.9 % |
| 1.25 | - | 72 | 1.1 % |
| 1.34 | - | 1 | 0.0 % |
| 1.50 | - | 66 | 1.0 % |
| 1.69 | - | 1 | 0.0 % |
| 1.75 | - | 58 | 0.9 % |
| 2.00 | - | 31 | 0.5 % |
| 2.25 | - | 39 | 0.6 % |
| 2.50 | - | 31 | 0.5 % |
| 2.75 | - | 31 | 0.5 % |
| 3.00 | - | 26 | 0.4 % |
| 3.25 | - | 12 | 0.2 % |
| 3.50 | - | 10 | 0.1 % |
| 3.75 | - | 11 | 0.2 % |
| 4.00 | - | 9 | 0.1 % |
| 4.25 | - | 6 | 0.1 % |
| 4.50 | - | 5 | 0.1 % |
| 4.75 | - | 4 | 0.1 % |
| 5.00 | - | 2 | 0.0 % |
| 5.25 | - | 1 | 0.0 % |
| 5.50 | - | 3 | 0.0 % |
| 5.75 | - | 2 | 0.0 % |
| 6.25 | - | 1 | 0.0 % |
| 6.75 | - | 1 | 0.0 % |
| 7.00 | - | 1 | 0.0 % |
| 12.25 | - | 1 | 0.0 % |
| 12.50 | - | 1 | 0.0 % |
| 88.00 | Could not obtain | 45 | 0.7 % |
| . (M) | - | 4793 | 70.9 % |

VIXPLC Prescription, left cylinder

Location: 78-82 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Prescription of the cylinder in the left lens used for

distance correction. English Instructions: For distance eyeglasses only.

- Study 25501 -

| Value | Label | Unweighted Frequency | % |
|-------|------------------|-------------------------|--------|
| 0.00 | - | 400 | 5.9 % |
| 0.01 | - | 1 | 0.0 % |
| 0.02 | - | 1 | 0.0 % |
| 0.04 | - | 2 | 0.0 % |
| 0.12 | - | 2 | 0.0 % |
| 0.25 | - | 265 | 3.9 % |
| 0.37 | - | 2 | 0.0 % |
| 0.50 | - | 350 | 5.2 % |
| 0.55 | - | 1 | 0.0 % |
| 0.75 | - | 268 | 4.0 % |
| 0.81 | - | 1 | 0.0 % |
| 0.87 | - | 1 | 0.0 % |
| 0.96 | - | 1 | 0.0 % |
| 1.00 | - | 168 | 2.5 % |
| 1.25 | - | 122 | 1.8 % |
| 1.50 | - | 83 | 1.2 % |
| 1.75 | - | 63 | 0.9 % |
| 1.87 | - | 1 | 0.0 % |
| 2.00 | - | 38 | 0.6 % |
| 2.25 | - | 41 | 0.6 % |
| 2.50 | - | 35 | 0.5 % |
| 2.75 | - | 13 | 0.2 % |
| 3.00 | - | 19 | 0.3 % |
| 3.25 | - | 17 | 0.3 % |
| 3.50 | - | 4 | 0.1 % |
| 3.75 | - | 7 | 0.1 % |
| 3.87 | - | 1 | 0.0 % |
| 4.00 | - | 2 | 0.0 % |
| 4.25 | - | 2 | 0.0 % |
| 4.75 | - | 1 | 0.0 % |
| 5.00 | - | 2 | 0.0 % |
| 5.25 | - | 3 | 0.0 % |
| 5.50 | - | 1 | 0.0 % |
| 6.00 | - | 1 | 0.0 % |
| 10.50 | - | 1 | 0.0 % |
| 88.00 | Could not obtain | 45 | 0.7 % |
| . (M) | - | 4793 | 70.9 % |

VIXPLA

Prescription, left axis

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Prescription of the axis in the left lens used for distance

correction. English Instructions: For distance eyeglasses only

Value Label

888 Could not obtain

VIXOCMT Visual Acuity Comments

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The examiner can note special circumstances related

to a visual acuity test. English Instructions: These apply to distance vision tests.

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Monovision glasses/contacts worn for visual acuity | 2 | 0.0 % |
| 2 | Cataract contact lenses worn for objective refraction | 7 | 0.1 % |
| 4 | Artificial eye | 3 | 0.0 % |
| 5 | Monovision contacts worn for objective refraction | 1 | 0.0 % |
| 6 | Contact in right eye only for presenting visual acuity | 1 | 0.0 % |
| 7 | Contact in left eye only for presenting visual acuity | 3 | 0.0 % |
| . (M) | - | 6741 | 99.7 % |

VIXORSM OR right sphere, average

Location: 89-95 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Spherical dioptric power (averaging three objective

refractions) of the examinee's right eye. English Instructions:

Value Label

88 Could not obtain

VIXORCM OR right cylinder, average

Location: 96-100 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Cylindrical dioptric power (averaging three objective

refractions) of the examinee's right eye English Instructions:

Value Label

88 Could not obtain

VIXORAM OR right axis, average

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Axis of refractive astigmatism (averaging three objective

refractions) of the examinee's right eye. English Instructions:

Value Label

888 Could not obtain

VIDORFM OR right confidence level reading

Location: 104-107 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The confidence level of the objective refraction reading

for the right eye (mean of three measures). English Instructions: Lower values equate to less

confidence in the objective refraction values.

| Value | Unweighted Frequency | % |
|-------|-------------------------|--------|
| 5.0 | 24 | 0.4 % |
| 5.3 | 8 | 0.1 % |
| 5.5 | 3 | 0.0 % |
| 5.7 | 24 | 0.4 % |
| 6.0 | 39 | 0.6 % |
| 6.3 | 44 | 0.7 % |
| 6.5 | 1 | 0.0 % |
| 6.7 | 59 | 0.9 % |
| 7.0 | 79 | 1.2 % |
| 7.3 | 94 | 1.4 % |
| 7.5 | 4 | 0.1 % |
| 7.7 | 152 | 2.2 % |
| 8.0 | 313 | 4.6 % |
| 8.3 | 331 | 4.9 % |
| 8.5 | 1 | 0.0 % |
| 8.7 | 531 | 7.9 % |
| 9.0 | 4559 | 67.5 % |
| . (M) | 492 | 7.3 % |

VIXOLSM OR left sphere, average

Location: 108-114 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Spherical dioptric power (averaging three objective

refractions) of the examinee's left eye English Instructions:

Value Label

88 Could not obtain

VIXOLCM OR left cylinder, average

Location: 115-119 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Cylindrical dioptric power (averaging three objective

refractions) of the examinee's left eye. English Instructions:

Value Label
88 Could not obtain

VIXOLAM OR left axis, average

Location: 120-122 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Axis of refractive astigmatism (averaging three objective

refractions) of the examinee's left eye. English Instructions:

Value Label
888 Could not obtain

VIDOLFM OR left confidence level reading

Location: 123-126 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The confidence level of the objective refraction reading

of the left eye (mean of three measures). English Instructions: Lower values equate to less confidence

in the objective refraction values.

| Value | Unweighted Frequency | % |
|-------|-------------------------|--------|
| 5.0 | 18 | 0.3 % |
| 5.3 | 12 | 0.2 % |
| 5.5 | 6 | 0.1 % |
| 5.7 | 37 | 0.5 % |
| 6.0 | 48 | 0.7 % |
| 6.3 | 41 | 0.6 % |
| 6.5 | 1 | 0.0 % |
| 6.7 | 80 | 1.2 % |
| 7.0 | 117 | 1.7 % |
| 7.3 | 104 | 1.5 % |
| 7.5 | 4 | 0.1 % |
| 7.7 | 171 | 2.5 % |
| 8.0 | 314 | 4.6 % |
| 8.3 | 345 | 5.1 % |
| 8.5 | 5 | 0.1 % |
| 8.7 | 523 | 7.7 % |
| 9.0 | 4459 | 66.0 % |
| . (M) | 473 | 7.0 % |

VIXKRM1 Right keratometry radius flat curve (mm)

Location: 127-131 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Radius of corneal curvature (in

mm) in the least power meridian of the examinee's right eye. English Instructions:

Value Label

88 Could not obtain

VIXKRD1 Right keratometry power flat curve (D)

Location: 132-137 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Dioptric power in the least power

meridian of the cornea in the examinee's right eye. English Instructions:

Value Label

88 Could not obtain

VIXKRG1 Right keratometry axis flat curve (deg)

Location: 138-140 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Axis of corneal astigmatism (in

degrees) in the least power meridian of the examinee's right eye. English Instructions:

ValueLabel888Could not obtain

VIXKRM2 Right keratometry radius steep curve(mm)

Location: 141-145 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Radius?of corneal curvature (in

mm) in the greatest power meridian of the examinee's right eye English Instructions:

Value Label
88 Could not obtain

VIXKRD2 Right keratometry power steep curve (D)

Location: 146-151 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Dioptric power in the meridian

of the cornea with the greatest power in the examinee's right eye. English Instructions:

Value Label

88 Could not obtain

VIXKRG2 Right keratometry axis steep curve (deg)

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs.) English Text: Keratometric measure. Axis of corneal astigmatism (in

degrees) in the greatest power meridian of the examinee's right eye. English Instructions:

Value Label

888 Could not obtain

VIXKRMM Right keratometry radius, average (mm)

Location: 155-159 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Radius of corneal curvature (in

mm) averaged across meridians in the examinee's right eye.?? English Instructions:

| Value | Label |
|-------|------------------|
| 88 | Could not obtain |

VIXKRDM Right keratometry power, average (D)

Location: 160-165 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs.) English Text: Keratometric measure. Dioptric power of the cornea

averaged across meridians in the examinee's right eye English Instructions:

Value Label
88 Could not obtain

VIXKRCD Right keratometry cylinder

Location: 166-171 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Difference in dioptric power

between meridians of the cornea in the examinee's right eye English Instructions:

Value Label
88 Could not obtain

VIXKRCG Right keratometry axis, average (deg)

Location: 172-174 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Axis of corneal astigmatism (in

degrees) in the steepest meridian of the cornea in the examinee's right eye. ? English Instructions:

Value Label
888 Could not obtain

VIXKLM1 Left keratometry radius flat curve (mm)

Location: 175-180 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Radius of corneal curvature (in

mm) in the least power meridian of the examinee's left eye. English Instructions:

Value Label

88 Could not obtain

VIXKLD1 Left keratometry power flat curve (D)

Location: 181-186 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Dioptric power in the least power

meridian of the cornea in the examinee's left eye. English Instructions:

Value Label

88 Could not obtain

VIXKLG1 Left keratometry axis flat curve (deg)

Location: 187-189 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Axis of corneal astigmatism (in

degrees) in the least power median of the examinee's left eye. English Instructions:

Value Label
888 Could not obtain

VIXKLM2 Left keratometry radius steep curve (mm)

Location: 190-194 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs.) English Text: Keratometric measure. Radius of corneal curvature (in

mm) in the greatest power meridian of the examinee's left eye. English Instructions:

ValueLabel88Could not obtain

VIXKLD2 Left keratometry power steep curve (D)

Location: 195-200 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Dioptric power in the meridian

of the cornea with the greatest power in the examinee's left eye. English Instructions:

Value Label

88 Could not obtain

VIXKLG2 Left keratometry axis steep curve (deg)

Location: 201-203 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Axis of corneal astigmatism (in

degrees) in the greatest power meridian of the examinee's left eye. English Instructions:

Value Label
888 Could not obtain

VIXKLMM Left keratometry radius, average (mm)

Location: 204-208 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs.) English Text: Keratometric measure. Radius of corneal curvature (in

mm) averaged across meridians in the examinee's left eye. English Instructions:

Value Label

88 Could not obtain

VIXKLDM Left keratometry power, average (D)

Location: 209-214 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Dioptric power of the cornea

averaged across meridians in the examinee's left eye. English Instructions:

| Value | Label |
|-------|------------------|
| 88 | Could not obtain |

VIXKLCD Left keratometry cylinder

Location: 215-220 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Difference in dioptric power

between meridians of the cornea in the examinee's left eye. English Instructions:

ValueLabel88Could not obtain

VIXKLCG Left keratometry axis, average (deg)

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Keratometric measure. Axis of corneal astigmatism (in

degrees) in the steepest meridian of the cornea in the examinee's left eye. English Instructions:

Value Label
888 Could not obtain

VIDRVA Right visual acuity, presenting

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The presenting visual acuity of the right eye with usual

correction. English Instructions: Usual correction could be: eyeglasses, contacts, eyeglasses and contacts, or no correction depending on what the SP wore (or brought with them) to view distant

objects on the day they visited the MEC (see VIQ230 and VIQ240).

| Value | Label | Unweighted Frequency | % |
|-------|---------|-------------------------|--------|
| 20 | 20/20 | 2928 | 43.3 % |
| 25 | 20/25 | 1552 | 23.0 % |
| 30 | 20/30 | 533 | 7.9 % |
| 40 | 20/40 | 294 | 4.4 % |
| 50 | 20/50 | 601 | 8.9 % |
| 60 | 20/60 | 96 | 1.4 % |
| 80 | 20/80 | 103 | 1.5 % |
| 200 | 20/200 | 140 | 2.1 % |
| 666 | 20/200+ | 109 | 1.6 % |
| . (M) | - | 402 | 5.9 % |

VIDLVA Left visual acuity, presenting

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The presenting visual acuity of the left eye with usual

correction. English Instructions: Usual correction could be: eyeglasses, contacts, eyeglasses and

contacts, or no correction depending on what the SP wore (or brought with them) to view distant objects on the day they visited the MEC (see VIQ230 and VIQ240).

| Value | Label | Unweighted Frequency | % |
|-------|---------|-------------------------|--------|
| 20 | 20/20 | 2952 | 43.7 % |
| 25 | 20/25 | 1525 | 22.6 % |
| 30 | 20/30 | 553 | 8.2 % |
| 40 | 20/40 | 294 | 4.4 % |
| 50 | 20/50 | 611 | 9.0 % |
| 60 | 20/60 | 82 | 1.2 % |
| 80 | 20/80 | 106 | 1.6 % |
| 200 | 20/200 | 127 | 1.9 % |
| 666 | 20/200+ | 112 | 1.7 % |
| . (M) | - | 396 | 5.9 % |

VIDROVA

Right visual acuity, w/ obj. refraction

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: The visual acuity with objective refraction of the right eye. English Instructions: This is the visual acuity reported by the SP after the autorefractor inserted what it deemed, based on the objective refraction, to be the most appropriate lens (if any) to allow the eye to see 20/25 or better. This test was only performed on eyes whose presenting visual acuity was 20/30 or worse.

| Value | Label | Unweighted Frequency | % |
|-------|---------|-------------------------|--------|
| 25 | 20/25 | 1315 | 19.5 % |
| 30 | 20/30 | 93 | 1.4 % |
| 40 | 20/40 | 76 | 1.1 % |
| 50 | 20/50 | 187 | 2.8 % |
| 60 | 20/60 | 14 | 0.2 % |
| 80 | 20/80 | 21 | 0.3 % |
| 200 | 20/200 | 47 | 0.7 % |
| 666 | 20/200+ | 43 | 0.6 % |
| . (M) | - | 4962 | 73.4 % |

VIDLOVA

Left visual acuity, w/ obj. refraction

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The visual acuity with objective refraction of the left eye.

English Instructions: This is the visual acuity reported by the SP after the autorefractor inserted what it deemed, based on the objective refraction, to be the most appropriate lens (if any) to allow the eye to see 20/25 or better. This test was only performed on eyes whose presenting visual acuity was

20/30 or worse.

| Value | Label | Unweighted Frequency | % |
|-------|---------|-------------------------|--------|
| 25 | 20/25 | 1317 | 19.5 % |
| 30 | 20/30 | 108 | 1.6 % |
| 40 | 20/40 | 77 | 1.1 % |
| 50 | 20/50 | 195 | 2.9 % |
| 60 | 20/60 | 14 | 0.2 % |
| 80 | 20/80 | 24 | 0.4 % |
| 200 | 20/200 | 45 | 0.7 % |
| 666 | 20/200+ | 34 | 0.5 % |
| . (M) | - | 4944 | 73.2 % |

SDDSRVYR Data Release Number

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------|-------------------------|---------|
| 1 | NHANES 1999-2000 Public Release | 6758 | 100.0 % |

RIDSTATR Interview/Examination Status

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

| , | Value | | Unweighted Frequency | % |
|---|-------|------------------------------------|-------------------------|---------|
| 2 | 2 | Both Interviewed and MEC examined. | 6758 | 100.0 % |

RIAGENDR Gender - Adjudicated

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--------|-------------------------|--------|
| 1 | Male | 3241 | 48.0 % |
| 2 | Female | 3517 | 52.0 % |

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 12 | - | 321 | 4.7 % |
| 13 | - | 320 | 4.7 % |
| 14 | - | 297 | 4.4 % |
| 15 | - | 271 | 4.0 % |
| 16 | - | 298 | 4.4 % |
| 17 | - | 275 | 4.1 % |
| 18 | - | 270 | 4.0 % |
| 19 | - | 262 | 3.9 % |
| 20 | - | 81 | 1.2 % |
| 21 | - | 80 | 1.2 % |
| 22 | - | 87 | 1.3 % |
| 23 | - | 89 | 1.3 % |
| 24 | - | 76 | 1.1 % |
| 25 | - | 71 | 1.1 % |
| 26 | - | 80 | 1.2 % |
| 27 | - | 79 | 1.2 % |
| 28 | - | 70 | 1.0 % |
| 29 | - | 85 | 1.3 % |
| 30 | - | 77 | 1.1 % |
| 31 | - | 82 | 1.2 % |
| 32 | - | 91 | 1.3 % |
| 33 | - | 66 | 1.0 % |
| 34 | - | 82 | 1.2 % |
| 35 | - | 72 | 1.1 % |
| 36 | - | 68 | 1.0 % |
| 37 | - | 82 | 1.2 % |
| 38 | - | 69 | 1.0 % |
| 39 | - | 82 | 1.2 % |
| 40 | - | 87 | 1.3 % |
| 41 | - | 75 | 1.1 % |
| 42 | - | 87 | 1.3 % |
| 43 | - | 68 | 1.0 % |
| 44 | - | 77 | 1.1 % |
| 45 | - | 84 | 1.2 % |
| 46 | - | 64 | 0.9 % |
| 47 | - | 68 | 1.0 % |
| 48 | - | 55 | 0.8 % |
| 49 | - | 54 | 0.8 % |
| 50 | - | 53 | 0.8 % |
| 51 | - | 71 | 1.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------------|-------------------------|-------|
| 52 | - | 67 | 1.0 % |
| 53 | - | 60 | 0.9 % |
| 54 | - | 68 | 1.0 % |
| 55 | - | 45 | 0.7 % |
| 56 | - | 58 | 0.9 % |
| 57 | - | 50 | 0.7 % |
| 58 | - | 36 | 0.5 % |
| 59 | - | 42 | 0.6 % |
| 60 | - | 103 | 1.5 % |
| 61 | - | 72 | 1.1 % |
| 62 | - | 88 | 1.3 % |
| 63 | - | 66 | 1.0 % |
| 64 | - | 81 | 1.2 % |
| 65 | - | 83 | 1.2 % |
| 66 | - | 75 | 1.1 % |
| 67 | - | 72 | 1.1 % |
| 68 | - | 62 | 0.9 % |
| 69 | - | 56 | 0.8 % |
| 70 | - | 79 | 1.2 % |
| 71 | - | 62 | 0.9 % |
| 72 | - | 55 | 0.8 % |
| 73 | - | 63 | 0.9 % |
| 74 | - | 50 | 0.7 % |
| 75 | - | 46 | 0.7 % |
| 76 | - | 46 | 0.7 % |
| 77 | - | 41 | 0.6 % |
| 78 | - | 43 | 0.6 % |
| 79 | - | 41 | 0.6 % |
| 80 | - | 51 | 0.8 % |
| 81 | - | 57 | 0.8 % |
| 82 | - | 44 | 0.7 % |
| 83 | - | 24 | 0.4 % |
| 84 | - | 29 | 0.4 % |
| 85 | >= 85 years of age | 117 | 1.7 % |

RIDAGEMN Age in Months - Recode

Location: 248-251 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 252-255 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 256-258 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|-------------------------|--------|
| 1 | Mexican American | 2208 | 32.7 % |
| 2 | Other Hispanic | 391 | 5.8 % |
| 3 | Non-Hispanic White | 2436 | 36.0 % |
| 4 | Non-Hispanic Black | 1481 | 21.9 % |
| 5 | Other Race - Including Multi-Racial | 242 | 3.6 % |

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 259-261 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|-------------------------|--------|
| 1 | Non-Hispanic White | 2469 | 36.5 % |
| 2 | Non-Hispanic Black | 1510 | 22.3 % |
| 3 | Mexican American | 2208 | 32.7 % |
| 4 | Other Race - Including Multi-Racial | 180 | 2.7 % |
| 5 | Other Hispanic | 391 | 5.8 % |

DMQMILIT Veteran/Military Status

Location: 262-264 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|------------|-------------------------|--------|
| 1 | Yes | 655 | 9.7 % |
| 2 | No | 4591 | 67.9 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't know | 4 | 0.1 % |
| . (M) | - | 1507 | 22.3 % |

DMDBORN Country of Birth - Recode

Location: 265-267 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Born in 50 US States or Washington, DC | 5121 | 75.8 % |
| 2 | Born in Mexico | 1002 | 14.8 % |
| 3 | Born Elsewhere | 630 | 9.3 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't Know | 1 | 0.0 % |
| . (M) | - | 3 | 0.0 % |

DMDCITZN Citizenship Status

Location: 268-270 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------------|-------------------------|--------|
| 1 | Citizen by birth or naturalization | 5655 | 83.7 % |
| 2 | Not a citizen of the US | 1057 | 15.6 % |
| 7 | Refused | 26 | 0.4 % |
| 9 | Don't know | 20 | 0.3 % |

DMDYRSUS Length of time in US

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|-------------------------|-------|
| 1 | Less than 1 year | 88 | 1.3 % |
| 2 | 1 yr., less than 5 yrs. | 263 | 3.9 % |
| 3 | 5 yrs., less than 10 yrs. | 304 | 4.5 % |
| 4 | 10 yrs., less than 15 yrs. | 237 | 3.5 % |
| 5 | 15 yrs., less than 20 yrs. | 142 | 2.1 % |
| 6 | 20 yrs., less than 30 yrs. | 230 | 3.4 % |
| 7 | 30 yrs., less than 40 yrs. | 165 | 2.4 % |
| 8 | 40 yrs., less than 50 yrs. | 108 | 1.6 % |
| 9 | 50 years or more | 57 | 0.8 % |
| 77 | Refused | 26 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|-------------------------|--------|
| 88 | Could not determine | 1 | 0.0 % |
| 99 | Don't know | 20 | 0.3 % |
| . (M) | - | 5117 | 75.7 % |

DMDEDUC3 E

Education level - Children/Youth 6-19

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|-------------------------|--------|
| 4 | 4th Grade | 14 | 0.2 % |
| 5 | 5th Grade | 124 | 1.8 % |
| 6 | 6th Grade | 293 | 4.3 % |
| 7 | 7th Grade | 308 | 4.6 % |
| 8 | 8th Grade | 305 | 4.5 % |
| 9 | 9th Grade | 296 | 4.4 % |
| 10 | 10th Grade | 298 | 4.4 % |
| 11 | 11th Grade | 265 | 3.9 % |
| 12 | 12th Grade, No Diploma | 73 | 1.1 % |
| 13 | High School Graduate | 171 | 2.5 % |
| 14 | GED or Equivalent | 10 | 0.1 % |
| 15 | More than high school | 101 | 1.5 % |
| 55 | Less Than 5th Grade | 3 | 0.0 % |
| 66 | Less Than 9th Grade | 52 | 0.8 % |
| 99 | Don't know | 1 | 0.0 % |
| . (M) | - | 4444 | 65.8 % |

DMDEDUC2

Education level - Adults 20+

Location: 277-279 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Less Than 9th Grade | 837 | 12.4 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 882 | 13.1 % |
| 3 | High School Grad/GED or Equivalent | 1007 | 14.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|-------------------------|--------|
| 4 | Some College or AA degree | 989 | 14.6 % |
| 5 | College Graduate or above | 714 | 10.6 % |
| 7 | Refused | 4 | 0.1 % |
| 9 | Don't Know | 11 | 0.2 % |
| . (M) | - | 2314 | 34.2 % |

DMDEDUC Education - Recode (old version)

Location: 280-282 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|-------------------------|--------|
| 1 | Less Than High School | 3750 | 55.5 % |
| 2 | High School Diploma (including GED) | 1188 | 17.6 % |
| 3 | More Than High School | 1804 | 26.7 % |
| 7 | Refused | 4 | 0.1 % |
| 9 | Don't know | 12 | 0.2 % |

DMDSCHOL Now attending school?

Location: 283-285 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|--------|
| 1 | In school | 1618 | 23.9 % |
| 2 | On vacation from school (between grades) | 373 | 5.5 % |
| 3 | Neither in school or on vacation from school (between grades) | 318 | 4.7 % |
| 9 | Don't know | 1 | 0.0 % |
| . (M) | - | 4448 | 65.8 % |

DMDMARTL Marital Status

Location: 286-288 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-----------|-------------------------|--------|
| 1 | Married | 2301 | 34.0 % |
| 2 | Widowed | 390 | 5.8 % |
| 3 | Divorced | 344 | 5.1 % |
| 4 | Separated | 170 | 2.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|-------------------------|--------|
| 5 | Never married | 2194 | 32.5 % |
| 6 | Living with partner | 211 | 3.1 % |
| 77 | Refused | 4 | 0.1 % |
| 99 | Don't know | 1 | 0.0 % |
| . (M) | - | 1143 | 16.9 % |

DMDHHSIZ

Total number of people in the Household

Location: 289-291 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------------|-------------------------|--------|
| 1 | - | 627 | 9.3 % |
| 2 | - | 1595 | 23.6 % |
| 3 | - | 1151 | 17.0 % |
| 4 | - | 1221 | 18.1 % |
| 5 | - | 929 | 13.7 % |
| 6 | - | 546 | 8.1 % |
| 7 | 7 or more people in the Household | 689 | 10.2 % |

INDHHINC

Annual Household Income

Location: 292-294 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|-------------------------|--------|
| 1 | \$ 0 to \$ 4,999 | 171 | 2.5 % |
| 2 | \$ 5,000 to \$ 9,999 | 438 | 6.5 % |
| 3 | \$10,000 to \$14,999 | 597 | 8.8 % |
| 4 | \$15,000 to \$19,999 | 512 | 7.6 % |
| 5 | \$20,000 to \$24,999 | 513 | 7.6 % |
| 6 | \$25,000 to \$34,999 | 766 | 11.3 % |
| 7 | \$35,000 to \$44,999 | 567 | 8.4 % |
| 8 | \$45,000 to \$54,999 | 441 | 6.5 % |
| 9 | \$55,000 to \$64,999 | 351 | 5.2 % |
| 10 | \$65,000 to \$74,999 | 258 | 3.8 % |
| 11 | \$75,000 and Over | 863 | 12.8 % |
| 12 | Over \$20,000 | 221 | 3.3 % |
| 13 | Under \$20,000 | 30 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|------------|-------------------------|--------|
| 77 | Refused | 27 | 0.4 % |
| 99 | Don't know | 27 | 0.4 % |
| . (M) | - | 976 | 14.4 % |

INDFMINC Annual Family Income

Location: 295-297 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|-------------------------|--------|
| 1 | \$ 0 to \$ 4,999 | 322 | 4.8 % |
| 2 | \$ 5,000 to \$ 9,999 | 582 | 8.6 % |
| 3 | \$10,000 to \$14,999 | 746 | 11.0 % |
| 4 | \$15,000 to \$19,999 | 555 | 8.2 % |
| 5 | \$20,000 to \$24,999 | 584 | 8.6 % |
| 6 | \$25,000 to \$34,999 | 748 | 11.1 % |
| 7 | \$35,000 to \$44,999 | 521 | 7.7 % |
| 8 | \$45,000 to \$54,999 | 436 | 6.5 % |
| 9 | \$55,000 to \$64,999 | 304 | 4.5 % |
| 10 | \$65,000 to \$74,999 | 251 | 3.7 % |
| 11 | \$75,000 and Over | 749 | 11.1 % |
| 12 | Over \$20,000 | 290 | 4.3 % |
| 13 | Under \$20,000 | 231 | 3.4 % |
| 77 | Refused | 199 | 2.9 % |
| 99 | Don't know | 149 | 2.2 % |
| . (M) | - | 91 | 1.3 % |

INDFMPIR Family PIR

Location: 298-302 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 303-305 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Yes, positive lab pregnancy test or self-reported pregnant at exam | 283 | 4.2 % |
| 2 | SP not pregnant at exam | 1443 | 21.4 % |
| 3 | Cannot ascertain if SP is pregnant at exam | 110 | 1.6 % |
| . (M) | - | 4922 | 72.8 % |

RIDPREG Pregnancy Status - Recode (old version)

Location: 306-308 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---|-------------------------|--------|
| 1 | Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist | 285 | 4.2 % |
| 2 | SP not pregnant | 1544 | 22.8 % |
| . (M) | - | 4929 | 72.9 % |

DMDHRGND HH Ref Person Gender

Location: 309-311 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--------|-------------------------|--------|
| 1 | Male | 3908 | 57.8 % |
| 2 | Female | 2845 | 42.1 % |
| . (M) | - | 5 | 0.1 % |

DMDHRAGE HH Ref Person Age

Location: 312-314 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the

time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 17 | - | 1 | 0.0 % |
| 18 | - | 54 | 0.8 % |
| 19 | - | 61 | 0.9 % |
| 20 | - | 54 | 0.8 % |
| 21 | - | 47 | 0.7 % |
| 22 | - | 65 | 1.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 23 | - | 64 | 0.9 % |
| 24 | - | 46 | 0.7 % |
| 25 | - | 63 | 0.9 % |
| 26 | - | 67 | 1.0 % |
| 27 | - | 78 | 1.2 % |
| 28 | - | 92 | 1.4 % |
| 29 | - | 106 | 1.6 % |
| 30 | - | 117 | 1.7 % |
| 31 | - | 132 | 2.0 % |
| 32 | - | 132 | 2.0 % |
| 33 | - | 124 | 1.8 % |
| 34 | - | 147 | 2.2 % |
| 35 | - | 180 | 2.7 % |
| 36 | - | 145 | 2.1 % |
| 37 | - | 180 | 2.7 % |
| 38 | - | 189 | 2.8 % |
| 39 | - | 172 | 2.5 % |
| 40 | - | 249 | 3.7 % |
| 41 | - | 193 | 2.9 % |
| 42 | - | 196 | 2.9 % |
| 43 | - | 173 | 2.6 % |
| 44 | - | 164 | 2.4 % |
| 45 | - | 187 | 2.8 % |
| 46 | - | 165 | 2.4 % |
| 47 | - | 127 | 1.9 % |
| 48 | - | 112 | 1.7 % |
| 49 | - | 137 | 2.0 % |
| 50 | - | 135 | 2.0 % |
| 51 | - | 155 | 2.3 % |
| 52 | - | 127 | 1.9 % |
| 53 | - | 106 | 1.6 % |
| 54 | - | 97 | 1.4 % |
| 55 | - | 67 | 1.0 % |
| 56 | - | 90 | 1.3 % |
| 57 | - | 95 | 1.4 % |
| 58 | - | 78 | 1.2 % |
| 59 | - | 68 | 1.0 % |
| 60 | - | 115 | 1.7 % |
| 61 | - | 73 | 1.1 % |
| 62 | - | 91 | 1.3 % |

- Study 25501 -

| Value | Label | Unweighted Frequency | % |
|-------|--------------------|-------------------------|-------|
| 63 | - | 82 | 1.2 % |
| 64 | - | 89 | 1.3 % |
| 65 | - | 73 | 1.1 % |
| 66 | - | 80 | 1.2 % |
| 67 | - | 88 | 1.3 % |
| 68 | - | 71 | 1.1 % |
| 69 | - | 55 | 0.8 % |
| 70 | - | 97 | 1.4 % |
| 71 | - | 65 | 1.0 % |
| 72 | - | 66 | 1.0 % |
| 73 | - | 78 | 1.2 % |
| 74 | - | 54 | 0.8 % |
| 75 | - | 51 | 0.8 % |
| 76 | - | 41 | 0.6 % |
| 77 | - | 38 | 0.6 % |
| 78 | - | 49 | 0.7 % |
| 79 | - | 41 | 0.6 % |
| 80 | - | 54 | 0.8 % |
| 81 | - | 54 | 0.8 % |
| 82 | - | 43 | 0.6 % |
| 83 | - | 24 | 0.4 % |
| 84 | - | 24 | 0.4 % |
| 85 | >= 85 years of age | 120 | 1.8 % |
| . (M) | - | 5 | 0.1 % |

DMDHRBRN

HH Ref Person Country of Birth

Location: 315-317 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Born in 50 US States or Washington, DC | 4488 | 66.4 % |
| 2 | Born in Mexico | 1306 | 19.3 % |
| 3 | Born Elsewhere | 734 | 10.9 % |
| 7 | Refused | 8 | 0.1 % |
| . (M) | - | 222 | 3.3 % |

DMDHREDU

HH Ref Person Education Level

Location: 318-320 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Less Than 9th Grade | 1271 | 18.8 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 1384 | 20.5 % |
| 3 | High School Grad/GED or equivalent | 1477 | 21.9 % |
| 4 | Some College or AA degree | 1389 | 20.6 % |
| 5 | College Graduate or above | 955 | 14.1 % |
| 7 | Refused | 6 | 0.1 % |
| 9 | Don't know | 44 | 0.7 % |
| . (M) | - | 232 | 3.4 % |

DMDHRMAR

HH Ref Person Marital Status

Location: 321-323 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|-------------------------|--------|
| 1 | Married | 3272 | 48.4 % |
| 2 | Widowed | 457 | 6.8 % |
| 3 | Divorced | 614 | 9.1 % |
| 4 | Separated | 365 | 5.4 % |
| 5 | Never married | 714 | 10.6 % |
| 6 | Living with partner | 185 | 2.7 % |
| 77 | Refused | 10 | 0.1 % |
| 99 | Don't know | 9 | 0.1 % |
| . (M) | - | 1132 | 16.8 % |

DMDHSEDU

HH Ref Person's Spouse Education Level

Location: 324-326 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|-------|
| 1 | Less Than 9th Grade | 438 | 6.5 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 482 | 7.1 % |
| 3 | High School Grad/GED or | 509 | 7.5 % |
| 4 | Some College or AA degree | 443 | 6.6 % |
| 5 | College Graduate or above | 308 | 4.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|------------|-------------------------|--------|
| 7 | Refused | 2 | 0.0 % |
| 9 | Don't know | 10 | 0.1 % |
| . (M) | - | 4566 | 67.6 % |

WTINT2YR Full Sample 2 Year Interview Weight

Location: 327-341 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 342-355 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 356-370 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 371-384 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 385-387 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

| Value | Unweighted Frequency | % |
|-------|-------------------------|--------|
| 1 | 3301 | 48.8 % |
| 2 | 3234 | 47.9 % |
| 3 | 223 | 3.3 % |

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 388-390 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

- Study 25501 -

| Value | Unweighted Frequency | % |
|-------|-------------------------|--------|
| 1 | 762 | 11.3 % |
| 2 | 416 | 6.2 % |
| 3 | 550 | 8.1 % |
| 4 | 575 | 8.5 % |
| 5 | 503 | 7.4 % |
| 6 | 498 | 7.4 % |
| 7 | 618 | 9.1 % |
| 8 | 497 | 7.4 % |
| 9 | 465 | 6.9 % |
| 10 | 412 | 6.1 % |
| 11 | 533 | 7.9 % |
| 12 | 561 | 8.3 % |
| 13 | 368 | 5.4 % |

SDJ1REPN

Jack Knife Replicate Number

Location: 391-393 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

| Value | Unweighted Frequency | % |
|-------|----------------------|-------|
| 1 | 118 | 1.7 % |
| 2 | 187 | 2.8 % |
| 3 | 135 | 2.0 % |
| 4 | 152 | 2.2 % |
| 5 | 101 | 1.5 % |
| 6 | 106 | 1.6 % |
| 7 | 70 | 1.0 % |
| 8 | 116 | 1.7 % |
| 9 | 126 | 1.9 % |
| 10 | 125 | 1.8 % |
| 11 | 114 | 1.7 % |
| 12 | 132 | 2.0 % |
| 13 | 119 | 1.8 % |
| 14 | 89 | 1.3 % |
| 15 | 173 | 2.6 % |
| 16 | 133 | 2.0 % |
| 17 | 149 | 2.2 % |
| 18 | 160 | 2.4 % |
| 19 | 103 | 1.5 % |
| 20 | 104 | 1.5 % |

- Study 25501 -

| Value | Unweighted Frequency | % |
|-------|----------------------|-------|
| 21 | 124 | 1.8 % |
| 22 | 120 | 1.8 % |
| 23 | 103 | 1.5 % |
| 24 | 182 | 2.7 % |
| 25 | 223 | 3.3 % |
| 26 | 97 | 1.4 % |
| 27 | 144 | 2.1 % |
| 28 | 157 | 2.3 % |
| 29 | 107 | 1.6 % |
| 30 | 153 | 2.3 % |
| 31 | 134 | 2.0 % |
| 32 | 154 | 2.3 % |
| 33 | 108 | 1.6 % |
| 34 | 193 | 2.9 % |
| 35 | 86 | 1.3 % |
| 36 | 98 | 1.5 % |
| 37 | 142 | 2.1 % |
| 38 | 125 | 1.8 % |
| 39 | 106 | 1.6 % |
| 40 | 116 | 1.7 % |
| 41 | 150 | 2.2 % |
| 42 | 115 | 1.7 % |
| 43 | 137 | 2.0 % |
| 44 | 106 | 1.6 % |
| 45 | 133 | 2.0 % |
| 46 | 127 | 1.9 % |
| 47 | 141 | 2.1 % |
| 48 | 175 | 2.6 % |
| 49 | 99 | 1.5 % |
| 50 | 94 | 1.4 % |
| 51 | 111 | 1.6 % |
| 52 | 186 | 2.8 % |

DMAETHN Logical Imputation Flag for Ethnicity

Location: 394-396 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|---------|
| . (M) | - | 6758 | 100.0 % |

| | | - Study 25501 - | | | |
|----------------|--------------------------------|---|-------------------------|---------|--|
| DMARACE | Logical Im | Logical Imputation Flag for Race Recode | | | |
| Location: | 397-399 (width: 3; decimal: 0) | | | | |
| Variable Type: | numeric | numeric | | | |
| Question: | Target: B(0 Instructions | O Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for s: | Race Recode Englis | sh | |
| | Value | Label | Unweighted Frequency | 9 | |
| | . (M) | - | 6758 | 100.0 % | |
| WTMREP01 | MEC Exan | m Weight Jack Knife Replicate 01 | | | |
| Location: | 400-414 (w | vidth: 15; decimal: 8) | | | |
| Variable Type: | numeric | | | | |
| Question: | Target: B(0 Instructions |) Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack K s: | nife Replicate 01 Enç | glish | |
| WTMREP02 | MEC Exan | n Weight Jack Knife Replicate 02 | | | |
| Location: | 415-429 (w | vidth: 15; decimal: 8) | | | |
| Variable Type: | numeric | | | | |
| Question: | Target: B(0 Instructions | O Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack K s: | nife Replicate 02 Eng | glish | |
| WTMREP03 | MEC Exan | n Weight Jack Knife Replicate 03 | | | |
| Location: | 430-444 (w | vidth: 15; decimal: 8) | | | |
| Variable Type: | numeric | numeric | | | |
| Question: | Target: B(0 Instructions |) Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack K s: | nife Replicate 03 Eng | glish | |
| WTMREP04 | MEC Exan | n Weight Jack Knife Replicate 04 | | | |
| Location: | 445-459 (w | vidth: 15; decimal: 8) | | | |
| Variable Type: | numeric | | | | |
| Question: | Target: B(0 Instructions | O Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack K s: | nife Replicate 04 Eng | glish | |
| WTMREP05 | MEC Exan | n Weight Jack Knife Replicate 05 | | | |
| Location: | 460-474 (w | width: 15; decimal: 8) | | | |
| Variable Type: | numeric | | | | |
| Question: | Target: B(0 Instructions | O Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack K s: | nife Replicate 05 Eng | glish | |
| WTMREP06 | MEC Exan | n Weight Jack Knife Replicate 06 | | | |
| Location: | 475-489 (w | vidth: 15; decimal: 8) | | | |
| Variable Type: | numeric | | | | |
| Question: | Target: B(0 Instructions | O Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack K s: | nife Replicate 06 Eng | glish | |

MEC Exam Weight Jack Knife Replicate 07

490-504 (width: 15; decimal: 8)

numeric

WTMREP07

Variable Type:

Location:

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 505-519 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 520-534 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions:

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 535-549 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 550-564 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 565-579 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions:

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 580-594 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 595-609 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 610-624 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 625-639 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions:

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 640-654 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 655-669 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 670-684 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 685-699 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 700-714 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 715-729 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 730-744 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 745-759 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 760-774 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 775-789 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 790-804 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 805-819 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 820-834 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions:

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 835-849 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions:

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 850-864 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 865-879 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 880-894 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions:

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 895-909 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 910-924 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions:

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 925-939 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 940-954 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 955-969 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 970-984 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 985-999 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 1000-1014 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 1015-1029 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 1030-1044 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 1045-1059 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 1060-1074 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions:

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 1075-1089 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions:

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 1090-1104 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions:

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 1105-1119 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 1120-1134 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 1135-1149 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions:

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 1150-1164 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 1165-1179 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1180-1194 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1195-1209 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1210-1224 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1225-1239 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1240-1254 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1255-1269 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1270-1284 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1285-1299 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1300-1314 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1315-1329 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1330-1344 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1345-1359 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1360-1374 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1375-1389 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1390-1404 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1405-1419 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1420-1434 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1435-1449 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1450-1464 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1465-1479 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1480-1494 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1495-1509 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1510-1524 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1525-1539 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1540-1554 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1555-1569 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1570-1584 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1585-1599 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1600-1614 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1615-1629 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1630-1644 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1645-1659 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1660-1674 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1675-1689 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1690-1704 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 1705-1719 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 1720-1734 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 1735-1749 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 1750-1764 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 1765-1779 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 1780-1794 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 1795-1809 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 1810-1824 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 1825-1839 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 1840-1854 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 1855-1869 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 1870-1884 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 1885-1899 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 1900-1914 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 1915-1929 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 1930-1944 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 1945-1959 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English

Instructions: