

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Laboratory: Varicella-Zoster Virus
Antibody (Surplus Sera)

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Laboratory: Varicella-Zoster Virus Antibody (Surplus Sera)

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: Respondent sequence number. English Instructions:

VARICELL Varicella antibody

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: Varicella antibody English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	159	47.9 %
2	No	142	42.8 %
3	Equivocal	31	9.3 %

SDDSRVYR Data Release Number

Location: 9-11 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	332	100.0 %

RIDSTATR Interview/Examination Status

Location: 12-14 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	332	100.0 %

RIDEXMON Six month time period

Location: 15-17 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	161	48.5 %
2	May 1 through October 31	171	51.5 %

- Study 25502 -

Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	94	28.3 %
2	Other Hispanic	12	3.6 %
3	Non-Hispanic White	89	26.8 %
4	Non-Hispanic Black	125	37.7 %
5	Other Race - Including Multi-Racial	12	3.6 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 35-37 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	92	27.7 %
2	Non-Hispanic Black	128	38.6 %
3	Mexican American	94	28.3 %
4	Other Race - Including Multi-Racial	6	1.8 %
5	Other Hispanic	12	3.6 %

DMQMILIT Veteran/Military Status

Location: 38-40 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	62	18.7 %
. (M)	-	270	81.3 %

DMDBORN Country of Birth - Recode

Location: 41-43 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	289	87.0 %
2	Born in Mexico	31	9.3 %
3	Born Elsewhere	12	3.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	10th Grade	15	4.5 %
11	11th Grade	14	4.2 %
12	12th Grade, No Diploma	4	1.2 %
13	High School Graduate	12	3.6 %
14	GED or Equivalent	4	1.2 %
15	More than high school	7	2.1 %
66	Less Than 9th Grade	7	2.1 %

DMDEDUC2 Education Level - Adults 20+

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	332	100.0 %

DMDEDUC Education - Recode (old version)

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	309	93.1 %
2	High School Diploma (including GED)	16	4.8 %
3	More Than High School	7	2.1 %

DMDSCHOL Now attending school?

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	198	59.6 %
2	On vacation from school (between grades)	42	12.7 %
3	Neither in school or on vacation from school	41	12.3 %
. (M)	-	51	15.4 %

DMDMARTL Marital Status

- Study 25502 -

Location: 62-64 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	5	1.5 %
5	Never married	96	28.9 %
6	Living with partner	4	1.2 %
. (M)	-	227	68.4 %

DMDHHSIZ Total number of people in the Household

Location: 65-67 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	0.3 %
2	-	17	5.1 %
3	-	63	19.0 %
4	-	78	23.5 %
5	-	80	24.1 %
6	-	38	11.4 %
7	7 or more people in the household	55	16.6 %

INDHHINC Annual Household Income

Location: 68-70 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	10	3.0 %
2	\$ 5,000 to \$ 9,999	22	6.6 %
3	\$10,000 to \$14,999	22	6.6 %
4	\$15,000 to \$19,999	25	7.5 %
5	\$20,000 to \$24,999	26	7.8 %
6	\$25,000 to \$34,999	29	8.7 %
7	\$35,000 to \$44,999	32	9.6 %
8	\$45,000 to \$54,999	30	9.0 %
9	\$55,000 to \$64,999	19	5.7 %
10	\$65,000 to \$74,999	12	3.6 %
11	\$75,000 and Over	76	22.9 %
99	Don't know	2	0.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	27	8.1 %

INDFMINC Annual Family Income

Location: 71-73 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	23	6.9 %
2	\$ 5,000 to \$ 9,999	25	7.5 %
3	\$10,000 to \$14,999	34	10.2 %
4	\$15,000 to \$19,999	29	8.7 %
5	\$20,000 to \$24,999	20	6.0 %
6	\$25,000 to \$34,999	27	8.1 %
7	\$35,000 to \$44,999	30	9.0 %
8	\$45,000 to \$54,999	29	8.7 %
9	\$55,000 to \$64,999	12	3.6 %
10	\$65,000 to \$74,999	13	3.9 %
11	\$75,000 and Over	70	21.1 %
12	Over \$20,000	4	1.2 %
13	Under \$20,000	2	0.6 %
77	Refused	3	0.9 %
99	Don't know	2	0.6 %
. (M)	-	9	2.7 %

INDFMPIR Family PIR

Location: 74-78 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 79-81 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	6	1.8 %
2	SP not pregnant at exam	92	27.7 %
3	Cannot ascertain if SP is pregnant at exam	22	6.6 %
. (M)	-	212	63.9 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 82-84 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	6	1.8 %
2	SP not pregnant	75	22.6 %
9	Cannot ascertain if SP is pregnant at exam	1	0.3 %
. (M)	-	250	75.3 %

DMDHRGND HH Ref Person Gender

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	175	52.7 %
2	Female	157	47.3 %

DMDHRAGE HH Ref Person Age

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	3	0.9 %
19	-	5	1.5 %
20	-	1	0.3 %
21	-	4	1.2 %
22	-	5	1.5 %
23	-	3	0.9 %
24	-	10	3.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	5	1.5 %
26	-	4	1.2 %
27	-	5	1.5 %
28	-	14	4.2 %
29	-	8	2.4 %
30	-	19	5.7 %
31	-	8	2.4 %
32	-	9	2.7 %
33	-	9	2.7 %
34	-	13	3.9 %
35	-	18	5.4 %
36	-	23	6.9 %
37	-	18	5.4 %
38	-	11	3.3 %
39	-	11	3.3 %
40	-	12	3.6 %
41	-	9	2.7 %
42	-	8	2.4 %
43	-	13	3.9 %
44	-	13	3.9 %
45	-	13	3.9 %
46	-	4	1.2 %
47	-	8	2.4 %
48	-	7	2.1 %
49	-	6	1.8 %
50	-	4	1.2 %
51	-	2	0.6 %
52	-	5	1.5 %
53	-	5	1.5 %
54	-	1	0.3 %
55	-	2	0.6 %
56	-	1	0.3 %
58	-	1	0.3 %
59	-	2	0.6 %
60	-	1	0.3 %
61	-	1	0.3 %
62	-	2	0.6 %
71	-	1	0.3 %
73	-	1	0.3 %
74	-	2	0.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	-	1	0.3 %
80	-	1	0.3 %

DMDHRBRN HH Ref Person Country of Birth

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	230	69.3 %
2	Born in Mexico	54	16.3 %
3	Born Elsewhere	36	10.8 %
. (M)	-	12	3.6 %

DMDHREDU HH Ref Person Education Level

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	41	12.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	70	21.1 %
3	High School Grad/GED or equivalent	74	22.3 %
4	Some College or AA degree	72	21.7 %
5	College Graduate or above	60	18.1 %
9	Don't know	3	0.9 %
. (M)	-	12	3.6 %

DMDHRMAR HH Ref Person Marital Status

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	195	58.7 %
2	Widowed	10	3.0 %
3	Divorced	28	8.4 %
4	Separated	15	4.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Never married	59	17.8 %
6	Living with partner	11	3.3 %
77	Refused	1	0.3 %
. (M)	-	13	3.9 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 100-102 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	27	8.1 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	26	7.8 %
3	High School Grad/GED or equivalent	42	12.7 %
4	Some College or AA degree	56	16.9 %
5	College Graduate or above	29	8.7 %
9	Don't know	1	0.3 %
. (M)	-	151	45.5 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 103-116 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 117-129 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 130-143 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 144-157 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

- Study 25502 -

Location: 158-160 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	175	52.7 %
2	157	47.3 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 161-163 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	27	8.1 %
15	28	8.4 %
16	28	8.4 %
17	16	4.8 %
18	25	7.5 %
19	15	4.5 %
20	35	10.5 %
21	13	3.9 %
22	23	6.9 %
23	25	7.5 %
24	32	9.6 %
25	13	3.9 %
26	13	3.9 %
27	12	3.6 %
28	27	8.1 %