ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Laboratory: Lab 34 Trichomonos Vaginalis and Bacterial Vaginosis

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Laboratory: Lab 34 Trichomonos Vaginalis and Bacterial Vaginosis

| Location: | 1-5 (width: 5; decimal: 0) |
|----------------|---|
| Variable Type: | numeric |
| Question: | Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions: |
| LBXBVPH | PH of Bacterial Vaginosis Specimen |

Respondent sequence number

6-10 (width: 5; decimal: 0) Location:

Variable Type: character

SEQN

Question: Target: F(14 Yrs. to 49 Yrs.) English Text: PH of Bacterial Vaginosis Specimen English Instructions:

| Value | Unweighted Frequency | % |
|-------|-------------------------|--------|
| | 403 | 16.9 % |
| 4.0 | 224 | 9.4 % |
| 4.5 | 857 | 36.0 % |
| 5.0 | 461 | 19.3 % |
| 5.5 | 124 | 5.2 % |
| 6.0 | 147 | 6.2 % |
| 6.5 | 28 | 1.2 % |
| 7.0 | 63 | 2.6 % |
| <4.0 | 55 | 2.3 % |
| >7.0 | 21 | 0.9 % |

LBXTV Trichomonas Vaginalis

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(14 Yrs. to 49 Yrs.) English Text: Trichomonas Vaginalis English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-----------------|-------------------------|--------|
| 1 | Positive | 82 | 3.4 % |
| 2 | Negative | 1856 | 77.9 % |
| 3 | Uninterpretable | 61 | 2.6 % |
| . (M) | - | 384 | 16.1 % |

LBXBV Bacterial Vaginosis

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(14 Yrs. to 49 Yrs.) English Text: Bacterial Vaginosis English Instructions:

| ν | /alue | Label | Unweighted Frequency | % |
|---|-------|----------|-------------------------|--------|
| 1 | | Positive | 600 | 25.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 2 | Negative | 773 | 32.4 % |
| 3 | Intermediate | 614 | 25.8 % |
| 4 | Lack of lactobacillis/abnormal epithelial cells | 9 | 0.4 % |
| 5 | Lack of lactobacil/abnormal epithelial cells+abnorm bacteria | 3 | 0.1 % |
| . (M) | - | 384 | 16.1 % |

SDDSRVYR Data Release Number

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------|-------------------------|---------|
| 2 | NHANES 2001-2002 Public Release | 2383 | 100.0 % |

RIDSTATR Interview/Examination Status

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

| Value | | Unweighted Frequency | % |
|-------|-----------------------------------|-------------------------|---------|
| 2 | Both Interviewed and MEC examined | 2383 | 100.0 % |

RIDEXMON Six month time period

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------|-------------------------|--------|
| 1 | November 1 through April 30 | 1223 | 51.3 % |
| 2 | May 1 through October 31 | 1160 | 48.7 % |

RIAGENDR Gender

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

| Value | Label | Unweighted | % | |
|-------|--------|------------|---------|--|
| | | Frequency | | |
| 2 | Female | 2383 | 100.0 % | |

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 29-31 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 14 | - | 170 | 7.1 % |
| 15 | - | 159 | 6.7 % |
| 16 | - | 133 | 5.6 % |
| 17 | - | 161 | 6.8 % |
| 18 | - | 138 | 5.8 % |
| 19 | - | 128 | 5.4 % |
| 20 | - | 62 | 2.6 % |
| 21 | - | 62 | 2.6 % |
| 22 | - | 59 | 2.5 % |
| 23 | - | 62 | 2.6 % |
| 24 | - | 52 | 2.2 % |
| 25 | - | 52 | 2.2 % |
| 26 | - | 65 | 2.7 % |
| 27 | - | 51 | 2.1 % |
| 28 | - | 49 | 2.1 % |
| 29 | - | 53 | 2.2 % |
| 30 | - | 66 | 2.8 % |
| 31 | - | 44 | 1.8 % |
| 32 | - | 48 | 2.0 % |
| 33 | - | 42 | 1.8 % |
| 34 | - | 49 | 2.1 % |
| 35 | - | 58 | 2.4 % |
| 36 | - | 45 | 1.9 % |
| 37 | - | 52 | 2.2 % |
| 38 | - | 44 | 1.8 % |
| 39 | - | 43 | 1.8 % |
| 40 | - | 48 | 2.0 % |
| 41 | - | 47 | 2.0 % |
| 42 | - | 44 | 1.8 % |
| 43 | - | 43 | 1.8 % |
| 44 | - | 51 | 2.1 % |
| 45 | - | 44 | 1.8 % |
| 46 | - | 40 | 1.7 % |
| 47 | - | 41 | 1.7 % |
| 48 | - | 40 | 1.7 % |
| 49 | _ | 38 | 1.6 % |

RIDAGEMN

Age in Months - Recode

Location: 32-35 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 36-39 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 40-42 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|-------------------------|--------|
| 1 | Mexican American | 655 | 27.5 % |
| 2 | Other Hispanic | 119 | 5.0 % |
| 3 | Non-Hispanic White | 948 | 39.8 % |
| 4 | Non-Hispanic Black | 569 | 23.9 % |
| 5 | Other Race - Including Multi-Racial | 92 | 3.9 % |

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 43-45 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|-------------------------|--------|
| 1 | Non-Hispanic White | 956 | 40.1 % |
| 2 | Non-Hispanic Black | 575 | 24.1 % |
| 3 | Mexican American | 655 | 27.5 % |
| 4 | Other Race - Including Multi-Racial | 78 | 3.3 % |
| 5 | Other Hispanic | 119 | 5.0 % |

DMQMILIT Veteran/Military Status

Location: 46-48 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| 1 | Yes | 25 | 1.0 % |
| 2 | No | 1896 | 79.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| . (M) | - | 462 | 19.4 % |

DMDBORN Country of Birth - Recode

Location: 49-51 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Born in 50 US States or Washington, DC | 1900 | 79.7 % |
| 2 | Born in Mexico | 319 | 13.4 % |
| 3 | Born Elsewhere | 164 | 6.9 % |

DMDCITZN Citizenship Status

Location: 52-54 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------------|-------------------------|--------|
| 1 | Citizen by birth or naturalization | 2024 | 84.9 % |
| 2 | Not a citizen of the US | 359 | 15.1 % |

DMDYRSUS Length of time in US

Location: 55-57 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|-------------------------|-------|
| 1 | Less than 1 year | 43 | 1.8 % |
| 2 | 1 yr., less than 5 yrs. | 108 | 4.5 % |
| 3 | 5 yrs., less than 10 yrs. | 81 | 3.4 % |
| 4 | 10 yrs., less than 15 yrs. | 105 | 4.4 % |
| 5 | 15 yrs., less than 20 yrs. | 53 | 2.2 % |
| 6 | 20 yrs., less than 30 yrs. | 63 | 2.6 % |
| 7 | 30 yrs., less than 40 yrs. | 19 | 0.8 % |
| 8 | 40 yrs., less than 50 yrs. | 2 | 0.1 % |
| 77 | Refused | 1 | 0.0 % |
| 88 | Could not determine | 2 | 0.1 % |
| 99 | Don't know | 2 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|--------|
| . (M) | - | 1904 | 79.9 % |

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 58-60 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|-------------------------|--------|
| 6 | 6th Grade | 6 | 0.3 % |
| 7 | 7th Grade | 56 | 2.3 % |
| 8 | 8th Grade | 167 | 7.0 % |
| 9 | 9th Grade | 162 | 6.8 % |
| 10 | 10th Grade | 141 | 5.9 % |
| 11 | 11th Grade | 164 | 6.9 % |
| 12 | 12th Grade, No Diploma | 20 | 0.8 % |
| 13 | High School Graduate | 89 | 3.7 % |
| 14 | GED or Equivalent | 7 | 0.3 % |
| 15 | More than high school | 52 | 2.2 % |
| 66 | Less Than 9th Grade | 24 | 1.0 % |
| 99 | Don't know | 1 | 0.0 % |
| . (M) | - | 1494 | 62.7 % |

DMDEDUC2

Education Level - Adults 20+

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Less Than 9th Grade | 152 | 6.4 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 239 | 10.0 % |
| 3 | High School Grad/GED or Equivalent | 327 | 13.7 % |
| 4 | Some College or AA degree | 465 | 19.5 % |
| 5 | College Graduate or above | 310 | 13.0 % |
| 9 | Don't Know | 1 | 0.0 % |
| . (M) | - | 889 | 37.3 % |

DMDEDUC

Education - Recode (old version)

Location: 64-66 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|-------------------------|--------|
| 1 | Less Than High School | 1131 | 47.5 % |
| 2 | High School Diploma (including GED) | 423 | 17.8 % |
| 3 | More Than High School | 827 | 34.7 % |
| 9 | Don't know | 2 | 0.1 % |

DMDSCHOL Now attending school?

Location: 67-69 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | In school | 579 | 24.3 % |
| 2 | On vacation from school (between grades) | 133 | 5.6 % |
| 3 | Neither in school or on vacation from school | 175 | 7.3 % |
| . (M) | - | 1496 | 62.8 % |

DMDMARTL Marital Status

Location: 70-72 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|-------------------------|--------|
| 1 | Married | 900 | 37.8 % |
| 2 | Widowed | 14 | 0.6 % |
| 3 | Divorced | 95 | 4.0 % |
| 4 | Separated | 65 | 2.7 % |
| 5 | Never married | 1155 | 48.5 % |
| 6 | Living with partner | 154 | 6.5 % |

DMDHHSIZ Total number of people in the Household

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

| Value | Label | Unweighted Frequency | % | |
|-------|-------|-------------------------|-------|--|
| 1 | - | 78 | 3.3 % | |

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------------|-------------------------|--------|
| 2 | - | 344 | 14.4 % |
| 3 | - | 494 | 20.7 % |
| 4 | - | 591 | 24.8 % |
| 5 | - | 416 | 17.5 % |
| 6 | - | 198 | 8.3 % |
| 7 | 7 or more people in the household | 262 | 11.0 % |

INDHHINC Annual Household Income

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|-------------------------|--------|
| 1 | \$ 0 to \$ 4,999 | 62 | 2.6 % |
| 2 | \$ 5,000 to \$ 9,999 | 109 | 4.6 % |
| 3 | \$10,000 to \$14,999 | 159 | 6.7 % |
| 4 | \$15,000 to \$19,999 | 181 | 7.6 % |
| 5 | \$20,000 to \$24,999 | 162 | 6.8 % |
| 6 | \$25,000 to \$34,999 | 264 | 11.1 % |
| 7 | \$35,000 to \$44,999 | 230 | 9.7 % |
| 8 | \$45,000 to \$54,999 | 210 | 8.8 % |
| 9 | \$55,000 to \$64,999 | 165 | 6.9 % |
| 10 | \$65,000 to \$74,999 | 136 | 5.7 % |
| 11 | \$75,000 and Over | 499 | 20.9 % |
| 12 | Over \$20,000 | 4 | 0.2 % |
| 13 | Under \$20,000 | 2 | 0.1 % |
| 77 | Refused | 2 | 0.1 % |
| 99 | Don't know | 5 | 0.2 % |
| . (M) | - | 193 | 8.1 % |

INDFMINC Annual Family Income

Location: 79-81 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|-------------------------|-------|
| 1 | \$ 0 to \$ 4,999 | 142 | 6.0 % |
| 2 | \$ 5,000 to \$ 9,999 | 150 | 6.3 % |
| 3 | \$10,000 to \$14,999 | 224 | 9.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|-------------------------|--------|
| 4 | \$15,000 to \$19,999 | 204 | 8.6 % |
| 5 | \$20,000 to \$24,999 | 194 | 8.1 % |
| 6 | \$25,000 to \$34,999 | 256 | 10.7 % |
| 7 | \$35,000 to \$44,999 | 208 | 8.7 % |
| 8 | \$45,000 to \$54,999 | 200 | 8.4 % |
| 9 | \$55,000 to \$64,999 | 138 | 5.8 % |
| 10 | \$65,000 to \$74,999 | 125 | 5.2 % |
| 11 | \$75,000 and Over | 407 | 17.1 % |
| 12 | Over \$20,000 | 36 | 1.5 % |
| 13 | Under \$20,000 | 30 | 1.3 % |
| 77 | Refused | 16 | 0.7 % |
| 99 | Don't know | 20 | 0.8 % |
| . (M) | - | 33 | 1.4 % |

INDFMPIR Family PIR

Location: 82-86 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

| Value | Label |
|-------|---|
| 5 | PIR value greater than or equal to 5.00 |

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Yes, positive lab preg test or selfreported preg at exam | 343 | 14.4 % |
| 2 | SP not pregnant at exam | 1913 | 80.3 % |
| 3 | Cannot ascertain if SP is pregnant at exam | 127 | 5.3 % |

RIDPREG Pregnancy Status - Recode (old version)

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Yes (lab, selfreport, screener data, or menstrual history) | 372 | 15.6 % |
| 2 | SP not pregnant | 1953 | 82.0 % |
| 9 | Cannot ascertain if SP is pregnant at exam | 57 | 2.4 % |
| . (M) | - | 1 | 0.0 % |

DMDHRGND HH Ref Person Gender

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

 Value
 Label
 Unweighted Frequency
 %

 1
 Male
 1190
 49.9 %

 2
 Female
 1193
 50.1 %

DMDHRAGE HH Ref Person Age

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 15 | - | 1 | 0.0 % |
| 17 | - | 1 | 0.0 % |
| 18 | - | 24 | 1.0 % |
| 19 | - | 42 | 1.8 % |
| 20 | - | 42 | 1.8 % |
| 21 | - | 34 | 1.4 % |
| 22 | - | 44 | 1.8 % |
| 23 | - | 39 | 1.6 % |
| 24 | - | 33 | 1.4 % |
| 25 | - | 41 | 1.7 % |
| 26 | - | 49 | 2.1 % |
| 27 | - | 35 | 1.5 % |
| 28 | - | 46 | 1.9 % |
| 29 | - | 39 | 1.6 % |
| 30 | - | 78 | 3.3 % |
| 31 | - | 58 | 2.4 % |
| 32 | - | 62 | 2.6 % |
| 33 | - | 70 | 2.9 % |
| 34 | - | 76 | 3.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|-------------------------|-------|
| 35 | - | 79 | 3.3 % |
| 36 | - | 65 | 2.7 % |
| 37 | - | 86 | 3.6 % |
| 38 | - | 64 | 2.7 % |
| 39 | - | 83 | 3.5 % |
| 40 | - | 90 | 3.8 % |
| 41 | - | 79 | 3.3 % |
| 42 | - | 74 | 3.1 % |
| 43 | - | 84 | 3.5 % |
| 44 | - | 111 | 4.7 % |
| 45 | - | 111 | 4.7 % |
| 46 | - | 96 | 4.0 % |
| 47 | - | 61 | 2.6 % |
| 48 | - | 72 | 3.0 % |
| 49 | - | 71 | 3.0 % |
| 50 | - | 50 | 2.1 % |
| 51 | - | 43 | 1.8 % |
| 52 | - | 28 | 1.2 % |
| 53 | - | 31 | 1.3 % |
| 54 | - | 19 | 0.8 % |
| 55 | - | 21 | 0.9 % |
| 56 | - | 14 | 0.6 % |
| 57 | - | 8 | 0.3 % |
| 58 | - | 8 | 0.3 % |
| 59 | - | 9 | 0.4 % |
| 60 | - | 4 | 0.2 % |
| 61 | - | 7 | 0.3 % |
| 62 | - | 6 | 0.3 % |
| 63 | - | 10 | 0.4 % |
| 64 | - | 9 | 0.4 % |
| 65 | - | 8 | 0.3 % |
| 66 | - | 6 | 0.3 % |
| 67 | - | 5 | 0.2 % |
| 68 | - | 10 | 0.4 % |
| 69 | - | 2 | 0.1 % |
| 70 | - | 8 | 0.3 % |
| 71 | - | 4 | 0.2 % |
| 72 | - | 1 | 0.0 % |
| 73 | - | 1 | 0.0 % |
| 74 | - | 5 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------------|-------------------------|-------|
| 75 | - | 3 | 0.1 % |
| 76 | - | 6 | 0.3 % |
| 77 | - | 2 | 0.1 % |
| 78 | - | 1 | 0.0 % |
| 79 | - | 4 | 0.2 % |
| 80 | - | 1 | 0.0 % |
| 81 | - | 4 | 0.2 % |
| 82 | - | 1 | 0.0 % |
| 85 | >= 85 years of age | 4 | 0.2 % |

DMDHRBRN HH Ref Person Country of Birth

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Born in 50 US States or Washington, DC | 1698 | 71.3 % |
| 2 | Born in Mexico | 396 | 16.6 % |
| 3 | Born Elsewhere | 204 | 8.6 % |
| . (M) | - | 85 | 3.6 % |

DMDHREDU HH Ref Person Education Level

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | Less Than 9th Grade | 284 | 11.9 % |
| 2 | 9-11th Grade (Includes 12th grade w/ no diploma) | 439 | 18.4 % |
| 3 | High School Grad/GED or equivalent | 533 | 22.4 % |
| 4 | Some College or AA degree | 601 | 25.2 % |
| 5 | College Graduate or above | 430 | 18.0 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't know | 11 | 0.5 % |
| . (M) | - | 84 | 3.5 % |

DMDHRMAR HH Ref Person Marital Status

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|-------------------------|--------|
| 1 | Married | 1377 | 57.8 % |
| 2 | Widowed | 72 | 3.0 % |
| 3 | Divorced | 224 | 9.4 % |
| 4 | Separated | 134 | 5.6 % |
| 5 | Never married | 337 | 14.1 % |
| 6 | Living with partner | 134 | 5.6 % |
| 77 | Refused | 7 | 0.3 % |
| 99 | Don't know | 1 | 0.0 % |
| . (M) | - | 97 | 4.1 % |

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

| Value | Label | Unweighted Frequency | % |
|-------|--|-------------------------|--------|
| 1 | Less Than 9th Grade | 203 | 8.5 % |
| 2 | 9-11th Grade (Includes 12th grade w/ no diploma) | 148 | 6.2 % |
| 3 | High School Grad/GED or equivalent | 264 | 11.1 % |
| 4 | Some College or AA degree | 340 | 14.3 % |
| 5 | College Graduate or above | 261 | 11.0 % |
| 9 | Don't know | 5 | 0.2 % |
| . (M) | - | 1162 | 48.8 % |

WTINT2YR Full Sample 2 Year Interview Weight

Location: 111-124 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 125-137 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 138-151 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 152-165 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 166-168 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

 Value
 Unweighted Frequency
 %

 1
 1193
 50.1 %

 2
 1190
 49.9 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

| Value | Unweighted Frequency | % |
|-------|-------------------------|-------|
| 14 | 144 | 6.0 % |
| 15 | 181 | 7.6 % |
| 16 | 155 | 6.5 % |
| 17 | 168 | 7.0 % |
| 18 | 129 | 5.4 % |
| 19 | 186 | 7.8 % |
| 20 | 158 | 6.6 % |
| 21 | 151 | 6.3 % |
| 22 | 149 | 6.3 % |
| 23 | 159 | 6.7 % |
| 24 | 169 | 7.1 % |
| 25 | 158 | 6.6 % |
| 26 | 189 | 7.9 % |
| 27 | 139 | 5.8 % |
| 28 | 148 | 6.2 % |