

ICPSR 25502

**National Health and Nutrition  
Examination Survey (NHANES),  
2001-2002**

*United States Department of Health and  
Human Services. Centers for Disease  
Control and Prevention. National Center  
for Health Statistics*

Codebook -- Laboratory: Lab 35 Methicillin  
Resistant Staphylococcus Aureus

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR 25502**

# **National Health and Nutrition Examination Survey (NHANES), 2001-2002**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## National Health and Nutrition Examination Survey (NHANES), 2001-2002

### Laboratory: Lab 35 Methicillin Resistant Staphylococcus Aureus

#### **SEQN** Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

#### **LBXMS1** S. aureus present 1

Location: 6-8 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: S. aureus present 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2964	29.9 %
2	No	6658	67.1 %
. (M)	-	307	3.1 %

#### **LBXM1** MRSA 1

Location: 9-11 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: MRSA 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	75	0.8 %
2	No	2889	29.1 %
. (M)	-	6965	70.1 %

#### **LBXMT1** Tetracycline 1

Location: 12-14 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Tetracycline 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	356	3.6 %
2	Resistant	12	0.1 %
3	Intermediate	4	0.0 %
. (M)	-	9557	96.3 %

#### **LBXMZ1** Trimethoprim/Sulfamethoxazole 1

Location: 15-17 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Trimethoprim/Sulfamethoxazole 1 English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	372	3.7 %
. (M)	-	9557	96.3 %

**LBXMC1 Clindamycin 1**

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Clindamycin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	348	3.5 %
2	Resistant	24	0.2 %
. (M)	-	9557	96.3 %

**LBXME1 Erythromycin 1**

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Erythromycin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	255	2.6 %
2	Resistant	116	1.2 %
3	Intermediate	1	0.0 %
. (M)	-	9557	96.3 %

**LBXMP1 Penicillin 1**

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Penicillin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	37	0.4 %
2	Resistant	335	3.4 %
. (M)	-	9557	96.3 %

**LBXMI1 Imipenem 1**

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Imipenem 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	301	3.0 %
2	Resistant	71	0.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9557	96.3 %

**LBXMV1 Vancomycin 1**

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Vancomycin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	372	3.7 %
. (M)	-	9557	96.3 %

**LBXMF1 Cefazolin 1**

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Cefazolin 1 English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	301	3.0 %
2	71	0.7 %
. (M)	9557	96.3 %

**LBXMO1 Oxacillin 1**

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Oxacillin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	297	3.0 %
2	Resistant	75	0.8 %
. (M)	-	9557	96.3 %

**LBXMG1 Gentamicin 1**

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Gentamicin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	371	3.7 %
2	Resistant	1	0.0 %
. (M)	-	9557	96.3 %

**LBXMD1 Ciprofloxacin 1**

- Study 25502 -

Location: 42-44 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Ciprofloxacin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	327	3.3 %
2	Resistant	42	0.4 %
3	Intermediate	3	0.0 %
. (M)	-	9557	96.3 %

**LBXML1 Levofloxacin 1**

Location: 45-47 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Levofloxacin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	330	3.3 %
2	Resistant	28	0.3 %
3	Intermediate	14	0.1 %
. (M)	-	9557	96.3 %

**LBXMR1 Rifampin 1**

Location: 48-50 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Rifampin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	371	3.7 %
2	Resistant	1	0.0 %
. (M)	-	9557	96.3 %

**LBXMY1 Amoxicillin/k Clavulanate 1**

Location: 51-53 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Amoxicillin/K Clavulanate 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sensitive	301	3.0 %
2	Resistant	71	0.7 %
. (M)	-	9557	96.3 %

**LBAMMT1 Molecular type 1**

Location: 54-63 (width: 10; decimal: 0)  
 Variable Type: character

- Study 25502 -

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Molecular Type 1 English Instructions:

**LBXMS2 S. aureus present 2**

Location: 64-66 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: S. aureus present 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	22	0.2 %
. (M)	-	9907	99.8 %

**LBXMT2 Tetracycline 2**

Location: 67-69 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Tetracycline 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMZ2 Trimethoprim/Sulfamethoxazole 2**

Location: 70-72 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Trimethoprim/Sulfamethoxazole 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMC2 Clindamycin 2**

Location: 73-75 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Clindamycin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXME2 Erythromycin 2**

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Erythromycin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMP2 Penicillin 2**

Location: 79-81 (width: 3; decimal: 0)



- Study 25502 -

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Penicillin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMI2 Imipenem 2**

Location: 82-84 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Imipenem 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMV2 Vancomycin 2**

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Vancomycin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMF2 Cefazolin 2**

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Cefazolin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMO2 Oxacillin 2**

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Oxacillin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMG2 Gentamicin 2**

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Gentamicin 2 English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMD2 Ciprofloxacin 2**

Location: 97-99 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Ciprofloxacin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXML2 Levofloxacin 2**

Location: 100-102 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Levofloxacin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMR2 Rifampin 2**

Location: 103-105 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Rifampin 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBXMY2 Amoxicillin/k Clavulanate 2**

Location: 106-108 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Amoxicillin/k Clavulanate 2 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	9929	100.0 %

**LBAMMT2 Molecular type 2**

Location: 109-118 (width: 10; decimal: 0)  
 Variable Type: character  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Molecular type 2 English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	9929	100.0 %

**LBXETA Enterotoxin A**

- Study 25502 -

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Enterotoxin A English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	70	0.7 %
2	302	3.0 %
. (M)	9557	96.3 %

**LBXETB Enterotoxin B**

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Enterotoxin B English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Positive	23	0.2 %
2	Negative	349	3.5 %
. (M)	-	9557	96.3 %

**LBXETC Enterotoxin C**

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Enterotoxin C English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Positive	19	0.2 %
2	Negative	353	3.6 %
. (M)	-	9557	96.3 %

**LBXETD Enterotoxin D**

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Enterotoxin D English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Positive	58	0.6 %
2	Negative	314	3.2 %
. (M)	-	9557	96.3 %

**LBXETE Enterotoxin E**

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Enterotoxin E English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Negative	372	3.7 %
. (M)	-	9557	96.3 %

**LBXETH Enterotoxin H**

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Enterotoxin H English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Positive	17	0.2 %
2	Negative	355	3.6 %
. (M)	-	9557	96.3 %

**LBXTSS Toxic Shock Syndrome Toxin 1**

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Toxic Shock Syndrome Toxin 1 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Positive	95	1.0 %
2	Negative	277	2.8 %
. (M)	-	9557	96.3 %

**LBXPVL Panton Valentine Leukocidin**

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Panton Valentine Leukocidin English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Positive	9	0.1 %
2	Negative	363	3.7 %
. (M)	-	9557	96.3 %

**LBXSCC SCCmec Type**

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: SCCmec Type English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Type II	38	0.4 %
4	Type IV-No Subtype	14	0.1 %
5	Type Iva	14	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	Type lvb	7	0.1 %
7	Type lvc	2	0.0 %
. (M)	-	9854	99.2 %

**SDDSRVYR Data Release Number**

Location: 146-148 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	9929	100.0 %

**RIDSTATR Interview/Examination Status**

Location: 149-151 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	9929	100.0 %

**RIDEXMON Six month time period**

Location: 152-154 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	4889	49.2 %
2	May 1 through October 31	5040	50.8 %

**RIAGENDR Gender**

Location: 155-157 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4824	48.6 %
2	Female	5105	51.4 %

**RIDAGEYR Age at Screening Adjudicated - Recode**

Location: 158-160 (width: 3; decimal: 0)  
 Variable Type: numeric

- Study 25502 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	331	3.3 %
2	-	336	3.4 %
3	-	227	2.3 %
4	-	201	2.0 %
5	-	187	1.9 %
6	-	198	2.0 %
7	-	207	2.1 %
8	-	210	2.1 %
9	-	206	2.1 %
10	-	172	1.7 %
11	-	209	2.1 %
12	-	315	3.2 %
13	-	306	3.1 %
14	-	308	3.1 %
15	-	302	3.0 %
16	-	294	3.0 %
17	-	328	3.3 %
18	-	295	3.0 %
19	-	270	2.7 %
20	-	105	1.1 %
21	-	111	1.1 %
22	-	101	1.0 %
23	-	100	1.0 %
24	-	97	1.0 %
25	-	89	0.9 %
26	-	112	1.1 %
27	-	86	0.9 %
28	-	84	0.8 %
29	-	87	0.9 %
30	-	106	1.1 %
31	-	71	0.7 %
32	-	88	0.9 %
33	-	73	0.7 %
34	-	92	0.9 %
35	-	86	0.9 %
36	-	80	0.8 %
37	-	101	1.0 %
38	-	81	0.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	93	0.9 %
40	-	98	1.0 %
41	-	91	0.9 %
42	-	91	0.9 %
43	-	82	0.8 %
44	-	104	1.0 %
45	-	97	1.0 %
46	-	93	0.9 %
47	-	82	0.8 %
48	-	72	0.7 %
49	-	81	0.8 %
50	-	78	0.8 %
51	-	80	0.8 %
52	-	81	0.8 %
53	-	79	0.8 %
54	-	75	0.8 %
55	-	63	0.6 %
56	-	55	0.6 %
57	-	61	0.6 %
58	-	50	0.5 %
59	-	43	0.4 %
60	-	83	0.8 %
61	-	78	0.8 %
62	-	82	0.8 %
63	-	71	0.7 %
64	-	72	0.7 %
65	-	60	0.6 %
66	-	71	0.7 %
67	-	63	0.6 %
68	-	63	0.6 %
69	-	52	0.5 %
70	-	68	0.7 %
71	-	62	0.6 %
72	-	66	0.7 %
73	-	56	0.6 %
74	-	56	0.6 %
75	-	56	0.6 %
76	-	55	0.6 %
77	-	48	0.5 %
78	-	37	0.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	-	27	0.3 %
80	-	49	0.5 %
81	-	65	0.7 %
82	-	46	0.5 %
83	-	32	0.3 %
84	-	47	0.5 %
85	>= 85 years of age	163	1.6 %

**RIDAGEMN      Age in Months - Recode**

Location: 161-164 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

**RIDAGEEX      Exam Age in Months - Recode**

Location: 165-168 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

**RIDRETH1      Race/Ethnicity - Recode**

Location: 169-171 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2494	25.1 %
2	Other Hispanic	457	4.6 %
3	Non-Hispanic White	4110	41.4 %
4	Non-Hispanic Black	2482	25.0 %
5	Other Race - Including Multi-Racial	386	3.9 %

**RIDRETH2      Linked NH3 Race/Ethnicity - Recode**

Location: 172-174 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	4153	41.8 %
2	Non-Hispanic Black	2536	25.5 %
3	Mexican American	2494	25.1 %
4	Other Race - Including Multi-Racial	289	2.9 %



- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Other Hispanic	457	4.6 %

**DMQMILIT**

**Veteran/Military Status**

Location: 175-177 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	779	7.8 %
2	No	5139	51.8 %
7	Refused	1	0.0 %
. (M)	-	4010	40.4 %

**DMDBORN**

**Country of Birth - Recode**

Location: 178-180 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	8391	84.5 %
2	Born in Mexico	955	9.6 %
3	Born Elsewhere	581	5.9 %
. (M)	-	2	0.0 %

**DMDCITZN**

**Citizenship Status**

Location: 181-183 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	8845	89.1 %
2	Not a citizen of the US	1077	10.8 %
7	Refused	5	0.1 %
9	Don't know	1	0.0 %
. (M)	-	1	0.0 %

**DMDYRSUS**

**Length of time in US**

- Study 25502 -

Location: 184-186 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	147	1.5 %
2	1 yr., less than 5 yrs.	357	3.6 %
3	5 yrs., less than 10 yrs.	258	2.6 %
4	10 yrs., less than 15 yrs.	216	2.2 %
5	15 yrs., less than 20 yrs.	129	1.3 %
6	20 yrs., less than 30 yrs.	210	2.1 %
7	30 yrs., less than 40 yrs.	105	1.1 %
8	40 yrs., less than 50 yrs.	37	0.4 %
9	50 years or more	49	0.5 %
77	Refused	6	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	10	0.1 %
. (M)	-	8402	84.6 %

**DMDEDUC3 Education Level - Children/Youth 6-19**

Location: 187-189 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	253	2.5 %
1	1st Grade	217	2.2 %
2	2nd Grade	217	2.2 %
3	3rd Grade	192	1.9 %
4	4th Grade	189	1.9 %
5	5th Grade	241	2.4 %
6	6th Grade	317	3.2 %
7	7th Grade	291	2.9 %
8	8th Grade	339	3.4 %
9	9th Grade	317	3.2 %
10	10th Grade	315	3.2 %
11	11th Grade	314	3.2 %
12	12th Grade, No Diploma	47	0.5 %
13	High School Graduate	184	1.9 %
14	GED or Equivalent	20	0.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	More than high school	94	0.9 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	65	0.7 %
99	Don't know	2	0.0 %
. (M)	-	6309	63.5 %

**DMDEDUC2 Education Level - Adults 20+**

Location: 190-192 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	714	7.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	815	8.2 %
3	High School Grad/GED or Equivalent	1171	11.8 %
4	Some College or AA degree	1310	13.2 %
5	College Graduate or above	1009	10.2 %
7	Refused	1	0.0 %
9	Don't Know	6	0.1 %
. (M)	-	4903	49.4 %

**DMDEDUC Education - Recode (old version)**

Location: 193-195 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	4849	48.8 %
2	High School Diploma (including GED)	1375	13.8 %
3	More Than High School	2413	24.3 %
7	Refused	1	0.0 %
9	Don't know	8	0.1 %
. (M)	-	1283	12.9 %

**DMDSCHOL Now attending school?**

Location: 196-198 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2426	24.4 %
2	On vacation from school (between grades)	574	5.8 %
3	Neither in school or on vacation from school	361	3.6 %
. (M)	-	6568	66.1 %

**DMDMARTL Marital Status**

Location: 199-201 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2917	29.4 %
2	Widowed	492	5.0 %
3	Divorced	426	4.3 %
4	Separated	162	1.6 %
5	Never married	2502	25.2 %
6	Living with partner	320	3.2 %
77	Refused	2	0.0 %
. (M)	-	3108	31.3 %

**DMDHHSIZ Total number of people in the Household**

Location: 202-204 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	715	7.2 %
2	-	1792	18.0 %
3	-	1698	17.1 %
4	-	2186	22.0 %
5	-	1620	16.3 %
6	-	788	7.9 %
7	7 or more people in the household	1130	11.4 %

**INDHHINC Annual Household Income**

Location: 205-207 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	240	2.4 %
2	\$ 5,000 to \$ 9,999	523	5.3 %
3	\$10,000 to \$14,999	752	7.6 %
4	\$15,000 to \$19,999	830	8.4 %
5	\$20,000 to \$24,999	759	7.6 %
6	\$25,000 to \$34,999	1139	11.5 %
7	\$35,000 to \$44,999	941	9.5 %
8	\$45,000 to \$54,999	840	8.5 %
9	\$55,000 to \$64,999	661	6.7 %
10	\$65,000 to \$74,999	447	4.5 %
11	\$75,000 and Over	1904	19.2 %
12	Over \$20,000	10	0.1 %
13	Under \$20,000	8	0.1 %
77	Refused	9	0.1 %
99	Don't know	16	0.2 %
. (M)	-	850	8.6 %

**INDFMINC**

**Annual Family Income**

Location: 208-210 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)  
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	496	5.0 %
2	\$ 5,000 to \$ 9,999	709	7.1 %
3	\$10,000 to \$14,999	971	9.8 %
4	\$15,000 to \$19,999	906	9.1 %
5	\$20,000 to \$24,999	880	8.9 %
6	\$25,000 to \$34,999	1085	10.9 %
7	\$35,000 to \$44,999	906	9.1 %
8	\$45,000 to \$54,999	765	7.7 %
9	\$55,000 to \$64,999	565	5.7 %
10	\$65,000 to \$74,999	417	4.2 %
11	\$75,000 and Over	1590	16.0 %
12	Over \$20,000	207	2.1 %
13	Under \$20,000	128	1.3 %
77	Refused	75	0.8 %
99	Don't know	88	0.9 %
. (M)	-	141	1.4 %

- Study 25502 -

**INDFMPIR                      Family PIR**

Location:                                      211-215 (width: 5; decimal: 2)  
 Variable Type:                                numeric  
 Question:                                      Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

\* Frequencies not displayed for this variable.

**RIDEXPRG                      Pregnancy Status at Exam - Recode**

Location:                                      216-218 (width: 3; decimal: 0)  
 Variable Type:                                numeric  
 Question:                                      Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	344	3.5 %
2	SP not pregnant at exam	2682	27.0 %
3	Cannot ascertain if SP is pregnant at exam	393	4.0 %
. (M)	-	6510	65.6 %

**RIDPREG                      Pregnancy Status - Recode (old version)**

Location:                                      219-221 (width: 3; decimal: 0)  
 Variable Type:                                numeric  
 Question:                                      Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	373	3.8 %
2	SP not pregnant	2634	26.5 %
9	Cannot ascertain if SP is pregnant at exam	76	0.8 %
. (M)	-	6846	68.9 %

**DMDHRGND                      HH Ref Person Gender**

Location:                                      222-224 (width: 3; decimal: 0)  
 Variable Type:                                numeric  
 Question:                                      Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5602	56.4 %
2	Female	4326	43.6 %
. (M)	-	1	0.0 %

- Study 25502 -

**DMDHRAGE**

**HH Ref Person Age**

Location: 225-227 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	52	0.5 %
19	-	97	1.0 %
20	-	109	1.1 %
21	-	89	0.9 %
22	-	123	1.2 %
23	-	125	1.3 %
24	-	135	1.4 %
25	-	170	1.7 %
26	-	186	1.9 %
27	-	140	1.4 %
28	-	172	1.7 %
29	-	171	1.7 %
30	-	319	3.2 %
31	-	215	2.2 %
32	-	234	2.4 %
33	-	271	2.7 %
34	-	262	2.6 %
35	-	283	2.9 %
36	-	281	2.8 %
37	-	334	3.4 %
38	-	258	2.6 %
39	-	297	3.0 %
40	-	304	3.1 %
41	-	294	3.0 %
42	-	261	2.6 %
43	-	247	2.5 %
44	-	328	3.3 %
45	-	299	3.0 %
46	-	254	2.6 %
47	-	170	1.7 %
48	-	206	2.1 %
49	-	183	1.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
50	-	175	1.8 %
51	-	183	1.8 %
52	-	144	1.5 %
53	-	137	1.4 %
54	-	159	1.6 %
55	-	105	1.1 %
56	-	88	0.9 %
57	-	71	0.7 %
58	-	90	0.9 %
59	-	79	0.8 %
60	-	75	0.8 %
61	-	85	0.9 %
62	-	108	1.1 %
63	-	83	0.8 %
64	-	89	0.9 %
65	-	77	0.8 %
66	-	81	0.8 %
67	-	78	0.8 %
68	-	87	0.9 %
69	-	50	0.5 %
70	-	72	0.7 %
71	-	72	0.7 %
72	-	60	0.6 %
73	-	61	0.6 %
74	-	73	0.7 %
75	-	70	0.7 %
76	-	68	0.7 %
77	-	54	0.5 %
78	-	39	0.4 %
79	-	36	0.4 %
80	-	55	0.6 %
81	-	62	0.6 %
82	-	44	0.4 %
83	-	29	0.3 %
84	-	48	0.5 %
85	>= 85 years of age	167	1.7 %
. (M)	-	1	0.0 %

**DMDHRBRN**

**HH Ref Person Country of Birth**

Location:

228-230 (width: 3; decimal: 0)



- Study 25502 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?  
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	7288	73.4 %
2	Born in Mexico	1502	15.1 %
3	Born Elsewhere	852	8.6 %
7	Refused	1	0.0 %
. (M)	-	286	2.9 %

**DMDHREDU HH Ref Person Education Level**

Location: 231-233 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON\_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1322	13.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	1875	18.9 %
3	High School Grad/GED or equivalent	2272	22.9 %
4	Some College or AA degree	2325	23.4 %
5	College Graduate or above	1813	18.3 %
7	Refused	3	0.0 %
9	Don't know	37	0.4 %
. (M)	-	282	2.8 %

**DMDHRMAR HH Ref Person Marital Status**

Location: 234-236 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	5861	59.0 %
2	Widowed	645	6.5 %
3	Divorced	914	9.2 %
4	Separated	465	4.7 %
5	Never married	1241	12.5 %
6	Living with partner	400	4.0 %
77	Refused	27	0.3 %
99	Don't know	13	0.1 %
. (M)	-	363	3.7 %

- Study 25502 -

**DMDHSEDU HH Ref Person's Spouse Education Level**

Location: 237-239 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	801	8.1 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	735	7.4 %
3	High School Grad/GED or equivalent	1227	12.4 %
4	Some College or AA degree	1388	14.0 %
5	College Graduate or above	1032	10.4 %
9	Don't know	19	0.2 %
. (M)	-	4727	47.6 %

**WTINT2YR Full Sample 2 Year Interview Weight**

Location: 240-253 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

**WTINT4YR Full Sample 4 Year Interview Weight**

Location: 254-266 (width: 13; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**WTMEC2YR Full Sample 2 Year MEC Exam Weight**

Location: 267-280 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

**WTMEC4YR Full Sample 4 Year MEC Exam Weight**

Location: 281-294 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**SDMVPSU Masked Variance Pseudo-PSU**

Location: 295-297 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5003	50.4 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	4926	49.6 %

**SDMVSTRA**

**Masked Variance Pseudo-Stratum**

Location: 298-300 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	627	6.3 %
15	701	7.1 %
16	697	7.0 %
17	729	7.3 %
18	588	5.9 %
19	739	7.4 %
20	695	7.0 %
21	600	6.0 %
22	658	6.6 %
23	740	7.5 %
24	656	6.6 %
25	594	6.0 %
26	709	7.1 %
27	670	6.7 %
28	526	5.3 %