

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Laboratory: Lab 40 Second Day
Standard Biochemistry Profile Follicle
Stimulating Hormone and Luteinizing Hormone

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Laboratory: Lab 40 Second Day Standard Biochemistry Profile Follicle Stimulating Hormone and Luteinizing Hormone

SEQN	Respondent sequence number
-------------	-----------------------------------

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Respondent sequence number. English Instructions:

LB2DAY	Days between the first and second exam
---------------	---

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: The number of days between the collection of the first and second exam English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	1	0.2 %
6	1	0.2 %
7	5	0.9 %
8	23	4.2 %
9	26	4.8 %
10	26	4.8 %
11	15	2.7 %
12	22	4.0 %
13	28	5.1 %
14	59	10.8 %
15	33	6.0 %
16	19	3.5 %
17	20	3.7 %
18	17	3.1 %
19	26	4.8 %
20	17	3.1 %
21	35	6.4 %
22	21	3.8 %
23	16	2.9 %
24	14	2.6 %
25	15	2.7 %
26	12	2.2 %
27	10	1.8 %
28	18	3.3 %
29	7	1.3 %
30	3	0.5 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	7	1.3 %
32	7	1.3 %
33	6	1.1 %
34	4	0.7 %
35	6	1.1 %
36	2	0.4 %
37	2	0.4 %
39	2	0.4 %
41	6	1.1 %
42	6	1.1 %
44	3	0.5 %
45	2	0.4 %
47	2	0.4 %
. (M)	2	0.4 %

LB2SAL

Albumin (g/dL)

Location:

9-12 (width: 4; decimal: 1)

Variable Type:

numeric

Question:

Target: B(16 Yrs. to 69 Yrs.) English Text: Albumin (g/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.7	1	0.2 %
2.8	2	0.4 %
2.9	3	0.5 %
3.0	2	0.4 %
3.1	3	0.5 %
3.2	3	0.5 %
3.3	7	1.3 %
3.4	8	1.5 %
3.5	10	1.8 %
3.6	10	1.8 %
3.7	16	2.9 %
3.8	31	5.7 %
3.9	40	7.3 %
4.0	42	7.7 %
4.1	64	11.7 %
4.2	55	10.1 %
4.3	65	11.9 %
4.4	50	9.2 %
4.5	58	10.6 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.6	37	6.8 %
4.7	20	3.7 %
4.8	7	1.3 %
4.9	6	1.1 %
5.0	3	0.5 %
5.2	1	0.2 %
. (M)	2	0.4 %

LB2SALSI

Albumin (g/L)

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Albumin (g/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	1	0.2 %
28	2	0.4 %
29	3	0.5 %
30	2	0.4 %
31	3	0.5 %
32	3	0.5 %
33	7	1.3 %
34	8	1.5 %
35	10	1.8 %
36	10	1.8 %
37	16	2.9 %
38	31	5.7 %
39	40	7.3 %
40	42	7.7 %
41	64	11.7 %
42	55	10.1 %
43	65	11.9 %
44	50	9.2 %
45	58	10.6 %
46	37	6.8 %
47	20	3.7 %
48	7	1.3 %
49	6	1.1 %
50	3	0.5 %
52	1	0.2 %
. (M)	2	0.4 %

- Study 25502 -

LB2SATSI

ALT (U/L)

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Alanine aminotransferase (U/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	1	0.2 %
8	2	0.4 %
9	5	0.9 %
10	14	2.6 %
11	19	3.5 %
12	27	4.9 %
13	35	6.4 %
14	28	5.1 %
15	19	3.5 %
16	26	4.8 %
17	29	5.3 %
18	22	4.0 %
19	26	4.8 %
20	24	4.4 %
21	15	2.7 %
22	15	2.7 %
23	24	4.4 %
24	22	4.0 %
25	18	3.3 %
26	15	2.7 %
27	16	2.9 %
28	14	2.6 %
29	12	2.2 %
30	11	2.0 %
31	7	1.3 %
32	7	1.3 %
33	11	2.0 %
34	4	0.7 %
35	5	0.9 %
36	4	0.7 %
37	5	0.9 %
38	2	0.4 %
39	3	0.5 %
40	5	0.9 %
41	3	0.5 %
42	4	0.7 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
43	1	0.2 %
45	1	0.2 %
46	4	0.7 %
47	2	0.4 %
48	7	1.3 %
49	3	0.5 %
50	3	0.5 %
52	2	0.4 %
56	2	0.4 %
57	1	0.2 %
58	1	0.2 %
59	1	0.2 %
61	1	0.2 %
63	2	0.4 %
64	1	0.2 %
66	1	0.2 %
67	1	0.2 %
68	3	0.5 %
70	1	0.2 %
82	1	0.2 %
86	1	0.2 %
88	1	0.2 %
91	1	0.2 %
104	1	0.2 %
162	1	0.2 %
232	1	0.2 %
. (M)	2	0.4 %

LB2SASSI

AST (U/L)

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Aspartate aminotransferase (U/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	1	0.2 %
10	1	0.2 %
11	2	0.4 %
12	5	0.9 %
13	7	1.3 %
14	17	3.1 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	25	4.6 %
16	23	4.2 %
17	40	7.3 %
18	45	8.2 %
19	40	7.3 %
20	37	6.8 %
21	37	6.8 %
22	39	7.1 %
23	34	6.2 %
24	31	5.7 %
25	22	4.0 %
26	16	2.9 %
27	17	3.1 %
28	10	1.8 %
29	17	3.1 %
30	4	0.7 %
31	9	1.6 %
32	1	0.2 %
33	6	1.1 %
34	6	1.1 %
35	3	0.5 %
36	4	0.7 %
37	3	0.5 %
38	5	0.9 %
39	7	1.3 %
40	3	0.5 %
41	2	0.4 %
42	1	0.2 %
44	1	0.2 %
45	3	0.5 %
46	1	0.2 %
49	1	0.2 %
50	1	0.2 %
51	1	0.2 %
52	1	0.2 %
53	1	0.2 %
59	1	0.2 %
63	1	0.2 %
68	1	0.2 %
75	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	1	0.2 %
80	1	0.2 %
83	1	0.2 %
88	1	0.2 %
96	1	0.2 %
97	1	0.2 %
99	1	0.2 %
107	1	0.2 %
122	1	0.2 %
256	1	0.2 %
. (M)	2	0.4 %

LB2SAPSI Alkaline phosphatase (U/L)

Location: 22-24 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Alkaline phosphatase (U/L) English Instructions:

LB2SBU Blood urea nitrogen (mg/dL)

Location: 25-27 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Blood urea nitrogen (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.2 %
3	3	0.5 %
4	3	0.5 %
5	12	2.2 %
6	17	3.1 %
7	29	5.3 %
8	28	5.1 %
9	37	6.8 %
10	61	11.2 %
11	54	9.9 %
12	49	9.0 %
13	45	8.2 %
14	42	7.7 %
15	38	7.0 %
16	31	5.7 %
17	21	3.8 %
18	21	3.8 %
19	14	2.6 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	5	0.9 %
21	10	1.8 %
22	5	0.9 %
23	5	0.9 %
24	3	0.5 %
25	1	0.2 %
28	2	0.4 %
32	1	0.2 %
34	1	0.2 %
36	2	0.4 %
45	1	0.2 %
50	1	0.2 %
58	1	0.2 %
. (M)	2	0.4 %

LB2SBUSI Blood urea nitrogen (mmol/L)

Location: 28-33 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Blood urea nitrogen (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.36	1	0.2 %
1.07	3	0.5 %
1.43	3	0.5 %
1.79	12	2.2 %
2.14	17	3.1 %
2.50	29	5.3 %
2.86	28	5.1 %
3.21	37	6.8 %
3.57	61	11.2 %
3.93	54	9.9 %
4.28	49	9.0 %
4.64	45	8.2 %
5.00	42	7.7 %
5.36	38	7.0 %
5.71	31	5.7 %
6.07	21	3.8 %
6.43	21	3.8 %
6.78	14	2.6 %
7.14	5	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.50	10	1.8 %
7.85	5	0.9 %
8.21	5	0.9 %
8.57	3	0.5 %
8.93	1	0.2 %
10.00	2	0.4 %
11.42	1	0.2 %
12.14	1	0.2 %
12.85	2	0.4 %
16.07	1	0.2 %
17.85	1	0.2 %
20.71	1	0.2 %
. (M)	2	0.4 %

LB2SCA

Total calcium (mg/dL)

Location: 34-38 (width: 5; decimal: 1)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Total calcium (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8.1	1	0.2 %
8.2	1	0.2 %
8.3	1	0.2 %
8.4	3	0.5 %
8.5	4	0.7 %
8.6	6	1.1 %
8.7	10	1.8 %
8.8	22	4.0 %
8.9	25	4.6 %
9.0	35	6.4 %
9.1	41	7.5 %
9.2	46	8.4 %
9.3	51	9.3 %
9.4	43	7.9 %
9.5	42	7.7 %
9.6	50	9.2 %
9.7	47	8.6 %
9.8	32	5.9 %
9.9	34	6.2 %
10.0	17	3.1 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10.1	13	2.4 %
10.2	7	1.3 %
10.3	2	0.4 %
10.4	4	0.7 %
10.5	3	0.5 %
10.7	2	0.4 %
11.0	1	0.2 %
11.4	1	0.2 %
. (M)	2	0.4 %

LB2SCASI

Total calcium (mmol/L)

Location: 39-44 (width: 6; decimal: 3)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Total calcium (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.025	1	0.2 %
2.050	1	0.2 %
2.075	1	0.2 %
2.100	3	0.5 %
2.125	4	0.7 %
2.150	6	1.1 %
2.175	10	1.8 %
2.200	22	4.0 %
2.225	25	4.6 %
2.250	35	6.4 %
2.275	41	7.5 %
2.300	46	8.4 %
2.325	51	9.3 %
2.350	43	7.9 %
2.375	42	7.7 %
2.400	50	9.2 %
2.425	47	8.6 %
2.450	32	5.9 %
2.475	34	6.2 %
2.500	17	3.1 %
2.525	13	2.4 %
2.550	7	1.3 %
2.575	2	0.4 %
2.600	4	0.7 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.625	3	0.5 %
2.675	2	0.4 %
2.750	1	0.2 %
2.850	1	0.2 %
. (M)	2	0.4 %

LB2SCH Cholesterol (mg/dL)

Location: 45-47 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Cholesterol (mg/dL) English Instructions:

LB2SCHSI Cholesterol (mmol/L)

Location: 48-52 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Cholesterol (mmol/L) English Instructions:

LB2SC3SI Bicarbonate (mmol/L)

Location: 53-55 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Bicarbonate (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	1	0.2 %
16	1	0.2 %
17	2	0.4 %
18	7	1.3 %
19	15	2.7 %
20	24	4.4 %
21	41	7.5 %
22	60	11.0 %
23	84	15.4 %
24	98	17.9 %
25	85	15.6 %
26	49	9.0 %
27	39	7.1 %
28	23	4.2 %
29	5	0.9 %
30	6	1.1 %
31	3	0.5 %
32	1	0.2 %
. (M)	2	0.4 %

LB2SGTSI GGT (U/L)

- Study 25502 -

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Gamma glutamyltransferase English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	6	1.1 %
6	5	0.9 %
7	4	0.7 %
8	7	1.3 %
9	9	1.6 %
10	20	3.7 %
11	20	3.7 %
12	23	4.2 %
13	29	5.3 %
14	15	2.7 %
15	22	4.0 %
16	30	5.5 %
17	20	3.7 %
18	37	6.8 %
19	15	2.7 %
20	21	3.8 %
21	22	4.0 %
22	18	3.3 %
23	17	3.1 %
24	8	1.5 %
25	15	2.7 %
26	12	2.2 %
27	9	1.6 %
28	11	2.0 %
29	12	2.2 %
30	8	1.5 %
31	1	0.2 %
32	5	0.9 %
33	10	1.8 %
34	9	1.6 %
35	7	1.3 %
36	2	0.4 %
37	5	0.9 %
38	6	1.1 %
39	4	0.7 %
40	3	0.5 %
41	6	1.1 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	3	0.5 %
43	5	0.9 %
44	4	0.7 %
45	2	0.4 %
46	5	0.9 %
48	3	0.5 %
49	2	0.4 %
50	1	0.2 %
51	4	0.7 %
53	3	0.5 %
54	4	0.7 %
55	2	0.4 %
56	1	0.2 %
58	1	0.2 %
59	1	0.2 %
61	1	0.2 %
63	1	0.2 %
65	1	0.2 %
66	2	0.4 %
68	1	0.2 %
73	1	0.2 %
76	3	0.5 %
77	1	0.2 %
78	2	0.4 %
81	1	0.2 %
82	1	0.2 %
83	2	0.4 %
84	1	0.2 %
87	1	0.2 %
99	1	0.2 %
105	1	0.2 %
106	1	0.2 %
122	1	0.2 %
126	1	0.2 %
127	1	0.2 %
159	1	0.2 %
195	1	0.2 %
215	1	0.2 %
343	1	0.2 %
383	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	2	0.4 %

LB2SGL

Glucose (mg/dL)

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Glucose (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
59	1	0.2 %
60	1	0.2 %
61	1	0.2 %
63	2	0.4 %
65	1	0.2 %
67	1	0.2 %
69	1	0.2 %
70	1	0.2 %
71	3	0.5 %
72	6	1.1 %
73	2	0.4 %
74	7	1.3 %
75	7	1.3 %
76	5	0.9 %
77	7	1.3 %
78	12	2.2 %
79	13	2.4 %
80	20	3.7 %
81	25	4.6 %
82	19	3.5 %
83	26	4.8 %
84	11	2.0 %
85	31	5.7 %
86	17	3.1 %
87	25	4.6 %
88	23	4.2 %
89	22	4.0 %
90	23	4.2 %
91	19	3.5 %
92	17	3.1 %
93	19	3.5 %
94	21	3.8 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
95	5	0.9 %
96	9	1.6 %
97	9	1.6 %
98	14	2.6 %
99	10	1.8 %
100	15	2.7 %
101	9	1.6 %
102	4	0.7 %
103	7	1.3 %
104	5	0.9 %
105	2	0.4 %
106	1	0.2 %
107	5	0.9 %
108	6	1.1 %
109	3	0.5 %
110	2	0.4 %
111	1	0.2 %
112	3	0.5 %
116	2	0.4 %
117	1	0.2 %
118	3	0.5 %
119	1	0.2 %
120	3	0.5 %
121	2	0.4 %
124	1	0.2 %
127	1	0.2 %
128	2	0.4 %
130	1	0.2 %
132	2	0.4 %
135	1	0.2 %
136	2	0.4 %
137	1	0.2 %
140	1	0.2 %
147	1	0.2 %
151	1	0.2 %
153	1	0.2 %
154	1	0.2 %
156	1	0.2 %
157	1	0.2 %
166	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
169	1	0.2 %
176	1	0.2 %
188	1	0.2 %
196	1	0.2 %
198	3	0.5 %
207	1	0.2 %
213	1	0.2 %
215	1	0.2 %
221	1	0.2 %
224	1	0.2 %
248	1	0.2 %
303	1	0.2 %
. (M)	2	0.4 %

LB2SGLSI

Glucose, serum (mmol/L)

Location: 62-68 (width: 7; decimal: 3)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Glucose, serum (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.275	1	0.2 %
3.331	1	0.2 %
3.386	1	0.2 %
3.497	2	0.4 %
3.608	1	0.2 %
3.719	1	0.2 %
3.830	1	0.2 %
3.886	1	0.2 %
3.941	3	0.5 %
3.997	6	1.1 %
4.052	2	0.4 %
4.108	7	1.3 %
4.163	7	1.3 %
4.219	5	0.9 %
4.274	7	1.3 %
4.330	12	2.2 %
4.385	13	2.4 %
4.441	20	3.7 %
4.496	25	4.6 %
4.552	19	3.5 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.607	26	4.8 %
4.663	11	2.0 %
4.718	31	5.7 %
4.774	17	3.1 %
4.829	25	4.6 %
4.885	23	4.2 %
4.940	22	4.0 %
4.996	23	4.2 %
5.051	19	3.5 %
5.107	17	3.1 %
5.162	19	3.5 %
5.218	21	3.8 %
5.273	5	0.9 %
5.329	9	1.6 %
5.384	9	1.6 %
5.440	14	2.6 %
5.495	10	1.8 %
5.551	15	2.7 %
5.607	9	1.6 %
5.662	4	0.7 %
5.718	7	1.3 %
5.773	5	0.9 %
5.829	2	0.4 %
5.884	1	0.2 %
5.940	5	0.9 %
5.995	6	1.1 %
6.051	3	0.5 %
6.106	2	0.4 %
6.162	1	0.2 %
6.217	3	0.5 %
6.439	2	0.4 %
6.495	1	0.2 %
6.550	3	0.5 %
6.606	1	0.2 %
6.661	3	0.5 %
6.717	2	0.4 %
6.883	1	0.2 %
7.050	1	0.2 %
7.105	2	0.4 %
7.216	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.327	2	0.4 %
7.494	1	0.2 %
7.549	2	0.4 %
7.605	1	0.2 %
7.771	1	0.2 %
8.160	1	0.2 %
8.382	1	0.2 %
8.493	1	0.2 %
8.549	1	0.2 %
8.660	1	0.2 %
8.715	1	0.2 %
9.215	1	0.2 %
9.381	1	0.2 %
9.770	1	0.2 %
10.436	1	0.2 %
10.880	1	0.2 %
10.991	3	0.5 %
11.491	1	0.2 %
11.824	1	0.2 %
11.935	1	0.2 %
12.268	1	0.2 %
12.434	1	0.2 %
13.766	1	0.2 %
16.820	1	0.2 %
. (M)	2	0.4 %

LB2SIR Iron (ug/dL)

Location: 69-71 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Iron (ug/dL) English Instructions:

LB2SIRSI Iron (umol/L)

Location: 72-77 (width: 6; decimal: 2)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Iron (umol/L) English Instructions:

LB2SLDSI LDH (U/L)

Location: 78-80 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Lactate dehydrogenase (U/L) English Instructions:

LB2SPH Phosphorus (mg/dL)

Location: 81-84 (width: 4; decimal: 1)

- Study 25502 -

Variable Type:

numeric

Question:

Target: B(16 Yrs. to 69 Yrs.) English Text: Phosphorus (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.3	1	0.2 %
2.4	3	0.5 %
2.5	2	0.4 %
2.6	3	0.5 %
2.7	3	0.5 %
2.8	3	0.5 %
2.9	17	3.1 %
3.0	8	1.5 %
3.1	23	4.2 %
3.2	15	2.7 %
3.3	30	5.5 %
3.4	31	5.7 %
3.5	39	7.1 %
3.6	30	5.5 %
3.7	40	7.3 %
3.8	28	5.1 %
3.9	32	5.9 %
4.0	28	5.1 %
4.1	40	7.3 %
4.2	39	7.1 %
4.3	28	5.1 %
4.4	21	3.8 %
4.5	16	2.9 %
4.6	15	2.7 %
4.7	16	2.9 %
4.8	11	2.0 %
4.9	8	1.5 %
5.0	4	0.7 %
5.1	2	0.4 %
5.3	2	0.4 %
5.4	2	0.4 %
5.5	1	0.2 %
5.6	1	0.2 %
6.8	1	0.2 %
9.2	1	0.2 %
. (M)	2	0.4 %

LB2SPHSI

Phosphorus (mmol/L)

- Study 25502 -

Location: 85-89 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Phosphorus (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.74	1	0.2 %
0.77	3	0.5 %
0.81	2	0.4 %
0.84	3	0.5 %
0.87	3	0.5 %
0.90	3	0.5 %
0.94	17	3.1 %
0.97	8	1.5 %
1.00	23	4.2 %
1.03	15	2.7 %
1.07	30	5.5 %
1.10	31	5.7 %
1.13	39	7.1 %
1.16	30	5.5 %
1.19	40	7.3 %
1.23	28	5.1 %
1.26	32	5.9 %
1.29	28	5.1 %
1.32	40	7.3 %
1.36	39	7.1 %
1.39	28	5.1 %
1.42	21	3.8 %
1.45	16	2.9 %
1.49	15	2.7 %
1.52	16	2.9 %
1.55	11	2.0 %
1.58	8	1.5 %
1.61	4	0.7 %
1.65	2	0.4 %
1.71	2	0.4 %
1.74	2	0.4 %
1.78	1	0.2 %
1.81	1	0.2 %
2.20	1	0.2 %
2.97	1	0.2 %
. (M)	2	0.4 %

LB2STB

Bilirubin, total (mg/dL)

- Study 25502 -

Location: 90-93 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Bilirubin, total (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.2	1	0.2 %
0.3	13	2.4 %
0.4	30	5.5 %
0.5	72	13.2 %
0.6	185	33.9 %
0.7	84	15.4 %
0.8	52	9.5 %
0.9	30	5.5 %
1.0	25	4.6 %
1.1	12	2.2 %
1.2	12	2.2 %
1.3	10	1.8 %
1.4	4	0.7 %
1.5	8	1.5 %
1.6	2	0.4 %
1.7	1	0.2 %
1.8	1	0.2 %
1.9	1	0.2 %
2.7	1	0.2 %
. (M)	2	0.4 %

LB2STBSI Bilirubin, total (umol/L)

Location: 94-99 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Bilirubin, total (umol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.42	1	0.2 %
5.13	13	2.4 %
6.84	30	5.5 %
8.55	72	13.2 %
10.26	185	33.9 %
11.97	84	15.4 %
13.68	52	9.5 %
15.39	30	5.5 %
17.10	25	4.6 %
18.81	12	2.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20.52	12	2.2 %
22.23	10	1.8 %
23.94	4	0.7 %
25.65	8	1.5 %
27.36	2	0.4 %
29.07	1	0.2 %
30.78	1	0.2 %
32.49	1	0.2 %
46.17	1	0.2 %
. (M)	2	0.4 %

LB2STP

Protein, total (g/dL)

Location: 100-103 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Protein, total (g/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.6	1	0.2 %
5.7	1	0.2 %
5.8	4	0.7 %
5.9	2	0.4 %
6.0	2	0.4 %
6.1	3	0.5 %
6.2	5	0.9 %
6.3	4	0.7 %
6.4	7	1.3 %
6.5	13	2.4 %
6.6	13	2.4 %
6.7	22	4.0 %
6.8	25	4.6 %
6.9	25	4.6 %
7.0	45	8.2 %
7.1	53	9.7 %
7.2	53	9.7 %
7.3	43	7.9 %
7.4	42	7.7 %
7.5	48	8.8 %
7.6	41	7.5 %
7.7	28	5.1 %
7.8	20	3.7 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.9	11	2.0 %
8.0	9	1.6 %
8.1	11	2.0 %
8.2	5	0.9 %
8.3	4	0.7 %
8.8	2	0.4 %
8.9	1	0.2 %
9.8	1	0.2 %
. (M)	2	0.4 %

LB2STPSI

Total protein (g/L)

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Total protein (g/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	1	0.2 %
57	1	0.2 %
58	4	0.7 %
59	2	0.4 %
60	2	0.4 %
61	3	0.5 %
62	5	0.9 %
63	4	0.7 %
64	7	1.3 %
65	13	2.4 %
66	13	2.4 %
67	22	4.0 %
68	25	4.6 %
69	25	4.6 %
70	45	8.2 %
71	53	9.7 %
72	53	9.7 %
73	43	7.9 %
74	42	7.7 %
75	48	8.8 %
76	41	7.5 %
77	28	5.1 %
78	20	3.7 %
79	11	2.0 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	9	1.6 %
81	11	2.0 %
82	5	0.9 %
83	4	0.7 %
88	2	0.4 %
89	1	0.2 %
98	1	0.2 %
. (M)	2	0.4 %

LB2STR Triglycerides (mg/dL)

Location: 107-109 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Triglycerides (mg/dL) English Instructions:

LB2STRSI Triglycerides (mmol/L)

Location: 110-116 (width: 7; decimal: 3)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Triglycerides (mmol/L) English Instructions:

LB2SUA Uric acid (mg/dL)

Location: 117-121 (width: 5; decimal: 1)
 Variable Type: numeric
 Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Uric acid (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.5	1	0.2 %
1.9	2	0.4 %
2.0	1	0.2 %
2.4	1	0.2 %
2.5	1	0.2 %
2.7	4	0.7 %
2.8	5	0.9 %
2.9	4	0.7 %
3.0	5	0.9 %
3.1	9	1.6 %
3.2	8	1.5 %
3.3	2	0.4 %
3.4	9	1.6 %
3.5	6	1.1 %
3.6	10	1.8 %
3.7	7	1.3 %
3.8	6	1.1 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.9	17	3.1 %
4.0	11	2.0 %
4.1	14	2.6 %
4.2	10	1.8 %
4.3	8	1.5 %
4.4	12	2.2 %
4.5	8	1.5 %
4.6	13	2.4 %
4.7	18	3.3 %
4.8	12	2.2 %
4.9	16	2.9 %
5.0	15	2.7 %
5.1	16	2.9 %
5.2	22	4.0 %
5.3	16	2.9 %
5.4	15	2.7 %
5.5	16	2.9 %
5.6	16	2.9 %
5.7	14	2.6 %
5.8	12	2.2 %
5.9	10	1.8 %
6.0	15	2.7 %
6.1	4	0.7 %
6.2	11	2.0 %
6.3	13	2.4 %
6.4	5	0.9 %
6.5	6	1.1 %
6.6	14	2.6 %
6.7	10	1.8 %
6.8	12	2.2 %
6.9	4	0.7 %
7.0	12	2.2 %
7.1	4	0.7 %
7.2	6	1.1 %
7.3	3	0.5 %
7.4	10	1.8 %
7.5	2	0.4 %
7.6	2	0.4 %
7.7	1	0.2 %
7.8	4	0.7 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.9	3	0.5 %
8.0	2	0.4 %
8.1	4	0.7 %
8.2	1	0.2 %
8.3	1	0.2 %
8.4	4	0.7 %
8.5	2	0.4 %
8.7	3	0.5 %
8.8	1	0.2 %
8.9	2	0.4 %
9.1	2	0.4 %
9.2	1	0.2 %
9.3	1	0.2 %
9.4	3	0.5 %
9.6	1	0.2 %
9.7	1	0.2 %
10.3	1	0.2 %
10.7	1	0.2 %
. (M)	2	0.4 %

LB2SUASI

Uric acid (umol/L)

Location: 122-127 (width: 6; decimal: 1)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Uric acid (umol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
89.2	1	0.2 %
113.0	2	0.4 %
119.0	1	0.2 %
142.8	1	0.2 %
148.7	1	0.2 %
160.6	4	0.7 %
166.5	5	0.9 %
172.5	4	0.7 %
178.4	5	0.9 %
184.4	9	1.6 %
190.3	8	1.5 %
196.3	2	0.4 %
202.2	9	1.6 %
208.2	6	1.1 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
214.1	10	1.8 %
220.1	7	1.3 %
226.0	6	1.1 %
232.0	17	3.1 %
237.9	11	2.0 %
243.9	14	2.6 %
249.8	10	1.8 %
255.8	8	1.5 %
261.7	12	2.2 %
267.7	8	1.5 %
273.6	13	2.4 %
279.6	18	3.3 %
285.5	12	2.2 %
291.5	16	2.9 %
297.4	15	2.7 %
303.3	16	2.9 %
309.3	22	4.0 %
315.2	16	2.9 %
321.2	15	2.7 %
327.1	16	2.9 %
333.1	16	2.9 %
339.0	14	2.6 %
345.0	12	2.2 %
350.9	10	1.8 %
356.9	15	2.7 %
362.8	4	0.7 %
368.8	11	2.0 %
374.7	13	2.4 %
380.7	5	0.9 %
386.6	6	1.1 %
392.6	14	2.6 %
398.5	10	1.8 %
404.5	12	2.2 %
410.4	4	0.7 %
416.4	12	2.2 %
422.3	4	0.7 %
428.3	6	1.1 %
434.2	3	0.5 %
440.2	10	1.8 %
446.1	2	0.4 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
452.0	2	0.4 %
458.0	1	0.2 %
463.9	4	0.7 %
469.9	3	0.5 %
475.8	2	0.4 %
481.8	4	0.7 %
487.7	1	0.2 %
493.7	1	0.2 %
499.6	4	0.7 %
505.6	2	0.4 %
517.5	3	0.5 %
523.4	1	0.2 %
529.4	2	0.4 %
541.3	2	0.4 %
547.2	1	0.2 %
553.2	1	0.2 %
559.1	3	0.5 %
571.0	1	0.2 %
577.0	1	0.2 %
612.6	1	0.2 %
636.4	1	0.2 %
. (M)	2	0.4 %

LB2SCR Creatinine (mg/dL)

Location: 128-132 (width: 5; decimal: 1)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Creatinine (mg/dL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.4	6	1.1 %
0.5	26	4.8 %
0.6	44	8.1 %
0.7	77	14.1 %
0.8	110	20.1 %
0.9	99	18.1 %
1.0	86	15.8 %
1.1	43	7.9 %
1.2	27	4.9 %
1.3	14	2.6 %
1.5	2	0.4 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.6	1	0.2 %
2.0	3	0.5 %
2.4	1	0.2 %
2.5	1	0.2 %
3.3	1	0.2 %
4.4	1	0.2 %
6.7	1	0.2 %
10.2	1	0.2 %
. (M)	2	0.4 %

LB2SCRSI Creatinine (umol/L)

Location: 133-139 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Creatinine (umol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35.36	6	1.1 %
44.20	26	4.8 %
53.04	44	8.1 %
61.88	77	14.1 %
70.72	110	20.1 %
79.56	99	18.1 %
88.40	86	15.8 %
97.24	43	7.9 %
106.08	27	4.9 %
114.92	14	2.6 %
132.60	2	0.4 %
141.44	1	0.2 %
176.80	3	0.5 %
212.16	1	0.2 %
221.00	1	0.2 %
291.72	1	0.2 %
388.96	1	0.2 %
592.28	1	0.2 %
901.68	1	0.2 %
. (M)	2	0.4 %

LB2SNASI Sodium (mmol/L)

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Sodium (mmol/L) English Instructions:

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
130	1	0.2 %
131	2	0.4 %
132	3	0.5 %
133	7	1.3 %
134	8	1.5 %
135	31	5.7 %
136	42	7.7 %
137	67	12.3 %
138	93	17.0 %
139	104	19.0 %
140	79	14.5 %
141	52	9.5 %
142	34	6.2 %
143	17	3.1 %
144	3	0.5 %
145	1	0.2 %
. (M)	2	0.4 %

LB2SKSI

Potassium (mmol/L)

Location: 143-146 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Potassium (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.1	1	0.2 %
3.2	3	0.5 %
3.3	8	1.5 %
3.4	7	1.3 %
3.5	24	4.4 %
3.6	28	5.1 %
3.7	49	9.0 %
3.8	56	10.3 %
3.9	62	11.4 %
4.0	60	11.0 %
4.1	68	12.5 %
4.2	57	10.4 %
4.3	34	6.2 %
4.4	31	5.7 %
4.5	24	4.4 %
4.6	11	2.0 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.7	9	1.6 %
4.8	5	0.9 %
4.9	3	0.5 %
5.0	1	0.2 %
5.1	1	0.2 %
5.2	1	0.2 %
5.3	1	0.2 %
. (M)	2	0.4 %

LB2SCLSI Chloride (mmol/L)

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 69 Yrs.) English Text: Chloride (mmol/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
92	2	0.4 %
95	2	0.4 %
96	2	0.4 %
97	8	1.5 %
98	12	2.2 %
99	18	3.3 %
100	37	6.8 %
101	67	12.3 %
102	68	12.5 %
103	91	16.7 %
104	75	13.7 %
105	67	12.3 %
106	47	8.6 %
107	22	4.0 %
108	10	1.8 %
109	10	1.8 %
110	3	0.5 %
111	2	0.4 %
112	1	0.2 %
. (M)	2	0.4 %

LB2FSH Follicle stimulating hormone (mIU/mL)

Location: 150-156 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. to 60 Yrs.) English Text: Follicle stimulating hormone (mIU/mL) English Instructions:

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.37	1	0.2 %
0.52	1	0.2 %
2.15	1	0.2 %
2.20	1	0.2 %
2.27	1	0.2 %
2.35	1	0.2 %
2.56	1	0.2 %
2.98	1	0.2 %
3.07	1	0.2 %
3.20	1	0.2 %
3.35	1	0.2 %
3.52	1	0.2 %
3.57	1	0.2 %
3.79	1	0.2 %
3.85	1	0.2 %
3.93	1	0.2 %
4.34	1	0.2 %
4.37	1	0.2 %
4.81	1	0.2 %
6.08	1	0.2 %
6.25	1	0.2 %
6.32	1	0.2 %
6.52	1	0.2 %
6.65	1	0.2 %
6.73	1	0.2 %
6.88	1	0.2 %
6.94	1	0.2 %
7.00	1	0.2 %
7.03	1	0.2 %
7.12	1	0.2 %
7.24	1	0.2 %
7.43	1	0.2 %
7.50	1	0.2 %
7.77	1	0.2 %
8.25	1	0.2 %
8.33	1	0.2 %
8.64	1	0.2 %
8.65	1	0.2 %
10.21	1	0.2 %
10.77	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11.20	1	0.2 %
12.02	1	0.2 %
12.91	1	0.2 %
13.48	1	0.2 %
13.95	1	0.2 %
16.16	1	0.2 %
18.25	1	0.2 %
18.62	1	0.2 %
20.04	1	0.2 %
22.38	1	0.2 %
24.65	1	0.2 %
24.99	1	0.2 %
25.43	1	0.2 %
26.04	1	0.2 %
32.33	1	0.2 %
32.90	1	0.2 %
33.52	1	0.2 %
34.70	1	0.2 %
39.41	1	0.2 %
42.01	1	0.2 %
42.78	1	0.2 %
44.05	1	0.2 %
45.83	1	0.2 %
47.67	1	0.2 %
48.18	1	0.2 %
48.80	1	0.2 %
49.66	1	0.2 %
53.30	1	0.2 %
54.59	1	0.2 %
54.62	1	0.2 %
56.62	1	0.2 %
57.40	1	0.2 %
58.26	1	0.2 %
58.71	1	0.2 %
60.72	1	0.2 %
60.79	1	0.2 %
61.97	1	0.2 %
62.06	1	0.2 %
62.31	1	0.2 %
63.44	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
69.05	1	0.2 %
70.07	1	0.2 %
73.31	1	0.2 %
75.15	1	0.2 %
75.22	1	0.2 %
76.21	1	0.2 %
79.79	1	0.2 %
84.25	1	0.2 %
86.54	1	0.2 %
89.14	1	0.2 %
95.11	1	0.2 %
96.19	1	0.2 %
105.67	1	0.2 %
121.62	1	0.2 %
. (M)	452	82.8 %

LB2FSHSI

Follicle stimulating hormone (IU/L)

Location: 157-163 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. to 60 Yrs.) English Text: Follicle stimulating hormone (IU/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.37	1	0.2 %
0.52	1	0.2 %
2.15	1	0.2 %
2.20	1	0.2 %
2.27	1	0.2 %
2.35	1	0.2 %
2.56	1	0.2 %
2.98	1	0.2 %
3.07	1	0.2 %
3.20	1	0.2 %
3.35	1	0.2 %
3.52	1	0.2 %
3.57	1	0.2 %
3.79	1	0.2 %
3.85	1	0.2 %
3.93	1	0.2 %
4.34	1	0.2 %
4.37	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.81	1	0.2 %
6.08	1	0.2 %
6.25	1	0.2 %
6.32	1	0.2 %
6.52	1	0.2 %
6.65	1	0.2 %
6.73	1	0.2 %
6.88	1	0.2 %
6.94	1	0.2 %
7.00	1	0.2 %
7.03	1	0.2 %
7.12	1	0.2 %
7.24	1	0.2 %
7.43	1	0.2 %
7.50	1	0.2 %
7.77	1	0.2 %
8.25	1	0.2 %
8.33	1	0.2 %
8.64	1	0.2 %
8.65	1	0.2 %
10.21	1	0.2 %
10.77	1	0.2 %
11.20	1	0.2 %
12.02	1	0.2 %
12.91	1	0.2 %
13.48	1	0.2 %
13.95	1	0.2 %
16.16	1	0.2 %
18.25	1	0.2 %
18.62	1	0.2 %
20.04	1	0.2 %
22.38	1	0.2 %
24.65	1	0.2 %
24.99	1	0.2 %
25.43	1	0.2 %
26.04	1	0.2 %
32.33	1	0.2 %
32.90	1	0.2 %
33.52	1	0.2 %
34.70	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
39.41	1	0.2 %
42.01	1	0.2 %
42.78	1	0.2 %
44.05	1	0.2 %
45.83	1	0.2 %
47.67	1	0.2 %
48.18	1	0.2 %
48.80	1	0.2 %
49.66	1	0.2 %
53.30	1	0.2 %
54.59	1	0.2 %
54.62	1	0.2 %
56.62	1	0.2 %
57.40	1	0.2 %
58.26	1	0.2 %
58.71	1	0.2 %
60.72	1	0.2 %
60.79	1	0.2 %
61.97	1	0.2 %
62.06	1	0.2 %
62.31	1	0.2 %
63.44	1	0.2 %
69.05	1	0.2 %
70.07	1	0.2 %
73.31	1	0.2 %
75.15	1	0.2 %
75.22	1	0.2 %
76.21	1	0.2 %
79.79	1	0.2 %
84.25	1	0.2 %
86.54	1	0.2 %
89.14	1	0.2 %
95.11	1	0.2 %
96.19	1	0.2 %
105.67	1	0.2 %
121.62	1	0.2 %
. (M)	452	82.8 %

LB2LH

Luteinizing hormone (mIU/mL)

Location:

164-169 (width: 6; decimal: 2)

- Study 25502 -

Variable Type:

numeric

Question:

Target: F(35 Yrs. to 60 Yrs.) English Text: Luteinizing hormone (mIU/mL) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.35	1	0.2 %
0.61	1	0.2 %
1.16	1	0.2 %
1.34	1	0.2 %
1.36	1	0.2 %
1.50	1	0.2 %
1.86	1	0.2 %
2.01	1	0.2 %
2.04	1	0.2 %
2.12	1	0.2 %
2.20	1	0.2 %
2.24	1	0.2 %
2.31	1	0.2 %
2.34	1	0.2 %
2.57	1	0.2 %
2.59	1	0.2 %
2.63	1	0.2 %
3.07	1	0.2 %
3.28	1	0.2 %
3.31	1	0.2 %
3.41	1	0.2 %
3.45	1	0.2 %
3.60	1	0.2 %
3.66	1	0.2 %
4.10	1	0.2 %
4.34	1	0.2 %
4.45	1	0.2 %
5.02	1	0.2 %
5.25	1	0.2 %
5.27	1	0.2 %
6.50	1	0.2 %
6.70	1	0.2 %
7.03	1	0.2 %
7.24	1	0.2 %
7.36	1	0.2 %
7.38	1	0.2 %
8.63	1	0.2 %
9.31	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9.37	1	0.2 %
9.39	1	0.2 %
9.73	1	0.2 %
10.02	1	0.2 %
10.81	1	0.2 %
10.83	1	0.2 %
10.97	1	0.2 %
12.58	1	0.2 %
13.12	1	0.2 %
13.19	1	0.2 %
13.84	1	0.2 %
14.91	1	0.2 %
14.98	1	0.2 %
15.25	1	0.2 %
15.75	1	0.2 %
17.09	1	0.2 %
17.92	1	0.2 %
18.69	1	0.2 %
18.83	1	0.2 %
19.16	1	0.2 %
20.31	1	0.2 %
21.12	1	0.2 %
21.20	1	0.2 %
23.15	1	0.2 %
23.24	1	0.2 %
24.30	1	0.2 %
26.67	1	0.2 %
27.14	1	0.2 %
27.38	1	0.2 %
27.57	1	0.2 %
28.37	1	0.2 %
28.85	1	0.2 %
29.06	1	0.2 %
29.08	1	0.2 %
29.87	1	0.2 %
29.99	1	0.2 %
31.20	1	0.2 %
31.97	1	0.2 %
32.61	1	0.2 %
34.26	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
35.49	1	0.2 %
36.93	1	0.2 %
38.19	1	0.2 %
41.26	1	0.2 %
42.12	1	0.2 %
43.38	1	0.2 %
44.23	1	0.2 %
46.80	1	0.2 %
51.85	1	0.2 %
53.18	1	0.2 %
56.13	1	0.2 %
59.84	1	0.2 %
67.02	1	0.2 %
69.68	1	0.2 %
74.11	1	0.2 %
79.58	1	0.2 %
. (M)	452	82.8 %

LB2LHSI

Luteinizing hormone (IU/L)

Location: 170-175 (width: 6; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. to 60 Yrs.) English Text: Luteinizing hormone (IU/L) English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.35	1	0.2 %
0.61	1	0.2 %
1.16	1	0.2 %
1.34	1	0.2 %
1.36	1	0.2 %
1.50	1	0.2 %
1.86	1	0.2 %
2.01	1	0.2 %
2.04	1	0.2 %
2.12	1	0.2 %
2.20	1	0.2 %
2.24	1	0.2 %
2.31	1	0.2 %
2.34	1	0.2 %
2.57	1	0.2 %
2.59	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.63	1	0.2 %
3.07	1	0.2 %
3.28	1	0.2 %
3.31	1	0.2 %
3.41	1	0.2 %
3.45	1	0.2 %
3.60	1	0.2 %
3.66	1	0.2 %
4.10	1	0.2 %
4.34	1	0.2 %
4.45	1	0.2 %
5.02	1	0.2 %
5.25	1	0.2 %
5.27	1	0.2 %
6.50	1	0.2 %
6.70	1	0.2 %
7.03	1	0.2 %
7.24	1	0.2 %
7.36	1	0.2 %
7.38	1	0.2 %
8.63	1	0.2 %
9.31	1	0.2 %
9.37	1	0.2 %
9.39	1	0.2 %
9.73	1	0.2 %
10.02	1	0.2 %
10.81	1	0.2 %
10.83	1	0.2 %
10.97	1	0.2 %
12.58	1	0.2 %
13.12	1	0.2 %
13.19	1	0.2 %
13.84	1	0.2 %
14.91	1	0.2 %
14.98	1	0.2 %
15.25	1	0.2 %
15.75	1	0.2 %
17.09	1	0.2 %
17.92	1	0.2 %
18.69	1	0.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18.83	1	0.2 %
19.16	1	0.2 %
20.31	1	0.2 %
21.12	1	0.2 %
21.20	1	0.2 %
23.15	1	0.2 %
23.24	1	0.2 %
24.30	1	0.2 %
26.67	1	0.2 %
27.14	1	0.2 %
27.38	1	0.2 %
27.57	1	0.2 %
28.37	1	0.2 %
28.85	1	0.2 %
29.06	1	0.2 %
29.08	1	0.2 %
29.87	1	0.2 %
29.99	1	0.2 %
31.20	1	0.2 %
31.97	1	0.2 %
32.61	1	0.2 %
34.26	1	0.2 %
35.49	1	0.2 %
36.93	1	0.2 %
38.19	1	0.2 %
41.26	1	0.2 %
42.12	1	0.2 %
43.38	1	0.2 %
44.23	1	0.2 %
46.80	1	0.2 %
51.85	1	0.2 %
53.18	1	0.2 %
56.13	1	0.2 %
59.84	1	0.2 %
67.02	1	0.2 %
69.68	1	0.2 %
74.11	1	0.2 %
79.58	1	0.2 %
. (M)	452	82.8 %

- Study 25502 -

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	546	100.0 %

RIDSTATR Interview/Examination Status

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	546	100.0 %

RIDEXMON Six month time period

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	261	47.8 %
2	May 1 through October 31	285	52.2 %

RIAGENDR Gender

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	274	50.2 %
2	Female	272	49.8 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	17	3.1 %
17	-	24	4.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	30	5.5 %
19	-	24	4.4 %
20	-	10	1.8 %
21	-	10	1.8 %
22	-	10	1.8 %
23	-	12	2.2 %
24	-	14	2.6 %
25	-	11	2.0 %
26	-	10	1.8 %
27	-	9	1.6 %
28	-	10	1.8 %
29	-	11	2.0 %
30	-	15	2.7 %
31	-	13	2.4 %
32	-	7	1.3 %
33	-	7	1.3 %
34	-	10	1.8 %
35	-	4	0.7 %
36	-	10	1.8 %
37	-	5	0.9 %
38	-	3	0.5 %
39	-	6	1.1 %
40	-	10	1.8 %
41	-	9	1.6 %
42	-	8	1.5 %
43	-	4	0.7 %
44	-	12	2.2 %
45	-	10	1.8 %
46	-	11	2.0 %
47	-	11	2.0 %
48	-	6	1.1 %
49	-	13	2.4 %
50	-	8	1.5 %
51	-	9	1.6 %
52	-	12	2.2 %
53	-	9	1.6 %
54	-	11	2.0 %
55	-	6	1.1 %
56	-	10	1.8 %
57	-	7	1.3 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	-	6	1.1 %
59	-	7	1.3 %
60	-	10	1.8 %
61	-	10	1.8 %
62	-	12	2.2 %
63	-	8	1.5 %
64	-	5	0.9 %
65	-	7	1.3 %
66	-	6	1.1 %
67	-	9	1.6 %
68	-	10	1.8 %
69	-	8	1.5 %

RIDAGEMN Age in Months - Recode

Location: 191-194 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 195-198 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 199-201 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	86	15.8 %
2	Other Hispanic	25	4.6 %
3	Non-Hispanic White	263	48.2 %
4	Non-Hispanic Black	147	26.9 %
5	Other Race - Including Multi-Racial	25	4.6 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 202-204 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	268	49.1 %
2	Non-Hispanic Black	148	27.1 %
3	Mexican American	86	15.8 %
4	Other Race - Including Multi-Racial	19	3.5 %
5	Other Hispanic	25	4.6 %

DMQMILIT **Veteran/Military Status**

Location: 205-207 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	80	14.7 %
2	No	449	82.2 %
. (M)	-	17	3.1 %

DMDBORN **Country of Birth - Recode**

Location: 208-210 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	473	86.6 %
2	Born in Mexico	43	7.9 %
3	Born Elsewhere	30	5.5 %

DMDCITZN **Citizenship Status**

Location: 211-213 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	495	90.7 %
2	Not a citizen of the US	51	9.3 %

DMDYRSUS **Length of time in US**

Location: 214-216 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	5	0.9 %
2	1 yr., less than 5 yrs.	20	3.7 %
3	5 yrs., less than 10 yrs.	7	1.3 %
4	10 yrs., less than 15 yrs.	12	2.2 %
5	15 yrs., less than 20 yrs.	6	1.1 %
6	20 yrs., less than 30 yrs.	10	1.8 %
7	30 yrs., less than 40 yrs.	9	1.6 %
8	40 yrs., less than 50 yrs.	2	0.4 %
9	50 years or more	1	0.2 %
99	Don't know	1	0.2 %
. (M)	-	473	86.6 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 217-219 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	8th Grade	4	0.7 %
9	9th Grade	7	1.3 %
10	10th Grade	21	3.8 %
11	11th Grade	26	4.8 %
12	12th Grade, No Diploma	5	0.9 %
13	High School Graduate	21	3.8 %
14	GED or Equivalent	2	0.4 %
15	More than high school	7	1.3 %
66	Less Than 9th Grade	2	0.4 %
. (M)	-	451	82.6 %

DMDEDUC2 Education Level - Adults 20+

Location: 220-222 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	34	6.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	55	10.1 %
3	High School Grad/GED or Equivalent	109	20.0 %
4	Some College or AA degree	148	27.1 %
5	College Graduate or above	105	19.2 %
. (M)	-	95	17.4 %

DMDEDUC Education - Recode (old version)

Location: 223-225 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	154	28.2 %
2	High School Diploma (including GED)	132	24.2 %
3	More Than High School	260	47.6 %

DMDSCHOL Now attending school?

Location: 226-228 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	43	7.9 %
2	On vacation from school (between grades)	16	2.9 %
3	Neither in school or on vacation from school	36	6.6 %
. (M)	-	451	82.6 %

DMDMARTL Marital Status

Location: 229-231 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	255	46.7 %
2	Widowed	17	3.1 %
3	Divorced	44	8.1 %
4	Separated	18	3.3 %
5	Never married	171	31.3 %
6	Living with partner	41	7.5 %

- Study 25502 -

DMDHHSIZ Total number of people in the Household

Location: 232-234 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	63	11.5 %
2	-	173	31.7 %
3	-	141	25.8 %
4	-	79	14.5 %
5	-	53	9.7 %
6	-	18	3.3 %
7	7 or more people in the household	19	3.5 %

INDHHINC Annual Household Income

Location: 235-237 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	11	2.0 %
2	\$ 5,000 to \$ 9,999	26	4.8 %
3	\$10,000 to \$14,999	40	7.3 %
4	\$15,000 to \$19,999	28	5.1 %
5	\$20,000 to \$24,999	33	6.0 %
6	\$25,000 to \$34,999	63	11.5 %
7	\$35,000 to \$44,999	73	13.4 %
8	\$45,000 to \$54,999	51	9.3 %
9	\$55,000 to \$64,999	41	7.5 %
10	\$65,000 to \$74,999	25	4.6 %
11	\$75,000 and Over	111	20.3 %
13	Under \$20,000	1	0.2 %
77	Refused	2	0.4 %
. (M)	-	41	7.5 %

INDFMINC Annual Family Income

Location: 238-240 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	22	4.0 %
2	\$ 5,000 to \$ 9,999	33	6.0 %
3	\$10,000 to \$14,999	51	9.3 %
4	\$15,000 to \$19,999	31	5.7 %
5	\$20,000 to \$24,999	43	7.9 %
6	\$25,000 to \$34,999	63	11.5 %
7	\$35,000 to \$44,999	67	12.3 %
8	\$45,000 to \$54,999	52	9.5 %
9	\$55,000 to \$64,999	42	7.7 %
10	\$65,000 to \$74,999	24	4.4 %
11	\$75,000 and Over	88	16.1 %
12	Over \$20,000	14	2.6 %
13	Under \$20,000	11	2.0 %
77	Refused	2	0.4 %
99	Don't know	2	0.4 %
. (M)	-	1	0.2 %

INDFMPIR Family PIR

Location: 241-245 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 246-248 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	38	7.0 %
2	SP not pregnant at exam	184	33.7 %
3	Cannot ascertain if SP is pregnant at exam	7	1.3 %
. (M)	-	317	58.1 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 249-251 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	42	7.7 %
2	SP not pregnant	184	33.7 %
9	Cannot ascertain if SP is pregnant at exam	3	0.5 %
. (M)	-	317	58.1 %

DMDHRGND

HH Ref Person Gender

Location:

252-254 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	312	57.1 %
2	Female	234	42.9 %

DMDHRAGE

HH Ref Person Age

Location:

255-257 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	4	0.7 %
19	-	8	1.5 %
20	-	7	1.3 %
21	-	8	1.5 %
22	-	8	1.5 %
23	-	7	1.3 %
24	-	6	1.1 %
25	-	8	1.5 %
26	-	2	0.4 %
27	-	8	1.5 %
28	-	9	1.6 %
29	-	9	1.6 %
30	-	19	3.5 %
31	-	16	2.9 %
32	-	8	1.5 %
33	-	7	1.3 %
34	-	7	1.3 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	7	1.3 %
36	-	10	1.8 %
37	-	12	2.2 %
38	-	7	1.3 %
39	-	12	2.2 %
40	-	12	2.2 %
41	-	10	1.8 %
42	-	11	2.0 %
43	-	6	1.1 %
44	-	15	2.7 %
45	-	16	2.9 %
46	-	20	3.7 %
47	-	18	3.3 %
48	-	11	2.0 %
49	-	14	2.6 %
50	-	8	1.5 %
51	-	16	2.9 %
52	-	17	3.1 %
53	-	20	3.7 %
54	-	17	3.1 %
55	-	11	2.0 %
56	-	8	1.5 %
57	-	5	0.9 %
58	-	7	1.3 %
59	-	11	2.0 %
60	-	8	1.5 %
61	-	12	2.2 %
62	-	13	2.4 %
63	-	7	1.3 %
64	-	6	1.1 %
65	-	7	1.3 %
66	-	6	1.1 %
67	-	8	1.5 %
68	-	8	1.5 %
69	-	10	1.8 %
70	-	1	0.2 %
71	-	5	0.9 %
72	-	1	0.2 %
73	-	2	0.4 %
74	-	4	0.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	-	1	0.2 %
76	-	1	0.2 %
78	-	2	0.4 %
85	>= 85 years of age	2	0.4 %

DMDHRBRN HH Ref Person Country of Birth

Location: 258-260 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	454	83.2 %
2	Born in Mexico	45	8.2 %
3	Born Elsewhere	38	7.0 %
. (M)	-	9	1.6 %

DMDHREDU HH Ref Person Education Level

Location: 261-263 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	48	8.8 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	73	13.4 %
3	High School Grad/GED or equivalent	124	22.7 %
4	Some College or AA degree	172	31.5 %
5	College Graduate or above	119	21.8 %
7	Refused	1	0.2 %
9	Don't know	1	0.2 %
. (M)	-	8	1.5 %

DMDHRMAR HH Ref Person Marital Status

Location: 264-266 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	315	57.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Widowed	30	5.5 %
3	Divorced	56	10.3 %
4	Separated	28	5.1 %
5	Never married	64	11.7 %
6	Living with partner	31	5.7 %
. (M)	-	22	4.0 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 267-269 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	24	4.4 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	25	4.6 %
3	High School Grad/GED or equivalent	77	14.1 %
4	Some College or AA degree	85	15.6 %
5	College Graduate or above	66	12.1 %
. (M)	-	269	49.3 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 270-283 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 284-296 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 297-310 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 311-324 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

- Study 25502 -

Location: 325-327 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	276	50.5 %
2	270	49.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 328-330 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	35	6.4 %
15	44	8.1 %
16	40	7.3 %
17	38	7.0 %
18	37	6.8 %
19	40	7.3 %
20	36	6.6 %
21	30	5.5 %
22	33	6.0 %
23	47	8.6 %
24	45	8.2 %
25	32	5.9 %
26	30	5.5 %
27	36	6.6 %
28	23	4.2 %