ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Balance

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Balance

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

BAQ010 Dizzy/balance/falling problems/past yr

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: During the past 12 months, {have you/has SP} had

dizziness, difficulty with balance or difficulty with falling? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	922	26.4 %
2	No BAQ070	2557	73.4 %
7	Refused BAQ00	2	0.1 %
9	Don't know BAQ070	1	0.0 %
. (M)	-	4	0.1 %

BAQ020A Dizziness problems in past year

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of these problems {have you/has SP} had . .

.dizziness? English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL

AFTER THE FIRST TIME.

Value	Label	Unweighted Frequency	%
1	Yes BAQ030a	655	18.8 %
2	No	264	7.6 %
9	Don't know	3	0.1 %
. (M)	-	2564	73.6 %

BAQ020B Balance problems in past year

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of these problems {have you/has SP} had . .

.difficulty with balance? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes BAQ030b	595	17.1 %
2	No	325	9.3 %
9	Don't know	2	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	2564	73.6 %

BAQ020C Falling problems in past year

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of these problems {have you/has SP} had . .

.difficulty with falling? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	266	7.6 %
2	No	654	18.8 %
9	Don't know	2	0.1 %
. (M)	-	2564	73.6 %

BAQ030A How long did dizziness last

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs.) English Text: How long did the... dizziness last? Would you say less

than two weeks, 2 weeks to 3 months, or more than 3 months? English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 2 weeks BAQ020b	457	13.1 %
2	weeks to 3 months BAQ00b	64	1.8 %
3	More than months BAQ020b	128	3.7 %
9	Don't know BAQ020b	6	0.2 %
. (M)	-	2831	81.2 %

BAQ030B How long did balance problem last

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: How long did the... difficulty with balance last? Would

you say less than two weeks, 2 weeks to 3 months, or more than 3 months? English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 2 weeks BAQ020c	299	8.6 %
2	weeks to 3 months BAQ00c	61	1.7 %
3	More than months BAQ020c	228	6.5 %
9	Don't know BAQ020c	7	0.2 %
. (M)	-	2891	82.9 %

BAQ040 Get dizzy when turn over in bed

Location: 24-26 (width: 3; decimal: 0)

Question:

Target: B(40 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} get dizzy when {you/s/he} turn{s} over in bed? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	131	3.8 %
2	No	784	22.5 %
9	Don't know	7	0.2 %
. (M)	-	2564	73.6 %

BAQ060A Off balance due to cold or flu

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to

{your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND

CARD BAQ1.

Value	Label	Unweighted Frequency	%
1	A cold or the flu	64	1.8 %
99	Don't know	82	2.4 %
. (M)	-	3340	95.8 %

BAQ060B Off balance due to injury or accident

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to

{your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND

CARD BAQ1.

Value	Label	Unweighted Frequency	%
2	Injuries or accidents	55	1.6 %
. (M)	-	3431	98.4 %

BAQ060C Off balance due to drugs or medicine

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to

{your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND

CARD BAQ1.

Value	Label	Unweighted Frequency	%
3	Use of drugs or medications	132	3.8 %
. (M)	-	3354	96.2 %

BAQ060D Off balance due to aging

Location: 36-38 (width: 3; decimal: 0)

Question:

Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to {your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND CARD BAQ1.

Value	Label	Unweighted Frequency	%
4	Age or getting older	308	8.8 %
. (M)	-	3178	91.2 %

BAQ060E Off balance due to surgery

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to

{your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND

CARD BAQ1.

Value	Label	Unweighted Frequency	%
5	Surgery	32	0.9 %
. (M)	-	3454	99.1 %

BAQ060F Off balance due to hearing problem

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to

{your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND

CARD BAQ1.

Value	Label	Unweighted Frequency	%
6	Hearing problems - including ringing in the ears	134	3.8 %
. (M)	-	3352	96.2 %

BAQ060G Off balance due to vision problem

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to

{your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND

CARD BAQ1.

Value	Label	Unweighted Frequency	%
7	Vision or seeing problems	80	2.3 %
. (M)	-	3406	97.7 %

BAQ060H Nothing related to balance problem

Location: 48-50 (width: 3; decimal: 0)

Question:

Target: B(40 Yrs. to 150 Yrs.) English Text: Which of the things on this list, if any, were related to {your/SP's} dizziness or balance problem? English Instructions: CODE ALL THAT APPLY. HAND CARD BAQ1.

Value	Label	Unweighted Frequency	%
8	None	237	6.8 %
. (M)	-	3249	93.2 %

BAQ070 Received treatment for dizziness/balance

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Target: B(40 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} ever been treated by a doctor or Question:

other health professional for dizziness, a balance problem, or falling? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	415	11.9 %
2	No BAQ100	3056	87.7 %
7	Refused BAQ100	3	0.1 %
9	Don't know BAQ100	8	0.2 %
. (M)	-	4	0.1 %

BAQ075 How long ago were you treated

Location: 54-56 (width: 3; decimal: 0)

Variable Type:

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: How long ago {were you/was SP} treated? Would you

say . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than year ago,	179	5.1 %
2	1 to 5 years ago, or	118	3.4 %
3	5 years or more ago?	114	3.3 %
9	Don't know	4	0.1 %
. (M)	-	3071	88.1 %

BAQ080A Did treatment involve medication

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Did this treatment involve. . .medication? English

Instructions: CAPI INSTRUCTION: TEXT SHOULD BE OPTIONAL [] AFTER FIRST ITEM.

Value	Label	Unweighted Frequency	%
1	Yes	302	8.7 %
2	No	107	3.1 %
9	Don't know	6	0.2 %
. (M)	-	3071	88.1 %

BAQ080B Did treatment involve surgery to ear

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Did this treatment involve. . .surgery to the ear? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	6	0.2 %
2	No	409	11.7 %
. (M)	-	3071	88.1 %

BAQ080C Did treatment involve other type surgery

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Did this treatment involve. . . some other type of surgery?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	18	0.5 %
2	No	397	11.4 %
. (M)	-	3071	88.1 %

BAQ080D Did treatment involve exercises

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Did this treatment involve. . . exercises or physical therapy?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	45	1.3 %
2	No	369	10.6 %
9	Don't know	1	0.0 %
. (M)	-	3071	88.1 %

BAQ090 Treatment affect on dizziness/balance

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: As a result of this treatment, did {your/SP's} condition. .

. English Instructions:

Value	Label	Unweighted Frequency	%
1	Get better,	316	9.1 %
2	Get worse, or	10	0.3 %
3	Stay the same?	86	2.5 %

Value	Label	Unweighted Frequency	%
9	Don't know	3	0.1 %
. (M)	-	3071	88.1 %

BAQ100 Blood relative dizziness/balance problem

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. to 150 Yrs.) English Text: Have any of {your/SP's} biological, that is, blood relatives

(grandparents, parents, brothers, or sisters) had a problem with dizziness, balance, or falling not

related to aging? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	619	17.8 %
2	No	2670	76.6 %
7	Refused	5	0.1 %
9	Don't know	188	5.4 %
. (M)	-	4	0.1 %

SDDSRVYR Data Release Number

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	3486	100.0 %

RIDSTATR Interview/Examination Status

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	302	8.7 %
2	Both Interviewed and MEC examined	3184	91.3 %

RIDEXMON Six month time period

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value		Unweighted Frequency	%
1	November 1 through April 30	1473	42.3 %

Value	Label	Unweighted Frequency	%
2	May 1 through October 31	1711	49.1 %
. (M)	-	302	8.7 %

RIAGENDR Gender

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	1718	49.3 %
2	Female	1768	50.7 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
40	-	101	2.9 %
41	-	97	2.8 %
42	-	94	2.7 %
43	-	84	2.4 %
44	-	107	3.1 %
45	-	100	2.9 %
46	-	95	2.7 %
47	-	84	2.4 %
48	-	77	2.2 %
49	-	84	2.4 %
50	-	81	2.3 %
51	-	83	2.4 %
52	-	82	2.4 %
53	-	81	2.3 %
54	-	79	2.3 %
55	-	68	2.0 %
56	-	58	1.7 %
57	-	61	1.7 %
58	-	53	1.5 %
59	-	45	1.3 %
60	-	85	2.4 %
61	-	84	2.4 %

Value	Label	Unweighted Frequency	%
62	-	88	2.5 %
63	-	77	2.2 %
64	-	75	2.2 %
65	-	63	1.8 %
66	-	74	2.1 %
67	-	72	2.1 %
68	-	65	1.9 %
69	-	57	1.6 %
70	-	72	2.1 %
71	-	69	2.0 %
72	-	71	2.0 %
73	-	61	1.7 %
74	-	64	1.8 %
75	-	62	1.8 %
76	-	60	1.7 %
77	-	53	1.5 %
78	-	47	1.3 %
79	-	31	0.9 %
80	-	65	1.9 %
81	-	86	2.5 %
82	-	54	1.5 %
83	-	40	1.1 %
84	-	61	1.7 %
85	>= 85 years of age	236	6.8 %

RIDAGEMN	Age in Months - Recode

Location: 90-93 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 94-97 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	605	17.4 %
2	Other Hispanic	135	3.9 %
3	Non-Hispanic White	1999	57.3 %
4	Non-Hispanic Black	647	18.6 %
5	Other Race - Including Multi-Racial	100	2.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	2006	57.5 %
2	Non-Hispanic Black	655	18.8 %
3	Mexican American	605	17.4 %
4	Other Race - Including Multi-Racial	85	2.4 %
5	Other Hispanic	135	3.9 %

DMQMILIT Veteran/Military Status

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	759	21.8 %
2	No	2718	78.0 %
7	Refused	4	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.1 %

DMDBORN Country of Birth - Recode

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	2876	82.5 %
2	Born in Mexico	321	9.2 %
3	Born Elsewhere	280	8.0 %

Value	Label	Unweighted Frequency	%
7	Refused	4	0.1 %
. (M)	-	5	0.1 %

DMDCITZN Citizenship Status

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public

Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	3195	91.7 %
2	Not a citizen of the US	281	8.1 %
7	Refused	6	0.2 %
. (M)	-	4	0.1 %

DMDYRSUS Length of time in US

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Ū	` , ,	•	
Value	Label	Unweighted Frequency	%
1	Less than 1 year	14	0.4 %
2	1 yr., less than 5 yrs.	42	1.2 %
3	5 yrs., less than 10 yrs.	46	1.3 %
4	10 yrs., less than 15 yrs.	56	1.6 %
5	15 yrs., less than 20 yrs.	62	1.8 %
6	20 yrs., less than 30 yrs.	162	4.6 %
7	30 yrs., less than 40 yrs.	100	2.9 %
8	40 yrs., less than 50 yrs.	46	1.3 %
9	50 years or more	60	1.7 %
77	Refused	6	0.2 %
88	Could not determine	3	0.1 %
99	Don't know	6	0.2 %
. (M)	-	2883	82.7 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
. (M)	-	3486	100.0 %

DMDEDUC2 Education Level - Adults 20+

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	603	17.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	550	15.8 %
3	High School Grad/GED or Equivalent	788	22.6 %
4	Some College or AA degree	829	23.8 %
5	College Graduate or above	696	20.0 %
7	Refused	5	0.1 %
9	Don't Know	11	0.3 %
. (M)	-	4	0.1 %

DMDEDUC Education - Recode (old version)

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	1153	33.1 %
2	High School Diploma (including GED)	788	22.6 %
3	More Than High School	1525	43.7 %
7	Refused	5	0.1 %
9	Don't know	11	0.3 %
. (M)	-	4	0.1 %

DMDSCHOL Now attending school?

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
. (M)	-	3486	100.0 %

DMDMARTL Marital Status

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2059	59.1 %
2	Widowed	604	17.3 %
3	Divorced	377	10.8 %
4	Separated	112	3.2 %
5	Never married	217	6.2 %
6	Living with partner	109	3.1 %
77	Refused	4	0.1 %
. (M)	-	4	0.1 %

DMDHHSIZ Total number of people in the Household

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	716	20.5 %
2	-	1290	37.0 %
3	-	552	15.8 %
4	-	402	11.5 %
5	-	258	7.4 %
6	-	98	2.8 %
7	7 or more people in the household	170	4.9 %

INDHHINC Annual Household Income

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	51	1.5 %
2	\$ 5,000 to \$ 9,999	196	5.6 %
3	\$10,000 to \$14,999	291	8.3 %

Value	Label	Unweighted Frequency	%
4	\$15,000 to \$19,999	281	8.1 %
5	\$20,000 to \$24,999	267	7.7 %
6	\$25,000 to \$34,999	391	11.2 %
7	\$35,000 to \$44,999	320	9.2 %
8	\$45,000 to \$54,999	254	7.3 %
9	\$55,000 to \$64,999	226	6.5 %
10	\$65,000 to \$74,999	133	3.8 %
11	\$75,000 and Over	687	19.7 %
12	Over \$20,000	3	0.1 %
13	Under \$20,000	1	0.0 %
77	Refused	4	0.1 %
99	Don't know	7	0.2 %
. (M)	-	374	10.7 %

INDFMINC

Annual Family Income

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	97	2.8 %
2	\$ 5,000 to \$ 9,999	265	7.6 %
3	\$10,000 to \$14,999	358	10.3 %
4	\$15,000 to \$19,999	285	8.2 %
5	\$20,000 to \$24,999	291	8.3 %
6	\$25,000 to \$34,999	385	11.0 %
7	\$35,000 to \$44,999	307	8.8 %
8	\$45,000 to \$54,999	246	7.1 %
9	\$55,000 to \$64,999	208	6.0 %
10	\$65,000 to \$74,999	134	3.8 %
11	\$75,000 and Over	597	17.1 %
12	Over \$20,000	119	3.4 %
13	Under \$20,000	51	1.5 %
77	Refused	46	1.3 %
99	Don't know	35	1.0 %
. (M)	-	62	1.8 %

INDFMPIR

Family PIR

Location: 140-144 (width: 5; decimal: 2)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	1	0.0 %
2	SP not pregnant at exam	701	20.1 %
3	Cannot ascertain if SP is pregnant at exam	85	2.4 %
. (M)	-	2699	77.4 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	1	0.0 %
2	SP not pregnant	737	21.1 %
9	Cannot ascertain if SP is pregnant at exam	49	1.4 %
. (M)	-	2699	77.4 %

DMDHRGND HH Ref Person Gender

Location: 151-153 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	2106	60.4 %
2	Female	1378	39.5 %
. (M)	-	2	0.1 %

DMDHRAGE HH Ref Person Age

Location: 154-156 (width: 3; decimal: 0)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
19	-	6	0.2 %
20	-	4	0.1 %
21	-	4	0.1 %
22	-	7	0.2 %
23	-	7	0.2 %
24	-	1	0.0 %
25	-	6	0.2 %
26	-	6	0.2 %
27	-	2	0.1 %
28	-	8	0.2 %
29	-	4	0.1 %
30	-	13	0.4 %
31	-	2	0.1 %
32	-	10	0.3 %
33	-	7	0.2 %
34	-	10	0.3 %
35	-	17	0.5 %
36	-	12	0.3 %
37	-	16	0.5 %
38	-	13	0.4 %
39	-	17	0.5 %
40	-	76	2.2 %
41	-	74	2.1 %
42	-	82	2.4 %
43	-	80	2.3 %
44	-	110	3.2 %
45	-	97	2.8 %
46	-	80	2.3 %
47	-	71	2.0 %
48	-	76	2.2 %
49	-	72	2.1 %
50	-	83	2.4 %
51	-	86	2.5 %
52	-	76	2.2 %
53	-	79	2.3 %
54	-	91	2.6 %
55	-	72	2.1 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
56	-	53	1.5 %
57	-	55	1.6 %
58	-	65	1.9 %
59	-	49	1.4 %
60	-	61	1.7 %
61	-	73	2.1 %
62	-	85	2.4 %
63	-	69	2.0 %
64	-	70	2.0 %
65	-	62	1.8 %
66	-	75	2.2 %
67	-	73	2.1 %
68	-	70	2.0 %
69	-	50	1.4 %
70	-	67	1.9 %
71	-	63	1.8 %
72	-	63	1.8 %
73	-	62	1.8 %
74	-	72	2.1 %
75	-	65	1.9 %
76	-	64	1.8 %
77	-	54	1.5 %
78	-	46	1.3 %
79	-	33	0.9 %
80	-	67	1.9 %
81	-	75	2.2 %
82	-	46	1.3 %
83	-	35	1.0 %
84	-	63	1.8 %
85	>= 85 years of age	221	6.3 %
. (M)	-	2	0.1 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 157-159 (width: 3; decimal: 0)

Variable Type: numer

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	2836	81.4 %
2	Born in Mexico	295	8.5 %

Value	Label	Unweighted Frequency	%
3	Born Elsewhere	264	7.6 %
7	Refused	3	0.1 %
. (M)	-	88	2.5 %

DMDHREDU HH Ref Person Education Level

Location: 160-162 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	534	15.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	541	15.5 %
3	High School Grad/GED or equivalent	776	22.3 %
4	Some College or AA degree	808	23.2 %
5	College Graduate or above	722	20.7 %
7	Refused	5	0.1 %
9	Don't know	12	0.3 %
. (M)	-	88	2.5 %

DMDHRMAR HH Ref Person Marital Status

Location: 163-165 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2075	59.5 %
2	Widowed	560	16.1 %
3	Divorced	346	9.9 %
4	Separated	113	3.2 %
5	Never married	244	7.0 %
6	Living with partner	109	3.1 %
77	Refused	5	0.1 %
99	Don't know	1	0.0 %
. (M)	-	33	0.9 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 166-168 (width: 3; decimal: 0)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

 $have/NON-SP\ SPOUSE\ has\ completed\ or\ the\ highest\ degree\ \{you\ have/he/she\ has\}\ received\ English\ and\ Proceived\ English\ Proceived\ E$

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	279	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	240	6.9 %
3	High School Grad/GED or equivalent	404	11.6 %
4	Some College or AA degree	473	13.6 %
5	College Graduate or above	395	11.3 %
7	Refused	2	0.1 %
9	Don't know	2	0.1 %
. (M)	-	1691	48.5 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 169-182 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 183-195 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 196-209 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 210-223 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

	Unweighted Frequency	%
1	1823	52.3 %
2	1663	47.7 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
14	230	6.6 %
15	234	6.7 %
16	213	6.1 %
17	278	8.0 %
18	208	6.0 %
19	249	7.1 %
20	214	6.1 %
21	249	7.1 %
22	246	7.1 %
23	344	9.9 %
24	193	5.5 %
25	167	4.8 %
26	236	6.8 %
27	278	8.0 %
28	147	4.2 %