ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Dietary Supplement Use -- Participants Use of Supplement

> Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Dietary Supplement Use -- Participants Use of Supplement

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Respondent sequence number. English Instructions: <

blank >

DSDSUPID Supplement ID number

Location: 6-15 (width: 10; decimal: 0)

Variable Type: character

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Supplement ID number English Instructions: < blank >

DSDSUPP Supplement name

Location: 16-26 (width: 11; decimal: 0)

Variable Type: character

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Supplement name English Instructions: < blank >

DSD070 Was container seen?

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	7188	79.2 %
2	No	1854	20.4 %
. (M)	-	31	0.3 %

DSDMTCH Matching code

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: English Instructions:

Value	Label	Unweighted Frequency	%
1	Exact or near exact match	4148	45.7 %
2	Probable match	826	9.1 %
3	Generic match	2012	22.2 %
4	Reasonable match	725	8.0 %
5	Default match	1217	13.4 %
6	No match	145	1.6 %

DSD090 How long supplement taken (days)?

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: For how long have you been taking {PRODUCT NAME} or a similar type of product? English Instructions:

Value	Label
7777777	Refused
9999999	Don't know

^{*} Frequencies not displayed for this variable.

DSD103

Days supplement taken, past 30 days

Location:

40-43 (width: 4; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In the past 30 days, on how many days did you take {PRODUCT NAME}? English Instructions:

Value	Label	Unweighted Frequency	%
0	-	5	0.1 %
1	-	282	3.1 %
2	-	154	1.7 %
3	-	89	1.0 %
4	-	129	1.4 %
5	-	118	1.3 %
6	-	32	0.4 %
7	-	134	1.5 %
8	-	115	1.3 %
9	-	4	0.0 %
10	-	165	1.8 %
11	-	7	0.1 %
12	-	64	0.7 %
13	-	66	0.7 %
14	-	98	1.1 %
15	-	262	2.9 %
16	-	15	0.2 %
17	-	18	0.2 %
18	-	7	0.1 %
19	-	3	0.0 %
20	-	283	3.1 %
21	-	67	0.7 %
22	-	14	0.2 %
23	-	3	0.0 %
24	-	7	0.1 %
25	-	92	1.0 %
26	-	6	0.1 %
27	-	14	0.2 %
28	-	37	0.4 %

Value	Label	Unweighted Frequency	%
29	-	12	0.1 %
30	-	5275	58.1 %
9999	Don't know	6	0.1 %
. (M)	-	1490	16.4 %

DSD122Q

Quantity of supplement taken daily

Location: 44-50 (width: 7; decimal: 3)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: On the days that you took it, how much did you take? English Instructions: ENTER NUMBER

Value	Label	Unweighted Frequency	%
0.060	=	1	0.0 %
0.063	-	1	0.0 %
0.075	-	1	0.0 %
0.170	-	5	0.1 %
0.187	-	1	0.0 %
0.200	-	4	0.0 %
0.250	-	6	0.1 %
0.300	-	2	0.0 %
0.330	-	19	0.2 %
0.500	-	44	0.5 %
0.600	-	8	0.1 %
0.660	-	3	0.0 %
0.750	-	2	0.0 %
1.000	-	6611	72.9 %
1.330	-	1	0.0 %
1.500	-	2	0.0 %
2.000	-	1017	11.2 %
2.500	-	1	0.0 %
3.000	-	291	3.2 %
4.000	-	132	1.5 %
5.000	-	23	0.3 %
6.000	-	54	0.6 %
7.000	-	3	0.0 %
7.500	-	1	0.0 %
8.000	-	8	0.1 %
8.550	-	1	0.0 %
9.000	-	11	0.1 %
10.000	-	2	0.0 %
15.000	-	4	0.0 %

Value	Label	Unweighted Frequency	%
45.000	-	1	0.0 %
54.000	-	1	0.0 %
999.999	-	11	0.1 %
. (M)	-	801	8.8 %

DSD122U

Dosage form

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Dosage form English Instructions:

Value	Label	Unweighted Frequency	%
1	Tablets, capsules, pills, caplets, softgels, gelcaps	8044	88.7 %
2	Droppers	31	0.3 %
3	Drops	24	0.3 %
6	Lozenges	4	0.0 %
7	Milliliters	115	1.3 %
10	Powder/Granules	1	0.0 %
11	Tablespoons	59	0.7 %
12	Teaspoons	196	2.2 %
13	Wafers	13	0.1 %
16	Grams	5	0.1 %
18	Cups	2	0.0 %
19	Spray/Squirts	2	0.0 %
20	Chews	95	1.0 %
21	Scoop	26	0.3 %
23	Capful	5	0.1 %
26	Gulp	1	0.0 %
27	Ounces	16	0.2 %
28	Packages/Packets	59	0.7 %
29	Vial	1	0.0 %
30	Gumball	5	0.1 %
. (M)	-	369	4.1 %

DSDANTA

Antacid reported as a dietary supplement

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Antacid reported as a dietary supplement English

Instructions: Antacids that are reported with dietary supplements (DSQ) are coded 1, antacids reported with medications in the antacid section are coded 2, dietary supplements that are not antacids are

coded 0.

Value	Label	Unweighted Frequency	%
0	Non-antacid supplement	7995	88.1 %
1	Antacid reported with dietary supplements(DSQ)	12	0.1 %
2	Antacid reported with medications(RXQ)	1066	11.7 %

SDDSRVYR Data Release Number

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	9073	100.0 %

RIDSTATR Interview/Examination Status

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	532	5.9 %
2	Both Interviewed and MEC examined	8541	94.1 %

RIDEXMON Six month time period

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	3685	40.6 %
2	May 1 through October 31	4856	53.5 %
. (M)	-	532	5.9 %

RIAGENDR Gender

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%	
1	Male	3774	41.6 %	
2	Female	5299	58.4 %	

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
0	-	79	0.9 %
1	-	101	1.1 %
2	-	154	1.7 %
3	-	103	1.1 %
4	-	91	1.0 %
5	-	93	1.0 %
6	-	87	1.0 %
7	-	90	1.0 %
8	-	73	0.8 %
9	-	72	0.8 %
10	-	62	0.7 %
11	-	73	0.8 %
12	-	110	1.2 %
13	-	98	1.1 %
14	-	99	1.1 %
15	-	86	0.9 %
16	-	107	1.2 %
17	-	115	1.3 %
18	-	118	1.3 %
19	-	94	1.0 %
20	-	53	0.6 %
21	-	76	0.8 %
22	-	66	0.7 %
23	-	63	0.7 %
24	-	70	0.8 %
25	-	90	1.0 %
26	-	95	1.0 %
27	-	78	0.9 %
28	-	74	0.8 %
29	-	94	1.0 %
30	-	106	1.2 %
31	-	79	0.9 %
32	-	79	0.9 %
33	-	68	0.7 %
34	-	122	1.3 %
35	-	90	1.0 %

Value	Label	Unweighted Frequency	%
36	-	99	1.1 %
37	-	94	1.0 %
38	-	88	1.0 %
39	-	146	1.6 %
40	-	75	0.8 %
41	-	107	1.2 %
42	-	97	1.1 %
43	-	131	1.4 %
44	-	121	1.3 %
45	-	151	1.7 %
46	-	109	1.2 %
47	-	117	1.3 %
48	-	104	1.1 %
49	-	119	1.3 %
50	-	121	1.3 %
51	-	117	1.3 %
52	-	119	1.3 %
53	-	136	1.5 %
54	-	164	1.8 %
55	-	100	1.1 %
56	-	86	0.9 %
57	-	111	1.2 %
58	-	91	1.0 %
59	-	122	1.3 %
60	-	145	1.6 %
61	-	139	1.5 %
62	-	166	1.8 %
63	-	106	1.2 %
64	-	99	1.1 %
65	-	89	1.0 %
66	-	117	1.3 %
67	-	126	1.4 %
68	-	101	1.1 %
69	-	108	1.2 %
70	-	111	1.2 %
71	-	105	1.2 %
72	-	143	1.6 %
73	-	110	1.2 %
74	-	90	1.0 %
75	_	122	1.3 %

Value	Label	Unweighted Frequency	%
76	-	109	1.2 %
77	-	105	1.2 %
78	-	71	0.8 %
79	-	58	0.6 %
80	-	118	1.3 %
81	-	149	1.6 %
82	-	77	0.8 %
83	-	83	0.9 %
84	-	109	1.2 %
85	>= 85 years of age	384	4.2 %

RIDAGEMN Age in Months - Recode

Location: 72-75 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 76-79 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1390	15.3 %
2	Other Hispanic	308	3.4 %
3	Non-Hispanic White	5988	66.0 %
4	Non-Hispanic Black	1103	12.2 %
5	Other Race - Including Multi-Racial	284	3.1 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	6025	66.4 %

Value	Label	Unweighted Frequency	%
2	Non-Hispanic Black	1135	12.5 %
3	Mexican American	1390	15.3 %
4	Other Race - Including Multi-Racial	215	2.4 %
5	Other Hispanic	308	3.4 %

DMQMILIT Veteran/Military Status

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1350	14.9 %
2	No	6144	67.7 %
9	Don't know	1	0.0 %
. (M)	-	1578	17.4 %

DMDBORN Country of Birth - Recode

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	8127	89.6 %
2	Born in Mexico	461	5.1 %
3	Born Elsewhere	485	5.3 %

DMDCITZN Citizenship Status

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	8634	95.2 %
2	Not a citizen of the US	435	4.8 %
7	Refused	4	0.0 %

DMDYRSUS Length of time in US

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	40	0.4 %
2	1 yr., less than 5 yrs.	95	1.0 %
3	5 yrs., less than 10 yrs.	90	1.0 %
4	10 yrs., less than 15 yrs.	149	1.6 %
5	15 yrs., less than 20 yrs.	113	1.2 %
6	20 yrs., less than 30 yrs.	177	2.0 %
7	30 yrs., less than 40 yrs.	132	1.5 %
8	40 yrs., less than 50 yrs.	66	0.7 %
9	50 years or more	80	0.9 %
88	Could not determine	1	0.0 %
99	Don't know	1	0.0 %
. (M)	-	8129	89.6 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten Only	109	1.2 %
1	1st Grade	85	0.9 %
2	2nd Grade	84	0.9 %
3	3rd Grade	57	0.6 %
4	4th Grade	80	0.9 %
5	5th Grade	75	0.8 %
6	6th Grade	114	1.3 %
7	7th Grade	76	0.8 %
8	8th Grade	111	1.2 %
9	9th Grade	81	0.9 %
10	10th Grade	134	1.5 %
11	11th Grade	117	1.3 %
12	12th Grade, No Diploma	15	0.2 %
13	High School Graduate	78	0.9 %
14	GED or Equivalent	6	0.1 %
15	More than high school	52	0.6 %

Value	Label	Unweighted Frequency	%
55	Less Than 5th Grade	2	0.0 %
66	Less Than 9th Grade	8	0.1 %
. (M)	-	7789	85.8 %

DMDEDUC2 Education Level - Adults 20+

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	584	6.4 %
2	9-11th Grade (Includes 12th grade with no diploma)	786	8.7 %
3	High School Grad/GED or Equivalent	1558	17.2 %
4	Some College or AA degree	2161	23.8 %
5	College Graduate or above	2073	22.8 %
9	Don't Know	6	0.1 %
. (M)	-	1905	21.0 %

DMDEDUC Education - Recode (old version)

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	2518	27.8 %
2	High School Diploma (including GED)	1642	18.1 %
3	More Than High School	4286	47.2 %
9	Don't know	6	0.1 %
. (M)	-	621	6.8 %

Now attending school? **DMDSCHOL**

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	822	9.1 %
2	On vacation from school (between grades)	235	2.6 %

Value	Label	Unweighted Frequency	%
3	Neither in school or on vacation from school	117	1.3 %
. (M)	-	7899	87.1 %

DMDMARTL Marital Status

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	4315	47.6 %
2	Widowed	1016	11.2 %
3	Divorced	707	7.8 %
4	Separated	159	1.8 %
5	Never married	1248	13.8 %
6	Living with partner	341	3.8 %
. (M)	-	1287	14.2 %

DMDHHSIZ Total number of people in the Household

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	1442	15.9 %
2	-	2915	32.1 %
3	-	1528	16.8 %
4	-	1531	16.9 %
5	-	874	9.6 %
6	-	367	4.0 %
7	7 or more people in the household	416	4.6 %

INDHHINC Annual Household Income

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	110	1.2 %
2	\$ 5,000 to \$ 9,999	323	3.6 %
3	\$10,000 to \$14,999	500	5.5 %

Value	Label	Unweighted Frequency	%
4	\$15,000 to \$19,999	591	6.5 %
5	\$20,000 to \$24,999	584	6.4 %
6	\$25,000 to \$34,999	961	10.6 %
7	\$35,000 to \$44,999	866	9.5 %
8	\$45,000 to \$54,999	917	10.1 %
9	\$55,000 to \$64,999	651	7.2 %
10	\$65,000 to \$74,999	491	5.4 %
11	\$75,000 and Over	2227	24.5 %
12	Over \$20,000	5	0.1 %
13	Under \$20,000	3	0.0 %
77	Refused	11	0.1 %
99	Don't know	13	0.1 %
. (M)	-	820	9.0 %

INDFMINC

Annual Family Income

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

Value Label Unweighted % Frequency 1 \$ 0 to \$ 4,999 2.3 % 210 2 \$5,000 to \$9,999 413 4.6 % 3 \$10,000 to \$14,999 631 7.0 % 4 \$15,000 to \$19,999 639 7.0 % 5 \$20,000 to \$24,999 714 7.9 % 6 993 10.9 % \$25,000 to \$34,999 7 \$35,000 to \$44,999 814 9.0 % 8 \$45,000 to \$54,999 877 9.7 % 9 \$55,000 to \$64,999 630 6.9 % 10 \$65,000 to \$74,999 482 5.3 % 11 \$75,000 and Over 1992 22.0 % Over \$20,000 3.5 % 12 318 13 Under \$20,000 91 1.0 % Refused 77 77 0.8 % 99 Don't know 0.9 % 83 109 1.2 % . (M)

INDFMPIR

Family PIR

Location: 122-126 (width: 5; decimal: 2)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	513	5.7 %
2	SP not pregnant at exam	2286	25.2 %
3	Cannot ascertain if SP is pregnant at exam	286	3.2 %
. (M)	-	5988	66.0 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	568	6.3 %
2	SP not pregnant	2252	24.8 %
9	Cannot ascertain if SP is pregnant at exam	144	1.6 %
. (M)	-	6109	67.3 %

DMDHRGND HH Ref Person Gender

Location: 133-135 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5435	59.9 %
2	Female	3634	40.1 %
. (M)	-	4	0.0 %

DMDHRAGE HH Ref Person Age

Location: 136-138 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
16	-	2	0.0 %
18	-	17	0.2 %
19	-	37	0.4 %
20	-	64	0.7 %
21	-	64	0.7 %
22	-	58	0.6 %
23	-	99	1.1 %
24	-	60	0.7 %
25	-	107	1.2 %
26	-	100	1.1 %
27	-	72	0.8 %
28	-	89	1.0 %
29	-	99	1.1 %
30	-	165	1.8 %
31	-	139	1.5 %
32	-	145	1.6 %
33	-	166	1.8 %
34	-	156	1.7 %
35	-	150	1.7 %
36	-	140	1.5 %
37	-	199	2.2 %
38	-	155	1.7 %
39	-	228	2.5 %
40	-	185	2.0 %
41	-	178	2.0 %
42	-	181	2.0 %
43	-	181	2.0 %
44	-	218	2.4 %
45	-	199	2.2 %
46	-	213	2.3 %
47	-	194	2.1 %
48	-	157	1.7 %
49	-	187	2.1 %
50	-	146	1.6 %
51	-	179	2.0 %
52	-	161	1.8 %
53	-	185	2.0 %
54	-	218	2.4 %

Value	Label	Unweighted Frequency	%
55	-	128	1.4 %
56	-	121	1.3 %
57	-	105	1.2 %
58	-	109	1.2 %
59	-	151	1.7 %
60	-	99	1.1 %
61	-	131	1.4 %
62	-	163	1.8 %
63	-	110	1.2 %
64	-	98	1.1 %
65	=	70	0.8 %
66	-	127	1.4 %
67	-	127	1.4 %
68	-	147	1.6 %
69	-	102	1.1 %
70	-	132	1.5 %
71	-	116	1.3 %
72	-	121	1.3 %
73	-	124	1.4 %
74	-	99	1.1 %
75	-	142	1.6 %
76	-	109	1.2 %
77	-	105	1.2 %
78	-	78	0.9 %
79	-	72	0.8 %
80	-	134	1.5 %
81	-	135	1.5 %
82	-	60	0.7 %
83	-	72	0.8 %
84	-	122	1.3 %
85	>= 85 years of age	367	4.0 %
. (M)	-	4	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 139-141 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	7636	84.2 %

Value	Label	Unweighted Frequency	%
2	Born in Mexico	583	6.4 %
3	Born Elsewhere	602	6.6 %
. (M)	-	252	2.8 %

DMDHREDU HH Ref Person Education Level

Location: 142-144 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	754	8.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	966	10.6 %
3	High School Grad/GED or equivalent	1981	21.8 %
4	Some College or AA degree	2439	26.9 %
5	College Graduate or above	2656	29.3 %
7	Refused	5	0.1 %
9	Don't know	22	0.2 %
. (M)	-	250	2.8 %

DMDHRMAR HH Ref Person Marital Status

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	5712	63.0 %
2	Widowed	1021	11.3 %
3	Divorced	892	9.8 %
4	Separated	222	2.4 %
5	Never married	702	7.7 %
6	Living with partner	315	3.5 %
77	Refused	7	0.1 %
99	Don't know	5	0.1 %
. (M)	-	197	2.2 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

 $have/NON-SP\ SPOUSE\ has\ completed\ or\ the\ highest\ degree\ \{you\ have/he/she\ has\}\ received\ English\ and\ Proceived\ English\ Proceived\ E$

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	428	4.7 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	516	5.7 %
3	High School Grad/GED or equivalent	1085	12.0 %
4	Some College or AA degree	1548	17.1 %
5	College Graduate or above	1504	16.6 %
7	Refused	2	0.0 %
9	Don't know	11	0.1 %
. (M)	-	3979	43.9 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 151-164 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 165-177 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 178-191 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 192-205 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	4484	49.4 %
2	4589	50.6 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
14	565	6.2 %
15	625	6.9 %
16	510	5.6 %
17	786	8.7 %
18	654	7.2 %
19	756	8.3 %
20	419	4.6 %
21	701	7.7 %
22	680	7.5 %
23	899	9.9 %
24	652	7.2 %
25	358	3.9 %
26	533	5.9 %
27	531	5.9 %
28	404	4.5 %