

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Hepatitis C
Follow-Up Questionnaire

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Hepatitis C Follow-Up Questionnaire

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

HCASCST1 Interview Status Code

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Interview Status Code English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Complete	58	51.8 %
3	Not done	54	48.2 %

HCASCCT1 Reasons for Not Done

Location: 9-11 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Reasons the Interview was not done English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Unable to contact SP	50	44.6 %
2	Refusal	2	1.8 %
3	Communication problem or cognitive impairment	2	1.8 %
. (M)	-	58	51.8 %

HCQ020 Heard of Hepatitis C prior to letter?

Location: 12-14 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: There are many types of hepatitis. Before receiving the letter with (your/SP's) test result, had you heard of hepatitis C? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	41	36.6 %
2	No	14	12.5 %
3	Heard of hepatitis, but not spec Hep C	3	2.7 %
. (M)	-	54	48.2 %

HCQ030 First time told had Hepatitis C?

Location: 15-17 (width: 3; decimal: 0)
 Variable Type: numeric

- Study 25502 -

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: Was the test result in our letter the first time you were told (you had/SP has) hepatitis C? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	33	29.5 %
2	No	24	21.4 %
9	Don't know	1	0.9 %
. (M)	-	54	48.2 %

HCQ040

How long known infected?

Location:

18-20 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: For about how long have you known that (you have/SP has) hepatitis C? Would you say ... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	One year	3	2.7 %
2	2 to 5 years	10	8.9 %
3	More than 5 years	10	8.9 %
7	Refused	1	0.9 %
. (M)	-	88	78.6 %

HCQ060

Reason first tested for Hepatitis C?

Location:

21-23 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(16 Yrs. to 150 Yrs.) English Text: Why were you first tested for hepatitis C? Was it because: English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	You donated blood?	3	2.7 %
2	You had other blood tests done?	9	8.0 %
3	You were sick with symptoms?	3	2.7 %
5	You or your doctor thought you were at risk?	2	1.8 %
6	You had another reason?	5	4.5 %
9	Don't know	2	1.8 %
. (M)	-	88	78.6 %

HCQ070

Seen a doctor about test result?

Location:

24-26 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: Did (you/SP) see a doctor or other health professional about (your/his/her) hepatitis C test result? English Instructions: Now I'm going to ask you some questions about what you have done (with SP) since finding out that (you have/your child has) hepatitis C. INTERVIEWER: If tested before NHANES, question refers to first test; otherwise refers to NHANES test.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	48	42.9 %
2	No	10	8.9 %
. (M)	-	54	48.2 %

HCQ080 Have a doctor's appointment?

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (Do you/Does SP) have an appointment to see a doctor or other health care professional about (your/his/her) hepatitis C test result? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2	1.8 %
2	No	8	7.1 %
. (M)	-	102	91.1 %

HCQ090 Did doctor do additional tests?

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: When (you/SP) saw a doctor or other health professional about (your/his/her) hepatitis C test results, did (you/he/she) have other blood tests to check how (your/his/her) liver is working? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	40	35.7 %
2	No	5	4.5 %
9	Don't know	2	1.8 %
. (M)	-	65	58.0 %

HCQ100 What doctor told about test result?

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Which of the following statements describes most closely what (your/SP's) doctor told you about (your/his/her) hepatitis C result? English Instructions: Read each statement and check only one.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	(You have/He/She has) hep C and needs reg med	24	21.4 %
2	You/He/She) tested positive for Hep C but don't do anything	14	12.5 %
3	(You do/He/she does) not have hep C because f/u showed error	1	0.9 %
4	Other	6	5.4 %
9	Don't know	2	1.8 %
. (M)	-	65	58.0 %

- Study 25502 -

HCQ110 Ever had a liver biopsy?

Location: 36-38 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Did (you/SP) have a liver biopsy (procedure to get a small piece of (your/his/her) liver through a needle)? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	6	5.4 %
2	No	25	22.3 %
9	Don't know	1	0.9 %
. (M)	-	80	71.4 %

HCQ120 Doctor advised about medications?

Location: 39-41 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Did (your/SP's) doctor or health care professional tell you that (your/his/her) hepatitis C should be treated with medication such as Interferon and Ribavirin? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	6	5.4 %
2	No	25	22.3 %
9	Don't know	1	0.9 %
. (M)	-	80	71.4 %

HCQ130 Treated with these medicines?

Location: 42-44 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Did (you/SP) get treated with these medicines? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	4	3.6 %
2	No	2	1.8 %
. (M)	-	106	94.6 %

HCQ140A Not treated: unpleasant side effects

Location: 45-47 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Why did (you/SP) not get treated? Was it because the side effects to the treatment are unpleasant? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	1	0.9 %
. (M)	-	110	98.2 %

HCQ140B Not treated: treatment self injected

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Why did (you/SP) not get treated? Was it because the treatment shots must be self injected? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	2	1.8 %
. (M)	-	110	98.2 %

HCQ140C Not treated: treatment too expensive

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Why did (you/SP) not get treated? Was it because the treatment is too expensive? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	2	1.8 %
. (M)	-	110	98.2 %

HCQ140D Not treated:waiting for better treatment

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Why did (you/SP) not get treated? Was it because there is a hope of better treatment in the future? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	2	1.8 %
. (M)	-	110	98.2 %

HCQ140E Not treated: some other reason

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Why did (you/SP) not get treated? Was it because there is some other reason? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1	0.9 %
2	No	1	0.9 %
. (M)	-	110	98.2 %

- Study 25502 -

HCQ150 Did doctor limit alcohol?

Location: 60-62 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Did (your/SP's) doctor or health professional tell (you/him/her) to avoid or limit alcoholic beverages (in the future) because of (your/his/her) hepatitis C? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	23	20.5 %
2	No	7	6.2 %
7	Refused	1	0.9 %
. (M)	-	81	72.3 %

HCQ160 T/F: infection is permanent

Location: 63-65 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: If someone is infected with hepatitis C virus, they will most likely carry the virus all their lives. English Instructions: We would like to know what you have learned about hepatitis C. Please tell me if you believe the following statements are true or false, or if you don't know whether they are true or false.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	44	39.3 %
2	False	3	2.7 %
9	Don't know	10	8.9 %
. (M)	-	55	49.1 %

HCQ170 T/F: HepC stops liver

Location: 66-68 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Infection with the hepatitis C virus can cause the liver to stop working. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	37	33.0 %
2	False	3	2.7 %
9	Don't know	17	15.2 %
. (M)	-	55	49.1 %

HCQ180 T/F: look and feel fine

Location: 69-71 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Someone with hepatitis C can look and feel fine. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	50	44.6 %
2	False	2	1.8 %
9	Don't know	5	4.5 %
. (M)	-	55	49.1 %

HCQ190 T/F: HepC from blood transfusion

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by getting a blood transfusion from an infected donor. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	53	47.3 %
9	Don't know	4	3.6 %
. (M)	-	55	49.1 %

HCQ200 T/F: HepC from shaking hands

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by shaking hands with someone who has hepatitis C. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	4	3.6 %
2	False	51	45.5 %
9	Don't know	2	1.8 %
. (M)	-	55	49.1 %

HCQ210 T/F: HepC by kissing infected person

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by kissing someone who has hepatitis C. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	7	6.2 %
2	False	37	33.0 %
9	Don't know	13	11.6 %
. (M)	-	55	49.1 %

HCQ220 T/F: HepC from infected sex partner

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by having sex with someone who has hepatitis C English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	42	37.5 %
2	False	5	4.5 %
9	Don't know	10	8.9 %
. (M)	-	55	49.1 %

HCQ230

T/F: HepC from birth, infected mother

Location:

84-86 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by being born to a woman who had hepatitis C when she gave birth. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	36	32.1 %
2	False	5	4.5 %
9	Don't know	16	14.3 %
. (M)	-	55	49.1 %

HCQ240

T/F: HepC from sharp instrument

Location:

87-89 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by being stuck with a needle or sharp instrument that has hepatitis C infected blood on it. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	56	50.0 %
9	Don't know	1	0.9 %
. (M)	-	55	49.1 %

HCQ250

T/F: HepC from coworkers

Location:

90-92 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by working with someone who has hepatitis C. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	4	3.6 %
2	False	48	42.9 %
9	Don't know	5	4.5 %
. (M)	-	55	49.1 %

HCQ260

T/F: HepC from injecting drugs

- Study 25502 -

Location: 93-95 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: You can get hepatitis C by injecting illegal drugs, even if only a few times. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	True	47	42.0 %
2	False	5	4.5 %
9	Don't know	5	4.5 %
. (M)	-	55	49.1 %

HCQ270 Main respondent

Location: 96-98 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: Who was the main respondent for the questionnaire? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	SP	52	46.4 %
2	Parent/guardian	4	3.6 %
3	SP and Parent/guardian	1	0.9 %
. (M)	-	55	49.1 %

SDDSRVYR Data Release Number

Location: 99-101 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	112	100.0 %

RIDSTATR Interview/Examination Status

Location: 102-104 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	112	100.0 %

RIDEXMON Six month time period

Location: 105-107 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	64	57.1 %
2	May 1 through October 31	48	42.9 %

RIAGENDR Gender

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	76	67.9 %
2	Female	36	32.1 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	-	1	0.9 %
21	-	1	0.9 %
28	-	3	2.7 %
29	-	2	1.8 %
30	-	1	0.9 %
31	-	1	0.9 %
32	-	3	2.7 %
34	-	3	2.7 %
35	-	2	1.8 %
36	-	4	3.6 %
37	-	3	2.7 %
38	-	3	2.7 %
39	-	4	3.6 %
40	-	3	2.7 %
41	-	3	2.7 %
42	-	2	1.8 %
43	-	4	3.6 %
44	-	8	7.1 %
45	-	2	1.8 %
46	-	6	5.4 %
47	-	3	2.7 %
48	-	5	4.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	-	10	8.9 %
50	-	5	4.5 %
51	-	3	2.7 %
52	-	1	0.9 %
53	-	1	0.9 %
54	-	2	1.8 %
55	-	1	0.9 %
57	-	1	0.9 %
58	-	2	1.8 %
60	-	1	0.9 %
61	-	2	1.8 %
63	-	1	0.9 %
65	-	2	1.8 %
66	-	1	0.9 %
67	-	2	1.8 %
68	-	2	1.8 %
71	-	3	2.7 %
78	-	1	0.9 %
80	-	1	0.9 %
81	-	2	1.8 %
85	>= 85 years of age	1	0.9 %

RIDAGEMN

Age in Months - Recode

Location: 114-117 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
96	1	0.9 %
257	1	0.9 %
336	1	0.9 %
346	1	0.9 %
347	1	0.9 %
356	1	0.9 %
358	1	0.9 %
365	1	0.9 %
378	1	0.9 %
384	1	0.9 %
392	1	0.9 %
395	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
416	2	1.8 %
418	1	0.9 %
426	1	0.9 %
429	1	0.9 %
436	2	1.8 %
443	2	1.8 %
448	1	0.9 %
451	2	1.8 %
459	1	0.9 %
463	1	0.9 %
466	1	0.9 %
468	2	1.8 %
473	1	0.9 %
478	1	0.9 %
482	1	0.9 %
488	1	0.9 %
491	1	0.9 %
499	2	1.8 %
502	1	0.9 %
504	1	0.9 %
507	1	0.9 %
516	1	0.9 %
519	1	0.9 %
520	1	0.9 %
525	1	0.9 %
529	2	1.8 %
532	2	1.8 %
536	3	2.7 %
537	1	0.9 %
542	1	0.9 %
543	1	0.9 %
554	1	0.9 %
555	2	1.8 %
558	1	0.9 %
559	2	1.8 %
565	1	0.9 %
569	1	0.9 %
574	1	0.9 %
577	1	0.9 %
579	2	1.8 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
583	2	1.8 %
588	3	2.7 %
589	1	0.9 %
590	1	0.9 %
595	1	0.9 %
596	1	0.9 %
597	1	0.9 %
599	2	1.8 %
601	1	0.9 %
603	1	0.9 %
604	1	0.9 %
606	1	0.9 %
608	1	0.9 %
613	1	0.9 %
615	1	0.9 %
620	1	0.9 %
628	1	0.9 %
641	1	0.9 %
655	1	0.9 %
656	1	0.9 %
664	1	0.9 %
695	1	0.9 %
697	1	0.9 %
705	1	0.9 %
730	1	0.9 %
733	1	0.9 %
734	1	0.9 %
766	1	0.9 %
787	1	0.9 %
789	1	0.9 %
793	1	0.9 %
804	1	0.9 %
815	1	0.9 %
817	1	0.9 %
821	1	0.9 %
852	1	0.9 %
856	1	0.9 %
861	1	0.9 %
940	1	0.9 %
960	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
976	1	0.9 %
981	1	0.9 %
. (M)	1	0.9 %

RIDAGEEX

Exam Age in Months - Recode

Location: 118-121 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
97	1	0.9 %
258	1	0.9 %
337	1	0.9 %
347	1	0.9 %
348	1	0.9 %
358	1	0.9 %
359	1	0.9 %
365	1	0.9 %
380	1	0.9 %
385	1	0.9 %
393	1	0.9 %
395	1	0.9 %
416	1	0.9 %
417	1	0.9 %
418	1	0.9 %
427	1	0.9 %
429	1	0.9 %
436	1	0.9 %
437	1	0.9 %
444	2	1.8 %
449	1	0.9 %
452	2	1.8 %
460	1	0.9 %
464	1	0.9 %
467	1	0.9 %
469	2	1.8 %
474	1	0.9 %
480	1	0.9 %
482	1	0.9 %
488	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
492	1	0.9 %
499	1	0.9 %
501	1	0.9 %
503	1	0.9 %
505	1	0.9 %
508	1	0.9 %
516	1	0.9 %
520	2	1.8 %
526	1	0.9 %
529	1	0.9 %
530	1	0.9 %
533	1	0.9 %
534	1	0.9 %
537	2	1.8 %
538	2	1.8 %
543	1	0.9 %
545	1	0.9 %
554	1	0.9 %
556	2	1.8 %
559	1	0.9 %
560	1	0.9 %
561	1	0.9 %
566	1	0.9 %
570	1	0.9 %
575	1	0.9 %
577	1	0.9 %
580	2	1.8 %
583	1	0.9 %
584	1	0.9 %
588	1	0.9 %
589	3	2.7 %
590	1	0.9 %
595	1	0.9 %
598	2	1.8 %
600	2	1.8 %
602	1	0.9 %
604	1	0.9 %
605	1	0.9 %
606	1	0.9 %
610	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
613	1	0.9 %
616	1	0.9 %
621	1	0.9 %
628	1	0.9 %
642	1	0.9 %
656	1	0.9 %
657	1	0.9 %
664	1	0.9 %
696	1	0.9 %
698	1	0.9 %
706	1	0.9 %
731	1	0.9 %
734	1	0.9 %
735	1	0.9 %
767	1	0.9 %
788	1	0.9 %
789	1	0.9 %
795	1	0.9 %
805	1	0.9 %
817	1	0.9 %
818	1	0.9 %
822	1	0.9 %
852	1	0.9 %
857	1	0.9 %
863	1	0.9 %
941	1	0.9 %
961	1	0.9 %
977	1	0.9 %
981	1	0.9 %
. (M)	1	0.9 %

RIDRETH1

Race/Ethnicity - Recode

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	19	17.0 %
2	Other Hispanic	3	2.7 %
3	Non-Hispanic White	47	42.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Non-Hispanic Black	40	35.7 %
5	Other Race - Including Multi-Racial	3	2.7 %

RIDRETH2 **Linked NH3 Race/Ethnicity - Recode**

Location: 125-127 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	47	42.0 %
2	Non-Hispanic Black	40	35.7 %
3	Mexican American	19	17.0 %
4	Other Race - Including Multi-Racial	3	2.7 %
5	Other Hispanic	3	2.7 %

DMQMILIT **Veteran/Military Status**

Location: 128-130 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	27	24.1 %
2	No	84	75.0 %
. (M)	-	1	0.9 %

DMDBORN **Country of Birth - Recode**

Location: 131-133 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	105	93.8 %
2	Born in Mexico	3	2.7 %
3	Born Elsewhere	4	3.6 %

DMDCITZN **Citizenship Status**

Location: 134-136 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related

- Study 25502 -

research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	110	98.2 %
2	Not a citizen of the US	2	1.8 %

DMDYRSUS

Length of time in US

Location: 137-139 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	5 yrs., less than 10 yrs.	2	1.8 %
6	20 yrs., less than 30 yrs.	4	3.6 %
7	30 yrs., less than 40 yrs.	1	0.9 %
. (M)	-	105	93.8 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 140-142 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1st Grade	1	0.9 %
. (M)	-	111	99.1 %

DMDEDUC2

Education Level - Adults 20+

Location: 143-145 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	14	12.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	33	29.5 %
3	High School Grad/GED or Equivalent	33	29.5 %
4	Some College or AA degree	24	21.4 %
5	College Graduate or above	7	6.2 %
. (M)	-	1	0.9 %

- Study 25502 -

DMDEDUC Education - Recode (old version)

Location: 146-148 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	48	42.9 %
2	High School Diploma (including GED)	33	29.5 %
3	More Than High School	31	27.7 %

DMDSCHOL Now attending school?

Location: 149-151 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	1	0.9 %
. (M)	-	111	99.1 %

DMDMARTL Marital Status

Location: 152-154 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	36	32.1 %
2	Widowed	8	7.1 %
3	Divorced	20	17.9 %
4	Separated	3	2.7 %
5	Never married	26	23.2 %
6	Living with partner	18	16.1 %
. (M)	-	1	0.9 %

DMDHHSIZ Total number of people in the Household

Location: 155-157 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	20	17.9 %
2	-	21	18.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	30	26.8 %
4	-	23	20.5 %
5	-	6	5.4 %
6	-	7	6.2 %
7	7 or more people in the household	5	4.5 %

INDHHINC

Annual Household Income

Location: 158-160 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	4	3.6 %
2	\$ 5,000 to \$ 9,999	13	11.6 %
3	\$10,000 to \$14,999	16	14.3 %
4	\$15,000 to \$19,999	15	13.4 %
5	\$20,000 to \$24,999	11	9.8 %
6	\$25,000 to \$34,999	14	12.5 %
7	\$35,000 to \$44,999	5	4.5 %
8	\$45,000 to \$54,999	6	5.4 %
9	\$55,000 to \$64,999	8	7.1 %
10	\$65,000 to \$74,999	1	0.9 %
11	\$75,000 and Over	9	8.0 %
. (M)	-	10	8.9 %

INDFMINC

Annual Family Income

Location: 161-163 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	6	5.4 %
2	\$ 5,000 to \$ 9,999	20	17.9 %
3	\$10,000 to \$14,999	20	17.9 %
4	\$15,000 to \$19,999	15	13.4 %
5	\$20,000 to \$24,999	11	9.8 %
6	\$25,000 to \$34,999	10	8.9 %
7	\$35,000 to \$44,999	6	5.4 %
8	\$45,000 to \$54,999	8	7.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	\$55,000 to \$64,999	3	2.7 %
10	\$65,000 to \$74,999	2	1.8 %
11	\$75,000 and Over	5	4.5 %
12	Over \$20,000	1	0.9 %
99	Don't know	2	1.8 %
. (M)	-	3	2.7 %

INDFMPIR

Family PIR

Location: 164-168 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.00	-	1	0.9 %
0.11	-	1	0.9 %
0.14	-	1	0.9 %
0.22	-	1	0.9 %
0.26	-	1	0.9 %
0.35	-	1	0.9 %
0.40	-	1	0.9 %
0.42	-	1	0.9 %
0.44	-	1	0.9 %
0.48	-	1	0.9 %
0.52	-	2	1.8 %
0.56	-	2	1.8 %
0.58	-	2	1.8 %
0.66	-	1	0.9 %
0.68	-	1	0.9 %
0.69	-	1	0.9 %
0.70	-	2	1.8 %
0.73	-	1	0.9 %
0.74	-	1	0.9 %
0.75	-	1	0.9 %
0.80	-	1	0.9 %
0.83	-	2	1.8 %
0.90	-	1	0.9 %
0.93	-	3	2.7 %
0.95	-	2	1.8 %
0.99	-	1	0.9 %
1.00	-	2	1.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.02	-	2	1.8 %
1.03	-	3	2.7 %
1.09	-	1	0.9 %
1.13	-	2	1.8 %
1.16	-	3	2.7 %
1.19	-	1	0.9 %
1.22	-	1	0.9 %
1.24	-	1	0.9 %
1.26	-	2	1.8 %
1.28	-	1	0.9 %
1.32	-	1	0.9 %
1.34	-	1	0.9 %
1.36	-	1	0.9 %
1.38	-	1	0.9 %
1.40	-	2	1.8 %
1.47	-	1	0.9 %
1.50	-	1	0.9 %
1.58	-	1	0.9 %
1.70	-	2	1.8 %
1.72	-	1	0.9 %
1.73	-	1	0.9 %
1.75	-	2	1.8 %
1.81	-	1	0.9 %
1.89	-	1	0.9 %
1.91	-	1	0.9 %
1.92	-	1	0.9 %
2.07	-	1	0.9 %
2.09	-	2	1.8 %
2.15	-	1	0.9 %
2.21	-	1	0.9 %
2.24	-	1	0.9 %
2.26	-	2	1.8 %
2.33	-	1	0.9 %
2.58	-	2	1.8 %
2.68	-	1	0.9 %
2.73	-	1	0.9 %
2.94	-	1	0.9 %
3.08	-	1	0.9 %
3.27	-	1	0.9 %
3.31	-	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.39	-	1	0.9 %
3.63	-	1	0.9 %
3.88	-	3	2.7 %
3.96	-	1	0.9 %
4.51	-	1	0.9 %
4.75	-	1	0.9 %
5.00	PIR value greater than or equal to 5.00	9	8.0 %
. (M)	-	6	5.4 %

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 169-171 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	2	1.8 %
2	SP not pregnant at exam	26	23.2 %
3	Cannot ascertain if SP is pregnant at exam	3	2.7 %
. (M)	-	81	72.3 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 172-174 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	2	1.8 %
2	SP not pregnant	27	24.1 %
9	Cannot ascertain if SP is pregnant at exam	1	0.9 %
. (M)	-	82	73.2 %

DMDHRGND HH Ref Person Gender

Location: 175-177 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	59	52.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Female	53	47.3 %

DMDHRAGE

HH Ref Person Age

Location: 178-180 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	1	0.9 %
21	-	1	0.9 %
23	-	1	0.9 %
24	-	1	0.9 %
26	-	2	1.8 %
27	-	1	0.9 %
28	-	1	0.9 %
29	-	3	2.7 %
30	-	2	1.8 %
31	-	1	0.9 %
32	-	2	1.8 %
35	-	2	1.8 %
36	-	2	1.8 %
37	-	3	2.7 %
38	-	2	1.8 %
40	-	4	3.6 %
41	-	3	2.7 %
42	-	1	0.9 %
43	-	3	2.7 %
44	-	10	8.9 %
45	-	7	6.2 %
46	-	6	5.4 %
47	-	1	0.9 %
48	-	4	3.6 %
49	-	8	7.1 %
50	-	4	3.6 %
51	-	4	3.6 %
53	-	3	2.7 %
54	-	5	4.5 %
55	-	1	0.9 %
56	-	2	1.8 %
57	-	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	-	2	1.8 %
59	-	1	0.9 %
60	-	1	0.9 %
61	-	1	0.9 %
62	-	1	0.9 %
63	-	1	0.9 %
65	-	2	1.8 %
66	-	1	0.9 %
67	-	2	1.8 %
68	-	1	0.9 %
71	-	2	1.8 %
74	-	1	0.9 %
78	-	1	0.9 %
80	-	1	0.9 %
81	-	1	0.9 %
85	>= 85 years of age	1	0.9 %

DMDHRBRN HH Ref Person Country of Birth

Location: 181-183 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	103	92.0 %
2	Born in Mexico	4	3.6 %
3	Born Elsewhere	3	2.7 %
. (M)	-	2	1.8 %

DMDHREDU HH Ref Person Education Level

Location: 184-186 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	13	11.6 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	34	30.4 %
3	High School Grad/GED or equivalent	28	25.0 %
4	Some College or AA degree	27	24.1 %
5	College Graduate or above	8	7.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	1.8 %

DMDHRMAR HH Ref Person Marital Status

Location: 187-189 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	36	32.1 %
2	Widowed	8	7.1 %
3	Divorced	21	18.8 %
4	Separated	3	2.7 %
5	Never married	24	21.4 %
6	Living with partner	16	14.3 %
. (M)	-	4	3.6 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 190-192 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	6	5.4 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	7	6.2 %
3	High School Grad/GED or equivalent	9	8.0 %
4	Some College or AA degree	8	7.1 %
5	College Graduate or above	2	1.8 %
. (M)	-	80	71.4 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 193-206 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2288.729060	1	0.9 %
2437.667838	1	0.9 %
2739.889969	1	0.9 %
2762.075031	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3711.526698	1	0.9 %
6471.663716	1	0.9 %
6707.334483	1	0.9 %
8068.904156	1	0.9 %
8665.186448	1	0.9 %
8705.835037	1	0.9 %
9525.385495	1	0.9 %
9859.996659	1	0.9 %
10702.086695	1	0.9 %
10963.049941	1	0.9 %
11642.002252	1	0.9 %
12001.337545	1	0.9 %
12251.749466	1	0.9 %
13063.419843	1	0.9 %
13222.760619	1	0.9 %
13806.991490	1	0.9 %
14116.390604	2	1.8 %
15210.930280	1	0.9 %
16134.930364	2	1.8 %
16528.911853	2	1.8 %
16583.876269	1	0.9 %
16939.779577	1	0.9 %
16988.637820	1	0.9 %
16996.485233	1	0.9 %
17311.969136	1	0.9 %
17483.067233	1	0.9 %
19983.016925	2	1.8 %
20476.869977	1	0.9 %
20496.866919	3	2.7 %
20746.629025	1	0.9 %
22346.171157	1	0.9 %
22557.194331	1	0.9 %
22708.800405	1	0.9 %
23900.678028	2	1.8 %
24994.188301	1	0.9 %
25292.549797	1	0.9 %
25315.658286	1	0.9 %
25360.483750	1	0.9 %
26462.548929	1	0.9 %
27014.554231	3	2.7 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
27386.140686	1	0.9 %
27741.021207	1	0.9 %
29361.461081	1	0.9 %
29596.219089	1	0.9 %
30096.353510	1	0.9 %
30352.460099	1	0.9 %
30492.771071	1	0.9 %
31119.761140	1	0.9 %
31321.425178	3	2.7 %
32077.429143	1	0.9 %
33277.472523	2	1.8 %
34811.903623	1	0.9 %
36151.516537	1	0.9 %
36216.486414	1	0.9 %
36890.158715	1	0.9 %
38084.975514	1	0.9 %
38219.351636	1	0.9 %
39086.034406	1	0.9 %
39343.415943	1	0.9 %
40202.368312	1	0.9 %
41834.374302	1	0.9 %
42870.132151	1	0.9 %
46803.988433	1	0.9 %
54141.001708	1	0.9 %
55929.036846	1	0.9 %
57271.582744	1	0.9 %
57732.312649	1	0.9 %
61277.623411	1	0.9 %
61295.530718	1	0.9 %
61488.312831	1	0.9 %
62561.373311	1	0.9 %
63401.327465	1	0.9 %
63875.128023	1	0.9 %
66476.866610	1	0.9 %
67909.535079	1	0.9 %
71986.216831	1	0.9 %
72498.666421	1	0.9 %
73476.261940	1	0.9 %
73842.690834	1	0.9 %
75078.513396	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
77040.367162	1	0.9 %
80542.382909	1	0.9 %
81886.860068	1	0.9 %
85752.565414	1	0.9 %
86612.003957	1	0.9 %
89409.059744	1	0.9 %
89676.599523	1	0.9 %
92962.860762	1	0.9 %
93545.001858	1	0.9 %
93784.743419	1	0.9 %
102735.331319	1	0.9 %
103252.348565	1	0.9 %
103692.559252	2	1.8 %
107160.223026	1	0.9 %
172246.296955	1	0.9 %

WTINT4YR

Full Sample 4 Year Interview Weight

Location: 207-219 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1151.477506	1	0.9 %
1283.427212	1	0.9 %
1389.621569	1	0.9 %
1421.528515	1	0.9 %
1720.123420	1	0.9 %
3500.291458	1	0.9 %
3704.022146	1	0.9 %
4030.298262	1	0.9 %
4440.412226	1	0.9 %
4785.215734	1	0.9 %
5279.271338	1	0.9 %
5281.399006	1	0.9 %
5847.905604	1	0.9 %
5990.502882	1	0.9 %
6271.046267	1	0.9 %
6429.116406	1	0.9 %
6491.094274	1	0.9 %
7079.773307	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7138.201015	1	0.9 %
7386.613153	1	0.9 %
8065.406542	2	1.8 %
8851.075005	1	0.9 %
8860.119208	1	0.9 %
8946.119967	2	1.8 %
8968.849841	1	0.9 %
8974.956788	1	0.9 %
9218.700202	2	1.8 %
9283.044806	1	0.9 %
9414.388296	1	0.9 %
9891.201869	1	0.9 %
10393.790395	1	0.9 %
10760.576399	2	1.8 %
10955.212001	1	0.9 %
11039.874339	2	1.8 %
11699.469482	1	0.9 %
11710.894745	3	2.7 %
12409.110935	1	0.9 %
12649.831584	1	0.9 %
12767.495608	1	0.9 %
13467.091322	1	0.9 %
13656.267416	1	0.9 %
13820.987928	1	0.9 %
14280.441473	1	0.9 %
14460.328129	1	0.9 %
14464.113503	1	0.9 %
14712.812365	1	0.9 %
14742.336498	1	0.9 %
14938.153694	1	0.9 %
15383.352570	1	0.9 %
15434.778516	3	2.7 %
16224.572266	3	2.7 %
16906.873839	1	0.9 %
17341.892635	1	0.9 %
17572.096455	2	1.8 %
17780.290453	1	0.9 %
18054.086489	1	0.9 %
18434.202100	1	0.9 %
18726.571005	1	0.9 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
19728.107325	1	0.9 %
20317.526438	1	0.9 %
20379.982441	1	0.9 %
20580.588744	1	0.9 %
20729.301331	1	0.9 %
21113.686150	1	0.9 %
21670.304758	1	0.9 %
23388.193814	1	0.9 %
23426.170302	1	0.9 %
26335.808726	1	0.9 %
27948.027452	1	0.9 %
28188.795952	1	0.9 %
28895.902214	1	0.9 %
32630.434486	1	0.9 %
32704.829207	1	0.9 %
33868.116660	1	0.9 %
34091.158180	1	0.9 %
34320.211279	1	0.9 %
35846.794307	1	0.9 %
35888.015822	1	0.9 %
35987.801328	1	0.9 %
36227.956597	1	0.9 %
36341.638320	1	0.9 %
36380.490131	1	0.9 %
36949.847692	1	0.9 %
41721.144698	1	0.9 %
42417.587043	1	0.9 %
42835.594716	1	0.9 %
42850.998112	1	0.9 %
44084.895327	1	0.9 %
44913.416352	1	0.9 %
46314.104253	1	0.9 %
46452.690491	1	0.9 %
48154.981579	1	0.9 %
48456.532043	1	0.9 %
48580.718738	1	0.9 %
51337.373606	1	0.9 %
52181.809427	1	0.9 %
55509.248786	1	0.9 %
56134.824216	2	1.8 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
79213.209534	1	0.9 %

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 220-233 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 234-247 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 248-250 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	54	48.2 %
2	58	51.8 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 251-253 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	4	3.6 %
15	7	6.2 %
16	6	5.4 %
17	5	4.5 %
18	7	6.2 %
19	6	5.4 %
20	18	16.1 %
21	2	1.8 %
22	4	3.6 %
23	4	3.6 %
24	6	5.4 %
25	5	4.5 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	14	12.5 %
27	17	15.2 %
28	7	6.2 %