

ICPSR 25502

**National Health and Nutrition  
Examination Survey (NHANES),  
2001-2002**

*United States Department of Health and  
Human Services. Centers for Disease  
Control and Prevention. National Center  
for Health Statistics*

Codebook -- Questionnaire: Hospital Utilization

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR 25502**

# **National Health and Nutrition Examination Survey (NHANES), 2001-2002**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## National Health and Nutrition Examination Survey (NHANES), 2001-2002

### Questionnaire: Hospital Utilization

#### SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

#### HUQ010 General health condition

Location: 6-8 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {First/Next} I have some general questions about {your/SP's} health. Would you say {your/SP's} health in general is . . . English Instructions: CAPI INSTRUCTION: DISPLAY "FIRST" IF SP AGE IS >= 16 YEARS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Excellent,	3728	33.8 %
2	Very good,	2855	25.9 %
3	Good,	2902	26.3 %
4	Fair, or	1259	11.4 %
5	Poor?	290	2.6 %
7	Refused	3	0.0 %
9	Don't know	2	0.0 %

#### HUQ020 Health now compared with 1 year ago

Location: 9-11 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Compared with 12 months ago, would you say {your/SP's} health is now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Better,	1901	17.2 %
2	Worse, or	775	7.0 %
3	About the same?	7788	70.5 %
7	Refused	1	0.0 %
9	Don't know	4	0.0 %
. (M)	-	570	5.2 %

#### HUQ030 Routine place to go for healthcare

Location: 12-14 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Is there a place that {you/SP} usually {go/goes} when {you are/he/she is} sick or {you/ s/he} need{s} advice about {your/his/her} health? English Instructions:

- Study 25502 -

CAPI INSTRUCTION: IF SP AGE < 12, DISPLAY "YOU" IN THE FOURTH DISPLAY AND DON'T DISPLAY THE "S" IN THE FIFTH DISPLAY.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	9568	86.7 %
2	There is no place	1404	12.7 %
3	There is more than one place	67	0.6 %

**HUQ040 Type place most often go for healthcare**

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What kind of place {do you/does SP} go to most often: is it a clinic, doctor's office, emergency room, or some other place? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Clinic or health center	2698	24.4 %
2	Doctor's office or HMO	6400	58.0 %
3	Hospital emergency room	194	1.8 %
4	Hospital outpatient department	251	2.3 %
5	Some other place	90	0.8 %
9	Don't know	2	0.0 %
. (M)	-	1404	12.7 %

**HUQ050 #time receive healthcare over past year**

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {During the past 12 months, how/How} many times {have you/has SP} seen a doctor or other health care professional about {your/his/her} health at a doctor's office, a clinic, hospital emergency room, at home or some other place? Do not include times {you were/s/he was} hospitalized overnight. English Instructions: CAPI INSTRUCTION: DISPLAY "12 MONTHS" ONLY IF SP'S AGE IS >= 1.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	1641	14.9 %
1	1	2346	21.3 %
2	2 to 3	3259	29.5 %
3	4 to 9	2589	23.5 %
4	10 to 12	578	5.2 %
5	13 or more	618	5.6 %
99	Don't know	8	0.1 %

**HUQ060 How long since last healthcare visit**

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: About how long has it been since {you/SP} last saw or talked to a doctor or other health care professional about {your/his/her} health? Include doctors seen while {you were} {he/she was} a patient in a hospital. Has it been . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	6 months or less,	62	0.6 %
2	More than 6 months, but not more than 1 year ago,	76	0.7 %
3	More than 1 year, but not more than 3 years ago,	1033	9.4 %
4	More than 3 years, or	407	3.7 %
5	Never?	58	0.5 %
9	Don't know	5	0.0 %
. (M)	-	9398	85.1 %

**HUD070 Overnight hospital patient in last year**

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {During the past 12 months, were you/{Was/was} SP} a patient in a hospital overnight? Do not include an overnight stay in the emergency room. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1071	9.7 %
2	No	9967	90.3 %
9	Don't know	1	0.0 %

**HUQ080 #Times overnite hospital patient/last yr**

Location: 27-31 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: How many different times did {you/SP} stay in any hospital overnight or longer {during the past 12 months}? English Instructions: CAPI INSTRUCTION: DISPLAY "12 MONTHS" ONLY IF SP'S AGE IS >= 1. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	824	7.5 %
2	-	149	1.3 %
3	-	58	0.5 %
4	-	17	0.2 %
5	-	7	0.1 %
6	-	2	0.0 %
7	-	3	0.0 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
11	-	3	0.0 %
12	-	1	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99999	Don't know	1	0.0 %
. (M)	-	9968	90.3 %

**HUQ082 In long term care facility last 12 month**

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: During the past 12 months, {were you/was SP} a patient at a long term care or rehabilitation facility? Do not include residential facilities where health care was not provided. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	74	0.7 %
2	No	10394	94.2 %
9	Don't know	1	0.0 %
. (M)	-	570	5.2 %

**HUQ084 Total # of days in long term facility**

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: How many total days did {you/SP} stay in a long term care or rehabilitation facility? English Instructions: ENTER NUMBER

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	3	0.0 %
1	-	5	0.0 %
2	-	3	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	3	0.0 %
7	-	3	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
14	-	6	0.1 %
15	-	2	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
21	-	5	0.0 %
22	-	2	0.0 %
24	-	2	0.0 %
26	-	1	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	-	1	0.0 %
30	-	4	0.0 %
31	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
49	-	2	0.0 %
60	-	3	0.0 %
85	-	1	0.0 %
90	-	1	0.0 %
97	-	1	0.0 %
100	-	1	0.0 %
105	-	1	0.0 %
108	-	1	0.0 %
120	-	3	0.0 %
150	-	1	0.0 %
180	-	1	0.0 %
365	-	1	0.0 %
. (M)	-	10965	99.3 %

**HUQ086 Non SP HH member in care fac overnight**

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: During the past 12 months, has anyone in your household (not including yourself) been in an acute care hospital, long term care facility, or rehabilitation facility overnight? Do not include clinics or same day stays. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	423	3.8 %
2	No	10032	90.9 %
9	Don't know	14	0.1 %
. (M)	-	570	5.2 %

**HUQ088A Acute care facility**

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What was the type of facility? English Instructions: CODE ALL THAT APPLY

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Acute care facility	332	3.0 %
9	Don't know	1	0.0 %



- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	10706	97.0 %

**HUQ088B Long term care facility**

Location: 44-46 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What was the type of facility? English Instructions: CODE ALL THAT APPLY

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Long term care facility	35	0.3 %
. (M)	-	11004	99.7 %

**HUQ088C Rehabilitation facility**

Location: 47-49 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: What was the type of facility? English Instructions: CODE ALL THAT APPLY

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Rehabilitation facility	63	0.6 %
. (M)	-	10976	99.4 %

**HUQ090 Seen mental health professional /past yr**

Location: 50-52 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(4 Yrs. to 150 Yrs.) English Text: During the past 12 months, that is since {DISPLAY CURRENT MONTH} of {DISPLAY LAST YEAR}, {have you/has SP} seen or talked to a mental health professional such as a psychologist, psychiatrist, psychiatric nurse or clinical social worker about {your/his/her } health? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	744	6.7 %
2	No	8796	79.7 %
7	Refused	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	1496	13.6 %

**SDDSRVYR Data Release Number**

Location: 53-55 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	11039	100.0 %

**RIDSTATR Interview/Examination Status**

Location: 56-58 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	562	5.1 %
2	Both Interviewed and MEC examined	10477	94.9 %

**RIDEXMON Six month time period**

Location: 59-61 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	5168	46.8 %
2	May 1 through October 31	5309	48.1 %
. (M)	-	562	5.1 %

**RIAGENDR Gender**

Location: 62-64 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5331	48.3 %
2	Female	5708	51.7 %

**RIDAGEYR Age at Screening Adjudicated - Recode**

Location: 65-67 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	569	5.2 %
1	-	343	3.1 %
2	-	348	3.2 %
3	-	236	2.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	207	1.9 %
5	-	196	1.8 %
6	-	204	1.8 %
7	-	215	1.9 %
8	-	216	2.0 %
9	-	214	1.9 %
10	-	179	1.6 %
11	-	214	1.9 %
12	-	323	2.9 %
13	-	312	2.8 %
14	-	319	2.9 %
15	-	310	2.8 %
16	-	307	2.8 %
17	-	334	3.0 %
18	-	301	2.7 %
19	-	281	2.5 %
20	-	105	1.0 %
21	-	116	1.1 %
22	-	110	1.0 %
23	-	103	0.9 %
24	-	99	0.9 %
25	-	95	0.9 %
26	-	118	1.1 %
27	-	89	0.8 %
28	-	89	0.8 %
29	-	94	0.9 %
30	-	114	1.0 %
31	-	77	0.7 %
32	-	95	0.9 %
33	-	76	0.7 %
34	-	96	0.9 %
35	-	86	0.8 %
36	-	84	0.8 %
37	-	103	0.9 %
38	-	81	0.7 %
39	-	95	0.9 %
40	-	101	0.9 %
41	-	97	0.9 %
42	-	94	0.9 %
43	-	84	0.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	-	107	1.0 %
45	-	100	0.9 %
46	-	95	0.9 %
47	-	84	0.8 %
48	-	77	0.7 %
49	-	84	0.8 %
50	-	81	0.7 %
51	-	83	0.8 %
52	-	82	0.7 %
53	-	81	0.7 %
54	-	79	0.7 %
55	-	68	0.6 %
56	-	58	0.5 %
57	-	61	0.6 %
58	-	53	0.5 %
59	-	45	0.4 %
60	-	85	0.8 %
61	-	84	0.8 %
62	-	88	0.8 %
63	-	77	0.7 %
64	-	75	0.7 %
65	-	63	0.6 %
66	-	74	0.7 %
67	-	72	0.7 %
68	-	65	0.6 %
69	-	57	0.5 %
70	-	72	0.7 %
71	-	69	0.6 %
72	-	71	0.6 %
73	-	61	0.6 %
74	-	64	0.6 %
75	-	62	0.6 %
76	-	60	0.5 %
77	-	53	0.5 %
78	-	47	0.4 %
79	-	31	0.3 %
80	-	65	0.6 %
81	-	86	0.8 %
82	-	54	0.5 %
83	-	40	0.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
84	-	61	0.6 %
85	>= 85 years of age	236	2.1 %

**RIDAGEMN      Age in Months - Recode**

Location: 68-71 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

**RIDAGEEX      Exam Age in Months - Recode**

Location: 72-75 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

**RIDRETH1      Race/Ethnicity - Recode**

Location: 76-78 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2776	25.1 %
2	Other Hispanic	517	4.7 %
3	Non-Hispanic White	4606	41.7 %
4	Non-Hispanic Black	2681	24.3 %
5	Other Race - Including Multi-Racial	459	4.2 %

**RIDRETH2      Linked NH3 Race/Ethnicity - Recode**

Location: 79-81 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	4657	42.2 %
2	Non-Hispanic Black	2746	24.9 %
3	Mexican American	2776	25.1 %
4	Other Race - Including Multi-Racial	343	3.1 %
5	Other Hispanic	517	4.7 %

**DMQMILIT      Veteran/Military Status**

Location: 82-84 (width: 3; decimal: 0)  
 Variable Type: numeric

- Study 25502 -

Question:

Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	838	7.6 %
2	No	5480	49.6 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	4716	42.7 %

**DMDBORN**

**Country of Birth - Recode**

Location:

85-87 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	9408	85.2 %
2	Born in Mexico	993	9.0 %
3	Born Elsewhere	629	5.7 %
7	Refused	4	0.0 %
. (M)	-	5	0.0 %

**DMDCITZN**

**Citizenship Status**

Location:

88-90 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	9896	89.6 %
2	Not a citizen of the US	1128	10.2 %
7	Refused	10	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.0 %

**DMDYRSUS**

**Length of time in US**

Location:

91-93 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	155	1.4 %
2	1 yr., less than 5 yrs.	370	3.4 %
3	5 yrs., less than 10 yrs.	273	2.5 %
4	10 yrs., less than 15 yrs.	222	2.0 %
5	15 yrs., less than 20 yrs.	137	1.2 %
6	20 yrs., less than 30 yrs.	219	2.0 %
7	30 yrs., less than 40 yrs.	112	1.0 %
8	40 yrs., less than 50 yrs.	46	0.4 %
9	50 years or more	60	0.5 %
77	Refused	10	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.1 %
. (M)	-	9420	85.3 %

**DMDEDUC3**

**Education Level - Children/Youth 6-19**

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	260	2.4 %
1	1st Grade	224	2.0 %
2	2nd Grade	225	2.0 %
3	3rd Grade	199	1.8 %
4	4th Grade	194	1.8 %
5	5th Grade	246	2.2 %
6	6th Grade	328	3.0 %
7	7th Grade	297	2.7 %
8	8th Grade	351	3.2 %
9	9th Grade	327	3.0 %
10	10th Grade	324	2.9 %
11	11th Grade	319	2.9 %
12	12th Grade, No Diploma	50	0.5 %
13	High School Graduate	191	1.7 %
14	GED or Equivalent	20	0.2 %
15	More than high school	95	0.9 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	71	0.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	Don't know	2	0.0 %
. (M)	-	7310	66.2 %

**DMDEDUC2 Education Level - Adults 20+**

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	797	7.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	7.9 %
3	High School Grad/GED or Equivalent	1265	11.5 %
4	Some College or AA degree	1379	12.5 %
5	College Graduate or above	1079	9.8 %
7	Refused	5	0.0 %
9	Don't Know	12	0.1 %
. (M)	-	5632	51.0 %

**DMDEDUC Education - Recode (old version)**

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	5088	46.1 %
2	High School Diploma (including GED)	1476	13.4 %
3	More Than High School	2553	23.1 %
7	Refused	5	0.0 %
9	Don't know	14	0.1 %
. (M)	-	1903	17.2 %

**DMDSCHOL Now attending school?**

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2494	22.6 %



- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	On vacation from school (between grades)	594	5.4 %
3	Neither in school or on vacation from school	375	3.4 %
. (M)	-	7576	68.6 %

**DMDMARTL**

**Marital Status**

Location: 106-108 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	3088	28.0 %
2	Widowed	612	5.5 %
3	Divorced	456	4.1 %
4	Separated	170	1.5 %
5	Never married	2597	23.5 %
6	Living with partner	330	3.0 %
77	Refused	4	0.0 %
. (M)	-	3782	34.3 %

**DMDHHSIZ**

**Total number of people in the Household**

Location: 109-111 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	838	7.6 %
2	-	1944	17.6 %
3	-	1911	17.3 %
4	-	2441	22.1 %
5	-	1795	16.3 %
6	-	870	7.9 %
7	7 or more people in the household	1240	11.2 %

**INDHHINC**

**Annual Household Income**

Location: 112-114 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	268	2.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	\$ 5,000 to \$ 9,999	591	5.4 %
3	\$10,000 to \$14,999	854	7.7 %
4	\$15,000 to \$19,999	930	8.4 %
5	\$20,000 to \$24,999	824	7.5 %
6	\$25,000 to \$34,999	1244	11.3 %
7	\$35,000 to \$44,999	1017	9.2 %
8	\$45,000 to \$54,999	921	8.3 %
9	\$55,000 to \$64,999	722	6.5 %
10	\$65,000 to \$74,999	493	4.5 %
11	\$75,000 and Over	2096	19.0 %
12	Over \$20,000	11	0.1 %
13	Under \$20,000	8	0.1 %
77	Refused	12	0.1 %
99	Don't know	22	0.2 %
. (M)	-	1026	9.3 %

**INDFMINC**

**Annual Family Income**

Location: 115-117 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)  
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	562	5.1 %
2	\$ 5,000 to \$ 9,999	799	7.2 %
3	\$10,000 to \$14,999	1093	9.9 %
4	\$15,000 to \$19,999	1018	9.2 %
5	\$20,000 to \$24,999	964	8.7 %
6	\$25,000 to \$34,999	1195	10.8 %
7	\$35,000 to \$44,999	967	8.8 %
8	\$45,000 to \$54,999	832	7.5 %
9	\$55,000 to \$64,999	609	5.5 %
10	\$65,000 to \$74,999	462	4.2 %
11	\$75,000 and Over	1744	15.8 %
12	Over \$20,000	231	2.1 %
13	Under \$20,000	164	1.5 %
77	Refused	97	0.9 %
99	Don't know	109	1.0 %
. (M)	-	193	1.7 %

**INDFMPIR**

**Family PIR**

- Study 25502 -

Location: 118-122 (width: 5; decimal: 2)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

\* Frequencies not displayed for this variable.

**RIDEXPRG Pregnancy Status at Exam - Recode**

Location: 123-125 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	365	3.3 %
2	SP not pregnant at exam	2687	24.3 %
3	Cannot ascertain if SP is pregnant at exam	495	4.5 %
. (M)	-	7492	67.9 %

**RIDPREG Pregnancy Status - Recode (old version)**

Location: 126-128 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	394	3.6 %
2	SP not pregnant	2634	23.9 %
9	Cannot ascertain if SP is pregnant at exam	173	1.6 %
. (M)	-	7838	71.0 %

**DMDHRGND HH Ref Person Gender**

Location: 129-131 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	6224	56.4 %
2	Female	4813	43.6 %
. (M)	-	2	0.0 %

**DMDHRAGE HH Ref Person Age**

- Study 25502 -

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	56	0.5 %
19	-	110	1.0 %
20	-	137	1.2 %
21	-	111	1.0 %
22	-	149	1.3 %
23	-	152	1.4 %
24	-	169	1.5 %
25	-	210	1.9 %
26	-	218	2.0 %
27	-	167	1.5 %
28	-	211	1.9 %
29	-	214	1.9 %
30	-	367	3.3 %
31	-	249	2.3 %
32	-	271	2.5 %
33	-	292	2.6 %
34	-	286	2.6 %
35	-	306	2.8 %
36	-	315	2.9 %
37	-	361	3.3 %
38	-	273	2.5 %
39	-	320	2.9 %
40	-	329	3.0 %
41	-	315	2.9 %
42	-	276	2.5 %
43	-	268	2.4 %
44	-	341	3.1 %
45	-	313	2.8 %
46	-	265	2.4 %
47	-	180	1.6 %
48	-	218	2.0 %
49	-	191	1.7 %
50	-	196	1.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	-	193	1.7 %
52	-	152	1.4 %
53	-	140	1.3 %
54	-	171	1.5 %
55	-	115	1.0 %
56	-	95	0.9 %
57	-	74	0.7 %
58	-	97	0.9 %
59	-	87	0.8 %
60	-	78	0.7 %
61	-	92	0.8 %
62	-	117	1.1 %
63	-	91	0.8 %
64	-	93	0.8 %
65	-	81	0.7 %
66	-	90	0.8 %
67	-	89	0.8 %
68	-	93	0.8 %
69	-	54	0.5 %
70	-	76	0.7 %
71	-	78	0.7 %
72	-	64	0.6 %
73	-	68	0.6 %
74	-	82	0.7 %
75	-	75	0.7 %
76	-	74	0.7 %
77	-	58	0.5 %
78	-	48	0.4 %
79	-	39	0.4 %
80	-	72	0.7 %
81	-	81	0.7 %
82	-	48	0.4 %
83	-	35	0.3 %
84	-	63	0.6 %
85	>= 85 years of age	232	2.1 %
. (M)	-	2	0.0 %

**DMDHRBRN**

**HH Ref Person Country of Birth**

Location: 135-137 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?  
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	8052	72.9 %
2	Born in Mexico	1666	15.1 %
3	Born Elsewhere	966	8.8 %
7	Refused	3	0.0 %
. (M)	-	352	3.2 %

**DMDHREDU**

**HH Ref Person Education Level**

Location:

138-140 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON\_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1468	13.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	2082	18.9 %
3	High School Grad/GED or equivalent	2537	23.0 %
4	Some College or AA degree	2539	23.0 %
5	College Graduate or above	2009	18.2 %
7	Refused	7	0.1 %
9	Don't know	49	0.4 %
. (M)	-	348	3.2 %

**DMDHRMAR**

**HH Ref Person Marital Status**

Location:

141-143 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	6512	59.0 %
2	Widowed	758	6.9 %
3	Divorced	992	9.0 %
4	Separated	489	4.4 %
5	Never married	1363	12.3 %
6	Living with partner	434	3.9 %
77	Refused	30	0.3 %
99	Don't know	14	0.1 %
. (M)	-	447	4.0 %

**DMDHSEDU**

**HH Ref Person's Spouse Education Level**

- Study 25502 -

Location: 144-146 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	882	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	800	7.2 %
3	High School Grad/GED or equivalent	1394	12.6 %
4	Some College or AA degree	1537	13.9 %
5	College Graduate or above	1144	10.4 %
7	Refused	3	0.0 %
9	Don't know	22	0.2 %
. (M)	-	5257	47.6 %

**WTINT2YR Full Sample 2 Year Interview Weight**

Location: 147-160 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

**WTINT4YR Full Sample 4 Year Interview Weight**

Location: 161-173 (width: 13; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**WTMEC2YR Full Sample 2 Year MEC Exam Weight**

Location: 174-187 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

**WTMEC4YR Full Sample 4 Year MEC Exam Weight**

Location: 188-201 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**SDMVPSU Masked Variance Pseudo-PSU**

Location: 202-204 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5555	50.3 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	5484	49.7 %

**SDMVSTRA**

**Masked Variance Pseudo-Stratum**

Location: 205-207 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	705	6.4 %
15	781	7.1 %
16	776	7.0 %
17	824	7.5 %
18	682	6.2 %
19	815	7.4 %
20	760	6.9 %
21	691	6.3 %
22	707	6.4 %
23	810	7.3 %
24	703	6.4 %
25	688	6.2 %
26	788	7.1 %
27	713	6.5 %
28	596	5.4 %