

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Prostate
Conditions

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Prostate Conditions

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: M(20 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

KIQ081 Usually have trouble trying to urinate

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: M(40 Yrs. to 150 Yrs.) English Text: The next set of questions is about men's health including urinary and prostate problems. The prostate is a gland located just below the bladder. Do you usually have trouble starting to urinate (pass water)? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	134	5.6 %
2	No	1323	55.4 %
7	Refused	4	0.2 %
9	Don't know	8	0.3 %
. (M)	-	917	38.4 %

KIQ101 Bladder feels empty after urinating

Location: 9-11 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: M(40 Yrs. to 150 Yrs.) English Text: After urinating (passing water), does your bladder feel empty? English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1225	51.3 %
2	No	226	9.5 %
7	Refused	2	0.1 %
9	Don't know	15	0.6 %
. (M)	-	918	38.5 %

KIQ106 Diagnosed with prostate disease

Location: 12-14 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: M(20 Yrs. to 150 Yrs.) English Text: Have you ever been told by a doctor or health professional that you have any disease of the prostate? This includes an enlarged prostate. English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	288	12.1 %
2	No	1877	78.7 %
7	Refused	3	0.1 %
9	Don't know	7	0.3 %
. (M)	-	211	8.8 %

KIQ121 Diagnosed with enlarged prostate

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Have you ever been told by a doctor or health professional that you had an enlarged prostate gland? English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	259	10.9 %
2	No KIQ31	1200	50.3 %
7	Refused KIQ321	1	0.0 %
9	Don't know KIQ321	5	0.2 %
. (M)	-	921	38.6 %

KIQ141 Enlargement was BPH

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Was it a benign enlargement - that is, not cancerous, also called benign prostatic hypertrophy? English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	166	7.0 %
2	No KID18	88	3.7 %
7	Refused KID182	1	0.0 %
9	Don't know KID182	4	0.2 %
. (M)	-	2127	89.1 %

KIQ161 Age at first BPH diagnosis

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: How old were you when you were first told that you had benign enlargement of the prostate gland? English Instructions: VERBAL INSTRUCTIONS: Please enter an age.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	1	0.0 %
6	-	2	0.1 %
14	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
23	-	2	0.1 %
25	-	2	0.1 %
29	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	7	0.3 %
41	-	1	0.0 %
42	-	2	0.1 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	7	0.3 %
46	-	1	0.0 %
48	-	2	0.1 %
50	-	9	0.4 %
51	-	2	0.1 %
52	-	1	0.0 %
53	-	3	0.1 %
55	-	12	0.5 %
56	-	3	0.1 %
57	-	3	0.1 %
58	-	4	0.2 %
59	-	5	0.2 %
60	-	17	0.7 %
61	-	1	0.0 %
62	-	9	0.4 %
63	-	4	0.2 %
64	-	1	0.0 %
65	-	11	0.5 %
67	-	5	0.2 %
68	-	6	0.3 %
69	-	2	0.1 %
70	-	3	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	-	5	0.2 %
73	-	4	0.2 %
74	-	3	0.1 %
75	-	2	0.1 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	2	0.1 %
79	-	1	0.0 %
80	-	6	0.3 %
85	-	1	0.0 %
. (M)	-	2220	93.0 %

KID182 Enlargement due to cancer

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Was the enlargement due to cancer? English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	36	1.5 %
2	No	55	2.3 %
9	Don't know	2	0.1 %
. (M)	-	2293	96.1 %

KIQ321 Ever had a PSA test

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Have you ever had a blood test that your doctor told you was being used to check for prostate cancer, called PSA, or Prostate Specific Antigen? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	598	25.1 %
2	No	857	35.9 %
9	Don't know	8	0.3 %
. (M)	-	923	38.7 %

KIQ341 Ever had a rectal exam

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Have you ever had a rectal examination? A rectal exam is when a finger is inserted in the rectum or bottom to check for problems. English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1203	50.4 %
2	No KIQ400	257	10.8 %
7	Refused KIQ400	1	0.0 %
9	Don't know KIQ400	2	0.1 %
. (M)	-	923	38.7 %

KIQ361 DRE to check for prostate cancer

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Was this done to check for prostate cancer? English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	858	36.0 %
2	No	328	13.7 %
9	Don't know	17	0.7 %
. (M)	-	1183	49.6 %

KIQ381 DRE to check for blood in stool

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(40 Yrs. to 150 Yrs.) English Text: Was this done to check for blood in the stool? English Instructions: VERBAL INSTRUCTIONS: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	503	21.1 %
2	No	678	28.4 %
9	Don't know	22	0.9 %
. (M)	-	1183	49.6 %

KIQ400 Ability to maintain an erection

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(20 Yrs. to 150 Yrs.) English Text: Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are... English Instructions: VERBAL INSTRUCTIONS: Always able or almost always able to get and keep an erection, usually able to get and keep an erection, sometimes able to get and keep an erection, never able to get and keep an erection?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Always or almost always able	1145	48.0 %
2	Usually able	399	16.7 %
3	Sometimes able	345	14.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Never able	237	9.9 %
7	Refused	18	0.8 %
9	Don't know	28	1.2 %
. (M)	-	214	9.0 %

SDDSRVYR Data Release Number

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	2386	100.0 %

RIDSTATR Interview/Examination Status

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	2386	100.0 %

RIDEXMON Six month time period

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	1133	47.5 %
2	May 1 through October 31	1253	52.5 %

RIAGENDR Gender

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2386	100.0 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	43	1.8 %
21	-	49	2.1 %
22	-	42	1.8 %
23	-	38	1.6 %
24	-	45	1.9 %
25	-	37	1.6 %
26	-	47	2.0 %
27	-	35	1.5 %
28	-	35	1.5 %
29	-	34	1.4 %
30	-	40	1.7 %
31	-	27	1.1 %
32	-	40	1.7 %
33	-	31	1.3 %
34	-	43	1.8 %
35	-	28	1.2 %
36	-	35	1.5 %
37	-	49	2.1 %
38	-	37	1.6 %
39	-	50	2.1 %
40	-	50	2.1 %
41	-	44	1.8 %
42	-	47	2.0 %
43	-	39	1.6 %
44	-	53	2.2 %
45	-	53	2.2 %
46	-	53	2.2 %
47	-	41	1.7 %
48	-	32	1.3 %
49	-	43	1.8 %
50	-	41	1.7 %
51	-	43	1.8 %
52	-	37	1.6 %
53	-	48	2.0 %
54	-	37	1.6 %
55	-	35	1.5 %
56	-	27	1.1 %
57	-	28	1.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	-	24	1.0 %
59	-	24	1.0 %
60	-	38	1.6 %
61	-	33	1.4 %
62	-	45	1.9 %
63	-	32	1.3 %
64	-	39	1.6 %
65	-	30	1.3 %
66	-	32	1.3 %
67	-	28	1.2 %
68	-	33	1.4 %
69	-	25	1.0 %
70	-	37	1.6 %
71	-	32	1.3 %
72	-	36	1.5 %
73	-	28	1.2 %
74	-	30	1.3 %
75	-	35	1.5 %
76	-	30	1.3 %
77	-	21	0.9 %
78	-	18	0.8 %
79	-	12	0.5 %
80	-	27	1.1 %
81	-	31	1.3 %
82	-	20	0.8 %
83	-	15	0.6 %
84	-	19	0.8 %
85	>= 85 years of age	76	3.2 %

RIDAGEMN Age in Months - Recode

Location: 57-60 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 61-64 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

- Study 25502 -

Location: 65-67 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	514	21.5 %
2	Other Hispanic	97	4.1 %
3	Non-Hispanic White	1246	52.2 %
4	Non-Hispanic Black	462	19.4 %
5	Other Race - Including Multi-Racial	67	2.8 %

RIDRETH2 **Linked NH3 Race/Ethnicity - Recode**

Location: 68-70 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	1254	52.6 %
2	Non-Hispanic Black	466	19.5 %
3	Mexican American	514	21.5 %
4	Other Race - Including Multi-Racial	55	2.3 %
5	Other Hispanic	97	4.1 %

DMQMILIT **Veteran/Military Status**

Location: 71-73 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	738	30.9 %
2	No	1648	69.1 %

DMDBORN **Country of Birth - Recode**

Location: 74-76 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	1872	78.5 %
2	Born in Mexico	330	13.8 %
3	Born Elsewhere	184	7.7 %

- Study 25502 -

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	374	15.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	383	16.1 %
3	High School Grad/GED or Equivalent	554	23.2 %
4	Some College or AA degree	560	23.5 %
5	College Graduate or above	511	21.4 %
9	Don't Know	4	0.2 %

DMDEDUC Education - Recode (old version)

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	757	31.7 %
2	High School Diploma (including GED)	554	23.2 %
3	More Than High School	1071	44.9 %
9	Don't know	4	0.2 %

DMDSCHOL Now attending school?

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2386	100.0 %

DMDMARTL Marital Status

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	1474	61.8 %
2	Widowed	116	4.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Divorced	181	7.6 %
4	Separated	58	2.4 %
5	Never married	413	17.3 %
6	Living with partner	143	6.0 %
77	Refused	1	0.0 %

DMDHHSIZ Total number of people in the Household

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	299	12.5 %
2	-	799	33.5 %
3	-	425	17.8 %
4	-	369	15.5 %
5	-	225	9.4 %
6	-	89	3.7 %
7	7 or more people in the household	180	7.5 %

INDHHINC Annual Household Income

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	28	1.2 %
2	\$ 5,000 to \$ 9,999	114	4.8 %
3	\$10,000 to \$14,999	157	6.6 %
4	\$15,000 to \$19,999	179	7.5 %
5	\$20,000 to \$24,999	167	7.0 %
6	\$25,000 to \$34,999	300	12.6 %
7	\$35,000 to \$44,999	240	10.1 %
8	\$45,000 to \$54,999	237	9.9 %
9	\$55,000 to \$64,999	168	7.0 %
10	\$65,000 to \$74,999	107	4.5 %
11	\$75,000 and Over	492	20.6 %
13	Under \$20,000	1	0.0 %
77	Refused	2	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	Don't know	1	0.0 %
. (M)	-	193	8.1 %

INDFMINC Annual Family Income

Location: 104-106 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	70	2.9 %
2	\$ 5,000 to \$ 9,999	154	6.5 %
3	\$10,000 to \$14,999	222	9.3 %
4	\$15,000 to \$19,999	196	8.2 %
5	\$20,000 to \$24,999	203	8.5 %
6	\$25,000 to \$34,999	288	12.1 %
7	\$35,000 to \$44,999	232	9.7 %
8	\$45,000 to \$54,999	208	8.7 %
9	\$55,000 to \$64,999	145	6.1 %
10	\$65,000 to \$74,999	105	4.4 %
11	\$75,000 and Over	415	17.4 %
12	Over \$20,000	61	2.6 %
13	Under \$20,000	27	1.1 %
77	Refused	17	0.7 %
99	Don't know	14	0.6 %
. (M)	-	29	1.2 %

INDFMPIR Family PIR

Location: 107-111 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 112-114 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2386	100.0 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2386	100.0 %

DMDHRGND HH Ref Person Gender

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1833	76.8 %
2	Female	553	23.2 %

DMDHRAGE HH Ref Person Age

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	4	0.2 %
19	-	8	0.3 %
20	-	16	0.7 %
21	-	17	0.7 %
22	-	27	1.1 %
23	-	29	1.2 %
24	-	26	1.1 %
25	-	38	1.6 %
26	-	41	1.7 %
27	-	26	1.1 %
28	-	21	0.9 %
29	-	29	1.2 %
30	-	51	2.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	-	26	1.1 %
32	-	33	1.4 %
33	-	41	1.7 %
34	-	43	1.8 %
35	-	34	1.4 %
36	-	33	1.4 %
37	-	50	2.1 %
38	-	41	1.7 %
39	-	51	2.1 %
40	-	57	2.4 %
41	-	47	2.0 %
42	-	49	2.1 %
43	-	44	1.8 %
44	-	62	2.6 %
45	-	58	2.4 %
46	-	52	2.2 %
47	-	41	1.7 %
48	-	38	1.6 %
49	-	37	1.6 %
50	-	44	1.8 %
51	-	57	2.4 %
52	-	41	1.7 %
53	-	53	2.2 %
54	-	56	2.3 %
55	-	41	1.7 %
56	-	28	1.2 %
57	-	29	1.2 %
58	-	39	1.6 %
59	-	25	1.0 %
60	-	36	1.5 %
61	-	36	1.5 %
62	-	46	1.9 %
63	-	30	1.3 %
64	-	36	1.5 %
65	-	28	1.2 %
66	-	32	1.3 %
67	-	33	1.4 %
68	-	34	1.4 %
69	-	25	1.0 %
70	-	33	1.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
71	-	32	1.3 %
72	-	35	1.5 %
73	-	26	1.1 %
74	-	37	1.6 %
75	-	32	1.3 %
76	-	32	1.3 %
77	-	21	0.9 %
78	-	18	0.8 %
79	-	13	0.5 %
80	-	27	1.1 %
81	-	26	1.1 %
82	-	22	0.9 %
83	-	13	0.5 %
84	-	21	0.9 %
85	>= 85 years of age	79	3.3 %

DMDHRBRN HH Ref Person Country of Birth

Location: 124-126 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	1837	77.0 %
2	Born in Mexico	325	13.6 %
3	Born Elsewhere	182	7.6 %
. (M)	-	42	1.8 %

DMDHREDU HH Ref Person Education Level

Location: 127-129 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	358	15.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	368	15.4 %
3	High School Grad/GED or equivalent	534	22.4 %
4	Some College or AA degree	567	23.8 %
5	College Graduate or above	512	21.5 %
7	Refused	1	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	Don't know	4	0.2 %
. (M)	-	42	1.8 %

DMDHRMAR HH Ref Person Marital Status

Location: 130-132 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English
 Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	1539	64.5 %
2	Widowed	155	6.5 %
3	Divorced	187	7.8 %
4	Separated	68	2.8 %
5	Never married	267	11.2 %
6	Living with partner	137	5.7 %
77	Refused	1	0.0 %
99	Don't know	1	0.0 %
. (M)	-	31	1.3 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 133-135 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English
 Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	201	8.4 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	179	7.5 %
3	High School Grad/GED or equivalent	317	13.3 %
4	Some College or AA degree	344	14.4 %
5	College Graduate or above	281	11.8 %
9	Don't know	1	0.0 %
. (M)	-	1063	44.6 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 136-149 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 150-162 (width: 13; decimal: 6)

- Study 25502 -

Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 163-176 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 177-190 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 191-193 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1182	49.5 %
2	1204	50.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 194-196 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	140	5.9 %
15	183	7.7 %
16	147	6.2 %
17	181	7.6 %
18	152	6.4 %
19	180	7.5 %
20	156	6.5 %
21	160	6.7 %
22	176	7.4 %
23	219	9.2 %
24	132	5.5 %
25	145	6.1 %
26	148	6.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	164	6.9 %
28	103	4.3 %