

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Respiratory Health
and Disease

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Respiratory Health and Disease

SEQN	Respondent sequence number
-------------	-----------------------------------

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(1 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

RDD030	Coughing most days - over 3 mo period
---------------	--

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} usually cough on most days for 3 consecutive months or more during the year? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	527	5.0 %
2	No	7365	70.3 %
7	Refused	2	0.0 %
9	Don't know	3	0.0 %
. (M)	-	2573	24.6 %

RDD040	# years had cough problem
---------------	----------------------------------

Location: 9-13 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: For how many years {have you/has SP} had this cough? English Instructions: ENTER NUMBER OF YEARS. IF LESS THAN 1 YEAR, ENTER 1; IF 70 OR MORE YEARS ENTER 70

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	113	1.1 %
2	-	65	0.6 %
3	-	44	0.4 %
4	-	29	0.3 %
5	-	34	0.3 %
6	-	15	0.1 %
7	-	16	0.2 %
8	-	7	0.1 %
9	-	5	0.0 %
10	-	56	0.5 %
12	-	8	0.1 %
13	-	5	0.0 %
14	-	7	0.1 %
15	-	13	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	1	0.0 %
17	-	1	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
20	-	27	0.3 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	6	0.1 %
30	-	14	0.1 %
31	-	1	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	6	0.1 %
41	-	2	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
50	-	5	0.0 %
51	-	1	0.0 %
58	-	1	0.0 %
60	-	2	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
70	70 to 150	6	0.1 %
99999	Don't know	15	0.1 %
. (M)	-	9943	95.0 %

RDQ050 Bring up phlegm most days - 3 mo period

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: {Do you/Does SP} bring up phlegm on most days for 3 consecutive months or more during the year? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	523	5.0 %
2	No	7368	70.4 %
7	Refused	2	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	Don't know	3	0.0 %
. (M)	-	2574	24.6 %

RDD060 # years bringing up phlegm problem

Location: 17-21 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: For how many years, {have you/has SP} had trouble with phlegm? English Instructions: ENTER NUMBER OF YEARS. IF LESS THAN 1 YEAR, ENTER 1; IF 70 OR MORE YEARS ENTER 70

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	94	0.9 %
2	-	68	0.6 %
3	-	43	0.4 %
4	-	27	0.3 %
5	-	43	0.4 %
6	-	18	0.2 %
7	-	17	0.2 %
8	-	6	0.1 %
9	-	5	0.0 %
10	-	47	0.4 %
12	-	11	0.1 %
13	-	4	0.0 %
14	-	5	0.0 %
15	-	16	0.2 %
17	-	2	0.0 %
18	-	4	0.0 %
19	-	6	0.1 %
20	-	23	0.2 %
21	-	3	0.0 %
23	-	1	0.0 %
25	-	5	0.0 %
27	-	2	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	14	0.1 %
34	-	1	0.0 %
35	-	5	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	9	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	-	1	0.0 %
43	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	4	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
58	-	1	0.0 %
60	-	2	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
70	70 to 150	6	0.1 %
99999	Don't know	15	0.1 %
. (M)	-	9947	95.0 %

RDQ070 Wheezing or whistling in chest - past yr

Location: 22-24 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: In the past 12 months {have you/has SP} had wheezing or whistling in {your/his/her} chest? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1365	13.0 %
2	No	9094	86.9 %
7	Refused	2	0.0 %
9	Don't know	6	0.1 %
. (M)	-	3	0.0 %

RDQ080 # wheezing/whistling attacks past year

Location: 25-28 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: [In the past 12 months], how many attacks of wheezing or whistling {have you/has SP} had? English Instructions: IF 12 OR MORE EPISODES, ENTER 12; ENTER NUMBER OF EPISODES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	373	3.6 %
2	-	262	2.5 %
3	-	179	1.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	80	0.8 %
5	-	67	0.6 %
6	-	53	0.5 %
7	-	15	0.1 %
8	-	8	0.1 %
9	-	5	0.0 %
10	-	23	0.2 %
11	-	3	0.0 %
12	-	262	2.5 %
9999	Don't know	35	0.3 %
. (M)	-	9105	87.0 %

RDQ090 Wheezing disturb sleep in past year

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: [In the past 12 months], how often, on average, has {your/SP's} sleep been disturbed because of wheezing? Would you say this happens . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never,	665	6.4 %
1	1 or more nights per week, or	304	2.9 %
2	Less than 1 night per week?	389	3.7 %
9	Don't know	7	0.1 %
. (M)	-	9105	87.0 %

RDQ100 Chest sound wheezy during exercise

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: [In the past 12 months], has {your/SP's} chest sounded wheezy during or after exercise or physical activity? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	603	5.8 %
2	No	747	7.1 %
9	Don't know	15	0.1 %
. (M)	-	9105	87.0 %

RDD120 Got medical attentn for wheezing attack

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(1 Yrs. to 150 Yrs.) English Text: [In the past 12 months], how many times {have you/has SP} gone to the doctor's office or the hospital emergency room for one or more of these attacks of wheezing or whistling? English Instructions: ENTER NUMBER. IF NEVER, ENTER 0;IF 20 OR MORE MONTHS ENTER 20.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	430	4.1 %
1	-	197	1.9 %
2	-	164	1.6 %
3	-	54	0.5 %
4	-	31	0.3 %
5	-	14	0.1 %
6	-	15	0.1 %
7	-	4	0.0 %
8	-	4	0.0 %
9	-	3	0.0 %
10	-	4	0.0 %
12	-	9	0.1 %
13	-	1	0.0 %
15	-	3	0.0 %
18	-	1	0.0 %
20	20 to 150	6	0.1 %
. (M)	-	9530	91.0 %

RDD134 Doctor prescribe wheezing medication

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: (In the past 12 months), (have you/has SP) taken medication, perscribed by a doctor, for wheezing or whistling? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	625	6.0 %
2	No	315	3.0 %
9	Don't know	1	0.0 %
. (M)	-	9529	91.0 %

RDQ135 Limit usual activities due to wheezing

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: During the past 12 months, how much did {you/SP} limit {your/his/her} usual activities due to wheezing or whistling? Would you say... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not at all,	473	4.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	A little,	252	2.4 %
3	A fair amount,	96	0.9 %
4	A moderate amount, or	50	0.5 %
5	A lot?	69	0.7 %
9	Don't know	1	0.0 %
. (M)	-	9529	91.0 %

RDQ137 Miss work or school due to wheezing

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 69 Yrs.) English Text: During the past 12 months, how many days of work or school did {you/SP} miss due to wheezing or whistling? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	None	476	4.5 %
1	1 to 7	159	1.5 %
2	8 to 30	36	0.3 %
3	31 plus	11	0.1 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	9786	93.5 %

RDQ140 Had dry cough at night in past year

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 150 Yrs.) English Text: [In the past 12 months], {have you/has SP} had a dry cough at night not counting a cough associated with a cold or chest infection lasting 14 days or more? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	400	3.8 %
2	No	10059	96.1 %
7	Refused	2	0.0 %
9	Don't know	6	0.1 %
. (M)	-	3	0.0 %

SDDSRVYR Data Release Number

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	10470	100.0 %

RIDSTATR Interview/Examination Status

Location: 53-55 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	541	5.2 %
2	Both Interviewed and MEC examined	9929	94.8 %

RIDEXMON Six month time period

Location: 56-58 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	4889	46.7 %
2	May 1 through October 31	5040	48.1 %
. (M)	-	541	5.2 %

RIAGENDR Gender

Location: 59-61 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5051	48.2 %
2	Female	5419	51.8 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 62-64 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	343	3.3 %
2	-	348	3.3 %
3	-	236	2.3 %
4	-	207	2.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	196	1.9 %
6	-	204	1.9 %
7	-	215	2.1 %
8	-	216	2.1 %
9	-	214	2.0 %
10	-	179	1.7 %
11	-	214	2.0 %
12	-	323	3.1 %
13	-	312	3.0 %
14	-	319	3.0 %
15	-	310	3.0 %
16	-	307	2.9 %
17	-	334	3.2 %
18	-	301	2.9 %
19	-	281	2.7 %
20	-	105	1.0 %
21	-	116	1.1 %
22	-	110	1.1 %
23	-	103	1.0 %
24	-	99	0.9 %
25	-	95	0.9 %
26	-	118	1.1 %
27	-	89	0.9 %
28	-	89	0.9 %
29	-	94	0.9 %
30	-	114	1.1 %
31	-	77	0.7 %
32	-	95	0.9 %
33	-	76	0.7 %
34	-	96	0.9 %
35	-	86	0.8 %
36	-	84	0.8 %
37	-	103	1.0 %
38	-	81	0.8 %
39	-	95	0.9 %
40	-	101	1.0 %
41	-	97	0.9 %
42	-	94	0.9 %
43	-	84	0.8 %
44	-	107	1.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	-	100	1.0 %
46	-	95	0.9 %
47	-	84	0.8 %
48	-	77	0.7 %
49	-	84	0.8 %
50	-	81	0.8 %
51	-	83	0.8 %
52	-	82	0.8 %
53	-	81	0.8 %
54	-	79	0.8 %
55	-	68	0.6 %
56	-	58	0.6 %
57	-	61	0.6 %
58	-	53	0.5 %
59	-	45	0.4 %
60	-	85	0.8 %
61	-	84	0.8 %
62	-	88	0.8 %
63	-	77	0.7 %
64	-	75	0.7 %
65	-	63	0.6 %
66	-	74	0.7 %
67	-	72	0.7 %
68	-	65	0.6 %
69	-	57	0.5 %
70	-	72	0.7 %
71	-	69	0.7 %
72	-	71	0.7 %
73	-	61	0.6 %
74	-	64	0.6 %
75	-	62	0.6 %
76	-	60	0.6 %
77	-	53	0.5 %
78	-	47	0.4 %
79	-	31	0.3 %
80	-	65	0.6 %
81	-	86	0.8 %
82	-	54	0.5 %
83	-	40	0.4 %
84	-	61	0.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
85	>= 85 years of age	236	2.3 %

RIDAGEMN Age in Months - Recode

Location: 65-68 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 69-72 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 73-75 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2593	24.8 %
2	Other Hispanic	488	4.7 %
3	Non-Hispanic White	4405	42.1 %
4	Non-Hispanic Black	2567	24.5 %
5	Other Race - Including Multi-Racial	417	4.0 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 76-78 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	4451	42.5 %
2	Non-Hispanic Black	2625	25.1 %
3	Mexican American	2593	24.8 %
4	Other Race - Including Multi-Racial	313	3.0 %
5	Other Hispanic	488	4.7 %

DMQMILIT Veteran/Military Status

Location: 79-81 (width: 3; decimal: 0)
 Variable Type: numeric

- Study 25502 -

Question:

Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	838	8.0 %
2	No	5480	52.3 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	4147	39.6 %

DMDBORN

Country of Birth - Recode

Location:

82-84 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	8842	84.5 %
2	Born in Mexico	993	9.5 %
3	Born Elsewhere	626	6.0 %
7	Refused	4	0.0 %
. (M)	-	5	0.0 %

DMDCITZN

Citizenship Status

Location:

85-87 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	9328	89.1 %
2	Not a citizen of the US	1127	10.8 %
7	Refused	10	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.0 %

DMDYRSUS

Length of time in US

Location:

88-90 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	152	1.5 %
2	1 yr., less than 5 yrs.	370	3.5 %
3	5 yrs., less than 10 yrs.	273	2.6 %
4	10 yrs., less than 15 yrs.	222	2.1 %
5	15 yrs., less than 20 yrs.	137	1.3 %
6	20 yrs., less than 30 yrs.	219	2.1 %
7	30 yrs., less than 40 yrs.	112	1.1 %
8	40 yrs., less than 50 yrs.	46	0.4 %
9	50 years or more	60	0.6 %
77	Refused	10	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.1 %
. (M)	-	8854	84.6 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	260	2.5 %
1	1st Grade	224	2.1 %
2	2nd Grade	225	2.1 %
3	3rd Grade	199	1.9 %
4	4th Grade	194	1.9 %
5	5th Grade	246	2.3 %
6	6th Grade	328	3.1 %
7	7th Grade	297	2.8 %
8	8th Grade	351	3.4 %
9	9th Grade	327	3.1 %
10	10th Grade	324	3.1 %
11	11th Grade	319	3.0 %
12	12th Grade, No Diploma	50	0.5 %
13	High School Graduate	191	1.8 %
14	GED or Equivalent	20	0.2 %
15	More than high school	95	0.9 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	71	0.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	Don't know	2	0.0 %
. (M)	-	6741	64.4 %

DMDEDUC2 Education Level - Adults 20+

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	797	7.6 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	8.3 %
3	High School Grad/GED or Equivalent	1265	12.1 %
4	Some College or AA degree	1379	13.2 %
5	College Graduate or above	1079	10.3 %
7	Refused	5	0.0 %
9	Don't Know	12	0.1 %
. (M)	-	5063	48.4 %

DMDEDUC Education - Recode (old version)

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	5088	48.6 %
2	High School Diploma (including GED)	1476	14.1 %
3	More Than High School	2553	24.4 %
7	Refused	5	0.0 %
9	Don't know	14	0.1 %
. (M)	-	1334	12.7 %

DMDSCHOL Now attending school?

Location: 100-102 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2494	23.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	On vacation from school (between grades)	594	5.7 %
3	Neither in school or on vacation from school	375	3.6 %
. (M)	-	7007	66.9 %

DMDMARTL

Marital Status

Location: 103-105 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	3088	29.5 %
2	Widowed	612	5.8 %
3	Divorced	456	4.4 %
4	Separated	170	1.6 %
5	Never married	2597	24.8 %
6	Living with partner	330	3.2 %
77	Refused	4	0.0 %
. (M)	-	3213	30.7 %

DMDHHSIZ

Total number of people in the Household

Location: 106-108 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	838	8.0 %
2	-	1930	18.4 %
3	-	1782	17.0 %
4	-	2285	21.8 %
5	-	1667	15.9 %
6	-	808	7.7 %
7	7 or more people in the household	1160	11.1 %

INDHHINC

Annual Household Income

Location: 109-111 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	248	2.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	\$ 5,000 to \$ 9,999	552	5.3 %
3	\$10,000 to \$14,999	800	7.6 %
4	\$15,000 to \$19,999	877	8.4 %
5	\$20,000 to \$24,999	790	7.5 %
6	\$25,000 to \$34,999	1178	11.3 %
7	\$35,000 to \$44,999	976	9.3 %
8	\$45,000 to \$54,999	874	8.3 %
9	\$55,000 to \$64,999	684	6.5 %
10	\$65,000 to \$74,999	467	4.5 %
11	\$75,000 and Over	2005	19.1 %
12	Over \$20,000	11	0.1 %
13	Under \$20,000	8	0.1 %
77	Refused	11	0.1 %
99	Don't know	18	0.2 %
. (M)	-	971	9.3 %

INDFMINC

Annual Family Income

Location: 112-114 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	512	4.9 %
2	\$ 5,000 to \$ 9,999	747	7.1 %
3	\$10,000 to \$14,999	1025	9.8 %
4	\$15,000 to \$19,999	954	9.1 %
5	\$20,000 to \$24,999	917	8.8 %
6	\$25,000 to \$34,999	1130	10.8 %
7	\$35,000 to \$44,999	941	9.0 %
8	\$45,000 to \$54,999	797	7.6 %
9	\$55,000 to \$64,999	585	5.6 %
10	\$65,000 to \$74,999	435	4.2 %
11	\$75,000 and Over	1672	16.0 %
12	Over \$20,000	227	2.2 %
13	Under \$20,000	147	1.4 %
77	Refused	95	0.9 %
99	Don't know	101	1.0 %
. (M)	-	185	1.8 %

INDFMPIR

Family PIR

- Study 25502 -

Location: 115-119 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 120-122 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	365	3.5 %
2	SP not pregnant at exam	2687	25.7 %
3	Cannot ascertain if SP is pregnant at exam	495	4.7 %
. (M)	-	6923	66.1 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 123-125 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	394	3.8 %
2	SP not pregnant	2634	25.2 %
9	Cannot ascertain if SP is pregnant at exam	173	1.7 %
. (M)	-	7269	69.4 %

DMDHRGND HH Ref Person Gender

Location: 126-128 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5898	56.3 %
2	Female	4570	43.6 %
. (M)	-	2	0.0 %

DMDHRAGE HH Ref Person Age

- Study 25502 -

Location: 129-131 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	53	0.5 %
19	-	103	1.0 %
20	-	119	1.1 %
21	-	93	0.9 %
22	-	129	1.2 %
23	-	128	1.2 %
24	-	135	1.3 %
25	-	180	1.7 %
26	-	192	1.8 %
27	-	151	1.4 %
28	-	183	1.7 %
29	-	186	1.8 %
30	-	331	3.2 %
31	-	221	2.1 %
32	-	244	2.3 %
33	-	273	2.6 %
34	-	268	2.6 %
35	-	286	2.7 %
36	-	296	2.8 %
37	-	346	3.3 %
38	-	262	2.5 %
39	-	301	2.9 %
40	-	318	3.0 %
41	-	306	2.9 %
42	-	267	2.6 %
43	-	259	2.5 %
44	-	335	3.2 %
45	-	306	2.9 %
46	-	259	2.5 %
47	-	176	1.7 %
48	-	215	2.1 %
49	-	189	1.8 %
50	-	191	1.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	-	189	1.8 %
52	-	149	1.4 %
53	-	138	1.3 %
54	-	170	1.6 %
55	-	111	1.1 %
56	-	94	0.9 %
57	-	74	0.7 %
58	-	96	0.9 %
59	-	86	0.8 %
60	-	77	0.7 %
61	-	91	0.9 %
62	-	115	1.1 %
63	-	91	0.9 %
64	-	91	0.9 %
65	-	80	0.8 %
66	-	90	0.9 %
67	-	87	0.8 %
68	-	92	0.9 %
69	-	54	0.5 %
70	-	76	0.7 %
71	-	76	0.7 %
72	-	64	0.6 %
73	-	67	0.6 %
74	-	80	0.8 %
75	-	75	0.7 %
76	-	74	0.7 %
77	-	58	0.6 %
78	-	48	0.5 %
79	-	39	0.4 %
80	-	72	0.7 %
81	-	81	0.8 %
82	-	48	0.5 %
83	-	35	0.3 %
84	-	63	0.6 %
85	>= 85 years of age	231	2.2 %
. (M)	-	2	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	7672	73.3 %
2	Born in Mexico	1544	14.7 %
3	Born Elsewhere	912	8.7 %
7	Refused	3	0.0 %
. (M)	-	339	3.2 %

DMDHREDU

HH Ref Person Education Level

Location:

135-137 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1401	13.4 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	1954	18.7 %
3	High School Grad/GED or equivalent	2396	22.9 %
4	Some College or AA degree	2425	23.2 %
5	College Graduate or above	1907	18.2 %
7	Refused	7	0.1 %
9	Don't know	45	0.4 %
. (M)	-	335	3.2 %

DMDHRMAR

HH Ref Person Marital Status

Location:

138-140 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	6143	58.7 %
2	Widowed	750	7.2 %
3	Divorced	964	9.2 %
4	Separated	474	4.5 %
5	Never married	1298	12.4 %
6	Living with partner	410	3.9 %
77	Refused	30	0.3 %
99	Don't know	13	0.1 %
. (M)	-	388	3.7 %

DMDHSEDU

HH Ref Person's Spouse Education Level

- Study 25502 -

Location: 141-143 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	838	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	751	7.2 %
3	High School Grad/GED or equivalent	1299	12.4 %
4	Some College or AA degree	1449	13.8 %
5	College Graduate or above	1072	10.2 %
7	Refused	3	0.0 %
9	Don't know	22	0.2 %
. (M)	-	5036	48.1 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 144-157 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 158-170 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 171-184 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 185-198 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 199-201 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5259	50.2 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	5211	49.8 %

SDMVSTRA

Masked Variance Pseudo-Stratum

Location: 202-204 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	675	6.4 %
15	743	7.1 %
16	730	7.0 %
17	778	7.4 %
18	645	6.2 %
19	764	7.3 %
20	729	7.0 %
21	652	6.2 %
22	679	6.5 %
23	778	7.4 %
24	679	6.5 %
25	635	6.1 %
26	744	7.1 %
27	689	6.6 %
28	550	5.3 %