

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Sexual Behavior

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Sexual Behavior

SEQN	Respondent sequence number
-------------	-----------------------------------

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

SXQ020	Ever had sexual intercourse
---------------	------------------------------------

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 59 Yrs.) English Text: The next set of questions is about your sexual behavior. By sex, we mean vaginal, oral, or anal sex. Please remember that your answers are strictly confidential. Have you ever had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	2918	85.8 %
2	No SXQ80	123	3.6 %
7	Refused SXQ280	3	0.1 %
9	Don't know SXQ280	9	0.3 %
. (M)	-	346	10.2 %

SXD030	Age when first had sexual intercourse
---------------	--

Location: 9-11 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How old were you when you had sex for the first time? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter an age. ENTER AGE IN YEARS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	or fewer	55	1.6 %
10	-	11	0.3 %
11	-	21	0.6 %
12	-	89	2.6 %
13	-	131	3.9 %
14	-	215	6.3 %
15	-	335	9.9 %
16	-	427	12.6 %
17	-	396	11.7 %
18	-	386	11.4 %
19	-	225	6.6 %
20	-	169	5.0 %
21	-	142	4.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	79	2.3 %
23	-	58	1.7 %
24	-	51	1.5 %
25	-	34	1.0 %
26	-	20	0.6 %
27	-	12	0.4 %
28	-	11	0.3 %
29	-	10	0.3 %
30	-	4	0.1 %
31	-	5	0.1 %
32	-	4	0.1 %
33	-	1	0.0 %
34	-	3	0.1 %
35	-	4	0.1 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	3	0.1 %
40	-	1	0.0 %
777	Refused	9	0.3 %
999	Don't know	5	0.1 %
. (M)	-	481	14.2 %

SXQ100

#men sex intercourse partners/life

Location: 12-16 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: F(20 Yrs. to 59 Yrs.) English Text: In your lifetime, with how many men have you had sex?
English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.0 %
1	-	342	10.1 %
2	-	194	5.7 %
3	-	171	5.0 %
4	-	134	3.9 %
5	-	131	3.9 %
6	-	88	2.6 %
7	-	57	1.7 %
8	-	58	1.7 %
9	-	45	1.3 %
10	-	93	2.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	-	14	0.4 %
12	-	32	0.9 %
13	-	5	0.1 %
14	-	6	0.2 %
15	-	25	0.7 %
16	-	5	0.1 %
18	-	4	0.1 %
20	-	37	1.1 %
21	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.1 %
25	-	15	0.4 %
28	-	2	0.1 %
30	-	13	0.4 %
31	-	1	0.0 %
34	-	1	0.0 %
35	-	4	0.1 %
37	-	1	0.0 %
40	-	5	0.1 %
45	-	1	0.0 %
50	-	6	0.2 %
58	-	1	0.0 %
60	-	2	0.1 %
69	-	1	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %
100	-	3	0.1 %
111	-	1	0.0 %
222	-	1	0.0 %
77777	Refused	10	0.3 %
99999	Don't know	4	0.1 %
. (M)	-	1877	55.2 %

SXQ120

#men sex intercourse partners/year

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, with how many men have you had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	186	5.5 %
1	-	1174	34.5 %
2	-	89	2.6 %
3	-	35	1.0 %
4	-	11	0.3 %
5	-	9	0.3 %
6	-	6	0.2 %
7	-	2	0.1 %
8	-	2	0.1 %
10	-	2	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
20	-	2	0.1 %
85	-	1	0.0 %
. (M)	-	1877	55.2 %

SXQ130

#women sex intercourse partners/life

Location: 20-24 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: F(20 Yrs. to 59 Yrs.) English Text: In your lifetime, with how many women have you had sex?
English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1444	42.5 %
1	-	41	1.2 %
2	-	12	0.4 %
3	-	3	0.1 %
4	-	4	0.1 %
5	-	2	0.1 %
6	-	2	0.1 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	2	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
33	-	1	0.0 %
50	-	1	0.0 %
77777	Refused	3	0.1 %
99999	Don't know	2	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1877	55.2 %

SXQ150 #women sex intercourse partners/year

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, with how many women have you had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1491	43.9 %
1	-	25	0.7 %
2	-	2	0.1 %
3	-	2	0.1 %
5	-	1	0.0 %
9	-	1	0.0 %
. (M)	-	1877	55.2 %

SXQ170 #women sex intercourse partners/life

Location: 28-32 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: M(20 Yrs. to 59 Yrs.) English Text: In your lifetime, with how many women have you had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	8	0.2 %
1	-	163	4.8 %
2	-	89	2.6 %
3	-	108	3.2 %
4	-	97	2.9 %
5	-	119	3.5 %
6	-	83	2.4 %
7	-	33	1.0 %
8	-	69	2.0 %
9	-	31	0.9 %
10	-	81	2.4 %
11	-	11	0.3 %
12	-	46	1.4 %
13	-	5	0.1 %
14	-	10	0.3 %
15	-	60	1.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	8	0.2 %
17	-	2	0.1 %
18	-	11	0.3 %
19	-	1	0.0 %
20	-	77	2.3 %
21	-	5	0.1 %
22	-	3	0.1 %
23	-	4	0.1 %
24	-	1	0.0 %
25	-	41	1.2 %
26	-	2	0.1 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	27	0.8 %
31	-	1	0.0 %
32	-	4	0.1 %
33	-	4	0.1 %
34	-	2	0.1 %
35	-	9	0.3 %
36	-	2	0.1 %
37	-	1	0.0 %
40	-	21	0.6 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	9	0.3 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	41	1.2 %
52	-	1	0.0 %
55	-	4	0.1 %
56	-	2	0.1 %
60	-	5	0.1 %
63	-	1	0.0 %
65	-	2	0.1 %
68	-	2	0.1 %
70	-	2	0.1 %
72	-	1	0.0 %
75	-	6	0.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
76	-	1	0.0 %
80	-	6	0.2 %
89	-	1	0.0 %
97	-	1	0.0 %
99	-	1	0.0 %
100	-	20	0.6 %
120	-	1	0.0 %
124	-	1	0.0 %
125	-	1	0.0 %
150	-	3	0.1 %
250	-	1	0.0 %
300	-	1	0.0 %
400	-	1	0.0 %
609	-	1	0.0 %
725	-	1	0.0 %
900	-	1	0.0 %
1000	-	1	0.0 %
1500	-	1	0.0 %
9000	-	1	0.0 %
77777	Refused	16	0.5 %
99999	Don't know	10	0.3 %
. (M)	-	2003	58.9 %

SXQ190 #women sex intercourse partners/year

Location: 33-37 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: M(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, with how many women have you had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	166	4.9 %
1	-	951	28.0 %
2	-	112	3.3 %
3	-	51	1.5 %
4	-	32	0.9 %
5	-	24	0.7 %
6	-	13	0.4 %
7	-	5	0.1 %
8	-	5	0.1 %
9	-	4	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	8	0.2 %
11	-	1	0.0 %
12	-	2	0.1 %
14	-	2	0.1 %
15	-	2	0.1 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	2	0.1 %
20	-	1	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
30	-	2	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %
56	-	1	0.0 %
60	-	2	0.1 %
77777	Refused	1	0.0 %
99999	Don't know	2	0.1 %
. (M)	-	2003	58.9 %

SXQ200 #men sex intercourse partners/lifetime

Location: 38-42 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: M(20 Yrs. to 59 Yrs.) English Text: In your lifetime, with how many men have you had sex?
 English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1335	39.3 %
1	-	16	0.5 %
2	-	5	0.1 %
3	-	5	0.1 %
4	-	3	0.1 %
5	-	1	0.0 %
6	-	3	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
14	-	2	0.1 %
15	-	2	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	5	0.1 %
22	-	1	0.0 %
30	-	1	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
80	-	1	0.0 %
100	-	2	0.1 %
600	-	1	0.0 %
77777	Refused	4	0.1 %
99999	Don't know	1	0.0 %
. (M)	-	2003	58.9 %

SXQ220 #men sex intercourse partners/year

Location: 43-45 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: M(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, with how many men have you had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER NUMBER.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1363	40.1 %
1	-	13	0.4 %
2	-	6	0.2 %
3	-	6	0.2 %
4	-	2	0.1 %
5	-	2	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
30	-	1	0.0 %
45	-	1	0.0 %
. (M)	-	2003	58.9 %

SXD240 #sexual intercourse partners/past mo

Location: 46-48 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: In the past 30 days, with how many people have you had sex? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER # OF PARTNERS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	69	2.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	280	8.2 %
2	-	78	2.3 %
3	-	19	0.6 %
4	-	7	0.2 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	3	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
. (M)	-	2933	86.3 %

SXQ250

#times had sex WITHOUT condom/past mo

Location: 49-53 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: In the past 30 days, how many times have you had sex without using a condom? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero for none. ENTER # OF TIMES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	104	3.1 %
1	-	60	1.8 %
2	-	39	1.1 %
3	-	21	0.6 %
4	-	25	0.7 %
5	-	15	0.4 %
6	-	17	0.5 %
7	-	5	0.1 %
8	-	10	0.3 %
9	-	6	0.2 %
10	-	22	0.6 %
11	-	1	0.0 %
12	-	5	0.1 %
13	-	1	0.0 %
15	-	18	0.5 %
17	-	1	0.0 %
20	-	13	0.4 %
21	-	1	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	1	0.0 %
25	-	6	0.2 %
28	-	3	0.1 %
30	-	15	0.4 %
35	-	1	0.0 %
40	-	1	0.0 %
89	-	1	0.0 %
90	-	1	0.0 %
77777	Refused	4	0.1 %
. (M)	-	3002	88.3 %

SXQ260 Doctor ever told you had genital herpes

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Has a doctor or other health care professional ever told you that you had genital herpes? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	97	2.9 %
2	No	2816	82.8 %
7	Refused	2	0.1 %
9	Don't know	3	0.1 %
. (M)	-	481	14.2 %

SXQ265 Doctor ever told you had genital warts

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Has a doctor or other health care professional ever told you that you had genital warts? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	121	3.6 %
2	No	2791	82.1 %
7	Refused	2	0.1 %
9	Don't know	4	0.1 %
. (M)	-	481	14.2 %

SXQ270 Doctor ever told you had gonorrhea

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, has a doctor or other health care professional told you that you had gonorrhea, sometimes called GC or clap? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	9	0.3 %
2	No	2907	85.5 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	481	14.2 %

SXQ272

Doctor ever told you had chlamydia

Location:

63-65 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 59 Yrs.) English Text: In the past 12 months, has a doctor or other health care professional told you that you had chlamydia? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select yes, no.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	25	0.7 %
2	No	2885	84.9 %
7	Refused	3	0.1 %
9	Don't know	3	0.1 %
. (M)	-	483	14.2 %

SXQ280

Are you circumcised or uncircumcised

Location:

66-68 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: M(20 Yrs. to 59 Yrs.) English Text: Are you circumcised or uncircumcised? English Instructions: HAND CARD SXQ1 - CLINICAL SKETCH OF CIRCUMCISED PENIS. HAND CARD SXQ2 - CLINICAL SKETCH OF UNCIRCUMCISED PENIS. VERBAL INSTRUCTIONS TO SP: Please select circumcised, uncircumcised.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Circumcised	1029	30.3 %
2	Uncircumcised	407	12.0 %
7	Refused	5	0.1 %
9	Don't know	21	0.6 %
. (M)	-	1937	57.0 %

SXQ292

How you describe your sexual orientation

Location:

69-71 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: M(20 Yrs. to 59 Yrs.) English Text: Do you think of yourself as... English Instructions: VERBAL INSTRUCTIONS TO SP: Heterosexual or straight (that is, sexually attracted only to women);

- Study 25502 -

homosexual or gay (that is, sexually attracted only to men); bisexual (that is, sexually attracted to men and women); something else; or you're not sure?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	heterosexual or straight (attracted to women)	1394	41.0 %
2	homosexual or gay (attracted to men)	16	0.5 %
3	bisexual (attracted to men and women)	22	0.6 %
4	Something else, or	1	0.0 %
5	Not sure?	18	0.5 %
7	Refused	1	0.0 %
9	Don't know	10	0.3 %
. (M)	-	1937	57.0 %

SXQ294 **How you describe your sexual orientation**

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(20 Yrs. to 59 Yrs.) English Text: Do you think of yourself as... English Instructions: VERBAL INSTRUCTIONS TO SP: Heterosexual or straight (that is, sexually attracted only to men); homosexual or lesbian (that is, sexually attracted only to women); bisexual (that is, sexually attracted to men and women); something else; or you're not sure?

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	heterosexual or straight (attracted to men)	1494	44.0 %
2	homosexual or lesbian (attracted to women)	16	0.5 %
3	bisexual (attracted to men and women)	31	0.9 %
4	Something else, or	7	0.2 %
5	Not sure?	25	0.7 %
7	Refused	5	0.1 %
9	Don't know h	13	0.4 %
. (M)	-	1808	53.2 %

SDDSRVYR **Data Release Number**

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	3399	100.0 %

RIDSTATR **Interview/Examination Status**

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	3399	100.0 %

RIDEXMON

Six month time period

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	1614	47.5 %
2	May 1 through October 31	1785	52.5 %

RIAGENDR

Gender

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	1584	46.6 %
2	Female	1815	53.4 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	105	3.1 %
21	-	111	3.3 %
22	-	101	3.0 %
23	-	100	2.9 %
24	-	97	2.9 %
25	-	89	2.6 %
26	-	112	3.3 %
27	-	86	2.5 %
28	-	84	2.5 %
29	-	87	2.6 %
30	-	106	3.1 %
31	-	71	2.1 %
32	-	88	2.6 %
33	-	73	2.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
34	-	92	2.7 %
35	-	86	2.5 %
36	-	80	2.4 %
37	-	101	3.0 %
38	-	81	2.4 %
39	-	93	2.7 %
40	-	98	2.9 %
41	-	91	2.7 %
42	-	91	2.7 %
43	-	82	2.4 %
44	-	104	3.1 %
45	-	97	2.9 %
46	-	93	2.7 %
47	-	82	2.4 %
48	-	72	2.1 %
49	-	81	2.4 %
50	-	78	2.3 %
51	-	80	2.4 %
52	-	81	2.4 %
53	-	79	2.3 %
54	-	75	2.2 %
55	-	63	1.9 %
56	-	55	1.6 %
57	-	61	1.8 %
58	-	50	1.5 %
59	-	43	1.3 %

RIDAGEMN Age in Months - Recode

Location: 90-93 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 94-97 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 98-100 (width: 3; decimal: 0)
 Variable Type: numeric

- Study 25502 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	787	23.2 %
2	Other Hispanic	165	4.9 %
3	Non-Hispanic White	1630	48.0 %
4	Non-Hispanic Black	682	20.1 %
5	Other Race - Including Multi-Racial	135	4.0 %

RIDRETH2

Linked NH3 Race/Ethnicity - Recode

Location:

101-103 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	1646	48.4 %
2	Non-Hispanic Black	690	20.3 %
3	Mexican American	787	23.2 %
4	Other Race - Including Multi-Racial	111	3.3 %
5	Other Hispanic	165	4.9 %

DMQMILIT

Veteran/Military Status

Location:

104-106 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	323	9.5 %
2	No	3076	90.5 %

DMDBORN

Country of Birth - Recode

Location:

107-109 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	2593	76.3 %
2	Born in Mexico	523	15.4 %
3	Born Elsewhere	283	8.3 %

DMDCITZN

Citizenship Status

- Study 25502 -

Location: 110-112 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	2818	82.9 %
2	Not a citizen of the US	581	17.1 %

DMDYRSUS Length of time in US

Location: 113-115 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	69	2.0 %
2	1 yr., less than 5 yrs.	156	4.6 %
3	5 yrs., less than 10 yrs.	126	3.7 %
4	10 yrs., less than 15 yrs.	120	3.5 %
5	15 yrs., less than 20 yrs.	97	2.9 %
6	20 yrs., less than 30 yrs.	169	5.0 %
7	30 yrs., less than 40 yrs.	47	1.4 %
8	40 yrs., less than 50 yrs.	4	0.1 %
9	50 years or more	5	0.1 %
77	Refused	3	0.1 %
88	Could not determine	2	0.1 %
99	Don't know	4	0.1 %
. (M)	-	2597	76.4 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 116-118 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3399	100.0 %

DMDEDUC2 Education Level - Adults 20+

Location: 119-121 (width: 3; decimal: 0)

- Study 25502 -

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	350	10.3 %
2	9-11th Grade (Includes 12th grade with no diploma)	546	16.1 %
3	High School Grad/GED or Equivalent	796	23.4 %
4	Some College or AA degree	972	28.6 %
5	College Graduate or above	731	21.5 %
9	Don't Know	4	0.1 %

DMDEDUC

Education - Recode (old version)

Location:

122-124 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	896	26.4 %
2	High School Diploma (including GED)	796	23.4 %
3	More Than High School	1703	50.1 %
9	Don't know	4	0.1 %

DMDSCHOL

Now attending school?

Location:

125-127 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3399	100.0 %

DMDMARTL

Marital Status

Location:

128-130 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	1957	57.6 %
2	Widowed	40	1.2 %
3	Divorced	281	8.3 %
4	Separated	120	3.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Never married	724	21.3 %
6	Living with partner	276	8.1 %
77	Refused	1	0.0 %

DMDHHSIZ Total number of people in the Household

Location: 131-133 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English
 Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	273	8.0 %
2	-	750	22.1 %
3	-	749	22.0 %
4	-	722	21.2 %
5	-	430	12.7 %
6	-	173	5.1 %
7	7 or more people in the household	302	8.9 %

INDHHINC Annual Household Income

Location: 134-136 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	57	1.7 %
2	\$ 5,000 to \$ 9,999	128	3.8 %
3	\$10,000 to \$14,999	189	5.6 %
4	\$15,000 to \$19,999	238	7.0 %
5	\$20,000 to \$24,999	213	6.3 %
6	\$25,000 to \$34,999	375	11.0 %
7	\$35,000 to \$44,999	334	9.8 %
8	\$45,000 to \$54,999	333	9.8 %
9	\$55,000 to \$64,999	260	7.6 %
10	\$65,000 to \$74,999	183	5.4 %
11	\$75,000 and Over	787	23.2 %
12	Over \$20,000	2	0.1 %
13	Under \$20,000	2	0.1 %
77	Refused	1	0.0 %
99	Don't know	4	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	293	8.6 %

INDFMINC Annual Family Income

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	140	4.1 %
2	\$ 5,000 to \$ 9,999	194	5.7 %
3	\$10,000 to \$14,999	286	8.4 %
4	\$15,000 to \$19,999	259	7.6 %
5	\$20,000 to \$24,999	282	8.3 %
6	\$25,000 to \$34,999	363	10.7 %
7	\$35,000 to \$44,999	319	9.4 %
8	\$45,000 to \$54,999	300	8.8 %
9	\$55,000 to \$64,999	212	6.2 %
10	\$65,000 to \$74,999	174	5.1 %
11	\$75,000 and Over	658	19.4 %
12	Over \$20,000	72	2.1 %
13	Under \$20,000	47	1.4 %
77	Refused	21	0.6 %
99	Don't know	21	0.6 %
. (M)	-	51	1.5 %

INDFMPIR Family PIR

Location: 140-144 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	296	8.7 %
2	SP not pregnant at exam	1413	41.6 %
3	Cannot ascertain if SP is pregnant at exam	106	3.1 %
. (M)	-	1584	46.6 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	323	9.5 %
2	SP not pregnant	1453	42.7 %
9	Cannot ascertain if SP is pregnant at exam	39	1.1 %
. (M)	-	1584	46.6 %

DMDHRGND HH Ref Person Gender

Location: 151-153 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2126	62.5 %
2	Female	1273	37.5 %

DMDHRAGE HH Ref Person Age

Location: 154-156 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	6	0.2 %
19	-	15	0.4 %
20	-	50	1.5 %
21	-	45	1.3 %
22	-	59	1.7 %
23	-	62	1.8 %
24	-	55	1.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	83	2.4 %
26	-	85	2.5 %
27	-	59	1.7 %
28	-	62	1.8 %
29	-	65	1.9 %
30	-	117	3.4 %
31	-	75	2.2 %
32	-	84	2.5 %
33	-	92	2.7 %
34	-	90	2.6 %
35	-	82	2.4 %
36	-	75	2.2 %
37	-	105	3.1 %
38	-	77	2.3 %
39	-	98	2.9 %
40	-	107	3.1 %
41	-	89	2.6 %
42	-	93	2.7 %
43	-	92	2.7 %
44	-	128	3.8 %
45	-	117	3.4 %
46	-	99	2.9 %
47	-	81	2.4 %
48	-	86	2.5 %
49	-	78	2.3 %
50	-	85	2.5 %
51	-	102	3.0 %
52	-	80	2.4 %
53	-	90	2.6 %
54	-	107	3.1 %
55	-	71	2.1 %
56	-	50	1.5 %
57	-	51	1.5 %
58	-	55	1.6 %
59	-	39	1.1 %
60	-	6	0.2 %
61	-	11	0.3 %
62	-	17	0.5 %
63	-	9	0.3 %
64	-	13	0.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
65	-	7	0.2 %
66	-	5	0.1 %
67	-	7	0.2 %
68	-	9	0.3 %
69	-	1	0.0 %
70	-	5	0.1 %
71	-	6	0.2 %
72	-	1	0.0 %
73	-	5	0.1 %
74	-	10	0.3 %
75	-	5	0.1 %
76	-	8	0.2 %
77	-	2	0.1 %
78	-	2	0.1 %
79	-	2	0.1 %
80	-	5	0.1 %
81	-	6	0.2 %
82	-	4	0.1 %
83	-	3	0.1 %
85	>= 85 years of age	9	0.3 %

DMDHRBRN HH Ref Person Country of Birth

Location: 157-159 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	2507	73.8 %
2	Born in Mexico	530	15.6 %
3	Born Elsewhere	280	8.2 %
. (M)	-	82	2.4 %

DMDHREDU HH Ref Person Education Level

Location: 160-162 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	383	11.3 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	9-11th Grade (Includes 12th grade w/ no diploma)	522	15.4 %
3	High School Grad/GED or equivalent	767	22.6 %
4	Some College or AA degree	893	26.3 %
5	College Graduate or above	744	21.9 %
7	Refused	1	0.0 %
9	Don't know	7	0.2 %
. (M)	-	82	2.4 %

DMDHRMAR HH Ref Person Marital Status

Location: 163-165 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English
Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2073	61.0 %
2	Widowed	100	2.9 %
3	Divorced	304	8.9 %
4	Separated	139	4.1 %
5	Never married	464	13.7 %
6	Living with partner	248	7.3 %
77	Refused	2	0.1 %
99	Don't know	2	0.1 %
. (M)	-	67	2.0 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 166-168 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English
Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	226	6.6 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	216	6.4 %
3	High School Grad/GED or equivalent	413	12.2 %
4	Some College or AA degree	524	15.4 %
5	College Graduate or above	420	12.4 %
9	Don't know	3	0.1 %
. (M)	-	1597	47.0 %

WTINT2YR Full Sample 2 Year Interview Weight

- Study 25502 -

Location: 169-182 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 183-195 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 196-209 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 210-223 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 224-226 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1682	49.5 %
2	1717	50.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 227-229 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	189	5.6 %
15	238	7.0 %
16	196	5.8 %
17	247	7.3 %
18	239	7.0 %
19	262	7.7 %
20	208	6.1 %
21	218	6.4 %

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	242	7.1 %
23	278	8.2 %
24	227	6.7 %
25	221	6.5 %
26	246	7.2 %
27	221	6.5 %
28	167	4.9 %