

ICPSR 25502

**National Health and Nutrition  
Examination Survey (NHANES),  
2001-2002**

*United States Department of Health and  
Human Services. Centers for Disease  
Control and Prevention. National Center  
for Health Statistics*

Codebook -- Questionnaire: Smoking and  
Tobacco Use (MEC)

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR 25502**

# **National Health and Nutrition Examination Survey (NHANES), 2001-2002**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## National Health and Nutrition Examination Survey (NHANES), 2001-2002

### Questionnaire: Smoking and Tobacco Use (MEC)

SEQN	Respondent sequence number
------	----------------------------

Location: 1-5 (width: 5; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

SMQ620	Ever tried cigarette smoking
--------	------------------------------

Location: 6-8 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 19 Yrs.) English Text: The following questions are about cigarette smoking and other tobacco use. Have you ever tried cigarette smoking, even 1 or 2 puffs? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select Yes, No.

Value	Label	Unweighted Frequency	%
1	Yes	1019	12.9 %
2	No SMQ680	1196	15.1 %
7	Refused SMQ680	3	0.0 %
. (M)	-	5680	71.9 %

SMD630	Age first smoked whole cigarette
--------	----------------------------------

Location: 9-11 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 19 Yrs.) English Text: How old were you when you smoked a whole cigarette for the first time? English Instructions: IF R SAYS LESS THAN 6 YEARS, ENTER 6 YEARS. VERBAL INSTRUCTIONS TO SP: Please enter an age or select Never smoked a whole cigarette. CAPI INSTRUCTION: ACCEPTABLE VALUES: 6-19 YEARS. ENTER AGE.

Value	Label	Unweighted Frequency	%
6	-	9	0.1 %
7	-	5	0.1 %
8	-	6	0.1 %
9	-	17	0.2 %
10	-	37	0.5 %
11	-	37	0.5 %
12	-	84	1.1 %
13	-	96	1.2 %
14	-	90	1.1 %
15	-	103	1.3 %
16	-	64	0.8 %
17	-	49	0.6 %
18	-	29	0.4 %
19	-	6	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
55	Never smoked a whole cigarette SMQ680	386	4.9 %
77	Refused SMQ680	1	0.0 %
. (M)	-	6879	87.1 %

**SMQ640 # days smoked cigarettes in past month**

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: During the past 30 days, on how many days did you smoke cigarettes? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number or enter zero if none. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	284	3.6 %
1	-	36	0.5 %
2	-	25	0.3 %
3	-	25	0.3 %
4	-	7	0.1 %
5	-	26	0.3 %
6	-	8	0.1 %
7	-	8	0.1 %
8	-	3	0.0 %
9	-	4	0.1 %
10	-	15	0.2 %
11	-	1	0.0 %
12	-	3	0.0 %
13	-	1	0.0 %
14	-	3	0.0 %
15	-	13	0.2 %
16	-	1	0.0 %
19	-	1	0.0 %
20	-	20	0.3 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
25	-	9	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	7	0.1 %
29	-	3	0.0 %
30	-	119	1.5 %
77	Refused	1	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
99	Don't Know	1	0.0 %
. (M)	-	7266	92.0 %

**SMQ650 # cigarettes per day during past month**

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: During the past 30 days, on the days that you smoked, how many cigarettes did you smoke per day? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF CIGARETTES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	94	1.2 %
2	-	64	0.8 %
3	-	42	0.5 %
4	-	11	0.1 %
5	-	30	0.4 %
6	-	6	0.1 %
7	-	12	0.2 %
8	-	15	0.2 %
9	-	3	0.0 %
10	-	22	0.3 %
11	-	1	0.0 %
12	-	5	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	11	0.1 %
16	-	1	0.0 %
18	-	2	0.0 %
20	-	19	0.2 %
22	-	1	0.0 %
25	-	2	0.0 %
30	-	1	0.0 %
35	-	2	0.0 %
. (M)	-	7552	95.6 %

**SMQ077 How soon after waking do you smoke**

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: How soon after you wake up do you smoke? Would you say... English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Within 5 minutes,	46	0.6 %
2	From 6 to 30 minutes,	58	0.7 %
3	From more than 0 minutes to one hour, or	35	0.4 %
4	More than one hour?	188	2.4 %
7	Refused	6	0.1 %
9	Don't know	13	0.2 %
. (M)	-	7552	95.6 %

**SMQ660 Brands of cigarettes smoked/past mo**

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: During the past 30 days, on the days that you smoked, which brand of cigarettes did you usually smoke? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select one of the following choices: Marlboro, Camel, Newport, Kool, Winston, Benson and Hedges, Salem, Some other brand.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Marlboro	175	2.2 %
2	Camel	31	0.4 %
3	Newport	111	1.4 %
4	Kool	5	0.1 %
5	Winston	2	0.0 %
6	Benson and hedges	4	0.1 %
8	Some other brand	17	0.2 %
99	Don't know	1	0.0 %
. (M)	-	7552	95.6 %

**SMQ664B Menthol or non-menthol BensonHedges**

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Benson and Hedges cigarettes menthol or non-menthol? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select menthol, non-menthol. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Benson and Hedges.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Menthol	4	0.1 %
. (M)	-	7894	99.9 %

**SMQ664C Menthol or non-menthol Camels**

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Camel cigarettes menthol or non-menthol?  
 English Instructions: VERBAL INSTRUCTIONS TO SP: Please select menthol, non-menthol. CAPI  
 INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Camel.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Menthol	2	0.0 %
2	Non-menthol	29	0.4 %
. (M)	-	7867	99.6 %

**SMQ664M      Menthol or non-menthol Marlboro**

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Marlboro cigarettes menthol or  
 non-menthol? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select menthol,  
 non-menthol. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Marlboro.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Menthol	39	0.5 %
2	Non-menthol	134	1.7 %
9	Don't know	2	0.0 %
. (M)	-	7723	97.8 %

**SMQ664O      Menthol or non-menthol other brand**

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the other brand cigarettes menthol or  
 non-menthol? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select menthol,  
 non-menthol. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} other brand.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Menthol	7	0.1 %
2	Non-menthol	10	0.1 %
9	Don't know	1	0.0 %
. (M)	-	7880	99.8 %

**SMQ664W      Menthol or non-menthol Winston**

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Winston cigarettes menthol or non-menthol?  
 English Instructions: VERBAL INSTRUCTIONS TO SP: Please select menthol, non-menthol. CAPI  
 INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Winston.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Menthol	1	0.0 %
2	Non-menthol	1	0.0 %
. (M)	-	7896	100.0 %



- Study 25502 -

**SMQ666B Regular, light or ultralite BensonHedges**

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Benson and Hedges cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Benson and Hedges.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regulars	1	0.0 %
2	Lights	3	0.0 %
. (M)	-	7894	99.9 %

**SMQ666C Regular, light or ultralite Camels**

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Camel cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Camel.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regulars	10	0.1 %
2	Lights	20	0.3 %
3	Ultralights	1	0.0 %
. (M)	-	7867	99.6 %

**SMQ666K Regular, light or ultralite Kools**

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Kool cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Kool.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regulars	2	0.0 %
2	Lights	3	0.0 %
. (M)	-	7893	99.9 %

**SMQ666M Regular, light or ultralite Marlboro**

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Marlboro cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Marlboro.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regulars	93	1.2 %
2	Lights	69	0.9 %
3	Ultralights	13	0.2 %
. (M)	-	7723	97.8 %

**SMQ666N Regular, light or ultralite Newport**

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Newport cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Newport.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regulars	100	1.3 %
2	Lights	8	0.1 %
3	Ultralights	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	7787	98.6 %

**SMQ666O Regular, light or ultralite other brand**

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the other brand cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} other brand.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Regular	11	0.1 %
2	Light	6	0.1 %
7	Refused	1	0.0 %
. (M)	-	7880	99.8 %

**SMQ666S Regular, light or ultralite Salem**

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Salem cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Salem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	7898	100.0 %

**SMQ666W Regular, light or ultralite Winston**

- Study 25502 -

Location: 60-62 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 19 Yrs.) English Text: {Were/Was} the Winston cigarettes regulars, lights, or ultra-lights? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select regulars, lights, ultra-lights. CAPI INSTRUCTION: IF SMQ.660 = 8, DISPLAY {WAS} Winston.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Lights	1	0.0 %
3	Ultralights	1	0.0 %
. (M)	-	7896	100.0 %

**SMQ670 Tried to quit smoking**

Location: 63-65 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 19 Yrs.) English Text: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select Yes, No.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	361	4.6 %
2	No	255	3.2 %
7	Refused	3	0.0 %
9	Don't know	12	0.2 %
. (M)	-	7267	92.0 %

**SMQ680 Used tobacco/nicotine last 5 days?**

Location: 66-68 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: The following questions ask about use of tobacco or nicotine products in the past 5 days. During the past 5 days, did {you/he/she} use any product containing nicotine including cigarettes, pipes, cigars, chewing tobacco, snuff, nicotine patches, nicotine gum, or any other product containing nicotine? English Instructions: VERBAL INSTRUCTIONS TO SP: Please select Yes, No.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1484	18.8 %
2	No	5352	67.8 %
7	Refused	2	0.0 %
. (M)	-	1060	13.4 %

**SMQ690A Used last 5 days - Cigarettes**

Location: 69-71 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Which of these products did {you/he/she} use? English Instructions: (CHECK ALL THAT APPLY). VERBAL INSTRUCTIONS TO SP: Please select all that you used.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Cigarettes	1296	16.4 %
. (M)	-	6602	83.6 %

**SMQ690B**      **Used last 5 days - Pipes**

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Which of these products did {you/he/she} use? English Instructions: (CHECK ALL THAT APPLY). VERBAL INSTRUCTIONS TO SP: Please select all that you used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Pipes	14	0.2 %
. (M)	-	7884	99.8 %

**SMQ690C**      **Used last 5 days - Cigars**

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Which of these products did {you/he/she} use? English Instructions: (CHECK ALL THAT APPLY). VERBAL INSTRUCTIONS TO SP: Please select all that you used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Cigars	134	1.7 %
. (M)	-	7764	98.3 %

**SMQ690D**      **Used last 5 days - Chewing tobacco**

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Which of these products did {you/he/she} use? English Instructions: (CHECK ALL THAT APPLY). VERBAL INSTRUCTIONS TO SP: Please select all that you used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Chewing tobacco	49	0.6 %
. (M)	-	7849	99.4 %

**SMQ690E**      **Used last 5 days - Snuff**

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Which of these products did {you/he/she} use? English Instructions: (CHECK ALL THAT APPLY). VERBAL INSTRUCTIONS TO SP: Please select all that you used.

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Snuff	57	0.7 %
. (M)	-	7841	99.3 %

**SMQ690F**      **Used last 5 days - Patch, gum, other**

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Which of these products did {you/he/she} use? English Instructions: (CHECK ALL THAT APPLY). VERBAL INSTRUCTIONS TO SP: Please select all that you used.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	Nicotine patches, gum, or other nicotine product	17	0.2 %
. (M)	-	7881	99.8 %

**SMQ710**      **# days smoked cigarettes last 5 days**

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days {including today}, on how many days did {you/he/she} smoke cigarettes? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	102	1.3 %
2	-	81	1.0 %
3	-	72	0.9 %
4	-	315	4.0 %
5	-	725	9.2 %
9	Don't know	1	0.0 %
. (M)	-	6602	83.6 %

**SMQ720**      **# cigarettes smoked per day**

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days, on the days {you/he/she} smoked, how many cigarettes did {you/he/she} smoke each day? English Instructions: IF R SAYS 95 OR MORE CIGARETTES PER DAY, ENTER 95. VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF CIGARETTES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	118	1.5 %
2	-	93	1.2 %
3	-	87	1.1 %
4	-	61	0.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	110	1.4 %
6	-	48	0.6 %
7	-	39	0.5 %
8	-	36	0.5 %
9	-	11	0.1 %
10	-	181	2.3 %
11	-	5	0.1 %
12	-	21	0.3 %
13	-	7	0.1 %
14	-	5	0.1 %
15	-	95	1.2 %
16	-	2	0.0 %
17	-	5	0.1 %
18	-	7	0.1 %
19	-	2	0.0 %
20	-	257	3.3 %
21	-	2	0.0 %
23	-	2	0.0 %
25	-	23	0.3 %
28	-	1	0.0 %
30	-	40	0.5 %
31	-	1	0.0 %
35	-	5	0.1 %
40	-	23	0.3 %
45	-	1	0.0 %
50	-	3	0.0 %
60	-	4	0.1 %
99	Don't know	1	0.0 %
. (M)	-	6602	83.6 %

**SMQ725**      **When did SP smoke last cigarette?**

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: When did {you/he/she} smoke {your/his/her} last cigarette?  
Was it... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Today	719	9.1 %
2	Yesterday	458	5.8 %
3	to 5 days ago	117	1.5 %
9	Don't know	2	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	6602	83.6 %

**SMQ740 # days smoked pipe over last 5 days**

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days (including today), on how many days did {you/he/she} smoke a pipe? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	4	0.1 %
2	-	3	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	5	0.1 %
. (M)	-	7884	99.8 %

**SMQ750 # pipes smoked per day - last 5 days**

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days, on the days did {you/he/she} smoked a pipe, how many pipes did {you/he/she} smoke each day? English Instructions: IF R SAYS LESS THAN 1 PIPE PER DAY, ENTER 1. VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF PIPES.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	7	0.1 %
2	-	3	0.0 %
3	-	1	0.0 %
9	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
. (M)	-	7884	99.8 %

**SMQ755 When did SP smoke last pipe?**

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: When did {you/he/she} smoke {your/his/her} last pipe? Was it... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Today	5	0.1 %
2	Yesterday	3	0.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	to 5 days ago	5	0.1 %
9	Don't know	1	0.0 %
. (M)	-	7884	99.8 %

**SMQ770 # days smoked cigars over last 5 days**

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days (including today), on how many days did {you/he/she} smoke cigars? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	60	0.8 %
2	-	26	0.3 %
3	-	11	0.1 %
4	-	17	0.2 %
5	-	20	0.3 %
. (M)	-	7764	98.3 %

**SMQ780 # cigars smoked per day - last 5 days**

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days, on the days {you/he/she} smoked cigars, how many cigars did {you/he/she} smoke each day? English Instructions: IF R SAYS LESS THAN 1 CIGAR PER DAY, ENTER 1. VERBAL INSTRUCTIONS TO SP. Please enter a number. ENTER NUMBER OF CIGARS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	86	1.1 %
2	-	25	0.3 %
3	-	8	0.1 %
4	-	4	0.1 %
5	-	2	0.0 %
6	-	1	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
20	-	3	0.0 %
. (M)	-	7764	98.3 %

**SMQ785 When did SP smoke last cigar?**

Location: 111-113 (width: 3; decimal: 0)



- Study 25502 -

Variable Type: numeric  
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: When did {you/he/she} smoke {your/his/her} last cigar? Was it... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Today	19	0.2 %
2	Yesterday	56	0.7 %
3	to 5 days ago	57	0.7 %
7	Refused	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	7764	98.3 %

**SMQ800 #days used chewing tobacco -last 5 days**

Location: 114-116 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days (including today), on how many days did {you/he/she} use chewing tobacco, such as Redman, Levi Garrett or Beechnut? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	5	0.1 %
2	-	7	0.1 %
3	-	7	0.1 %
4	-	11	0.1 %
5	-	19	0.2 %
. (M)	-	7849	99.4 %

**SMQ815 When did SP last use chewing tobacco?**

Location: 117-119 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(12 Yrs. to 150 Yrs.) English Text: When did {you/he/she} last use chewing tobacco? Was it... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Today	18	0.2 %
2	Yesterday	19	0.2 %
3	to 5 days ago	11	0.1 %
9	Don't know	1	0.0 %
. (M)	-	7849	99.4 %

**SMQ817 # days used snuff over last 5 days**

Location: 120-122 (width: 3; decimal: 0)  
 Variable Type: numeric

- Study 25502 -

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days {including today}, on how many days did {you/he/she} use snuff, such as Skoal, Skoal Bandits, or Copenhagen? English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	12	0.2 %
2	-	4	0.1 %
3	-	3	0.0 %
4	-	9	0.1 %
5	-	29	0.4 %
. (M)	-	7841	99.3 %

**SMQ819**

**When last used snuff**

Location:

123-125 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: When did {you/he/she} last use snuff? Was it... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Today	23	0.3 %
2	Yesterday	26	0.3 %
3	to 5 days ago	8	0.1 %
. (M)	-	7841	99.3 %

**SMQ830**

**# days used nicotine stop smoking aids?**

Location:

126-128 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: During the past 5 days (including today), on how many days did {you/he/she} use any product containing nicotine to help {you/he/she} stop smoking? Include nicotine patches, gum, or any other product containing nicotine. English Instructions: VERBAL INSTRUCTIONS TO SP: Please enter a number. ENTER NUMBER OF DAYS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	5	0.1 %
3	-	5	0.1 %
4	-	3	0.0 %
5	-	4	0.1 %
. (M)	-	7881	99.8 %

**SMQ840**

**Last time used nicotine stop smoking aid**

Location:

129-131 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. to 150 Yrs.) English Text: When did {you/he/she} last use a product containing nicotine? Was it... English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Today	5	0.1 %
2	Yesterday	8	0.1 %
3	to 5 days ago	4	0.1 %
. (M)	-	7881	99.8 %

**SMAQUEX Questionnaire Mode Flag**

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. to 150 Yrs.) English Text: Questionnaire Mode Flag. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A-CASI B(2 Yrs.-9 Yrs.)	2487	31.5 %
2	MEC CAPI B(0 Yrs.-150 Yrs)	5411	68.5 %

**SDDSRVYR Data Release Number**

Location: 135-137 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	7898	100.0 %

**RIDSTATR Interview/Examination Status**

Location: 138-140 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	453	5.7 %
2	Both Interviewed and MEC examined	7445	94.3 %

**RIDEXMON Six month time period**

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	3655	46.3 %
2	May 1 through October 31	3790	48.0 %
. (M)	-	453	5.7 %

- Study 25502 -

**RIAGENDR                      Gender**

Location:                      144-146 (width: 3; decimal: 0)

Variable Type:                numeric

Question:                      Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	3761	47.6 %
2	Female	4137	52.4 %

**RIDAGEYR                      Age at Screening Adjudicated - Recode**

Location:                      147-149 (width: 3; decimal: 0)

Variable Type:                numeric

Question:                      Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	-	323	4.1 %
13	-	312	4.0 %
14	-	319	4.0 %
15	-	310	3.9 %
16	-	307	3.9 %
17	-	334	4.2 %
18	-	301	3.8 %
19	-	281	3.6 %
20	-	105	1.3 %
21	-	116	1.5 %
22	-	110	1.4 %
23	-	103	1.3 %
24	-	99	1.3 %
25	-	95	1.2 %
26	-	118	1.5 %
27	-	89	1.1 %
28	-	89	1.1 %
29	-	94	1.2 %
30	-	114	1.4 %
31	-	77	1.0 %
32	-	95	1.2 %
33	-	76	1.0 %
34	-	96	1.2 %
35	-	86	1.1 %
36	-	84	1.1 %
37	-	103	1.3 %
38	-	81	1.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
39	-	95	1.2 %
40	-	101	1.3 %
41	-	97	1.2 %
42	-	94	1.2 %
43	-	84	1.1 %
44	-	107	1.4 %
45	-	100	1.3 %
46	-	95	1.2 %
47	-	84	1.1 %
48	-	77	1.0 %
49	-	84	1.1 %
50	-	81	1.0 %
51	-	83	1.1 %
52	-	82	1.0 %
53	-	81	1.0 %
54	-	79	1.0 %
55	-	68	0.9 %
56	-	58	0.7 %
57	-	61	0.8 %
58	-	53	0.7 %
59	-	45	0.6 %
60	-	85	1.1 %
61	-	84	1.1 %
62	-	88	1.1 %
63	-	77	1.0 %
64	-	75	0.9 %
65	-	63	0.8 %
66	-	74	0.9 %
67	-	72	0.9 %
68	-	65	0.8 %
69	-	57	0.7 %
70	-	72	0.9 %
71	-	69	0.9 %
72	-	71	0.9 %
73	-	61	0.8 %
74	-	64	0.8 %
75	-	62	0.8 %
76	-	60	0.8 %
77	-	53	0.7 %
78	-	47	0.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	-	31	0.4 %
80	-	65	0.8 %
81	-	86	1.1 %
82	-	54	0.7 %
83	-	40	0.5 %
84	-	61	0.8 %
85	>= 85 years of age	236	3.0 %

**RIDAGEMN      Age in Months - Recode**

Location: 150-153 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

**RIDAGEEX      Exam Age in Months - Recode**

Location: 154-157 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

**RIDRETH1      Race/Ethnicity - Recode**

Location: 158-160 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	1891	23.9 %
2	Other Hispanic	354	4.5 %
3	Non-Hispanic White	3597	45.5 %
4	Non-Hispanic Black	1766	22.4 %
5	Other Race - Including Multi-Racial	290	3.7 %

**RIDRETH2      Linked NH3 Race/Ethnicity - Recode**

Location: 161-163 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	3628	45.9 %
2	Non-Hispanic Black	1790	22.7 %
3	Mexican American	1891	23.9 %
4	Other Race - Including Multi-Racial	235	3.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Other Hispanic	354	4.5 %

**DMQMILIT**

**Veteran/Military Status**

Location: 164-166 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	838	10.6 %
2	No	5480	69.4 %
7	Refused	4	0.1 %
9	Don't know	1	0.0 %
. (M)	-	1575	19.9 %

**DMDBORN**

**Country of Birth - Recode**

Location: 167-169 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	6417	81.2 %
2	Born in Mexico	905	11.5 %
3	Born Elsewhere	567	7.2 %
7	Refused	4	0.1 %
. (M)	-	5	0.1 %

**DMDCITZN**

**Citizenship Status**

Location: 170-172 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	6884	87.2 %
2	Not a citizen of the US	1004	12.7 %
7	Refused	6	0.1 %
. (M)	-	4	0.1 %

**DMDYRSUS**

**Length of time in US**

- Study 25502 -

Location: 173-175 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	117	1.5 %
2	1 yr., less than 5 yrs.	309	3.9 %
3	5 yrs., less than 10 yrs.	229	2.9 %
4	10 yrs., less than 15 yrs.	217	2.7 %
5	15 yrs., less than 20 yrs.	137	1.7 %
6	20 yrs., less than 30 yrs.	219	2.8 %
7	30 yrs., less than 40 yrs.	112	1.4 %
8	40 yrs., less than 50 yrs.	46	0.6 %
9	50 years or more	60	0.8 %
77	Refused	8	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.2 %
. (M)	-	6429	81.4 %

**DMDEDUC3 Education Level - Children/Youth 6-19**

Location: 176-178 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	4th Grade	10	0.1 %
5	5th Grade	113	1.4 %
6	6th Grade	313	4.0 %
7	7th Grade	297	3.8 %
8	8th Grade	351	4.4 %
9	9th Grade	327	4.1 %
10	10th Grade	324	4.1 %
11	11th Grade	319	4.0 %
12	12th Grade, No Diploma	50	0.6 %
13	High School Graduate	191	2.4 %
14	GED or Equivalent	20	0.3 %
15	More than high school	95	1.2 %
55	Less Than 5th Grade	4	0.1 %
66	Less Than 9th Grade	71	0.9 %
99	Don't know	2	0.0 %



- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5411	68.5 %

**DMDEDUC2 Education Level - Adults 20+**

Location: 179-181 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	797	10.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	11.0 %
3	High School Grad/GED or Equivalent	1265	16.0 %
4	Some College or AA degree	1379	17.5 %
5	College Graduate or above	1079	13.7 %
7	Refused	5	0.1 %
9	Don't Know	12	0.2 %
. (M)	-	2491	31.5 %

**DMDEDUC Education - Recode (old version)**

Location: 182-184 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	3846	48.7 %
2	High School Diploma (including GED)	1476	18.7 %
3	More Than High School	2553	32.3 %
7	Refused	5	0.1 %
9	Don't know	14	0.2 %
. (M)	-	4	0.1 %

**DMDSCHOL Now attending school?**

Location: 185-187 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	1718	21.8 %
2	On vacation from school (between grades)	396	5.0 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Neither in school or on vacation from school	369	4.7 %
. (M)	-	5415	68.6 %

**DMDMARTL Marital Status**

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	3088	39.1 %
2	Widowed	612	7.7 %
3	Divorced	456	5.8 %
4	Separated	170	2.2 %
5	Never married	2597	32.9 %
6	Living with partner	330	4.2 %
77	Refused	4	0.1 %
. (M)	-	641	8.1 %

**DMDHHSIZ Total number of people in the Household**

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	838	10.6 %
2	-	1821	23.1 %
3	-	1411	17.9 %
4	-	1512	19.1 %
5	-	1064	13.5 %
6	-	533	6.7 %
7	7 or more people in the household	719	9.1 %

**INDHHINC Annual Household Income**

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	155	2.0 %
2	\$ 5,000 to \$ 9,999	390	4.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	\$10,000 to \$14,999	579	7.3 %
4	\$15,000 to \$19,999	633	8.0 %
5	\$20,000 to \$24,999	583	7.4 %
6	\$25,000 to \$34,999	912	11.5 %
7	\$35,000 to \$44,999	738	9.3 %
8	\$45,000 to \$54,999	663	8.4 %
9	\$55,000 to \$64,999	529	6.7 %
10	\$65,000 to \$74,999	361	4.6 %
11	\$75,000 and Over	1560	19.8 %
12	Over \$20,000	9	0.1 %
13	Under \$20,000	5	0.1 %
77	Refused	8	0.1 %
99	Don't know	11	0.1 %
. (M)	-	762	9.6 %

**INDFMINC**

**Annual Family Income**

Location: 197-199 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)  
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	334	4.2 %
2	\$ 5,000 to \$ 9,999	528	6.7 %
3	\$10,000 to \$14,999	751	9.5 %
4	\$15,000 to \$19,999	688	8.7 %
5	\$20,000 to \$24,999	690	8.7 %
6	\$25,000 to \$34,999	880	11.1 %
7	\$35,000 to \$44,999	704	8.9 %
8	\$45,000 to \$54,999	612	7.7 %
9	\$55,000 to \$64,999	454	5.7 %
10	\$65,000 to \$74,999	347	4.4 %
11	\$75,000 and Over	1307	16.5 %
12	Over \$20,000	199	2.5 %
13	Under \$20,000	113	1.4 %
77	Refused	80	1.0 %
99	Don't know	71	0.9 %
. (M)	-	140	1.8 %

**INDFMPIR**

**Family PIR**

Location: 200-204 (width: 5; decimal: 2)

- Study 25502 -

Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

\* Frequencies not displayed for this variable.

**RIDEXPRG Pregnancy Status at Exam - Recode**

Location: 205-207 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	365	4.6 %
2	SP not pregnant at exam	2523	31.9 %
3	Cannot ascertain if SP is pregnant at exam	268	3.4 %
. (M)	-	4742	60.0 %

**RIDPREG Pregnancy Status - Recode (old version)**

Location: 208-210 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	394	5.0 %
2	SP not pregnant	2591	32.8 %
9	Cannot ascertain if SP is pregnant at exam	170	2.2 %
. (M)	-	4743	60.1 %

**DMDHRGND HH Ref Person Gender**

Location: 211-213 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	4577	58.0 %
2	Female	3319	42.0 %
. (M)	-	2	0.0 %

**DMDHRAGE HH Ref Person Age**

Location: 214-216 (width: 3; decimal: 0)

- Study 25502 -

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	50	0.6 %
19	-	90	1.1 %
20	-	81	1.0 %
21	-	59	0.7 %
22	-	83	1.1 %
23	-	73	0.9 %
24	-	67	0.8 %
25	-	95	1.2 %
26	-	105	1.3 %
27	-	74	0.9 %
28	-	88	1.1 %
29	-	93	1.2 %
30	-	171	2.2 %
31	-	115	1.5 %
32	-	132	1.7 %
33	-	153	1.9 %
34	-	171	2.2 %
35	-	181	2.3 %
36	-	168	2.1 %
37	-	224	2.8 %
38	-	167	2.1 %
39	-	215	2.7 %
40	-	230	2.9 %
41	-	217	2.7 %
42	-	207	2.6 %
43	-	209	2.6 %
44	-	266	3.4 %
45	-	254	3.2 %
46	-	218	2.8 %
47	-	148	1.9 %
48	-	183	2.3 %
49	-	165	2.1 %
50	-	168	2.1 %
51	-	166	2.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
52	-	128	1.6 %
53	-	131	1.7 %
54	-	147	1.9 %
55	-	103	1.3 %
56	-	79	1.0 %
57	-	72	0.9 %
58	-	87	1.1 %
59	-	77	1.0 %
60	-	76	1.0 %
61	-	85	1.1 %
62	-	106	1.3 %
63	-	83	1.1 %
64	-	84	1.1 %
65	-	74	0.9 %
66	-	86	1.1 %
67	-	84	1.1 %
68	-	84	1.1 %
69	-	54	0.7 %
70	-	76	1.0 %
71	-	70	0.9 %
72	-	64	0.8 %
73	-	65	0.8 %
74	-	80	1.0 %
75	-	71	0.9 %
76	-	73	0.9 %
77	-	55	0.7 %
78	-	47	0.6 %
79	-	39	0.5 %
80	-	71	0.9 %
81	-	79	1.0 %
82	-	48	0.6 %
83	-	35	0.4 %
84	-	63	0.8 %
85	>= 85 years of age	230	2.9 %
. (M)	-	2	0.0 %

**DMDHRBRN**

**HH Ref Person Country of Birth**

Location: 217-219 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?  
 English Instructions:

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	5842	74.0 %
2	Born in Mexico	1125	14.2 %
3	Born Elsewhere	671	8.5 %
7	Refused	3	0.0 %
. (M)	-	257	3.3 %

**DMDHREDU HH Ref Person Education Level**

Location: 220-222 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON\_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1096	13.9 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	1376	17.4 %
3	High School Grad/GED or equivalent	1785	22.6 %
4	Some College or AA degree	1868	23.7 %
5	College Graduate or above	1482	18.8 %
7	Refused	7	0.1 %
9	Don't know	30	0.4 %
. (M)	-	254	3.2 %

**DMDHRMAR HH Ref Person Marital Status**

Location: 223-225 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	4572	57.9 %
2	Widowed	692	8.8 %
3	Divorced	777	9.8 %
4	Separated	350	4.4 %
5	Never married	913	11.6 %
6	Living with partner	327	4.1 %
77	Refused	25	0.3 %
99	Don't know	9	0.1 %
. (M)	-	233	3.0 %

**DMDHSEDU HH Ref Person's Spouse Education Level**

Location: 226-228 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	633	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	534	6.8 %
3	High School Grad/GED or equivalent	945	12.0 %
4	Some College or AA degree	1076	13.6 %
5	College Graduate or above	810	10.3 %
7	Refused	3	0.0 %
9	Don't know	12	0.2 %
. (M)	-	3885	49.2 %

**WTINT2YR Full Sample 2 Year Interview Weight**

Location: 229-242 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

**WTINT4YR Full Sample 4 Year Interview Weight**

Location: 243-255 (width: 13; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**WTMEC2YR Full Sample 2 Year MEC Exam Weight**

Location: 256-269 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

**WTMEC4YR Full Sample 4 Year MEC Exam Weight**

Location: 270-283 (width: 14; decimal: 6)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

**SDMVPSU Masked Variance Pseudo-PSU**

Location: 284-286 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	4003	50.7 %
2	3895	49.3 %



- Study 25502 -

**SDMVSTRA**

**Masked Variance Pseudo-Stratum**

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	484	6.1 %
15	570	7.2 %
16	535	6.8 %
17	607	7.7 %
18	464	5.9 %
19	588	7.4 %
20	527	6.7 %
21	519	6.6 %
22	531	6.7 %
23	622	7.9 %
24	497	6.3 %
25	472	6.0 %
26	552	7.0 %
27	534	6.8 %
28	396	5.0 %