

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Urology and
Kidney Conditions

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Questionnaire: Urology and Kidney Conditions

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

KIQ022 Ever told you had weak/failing kidneys

Location: 6-8 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you/s/ he} had weak or failing kidneys? Do not include kidney stones, bladder infections, or incontinence. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	145	2.7 %
2	No KIQ04	5246	97.0 %
7	Refused KIQ042	2	0.0 %
9	Don't know KIQ042	17	0.3 %
. (M)	-	1	0.0 %

KIQ025 Received dialysis in past 12 months

Location: 9-11 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: In the past 12 months, {have you/has SP} received dialysis (either hemodialysis or peritoneal dialysis)? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	19	0.4 %
2	No	126	2.3 %
. (M)	-	5266	97.3 %

KIQ042 Leak urine during physical activities

Location: 12-14 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Many people experience leakage of urine. The next few questions ask about urine leakage under different conditions. During the past 12 months, {have/has SP} leaked or lost control of even a small amount of urine with an activity like coughing, lift English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1183	21.9 %
2	No KIQ044	3761	69.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Refused KIQ044	3	0.1 %
9	Don't know KIQ044	6	0.1 %
. (M)	-	458	8.5 %

KIQ043 **How frequently does this occur**

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How frequently does this occur? Would {you/he/she} say this occurs... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Every day,	271	5.0 %
2	A few times a week,	256	4.7 %
3	A few times a month, or	301	5.6 %
4	A few times a year?	351	6.5 %
9	Don't know	4	0.1 %
. (M)	-	4228	78.1 %

KIQ044 **Urinated before reaching the toilet**

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: During the past 12 months, {have you/has SP} leaked or lost control of even a small amount of urine with an urge or pressure to urinate and {you/he/she} couldn't get to the toilet fast enough? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	1025	18.9 %
2	No KIQ046	3919	72.4 %
7	Refused KIQ046	2	0.0 %
9	Don't know KIQ046	7	0.1 %
. (M)	-	458	8.5 %

KIQ045 **Frequency with which this occurs**

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How frequently does this occur? Would {you/she/he} say this occurs... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Every day,	210	3.9 %
2	A few times a week,	232	4.3 %
3	A few times a month, or	279	5.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	A few times a year?	297	5.5 %
9	Don't know	7	0.1 %
. (M)	-	4386	81.1 %

KIQ046 Leak urine during nonphysical activities

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: During the past 12 months, {have you/has SP} leaked or lost control of even a small amount of urine without an activity like coughing, lifting, or exercise, or an urge to urinate? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	471	8.7 %
2	No KIQ050	4474	82.7 %
7	Refused KIQ050	2	0.0 %
9	Don't know KIQ050	6	0.1 %
. (M)	-	458	8.5 %

KIQ047 How frequently does this occur

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How frequently does this occur? Would {you/she/he} say this occurs... English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Every day,	166	3.1 %
2	A few times a week,	118	2.2 %
3	A few times a month, or	87	1.6 %
4	A few times a year?	98	1.8 %
9	Don't know	2	0.0 %
. (M)	-	4940	91.3 %

KIQ050 How much did urine leakage bother you

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: During the past 12 months, how much did {your/her/his} leakage of urine bother {you/ her/him}? Please select one of the following choices: English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not at all,	487	9.0 %
2	only a little,	564	10.4 %
3	somewhat,	340	6.3 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	very much, or	165	3.0 %
5	greatly	110	2.0 %
7	Refused	1	0.0 %
9	Don't know	8	0.1 %
. (M)	-	3736	69.0 %

KIQ052 How much were daily activities affected

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: During the past 12 months, how much did {you/her/his} leakage of urine affect {you/ her/his} day-to-day activities? Please select one of the following choices:
English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not at all,	1149	21.2 %
2	only a little,	288	5.3 %
3	somewhat,	158	2.9 %
4	very much, or	41	0.8 %
5	greatly	33	0.6 %
7	Refused	1	0.0 %
9	Don't know	5	0.1 %
. (M)	-	3736	69.0 %

KIDUQUX Flag for Source Questionnaire

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Sample Person Questionnaire for all- Use Interview Wts	2012	37.2 %
2	MEC CAPI Questionnaire for KIQ04 KIQ052- Use Exam Wts	3399	62.8 %

SDDSRVYR Data Release Number

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	5411	100.0 %

RIDSTATR Interview/Examination Status

Location: 42-44 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	384	7.1 %
2	Both Interviewed and MEC examined	5027	92.9 %

RIDEXMON Six month time period

Location: 45-47 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	2366	43.7 %
2	May 1 through October 31	2661	49.2 %
. (M)	-	384	7.1 %

RIAGENDR Gender

Location: 48-50 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2536	46.9 %
2	Female	2875	53.1 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 51-53 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	105	1.9 %
21	-	116	2.1 %
22	-	110	2.0 %
23	-	103	1.9 %
24	-	99	1.8 %
25	-	95	1.8 %
26	-	118	2.2 %
27	-	89	1.6 %
28	-	89	1.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	-	94	1.7 %
30	-	114	2.1 %
31	-	77	1.4 %
32	-	95	1.8 %
33	-	76	1.4 %
34	-	96	1.8 %
35	-	86	1.6 %
36	-	84	1.6 %
37	-	103	1.9 %
38	-	81	1.5 %
39	-	95	1.8 %
40	-	101	1.9 %
41	-	97	1.8 %
42	-	94	1.7 %
43	-	84	1.6 %
44	-	107	2.0 %
45	-	100	1.8 %
46	-	95	1.8 %
47	-	84	1.6 %
48	-	77	1.4 %
49	-	84	1.6 %
50	-	81	1.5 %
51	-	83	1.5 %
52	-	82	1.5 %
53	-	81	1.5 %
54	-	79	1.5 %
55	-	68	1.3 %
56	-	58	1.1 %
57	-	61	1.1 %
58	-	53	1.0 %
59	-	45	0.8 %
60	-	85	1.6 %
61	-	84	1.6 %
62	-	88	1.6 %
63	-	77	1.4 %
64	-	75	1.4 %
65	-	63	1.2 %
66	-	74	1.4 %
67	-	72	1.3 %
68	-	65	1.2 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
69	-	57	1.1 %
70	-	72	1.3 %
71	-	69	1.3 %
72	-	71	1.3 %
73	-	61	1.1 %
74	-	64	1.2 %
75	-	62	1.1 %
76	-	60	1.1 %
77	-	53	1.0 %
78	-	47	0.9 %
79	-	31	0.6 %
80	-	65	1.2 %
81	-	86	1.6 %
82	-	54	1.0 %
83	-	40	0.7 %
84	-	61	1.1 %
85	>= 85 years of age	236	4.4 %

RIDAGEMN Age in Months - Recode

Location: 54-57 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 58-61 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 62-64 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	1113	20.6 %
2	Other Hispanic	237	4.4 %
3	Non-Hispanic White	2858	52.8 %
4	Non-Hispanic Black	1012	18.7 %
5	Other Race - Including Multi-Racial	191	3.5 %

- Study 25502 -

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 65-67 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	2878	53.2 %
2	Non-Hispanic Black	1026	19.0 %
3	Mexican American	1113	20.6 %
4	Other Race - Including Multi-Racial	157	2.9 %
5	Other Hispanic	237	4.4 %

DMQMILIT Veteran/Military Status

Location: 68-70 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	835	15.4 %
2	No	4567	84.4 %
7	Refused	4	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.1 %

DMDBORN Country of Birth - Recode

Location: 71-73 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	4291	79.3 %
2	Born in Mexico	665	12.3 %
3	Born Elsewhere	446	8.2 %
7	Refused	4	0.1 %
. (M)	-	5	0.1 %

DMDCITZN Citizenship Status

Location: 74-76 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related

- Study 25502 -

research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	4702	86.9 %
2	Not a citizen of the US	699	12.9 %
7	Refused	6	0.1 %
. (M)	-	4	0.1 %

DMDYRSUS

Length of time in US

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	75	1.4 %
2	1 yr., less than 5 yrs.	179	3.3 %
3	5 yrs., less than 10 yrs.	148	2.7 %
4	10 yrs., less than 15 yrs.	137	2.5 %
5	15 yrs., less than 20 yrs.	114	2.1 %
6	20 yrs., less than 30 yrs.	219	4.0 %
7	30 yrs., less than 40 yrs.	112	2.1 %
8	40 yrs., less than 50 yrs.	46	0.9 %
9	50 years or more	60	1.1 %
77	Refused	8	0.1 %
88	Could not determine	3	0.1 %
99	Don't know	10	0.2 %
. (M)	-	4300	79.5 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5411	100.0 %

DMDEDUC2

Education Level - Adults 20+

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	797	14.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	16.1 %
3	High School Grad/GED or Equivalent	1265	23.4 %
4	Some College or AA degree	1379	25.5 %
5	College Graduate or above	1079	19.9 %
7	Refused	5	0.1 %
9	Don't Know	12	0.2 %
. (M)	-	4	0.1 %

DMDEDUC

Education - Recode (old version)

Location:

86-88 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	1667	30.8 %
2	High School Diploma (including GED)	1265	23.4 %
3	More Than High School	2458	45.4 %
7	Refused	5	0.1 %
9	Don't know	12	0.2 %
. (M)	-	4	0.1 %

DMDSCHOL

Now attending school?

Location:

89-91 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	5411	100.0 %

DMDMARTL

Marital Status

Location:

92-94 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	3045	56.3 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Widowed	611	11.3 %
3	Divorced	454	8.4 %
4	Separated	168	3.1 %
5	Never married	824	15.2 %
6	Living with partner	301	5.6 %
77	Refused	4	0.1 %
. (M)	-	4	0.1 %

DMDHHSIZ Total number of people in the Household

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	829	15.3 %
2	-	1641	30.3 %
3	-	982	18.1 %
4	-	853	15.8 %
5	-	526	9.7 %
6	-	203	3.8 %
7	7 or more people in the household	377	7.0 %

INDHHINC Annual Household Income

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	91	1.7 %
2	\$ 5,000 to \$ 9,999	277	5.1 %
3	\$10,000 to \$14,999	398	7.4 %
4	\$15,000 to \$19,999	424	7.8 %
5	\$20,000 to \$24,999	389	7.2 %
6	\$25,000 to \$34,999	627	11.6 %
7	\$35,000 to \$44,999	508	9.4 %
8	\$45,000 to \$54,999	460	8.5 %
9	\$55,000 to \$64,999	366	6.8 %
10	\$65,000 to \$74,999	246	4.5 %
11	\$75,000 and Over	1062	19.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	Over \$20,000	5	0.1 %
13	Under \$20,000	3	0.1 %
77	Refused	4	0.1 %
99	Don't know	7	0.1 %
. (M)	-	544	10.1 %

INDFMINC Annual Family Income

Location: 101-103 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	200	3.7 %
2	\$ 5,000 to \$ 9,999	383	7.1 %
3	\$10,000 to \$14,999	539	10.0 %
4	\$15,000 to \$19,999	449	8.3 %
5	\$20,000 to \$24,999	468	8.6 %
6	\$25,000 to \$34,999	610	11.3 %
7	\$35,000 to \$44,999	481	8.9 %
8	\$45,000 to \$54,999	419	7.7 %
9	\$55,000 to \$64,999	311	5.7 %
10	\$65,000 to \$74,999	230	4.3 %
11	\$75,000 and Over	885	16.4 %
12	Over \$20,000	152	2.8 %
13	Under \$20,000	83	1.5 %
77	Refused	53	1.0 %
99	Don't know	48	0.9 %
. (M)	-	100	1.8 %

INDFMPIR Family PIR

Location: 104-108 (width: 5; decimal: 2)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 109-111 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	317	5.9 %
2	SP not pregnant at exam	1413	26.1 %
3	Cannot ascertain if SP is pregnant at exam	164	3.0 %
. (M)	-	3517	65.0 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy status variable. Please review the file documentation. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	344	6.4 %
2	SP not pregnant	1453	26.9 %
9	Cannot ascertain if SP is pregnant at exam	97	1.8 %
. (M)	-	3517	65.0 %

DMDHRGND HH Ref Person Gender

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	3286	60.7 %
2	Female	2123	39.2 %
. (M)	-	2	0.0 %

DMDHRAGE HH Ref Person Age

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	7	0.1 %
19	-	16	0.3 %
20	-	56	1.0 %
21	-	49	0.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
22	-	64	1.2 %
23	-	67	1.2 %
24	-	55	1.0 %
25	-	89	1.6 %
26	-	92	1.7 %
27	-	63	1.2 %
28	-	68	1.3 %
29	-	74	1.4 %
30	-	127	2.3 %
31	-	80	1.5 %
32	-	93	1.7 %
33	-	97	1.8 %
34	-	100	1.8 %
35	-	90	1.7 %
36	-	82	1.5 %
37	-	114	2.1 %
38	-	85	1.6 %
39	-	104	1.9 %
40	-	115	2.1 %
41	-	100	1.8 %
42	-	98	1.8 %
43	-	100	1.8 %
44	-	137	2.5 %
45	-	121	2.2 %
46	-	103	1.9 %
47	-	87	1.6 %
48	-	93	1.7 %
49	-	86	1.6 %
50	-	104	1.9 %
51	-	111	2.1 %
52	-	90	1.7 %
53	-	94	1.7 %
54	-	118	2.2 %
55	-	82	1.5 %
56	-	61	1.1 %
57	-	61	1.1 %
58	-	75	1.4 %
59	-	55	1.0 %
60	-	64	1.2 %
61	-	75	1.4 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	-	96	1.8 %
63	-	73	1.3 %
64	-	78	1.4 %
65	-	65	1.2 %
66	-	77	1.4 %
67	-	75	1.4 %
68	-	75	1.4 %
69	-	50	0.9 %
70	-	69	1.3 %
71	-	63	1.2 %
72	-	63	1.2 %
73	-	63	1.2 %
74	-	74	1.4 %
75	-	69	1.3 %
76	-	68	1.3 %
77	-	54	1.0 %
78	-	46	0.9 %
79	-	33	0.6 %
80	-	68	1.3 %
81	-	77	1.4 %
82	-	47	0.9 %
83	-	35	0.6 %
84	-	63	1.2 %
85	>= 85 years of age	226	4.2 %
. (M)	-	2	0.0 %

DMDHRBRN HH Ref Person Country of Birth

Location: 121-123 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
 English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	4165	77.0 %
2	Born in Mexico	655	12.1 %
3	Born Elsewhere	441	8.2 %
7	Refused	3	0.1 %
. (M)	-	147	2.7 %

DMDHREDU HH Ref Person Education Level

Location: 124-126 (width: 3; decimal: 0)

- Study 25502 -

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	762	14.1 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	840	15.5 %
3	High School Grad/GED or equivalent	1213	22.4 %
4	Some College or AA degree	1313	24.3 %
5	College Graduate or above	1110	20.5 %
7	Refused	7	0.1 %
9	Don't know	19	0.4 %
. (M)	-	147	2.7 %

DMDHRMAR

HH Ref Person Marital Status

Location:

127-129 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	3199	59.1 %
2	Widowed	599	11.1 %
3	Divorced	470	8.7 %
4	Separated	185	3.4 %
5	Never married	586	10.8 %
6	Living with partner	274	5.1 %
77	Refused	5	0.1 %
99	Don't know	2	0.0 %
. (M)	-	91	1.7 %

DMDHSEDU

HH Ref Person's Spouse Education Level

Location:

130-132 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	398	7.4 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	364	6.7 %
3	High School Grad/GED or equivalent	640	11.8 %
4	Some College or AA degree	749	13.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	College Graduate or above	606	11.2 %
7	Refused	3	0.1 %
9	Don't know	5	0.1 %
. (M)	-	2646	48.9 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 133-146 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 147-159 (width: 13; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 160-173 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 174-187 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 188-190 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2730	50.5 %
2	2681	49.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 191-193 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	330	6.1 %
15	379	7.0 %
16	330	6.1 %
17	422	7.8 %
18	351	6.5 %
19	410	7.6 %
20	340	6.3 %
21	376	6.9 %
22	377	7.0 %
23	476	8.8 %
24	326	6.0 %
25	304	5.6 %
26	365	6.7 %
27	385	7.1 %
28	240	4.4 %