ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Examination: Oral Health (Referral)

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Examination: Oral Health (Referral)

SEQN Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

OHAEXSTS Overall Oral Health Exam Status

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Overall Oral Health Exam Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Complete	7853	81.8 %
2	Partial	1157	12.1 %
3	Not done	588	6.1 %

OHASCST5 Referral Status Code

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Referral Status Code English Instructions:

Value	Label	Unweighted Frequency	%
1	Complete	8964	93.4 %
2	Partial	41	0.4 %
3	Not done	593	6.2 %

OHQ131 Must always take antibiotics?

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q1. Has a doctor or dentist ever told you that you must

ALWAYS take antibiotics (e.g. penicillin) before you get a dental check up or care? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	249	2.6 %
2	No	6360	66.3 %
9	Don't know	4	0.0 %
. (M)	-	2985	31.1 %

OHQ132 Had a heart problem?

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(13 Yrs. to 150 Yrs.) English Text: Q2. A heart problem? English Instructions: Before we begin, I would like to read you a list of health conditions that some people have. As I read off each condition, please tell me whether or not a doctor has ever told you that you have the condition. Has a doctor ever told you that you have...

Value	Label	Unweighted Frequency	%
1	Yes	559	5.8 %
2	No	5801	60.4 %
. (M)	-	3238	33.7 %

OHQ134 Had congenital heart murmurs?

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q3. Congenital heart murmurs? English Instructions:

Was the heart problem due to:

Value	Label	Unweighted Frequency	%
1	Yes	116	1.2 %
2	No	440	4.6 %
9	Don't know	4	0.0 %
. (M)	-	9038	94.2 %

OHQ136 Had heart valve problem?

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q4. Heart valve problem? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	40	0.4 %
2	No	404	4.2 %
. (M)	-	9154	95.4 %

OHQ138 Had congenital heart disease?

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q5. Congenital heart disease? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	4	0.0 %
2	No	399	4.2 %
9	Don't know	2	0.0 %
. (M)	-	9193	95.8 %

OHQ140 Had bacterial endocarditis?

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q6. Bacterial endocarditis? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2	0.0 %
2	No	399	4.2 %
. (M)	-	9197	95.8 %

OHQ142 Had rheumatic fever?

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q7. Rheumatic fever? English Instructions: Has a doctor

ever said you have:

Value	Label	Unweighted Frequency	%
1	Yes	41	0.4 %
2	No	6148	64.1 %
9	Don't know	10	0.1 %
. (M)	-	3399	35.4 %

OHQ144 Have kidney disease w/ renal dialysis?

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q8. Kidney disease requiring renal dialysis? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	11	0.1 %
2	No	6148	64.1 %
. (M)	-	3439	35.8 %

OHQ146 Have other artificial material?

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(13 Yrs. to 150 Yrs.) English Text: Q11. Other artificial material in your heart, veins, or

arteries? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	48	0.5 %
2	No	6091	63.5 %
. (M)	-	3459	36.0 %

OHQ148 Have a hip, bone, or joint replacement?

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(13 Yrs. to 150 Yrs.) English Text: Q12. A hip, bone, or joint replacement? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	113	1.2 %
2	No	5980	62.3 %
. (M)	-	3505	36.5 %

OHQ160

Past 30 days / painful tooth?

Location:

42-44 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(10 Yrs. to 69 Yrs.) English Text: During the past 30 days have you experienced a toothache or painful tooth, (including pain with biting or chewing, or sensations to hot, cold or sweets)? English Instructions: These questions concern conditions of the teeth, mouth, or face. Tell me if you experienced any of these conditions for any reason (including "cavities", injury, or any other reason).

Value	Label	Unweighted Frequency	%
1	Yes	1757	18.3 %
2	No	4677	48.7 %
. (M)	-	3164	33.0 %

OHQ170

How many days / painful tooth?

Location:

45-47 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(10 Yrs. to 69 Yrs.) English Text: For how many days in the past 30 days did you have these sensations? English Instructions:

Value	Label	Unweighted Frequency	%
1	-	222	2.3 %
2	-	382	4.0 %
3	-	244	2.5 %
4	-	95	1.0 %
5	-	174	1.8 %
6	-	36	0.4 %
7	-	72	0.8 %
8	-	24	0.3 %
9	-	3	0.0 %
10	-	94	1.0 %
11	-	1	0.0 %
12	-	8	0.1 %
13	-	1	0.0 %
14	-	45	0.5 %
15	-	67	0.7 %
17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20	-	53	0.6 %
21	-	5	0.1 %
22	-	2	0.0 %
25	-	8	0.1 %
27	-	2	0.0 %
28	-	10	0.1 %
29	-	1	0.0 %
30	-	207	2.2 %
. (M)	-	7841	81.7 %

OHAREC Overall recommendation for care

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Overall recommendation for care English Instructions:

Value	Label	Unweighted Frequency	%
1	See a dentist immediately	15	0.2 %
2	See a dentist within the next weeks	434	4.5 %
3	See a dentist at your earliest convenience	3917	40.8 %
4	Continue your regular routine care	4591	47.8 %
. (M)	-	641	6.7 %

OHAROCDT Untreated Caries / Restorative needs

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: A. Decayed teeth English Instructions:

Value		Unweighted Frequency	%	
1	Yes	2148	22.4 %	
. (M)	-	7450	77.6 %	

OHAROCGP Periodontal needs

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: B. Gums/gum disease English Instructions:

Value	Label	Unweighted Frequency	%	
1	Yes	1755	18.3 %	
. (M)	-	7843	81.7 %	

OHAROCOH Gingival / OHI needs

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: C. Oral hygiene English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2997	31.2 %
. (M)	-	6601	68.8 %

OHAROCCI Assessment of soft tissue lesion

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: D. Clinical impression of soft tissue condition English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	9	0.1 %
. (M)	-	9589	99.9 %

OHAROTH Some other finding

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: Some other finding (specify w/ referral letter) English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	207	2.2 %
. (M)	-	9391	97.8 %

OHARNF No significant needs

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 150 Yrs.) English Text: F. No significant findings English Instructions:

Value	Label	Unweighted Frequency	%	
1	Yes	4541	47.3 %	
. (M)	-	5057	52.7 %	

SDDSRVYR Data Release Number

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
2	NHANES 2001-2002 Public Release	9598	100.0 %

RIDSTATR Interview/Examination Status

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
2	Both Interviewed and MEC examined	9598	100.0 %

RIDEXMON Six month time period

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	4714	49.1 %
2	May 1 through October 31	4884	50.9 %

RIAGENDR Gender

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	4650	48.4 %
2	Female	4948	51.6 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
2	-	336	3.5 %
3	-	227	2.4 %
4	-	201	2.1 %
5	-	187	1.9 %
6	-	198	2.1 %
7	-	207	2.2 %
8	-	210	2.2 %
9	-	206	2.1 %
10	-	172	1.8 %
11	-	209	2.2 %

Value	Label	Unweighted Frequency	%
12	-	315	3.3 %
13	-	306	3.2 %
14	-	308	3.2 %
15	-	302	3.1 %
16	-	294	3.1 %
17	-	328	3.4 %
18	-	295	3.1 %
19	-	270	2.8 %
20	-	105	1.1 %
21	-	111	1.2 %
22	-	101	1.1 %
23	-	100	1.0 %
24	-	97	1.0 %
25	-	89	0.9 %
26	-	112	1.2 %
27	-	86	0.9 %
28	-	84	0.9 %
29	-	87	0.9 %
30	-	106	1.1 %
31	-	71	0.7 %
32	-	88	0.9 %
33	-	73	0.8 %
34	-	92	1.0 %
35	-	86	0.9 %
36	-	80	0.8 %
37	-	101	1.1 %
38	-	81	0.8 %
39	-	93	1.0 %
40	-	98	1.0 %
41	-	91	0.9 %
42	-	91	0.9 %
43	-	82	0.9 %
44	-	104	1.1 %
45	-	97	1.0 %
46	-	93	1.0 %
47	-	82	0.9 %
48	-	72	0.8 %
49	-	81	0.8 %
50	-	78	0.8 %
51	-	80	0.8 %

Value	Label	Unweighted Frequency	%
52	-	81	0.8 %
53	-	79	0.8 %
54	-	75	0.8 %
55	-	63	0.7 %
56	-	55	0.6 %
57	-	61	0.6 %
58	-	50	0.5 %
59	-	43	0.4 %
60	-	83	0.9 %
61	-	78	0.8 %
62	-	82	0.9 %
63	-	71	0.7 %
64	-	72	0.8 %
65	-	60	0.6 %
66	-	71	0.7 %
67	-	63	0.7 %
68	-	63	0.7 %
69	-	52	0.5 %
70	-	68	0.7 %
71	-	62	0.6 %
72	-	66	0.7 %
73	-	56	0.6 %
74	-	56	0.6 %
75	-	56	0.6 %
76	-	55	0.6 %
77	-	48	0.5 %
78	-	37	0.4 %
79	-	27	0.3 %
80	-	49	0.5 %
81	-	65	0.7 %
82	-	46	0.5 %
83	-	32	0.3 %
84	-	47	0.5 %
85	>= 85 years of age	163	1.7 %

RIDAGEMN Age in Months - Recode

Location: 84-87 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 88-91 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	2398	25.0 %
2	Other Hispanic	438	4.6 %
3	Non-Hispanic White	4005	41.7 %
4	Non-Hispanic Black	2387	24.9 %
5	Other Race - Including Multi-Racial	370	3.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	4045	42.1 %
2	Non-Hispanic Black	2438	25.4 %
3	Mexican American	2398	25.0 %
4	Other Race - Including Multi-Racial	279	2.9 %
5	Other Hispanic	438	4.6 %

DMQMILIT Veteran/Military Status

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	779	8.1 %
2	No	5139	53.5 %
7	Refused	1	0.0 %
. (M)	-	3679	38.3 %

DMDBORN Country of Birth - Recode

Location: 101-103 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	8071	84.1 %
2	Born in Mexico	947	9.9 %
3	Born Elsewhere	578	6.0 %
. (M)	-	2	0.0 %

DMDCITZN

Citizenship Status

Location:

104-106 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	8524	88.8 %
2	Not a citizen of the US	1068	11.1 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	1	0.0 %

DMDYRSUS

Length of time in US

Location:

107-109 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	140	1.5 %
2	1 yr., less than 5 yrs.	352	3.7 %
3	5 yrs., less than 10 yrs.	258	2.7 %
4	10 yrs., less than 15 yrs.	216	2.3 %
5	15 yrs., less than 20 yrs.	129	1.3 %
6	20 yrs., less than 30 yrs.	210	2.2 %
7	30 yrs., less than 40 yrs.	105	1.1 %
8	40 yrs., less than 50 yrs.	37	0.4 %
9	50 years or more	49	0.5 %
77	Refused	6	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	10	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	8083	84.2 %

DMDEDUC3

Education Level - Children/Youth 6-19

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten Only	253	2.6 %
1	1st Grade	217	2.3 %
2	2nd Grade	217	2.3 %
3	3rd Grade	192	2.0 %
4	4th Grade	189	2.0 %
5	5th Grade	241	2.5 %
6	6th Grade	317	3.3 %
7	7th Grade	291	3.0 %
8	8th Grade	339	3.5 %
9	9th Grade	317	3.3 %
10	10th Grade	315	3.3 %
11	11th Grade	314	3.3 %
12	12th Grade, No Diploma	47	0.5 %
13	High School Graduate	184	1.9 %
14	GED or Equivalent	20	0.2 %
15	More than high school	94	1.0 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	65	0.7 %
99	Don't know	2	0.0 %
. (M)	-	5978	62.3 %

DMDEDUC2

Education Level - Adults 20+

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value		Unweighted Frequency	%
1	Less Than 9th Grade	714	7.4 %

Value	Label	Unweighted Frequency	%
2	9-11th Grade (Includes 12th grade with no diploma)	815	8.5 %
3	High School Grad/GED or Equivalent	1171	12.2 %
4	Some College or AA degree	1310	13.6 %
5	College Graduate or above	1009	10.5 %
7	Refused	1	0.0 %
9	Don't Know	6	0.1 %
. (M)	-	4572	47.6 %

DMDEDUC Education - Recode (old version)

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	4849	50.5 %
2	High School Diploma (including GED)	1375	14.3 %
3	More Than High School	2413	25.1 %
7	Refused	1	0.0 %
9	Don't know	8	0.1 %
. (M)	-	952	9.9 %

DMDSCHOL Now attending school?

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2426	25.3 %
2	On vacation from school (between grades)	574	6.0 %
3	Neither in school or on vacation from school	361	3.8 %
. (M)	-	6237	65.0 %

DMDMARTL Marital Status

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2917	30.4 %
2	Widowed	492	5.1 %

Value	Label	Unweighted Frequency	%
3	Divorced	426	4.4 %
4	Separated	162	1.7 %
5	Never married	2502	26.1 %
6	Living with partner	320	3.3 %
77	Refused	2	0.0 %
. (M)	-	2777	28.9 %

DMDHHSIZ

Total number of people in the Household

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	715	7.4 %
2	-	1773	18.5 %
3	-	1632	17.0 %
4	-	2096	21.8 %
5	-	1555	16.2 %
6	-	752	7.8 %
7	7 or more people in the household	1075	11.2 %

INDHHINC

Annual Household Income

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	225	2.3 %
2	\$ 5,000 to \$ 9,999	497	5.2 %
3	\$10,000 to \$14,999	723	7.5 %
4	\$15,000 to \$19,999	793	8.3 %
5	\$20,000 to \$24,999	725	7.6 %
6	\$25,000 to \$34,999	1098	11.4 %
7	\$35,000 to \$44,999	912	9.5 %
8	\$45,000 to \$54,999	821	8.6 %
9	\$55,000 to \$64,999	644	6.7 %
10	\$65,000 to \$74,999	431	4.5 %
11	\$75,000 and Over	1860	19.4 %
12	Over \$20,000	10	0.1 %

Value	Label	Unweighted Frequency	%
13	Under \$20,000	8	0.1 %
77	Refused	9	0.1 %
99	Don't know	14	0.1 %
. (M)	-	828	8.6 %

INDFMINC Annual Family Income

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	465	4.8 %
2	\$ 5,000 to \$ 9,999	666	6.9 %
3	\$10,000 to \$14,999	930	9.7 %
4	\$15,000 to \$19,999	870	9.1 %
5	\$20,000 to \$24,999	844	8.8 %
6	\$25,000 to \$34,999	1053	11.0 %
7	\$35,000 to \$44,999	882	9.2 %
8	\$45,000 to \$54,999	753	7.8 %
9	\$55,000 to \$64,999	551	5.7 %
10	\$65,000 to \$74,999	403	4.2 %
11	\$75,000 and Over	1554	16.2 %
12	Over \$20,000	206	2.1 %
13	Under \$20,000	125	1.3 %
77	Refused	75	0.8 %
99	Don't know	84	0.9 %
. (M)	-	137	1.4 %

INDFMPIR Family PIR

Location: 134-138 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

^{*} Frequencies not displayed for this variable.

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 139-141 (width: 3; decimal: 0)

Variable Type: numeric Question:

Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab preg test or selfreported preg at exam	344	3.6 %
2	SP not pregnant at exam	2682	27.9 %
3	Cannot ascertain if SP is pregnant at exam	393	4.1 %
. (M)	-	6179	64.4 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 142-144 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes (lab, selfreport, screener data, or menstrual history)	373	3.9 %
2	SP not pregnant	2634	27.4 %
9	Cannot ascertain if SP is pregnant at exam	76	0.8 %
. (M)	-	6515	67.9 %

DMDHRGND HH Ref Person Gender

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5426	56.5 %
2	Female	4171	43.5 %
. (M)	-	1	0.0 %

DMDHRAGE HH Ref Person Age

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

 Value
 Label
 Unweighted Frequency
 %

 15
 1
 0.0 %

 16
 1
 0.0 %

 17
 2
 0.0 %

 17
 2
 0.0 %

 18
 51
 0.5 %

 19
 91
 0.9 %

Value	Label	Unweighted Frequency	%
20	-	94	1.0 %
21	-	83	0.9 %
22	-	109	1.1 %
23	-	111	1.2 %
24	-	116	1.2 %
25	-	153	1.6 %
26	-	168	1.8 %
27	-	131	1.4 %
28	-	156	1.6 %
29	-	160	1.7 %
30	-	299	3.1 %
31	-	207	2.2 %
32	-	223	2.3 %
33	-	254	2.6 %
34	-	253	2.6 %
35	-	273	2.8 %
36	-	268	2.8 %
37	-	327	3.4 %
38	-	251	2.6 %
39	-	292	3.0 %
40	-	292	3.0 %
41	-	284	3.0 %
42	-	258	2.7 %
43	-	245	2.6 %
44	-	319	3.3 %
45	_	292	3.0 %
46	_	252	2.6 %
47	_	169	1.8 %
48	-	200	2.1 %
49	_	179	1.9 %
50	_	174	1.8 %
51	_	181	1.9 %
52	_	142	1.5 %
53		137	1.4 %
54	_	156	1.6 %
55	-	103	1.0 %
56	-	88	0.9 %
57	-	71	0.9 %
58	-	89	0.7 %
59	-	76	0.8 %

- Study 25502 -

Value	Label	Unweighted Frequency	%
60	-	75	0.8 %
61	-	84	0.9 %
62	-	108	1.1 %
63	-	83	0.9 %
64	-	88	0.9 %
65	-	77	0.8 %
66	-	81	0.8 %
67	-	78	0.8 %
68	-	87	0.9 %
69	-	50	0.5 %
70	-	72	0.8 %
71	-	70	0.7 %
72	-	60	0.6 %
73	=	61	0.6 %
74	-	73	0.8 %
75	-	70	0.7 %
76	-	67	0.7 %
77	-	53	0.6 %
78	-	38	0.4 %
79	-	36	0.4 %
80	-	55	0.6 %
81	-	62	0.6 %
82	-	44	0.5 %
83	-	29	0.3 %
84	-	48	0.5 %
85	>= 85 years of age	167	1.7 %
. (M)	-	1	0.0 %

DMDHRBRN

HH Ref Person Country of Birth

151-153 (width: 3; decimal: 0)

Variable Type:

Question:

Location:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	7054	73.5 %
2	Born in Mexico	1441	15.0 %
3	Born Elsewhere	825	8.6 %
7	Refused	1	0.0 %
. (M)	-	277	2.9 %

DMDHREDU HH Ref Person Education Level

Location: 154-156 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Label Unweighted % Value Frequency 1 Less Than 9th Grade 13.4 % 1283 2 9-11th Grade (Includes 12th grade w/ no diploma) 18.8 % 1808 3 High School Grad/GED or equivalent 2170 22.6 % Some College or AA degree 2252 23.5 % 4 5 College Graduate or above 1775 18.5 % Refused 0.0 % 9 Don't know 0.4 % 34 . (M) 273 2.8 %

DMDHRMAR HH Ref Person Marital Status

Location: 157-159 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	5657	58.9 %
2	Widowed	636	6.6 %
3	Divorced	890	9.3 %
4	Separated	456	4.8 %
5	Never married	1189	12.4 %
6	Living with partner	388	4.0 %
77	Refused	27	0.3 %
99	Don't know	13	0.1 %
. (M)	-	342	3.6 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 160-162 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	781	8.1 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	699	7.3 %

Value	Label	Unweighted Frequency	%
3	High School Grad/GED or equivalent	1172	12.2 %
4	Some College or AA degree	1344	14.0 %
5	College Graduate or above	995	10.4 %
9	Don't know	18	0.2 %
. (M)	-	4589	47.8 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 163-176 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 177-189 (width: 13; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 190-203 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 204-217 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	4835	50.4 %
2	4763	49.6 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
14	608	6.3 %
15	670	7.0 %
16	667	6.9 %
17	702	7.3 %
18	565	5.9 %
19	728	7.6 %
20	670	7.0 %
21	582	6.1 %
22	639	6.7 %
23	722	7.5 %
24	634	6.6 %
25	571	5.9 %
26	684	7.1 %
27	651	6.8 %
28	505	5.3 %