



ICPSR 25867

# Evaluation of a Multi-Site Demonstration of Collaborations to Address Domestic Violence and Child Maltreatment in the United States, 2001-2006

Janet Griffith  
*ICF International*

Supervisor -- Child Welfare Agency Data  
Codebook



National Institute of Justice  
Data Resources Program

# ICPSR

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25867.xml>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



## ICPSR Codebook Notes

1. To protect respondent confidentiality, the data are restricted from general dissemination. Users interested in obtaining these data must complete a Restricted Data Use Agreement form and specify the reasons for the request. A copy of the Restricted Data Use Agreement form can be requested by calling 800-999-0960. Researchers can also download this form as a Portable Document Format (PDF) file from the download page associated with this dataset.

Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-646-8200.

2. ICPSR recoded blanks in the numeric data to -9 and labeled them "Blank".
3. Users should be aware that these data may contain undocumented codes. These codes were not labeled by the principal investigator or ICPSR.



## **ICPSR 25867**

# **Evaluation of a Multi-Site Demonstration of Collaborations to Address Domestic Violence and Child Maltreatment in the United States, 2001-2006**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Evaluation of a Multi-Site Demonstration of Collaborations to Address Domestic Violence and Child Maltreatment in the United States, 2001-2006

## Supervisor -- Child Welfare Agency Data

RECORDID	ICPSR CREATED UNIQUE RECORD IDENTIFIER
----------	--

Location: 1-2 (width: 2; decimal: 0)  
Variable Type: numeric  
Based upon 17 valid cases out of 17 total cases.

- Mean: 9.00
- Median: 9.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 5.05

SITEID	SITEID
--------	--------

Location: 3-3 (width: 1; decimal: 0)  
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	El Paso	4	23.5 %
2	Grafton	1	5.9 %
3	Lane	3	17.6 %
4	San Francisco	4	23.5 %
5	Santa Clara	3	17.6 %
6	St. Louis	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

- Mean: 3.41
- Median: 4.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.73

SYSID	SYSID
-------	-------

Location: 4-4 (width: 1; decimal: 0)  
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	CW	17	100.0 %

Based upon 17 valid cases out of 17 total cases.



- Study 25867 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**SUPID** **SUPID**

Location: 5-5 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Based upon 17 valid cases out of 17 total cases.

- Mean: 2.12
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.05

**TRDVTOT** **TRDVTOT**

Location: 6-7 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	1	5.9 %

Based upon 16 valid cases out of 17 total cases.

- Mean: 16.62
- Median: 14.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 15.12

**TRDVGB** **TRDVGB**

Location: 8-9 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	3	17.6 %

- Study 25867 -

Based upon 14 valid cases out of 17 total cases.

- Mean: 10.29
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 13.08

**TRCMTOT** **TRCMTOT**

Location: 10-11 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 17 valid cases out of 17 total cases.

- Mean: 11.41
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 12.79

**TRCMGB** **TRCMGB**

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	3	17.6 %

Based upon 14 valid cases out of 17 total cases.

- Mean: 4.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 11.58

**TRCCTOT** **TRCCTOT**

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 17 valid cases out of 17 total cases.

- Mean: 3.18

- Study 25867 -

- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.81

**TRCCGB TRCCGB**

Location: 16-17 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	3	17.6 %

Based upon 14 valid cases out of 17 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

**TRREASTO TRREASTO**

Location: 18-19 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	1	5.9 %

Based upon 16 valid cases out of 17 total cases.

- Mean: 2.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.08

**TRREASGB TRREASGB**

Location: 20-21 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	4	23.5 %

Based upon 13 valid cases out of 17 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.11

**TRCOTOT**

**TRCOTOT**

Location: 22-23 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2	11.8 %

Based upon 15 valid cases out of 17 total cases.

- Mean: 12.87
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 14.88

**TRCOGB**

**TRCOGB**

Location: 24-25 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	4	23.5 %

Based upon 13 valid cases out of 17 total cases.

- Mean: 11.54
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 14.93

- Study 25867 -

**TRIMPTOT TRIMPTOT**

Location: 26-27 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	2	11.8 %

Based upon 15 valid cases out of 17 total cases.

- Mean: 3.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.80

**TRIMPGB TRIMPGB**

Location: 28-29 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	5	29.4 %

Based upon 12 valid cases out of 17 total cases.

- Mean: 1.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.46

**IDCODVCM IDCODVCM**

Location: 30-30 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

- Study 25867 -

**IDCOCHWI IDCOCHWI**

Location: 31-31 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	12	70.6 %
T	5	29.4 %

Based upon 17 valid cases out of 17 total cases.

**IDCOPTVI IDCOPTVI**

Location: 32-32 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	1	5.9 %
T	16	94.1 %

Based upon 17 valid cases out of 17 total cases.

**IDCOOTHR IDCOOTHR**

Location: 33-33 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**IDCOCM IDCOCM**

Location: 34-34 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**IDCOINSY IDCOINSY**

Location: 35-35 (width: 1; decimal: 0)  
 Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**OBIDCHWI**

**OBIDCHWI**

Location: 36-36 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**OBIDTHRS**

**OBIDTHRS**

Location: 37-37 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**OBIDOTHR**

**OBIDOTHR**

Location: 38-38 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**OBIDFAM**

**OBIDFAM**

Location: 39-39 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

- Study 25867 -

**OBIDCOMM                      OBIDCOMM**

Location:                      40-40 (width: 1; decimal: 0)

Variable Type:                character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**OBIDTRAI                      OBIDTRAI**

Location:                      41-41 (width: 1; decimal: 0)

Variable Type:                character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**OBIDSYS                      OBIDSYS**

Location:                      42-42 (width: 1; decimal: 0)

Variable Type:                character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**OBIDCONF                      OBIDCONF**

Location:                      43-43 (width: 1; decimal: 0)

Variable Type:                character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**OBIDCPCT                      OBIDCPCT**

Location:                      44-44 (width: 1; decimal: 0)

Variable Type:                character



- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**STATCHWI**

**STATCHWI**

Location: 45-45 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**STATSEP**

**STATSEP**

Location: 46-46 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

**STATMAND**

**STATMAND**

Location: 47-47 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**STATCONF**

**STATCONF**

Location: 48-48 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

- Study 25867 -

**STATSPRN STATSPRN**

Location: 49-49 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**STATCOOC STATCOOC**

Location: 50-50 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**SERVSMOM SERVSOM**

Location: 51-51 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	12	70.6 %
T	5	29.4 %

Based upon 17 valid cases out of 17 total cases.

**SERVSCHD SERVSCHD**

Location: 52-52 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	6	35.3 %
T	11	64.7 %

Based upon 17 valid cases out of 17 total cases.

**SERVCOOC SERVCOOC**

Location: 53-53 (width: 1; decimal: 0)

Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	12	70.6 %
T	5	29.4 %

Based upon 17 valid cases out of 17 total cases.

**SERVBATT**

**SERVBATT**

Location: 54-54 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**SERVCSYS**

**SERVCSYS**

Location: 55-55 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**SCTRAIN**

**SCTRAIN**

Location: 56-56 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	8	47.1 %
T	9	52.9 %

Based upon 17 valid cases out of 17 total cases.

**SCINFRML**

**SCINFRML**

Location: 57-57 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	6	35.3 %
T	11	64.7 %

Based upon 17 valid cases out of 17 total cases.

**SCWRIT**

**SCWRIT**

Location: 58-58 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**SCREGMTG**

**SCREGMTG**

Location: 59-59 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**SCNONE**

**SCNONE**

Location: 60-60 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**SINFNA**

**SINFNA**

Location: 61-61 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**SINFCWAD**

**SINFCWAD**

Location: 62-62 (width: 1; decimal: 0)

Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**SINFOSYS**

**SINFOSYS**

Location: 63-63 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**SINFFAM**

**SINFFAM**

Location: 64-64 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**SINFCOMM**

**SINFCOMM**

Location: 65-65 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**SGBTRAIN**

**SGBTRAIN**

Location: 66-66 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**SGBTHINK**

**SGBTHINK**

Location: 67-67 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**SGBAWARE**

**SGBAWARE**

Location: 68-68 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	12	70.6 %
T	5	29.4 %

Based upon 17 valid cases out of 17 total cases.

**SGBMTG**

**SGBMTG**

Location: 69-69 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**SGBWRIT**

**SGBWRIT**

Location: 70-70 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**SGBCOLAB**

**SGBCOLAB**

Location: 71-71 (width: 1; decimal: 0)  
Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**MULTAPP**

**MULTAPP**

Location: 72-72 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	1	5.9 %
T	16	94.1 %

Based upon 17 valid cases out of 17 total cases.

**MULTDV**

**MULTDV**

Location: 73-73 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	7	41.2 %
T	10	58.8 %

Based upon 17 valid cases out of 17 total cases.

**MULTCW**

**MULTCW**

Location: 74-74 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

**MULTDEPC**

**MULTDEPC**

Location: 75-75 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**MULTDVCT**

**MULTDVCT**

Location: 76-76 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**MULTPOLC**

**MULTPOLC**

Location: 77-77 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**MULTBATT**

**MULTBATT**

Location: 78-78 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**MULTCULT**

**MULTCULT**

Location: 79-79 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**MULTOTHR**

**MULTOTHR**

Location: 80-80 (width: 1; decimal: 0)

Variable Type: character



- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

**BATTINV**

**BATTINV**

Location: 81-81 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	4	23.5 %
T	13	76.5 %

Based upon 17 valid cases out of 17 total cases.

**REFDV**

**REFDV**

Location: 82-82 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	6	35.3 %
T	11	64.7 %

Based upon 17 valid cases out of 17 total cases.

**REFCHTX**

**REFCHTX**

Location: 83-83 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

**REFCPS**

**REFCPS**

Location: 84-84 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**REFDEPC REFDEPC**

Location: 85-85 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**REFDVCT REFDVCT**

Location: 86-86 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**REFPOLC REFPOLC**

Location: 87-87 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**REFBATT REFBATT**

Location: 88-88 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**REFCULT REFCULT**

Location: 89-89 (width: 1; decimal: 0)  
Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**REFOTHR**

**REFOTHR**

Location: 90-90 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**REFECON**

**REFECON**

Location: 91-91 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**CHWPRNT**

**CHWPRNT**

Location: 92-92 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	8	47.1 %
T	9	52.9 %

Based upon 17 valid cases out of 17 total cases.

**CHWPRNTC**

**CHWPRNTC**

Location: 93-93 (width: 1; decimal: 0)  
Variable Type: numeric

Based upon 17 valid cases out of 17 total cases.

- Mean: 1.82
- Median: 1.00

- Study 25867 -

- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 3.15

**INFSHNA** **INFSHNA**

Location: 94-94 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**INFSHNO** **INFSHNO**

Location: 95-95 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**INFCOURT** **INFCOURT**

Location: 96-96 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	7	41.2 %
T	10	58.8 %

Based upon 17 valid cases out of 17 total cases.

**INFSHDV** **INFSHDV**

Location: 97-97 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

**INFSHCW** **INFSHCW**

- Study 25867 -

Location: 98-98 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	5	29.4 %
T	12	70.6 %

Based upon 17 valid cases out of 17 total cases.

**INFRELEA** **INFRELEA**

Location: 99-99 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	5	29.4 %
T	12	70.6 %

Based upon 17 valid cases out of 17 total cases.

**INFMOU** **INFMOU**

Location: 100-100 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**INFTRAIN** **INFTRAIN**

Location: 101-101 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	5	29.4 %
T	12	70.6 %

Based upon 17 valid cases out of 17 total cases.

**INFIFRML** **INFIFRML**

Location: 102-102 (width: 1; decimal: 0)  
 Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

**INFWRIT**

**INFWRIT**

Location: 103-103 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

**INFREGMT**

**INFREGMT**

Location: 104-104 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**INFNONE**

**INFNONE**

Location: 105-105 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**IINFSAE**

**IINFSAE**

Location: 106-106 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	5	29.4 %
T	12	70.6 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**IINFPEER**

**IINFPEER**

Location: 107-107 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**IINFCRIM**

**IINFCRIM**

Location: 108-108 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**IINFINSE**

**IINFINSE**

Location: 109-109 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**IINFONEW**

**IINFONEW**

Location: 110-110 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	8	47.1 %
T	9	52.9 %

Based upon 17 valid cases out of 17 total cases.

**IINFTWOW**

**IINFTWOW**

Location: 111-111 (width: 1; decimal: 0)  
Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**IGBTRAIN**

**IGBTRAIN**

Location: 112-112 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**IGBTHINK**

**IGBTHINK**

Location: 113-113 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**IGBAWARE**

**IGBAWARE**

Location: 114-114 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**IGBMTG**

**IGBMTG**

Location: 115-115 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.



- Study 25867 -

**IGBWRIT**

**IGBWRIT**

Location: 116-116 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**IGBCOLAB**

**IGBCOLAB**

Location: 117-117 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**IGBPOSIT**

**IGBPOSIT**

Location: 118-118 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CONFPOLC**

**CONFPOLC**

Location: 119-119 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

**CONFFAM**

**CONFFAM**

Location: 120-120 (width: 1; decimal: 0)  
Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**CONFMOU**

**CONFMOU**

Location: 121-121 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**CONFINTR**

**CONFINTR**

Location: 122-122 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CONFIRM**

**CONFIRM**

Location: 123-123 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**BATTNONE**

**BATTNONE**

Location: 124-124 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**BATTPOLC**

**BATTPOLC**

Location: 125-125 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**BATTPROB**

**BATTPROB**

Location: 126-126 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**BATTCRT**

**BATTCRT**

Location: 127-127 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**BATTRTX**

**BATTRTX**

Location: 128-128 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	8	47.1 %
T	9	52.9 %

Based upon 17 valid cases out of 17 total cases.

**BATTCPS**

**BATTCPS**

Location: 129-129 (width: 1; decimal: 0)  
Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	6	35.3 %
T	11	64.7 %

Based upon 17 valid cases out of 17 total cases.

**BATTRAIN**

**BATTRAIN**

Location: 130-130 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	11	64.7 %
T	6	35.3 %

Based upon 17 valid cases out of 17 total cases.

**BATIFRML**

**BATIFRML**

Location: 131-131 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

**BATWRIT**

**BATWRIT**

Location: 132-132 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**BATREGMT**

**BATREGMT**

Location: 133-133 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**BATNONE**

**BATNONE**

Location: 134-134 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**BATSAME**

**BATSAME**

Location: 135-135 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	6	35.3 %
T	11	64.7 %

Based upon 17 valid cases out of 17 total cases.

**BATCPS**

**BATCPS**

Location: 136-136 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**BATDV**

**BATDV**

Location: 137-137 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**BATCRT**

**BATCRT**

Location: 138-138 (width: 1; decimal: 0)  
Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**BATBIP**

**BATBIP**

Location: 139-139 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**BATEMON**

**BATEMON**

Location: 140-140 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**BGBTRAIN**

**BGBTRAIN**

Location: 141-141 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**BGBTHINK**

**BGBTHINK**

Location: 142-142 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**BGBAWARE**

**BGBAWARE**

Location: 143-143 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**BGBMTG**

**BGBMTG**

Location: 144-144 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**BGBWRIT**

**BGBWRIT**

Location: 145-145 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**BGBCOLAB**

**BGBCOLAB**

Location: 146-146 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**BGBPOSIT**

**BGBPOSIT**

Location: 147-147 (width: 1; decimal: 0)

Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**BSERAA**

**BSERAA**

Location: 148-149 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

**BSERANG**

**BSERANG**

Location: 150-151 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

**BSERBIP**

**BSERBIP**

Location: 152-153 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9



- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	9	52.9 %

Based upon 8 valid cases out of 17 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

**BSERDVCO**

**BSERDVCO**

Location: 154-155 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	15	88.2 %

Based upon 2 valid cases out of 17 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**BSERPRNT**

**BSERPRNT**

Location: 156-157 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	14	82.4 %

Based upon 3 valid cases out of 17 total cases.

- Mean: 2.67
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 4.00
- Standard Deviation: 1.15

- Study 25867 -

**BSEROPSY** **BSEROPSY**

Location: 158-159 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	12	70.6 %

Based upon 5 valid cases out of 17 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

**BSERCHLD** **BSERCHLD**

Location: 160-161 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

**BSERFAM** **BSERFAM**

Location: 162-163 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	14	82.4 %

Based upon 3 valid cases out of 17 total cases.

- Study 25867 -

- Mean: 2.67
- Median: 3.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.58

**BREFAA**

**BREFAA**

Location: 164-165 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

**BREFANG**

**BREFANG**

Location: 166-167 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	13	76.5 %

Based upon 4 valid cases out of 17 total cases.

- Mean: 2.25
- Median: 2.50
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.96

**BREFBIP**

**BREFIP**

Location: 168-169 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 25867 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	7	41.2 %

Based upon 10 valid cases out of 17 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.42

**BREFDVCO**

**BREFDVCO**

Location: 170-171 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

**BREFPRNT**

**BREFPRNT**

Location: 172-173 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	15	88.2 %

Based upon 2 valid cases out of 17 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.71

- Study 25867 -

**BREFOPSY**

**BREFOPSY**

Location: 174-175 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	11	64.7 %

Based upon 6 valid cases out of 17 total cases.

- Mean: 2.83
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.83

**BREFCHLD**

**BREFCHLD**

Location: 176-177 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	17	100.0 %

Based upon 0 valid cases out of 17 total cases.

**BREFFAM**

**BREFFAM**

Location: 178-179 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	17	100.0 %

Based upon 0 valid cases out of 17 total cases.

**BATTMON**

**BATTMON**

Location: 180-180 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	2	11.8 %
T	15	88.2 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**CULTTRAN**

**CULTTRAN**

Location: 181-181 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	15	88.2 %
T	2	11.8 %

Based upon 17 valid cases out of 17 total cases.

**CULTSTAF**

**CULTSTAF**

Location: 182-182 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	8	47.1 %
T	9	52.9 %

Based upon 17 valid cases out of 17 total cases.

**CULTPOS**

**CULTPOS**

Location: 183-183 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**CULTREFR**

**CULTREFR**

Location: 184-184 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CULTVALU**

**CULTVALU**

- Study 25867 -

Location: 185-185 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**CULTRAI** **CULTRAI**

Location: 186-186 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	4	23.5 %
T	13	76.5 %

Based upon 17 valid cases out of 17 total cases.

**CULTNDIS** **CULTNDIS**

Location: 187-187 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CGBTRAIN** **CGBTRAIN**

Location: 188-188 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CGBTHINK** **CGBTHINK**

Location: 189-189 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CGBAWARE**

**CGBAWARE**

Location: 190-190 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	12	70.6 %
T	5	29.4 %

Based upon 17 valid cases out of 17 total cases.

**CGBMTG**

**CGBMTG**

Location: 191-191 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**CGBWRIT**

**CGBWRIT**

Location: 192-192 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**CGBCOLAB**

**CGBCOLAB**

Location: 193-193 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**CGBPOSIT**

**CGBPOSIT**



- Study 25867 -

Location: 194-194 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**OBSADVDV**

**OBSADVDV**

Location: 195-195 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	9	52.9 %
T	8	47.1 %

Based upon 17 valid cases out of 17 total cases.

**OBSADVCH**

**OBSADVCH**

Location: 196-196 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**OBSBATT**

**OBSBATT**

Location: 197-197 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

**OBSIDCO**

**OBSIDCO**

Location: 198-198 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

- Study 25867 -

Based upon 17 valid cases out of 17 total cases.

**OBSCULTC**

**OBSCULTC**

Location: 199-199 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**OBSCLLAB**

**OBSCLLAB**

Location: 200-200 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**OBSINFSH**

**OBSINFSH**

Location: 201-201 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	13	76.5 %
T	4	23.5 %

Based upon 17 valid cases out of 17 total cases.

**OBSGB**

**OBSGB**

Location: 202-202 (width: 1; decimal: 0)  
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	16	94.1 %
T	1	5.9 %

Based upon 17 valid cases out of 17 total cases.

**OBSSTAFF**

**OBSSTAFF**

- Study 25867 -

Location: 203-203 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

**OBSFUND**                      **OBSFUND**

Location: 204-204 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	14	82.4 %
T	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

**OBSTXPRO**                      **OBSTXPRO**

Location: 205-205 (width: 1; decimal: 0)  
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
F	10	58.8 %
T	7	41.2 %

Based upon 17 valid cases out of 17 total cases.

**IMPIDCO**                      **IMPIDCO**

Location: 206-207 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	4	23.5 %
2	-	2	11.8 %
-9 (M)	Blank	11	64.7 %

Based upon 6 valid cases out of 17 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Study 25867 -

- Maximum: 2.00
- Standard Deviation: 0.52

**IMPINFSH**

**IMPINFSH**

Location: 208-209 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1	5.9 %
2	-	1	5.9 %
3	-	1	5.9 %
-9 (M)	Blank	14	82.4 %

Based upon 3 valid cases out of 17 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.00

**IMPADV DV**

**IMPADV DV**

Location: 210-211 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	3	17.6 %
2	-	3	17.6 %
3	-	1	5.9 %
-9 (M)	Blank	10	58.8 %

Based upon 7 valid cases out of 17 total cases.

- Mean: 1.71
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.76

**IMPADV CH**

**IMPADV CH**

Location: 212-213 (width: 2; decimal: 0)  
 Variable Type: numeric

- Study 25867 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	5	29.4 %
2	-	1	5.9 %
3	-	2	11.8 %
-9 (M)	Blank	9	52.9 %

Based upon 8 valid cases out of 17 total cases.

- Mean: 1.62
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.92

**IMPBATT**

**IMPBATT**

Location: 214-215 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	1	5.9 %
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

**IMPTXPR**

**IMPTXPR**

Location: 216-217 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	2	11.8 %
-9 (M)	Blank	15	88.2 %

Based upon 2 valid cases out of 17 total cases.

- Study 25867 -

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

**IMPCOLLA**

**IMPCOLLA**

Location: 218-219 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	1	5.9 %
-9 (M)	Blank	16	94.1 %

Based upon 1 valid cases out of 17 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

**TRDVTOTC**

**TRDVTOTC**

Location: 220-221 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0	3	17.6 %
1	1-10	5	29.4 %
2	11-20	1	5.9 %
3	21+	7	41.2 %
-9 (M)	Blank	1	5.9 %

Based upon 16 valid cases out of 17 total cases.

- Mean: 1.75
- Median: 1.50
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00

- Study 25867 -

- Standard Deviation: 1.24

**TRCMTOTC**

**TRCMTOTC**

Location: 222-222 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0	7	41.2 %
1	1-10	2	11.8 %
2	11-20	5	29.4 %
3	21+	3	17.6 %

Based upon 17 valid cases out of 17 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.20

**TRCOTOTC**

**TRCOTOTC**

Location: 223-224 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	0	5	29.4 %
1	1-10	5	29.4 %
2	11-20	1	5.9 %
3	21+	4	23.5 %
-9 (M)	Blank	2	11.8 %

Based upon 15 valid cases out of 17 total cases.

- Mean: 1.27
- Median: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.22

**WORKER**

**WORKER**

Location: 225-225 (width: 1; decimal: 0)  
 Variable Type: numeric

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Supervisor	17	100.0 %

Based upon 17 valid cases out of 17 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00