



ICPSR 25867

Evaluation of a Multi-Site Demonstration of Collaborations to Address Domestic Violence and Child Maltreatment in the United States, 2001-2006

Janet Griffith
ICF International

Case Abstractions Data Codebook



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25867.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR Codebook Notes

1. To protect respondent confidentiality, the data are restricted from general dissemination. Users interested in obtaining these data must complete a Restricted Data Use Agreement form and specify the reasons for the request. A copy of the Restricted Data Use Agreement form can be requested by calling 800-999-0960. Researchers can also download this form as a Portable Document Format (PDF) file from the download page associated with this dataset.

Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-646-8200.

2. ICPSR recoded blanks in the numeric data to -9 and labeled them "Blank".
3. Users should be aware that these data may contain undocumented codes. These codes were not labeled by the principal investigator or ICPSR.

ICPSR 25867

Evaluation of a Multi-Site Demonstration of Collaborations to Address Domestic Violence and Child Maltreatment in the United States, 2001-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Evaluation of a Multi-Site Demonstration of Collaborations to Address Domestic Violence and Child Maltreatment in the United States, 2001-2006

Case Abstractions Data

RECORDID FINAL VERSION: ICPSR CREATED UNIQUE RECORD IDENTIFIER

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric
Based upon 1820 valid cases out of 1820 total cases.

- Mean: 910.50
- Minimum: 1.00
- Maximum: 1820.00
- Standard Deviation: 525.53

TIME FINAL VERSION: DATA COLLECTION TIME PERIOD

Location: 5-5 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Time 1	616	33.8 %
2	Time 2	642	35.3 %
3	Time 3	562	30.9 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

LOCALSITEID FINAL VERSION: LOCALSITEID

Location: 6-205 (width: 200; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1407	77.3 %
MASKED	413	22.7 %

Based upon 1820 valid cases out of 1820 total cases.

FILEREVIEW FINAL VERSION: FILEREVIEW

- Study 25867 -

Location: 206-208 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 1107 valid cases out of 1820 total cases.

- Mean: 79.91
- Median: 70.00
- Minimum: 1.00
- Maximum: 284.00
- Standard Deviation: 58.38

SITE FINAL VERSION: SITE ID CODE

Location: 209-209 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	El Paso	410	22.5 %
2	Grafton	256	14.1 %
3	Lane	450	24.7 %
5	Santa Clara	449	24.7 %
6	St. Louis	255	14.0 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 3.32
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.79

DATE FINAL VERSION: CASE ABSTRACTION DATE

Location: 210-220 (width: 11; decimal: 0)
 Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

CODER FINAL VERSION: CODER INITIALS

Location: 221-420 (width: 200; decimal: 0)
 Variable Type: character

- Study 25867 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1329	73.0 %
MASKED	491	27.0 %

Based upon 1820 valid cases out of 1820 total cases.

CMSUB FINAL VERSION: 1. CHILD MALTREATMENT SUBSANTIATED BY THE CHILD WELFARE AGENCY?

Location: 421-421 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1820	100.0 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OPENDATE FINAL VERSION: 2. RECODE 2. NEW CASE OPENED AND SUBSTANTIATED IN 2001/2003/2005?

Location: 422-422 (width: 1; decimal: 0)
 Variable Type: numeric

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 0.19

CMDATE FINAL VERSION: 3A. DATE OF MOST RECENT CHILD MALTREATMENT INCIDENT OCCURRED

Location: 423-433 (width: 11; decimal: 0)
 Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

CMREPDT FINAL VERSION: 3B. DATE OF MOST RECENT CHILD MALTREATMENT INCIDENT: INITIALLY REPORTED TO CW

Location: 434-444 (width: 11; decimal: 0)

- Study 25867 -

Variable Type: character
Based upon 1820 valid cases out of 1820 total cases.

CMSUBDT FINAL VERSION: 3C. DATE OF MOST RECENT CHILD MALTREATMENT INCIDENT: SUBSTANTIATED BY CW

Location: 445-455 (width: 11; decimal: 0)
Variable Type: character
Based upon 1820 valid cases out of 1820 total cases.

CMVBDAT 7. CHILD MALTREATMENT VICTIM BIRTH DATE

Location: 456-466 (width: 11; decimal: 0)
Variable Type: character
Based upon 1820 valid cases out of 1820 total cases.

MOMSUBST FINAL VERSION: 12A. HOUSEHOLD RISK FACTOR ATTRIBUTED TO MOTHER WITH SUBSTANCE ABUSE PROBLEMS

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	99	5.4 %
2	2:Risk factor present and this person is the CM perp	351	19.3 %
-9 (M)	Blank	1370	75.3 %

Based upon 450 valid cases out of 1820 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.41

MOMDV FINAL VERSION: 12A. HOUSEHOLD DV RISK FACTOR ATTRIBUTED TO MOTHER

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	54	3.0 %
2	2:Risk factor present and this person is the CM perp	169	9.3 %
-9 (M)	Blank	1597	87.7 %

- Study 25867 -

Based upon 223 valid cases out of 1820 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

MOMMH FINAL VERSION: 12A. MENTAL HEALTH FACTOR ATTRIBUTED TO MOTHER

Location: 471-472 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	55	3.0 %
2	2:Risk factor present and this person is the CM perp	150	8.2 %
-9 (M)	Blank	1615	88.7 %

Based upon 205 valid cases out of 1820 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.44

MOMEMPLOY FINAL VERSION: EMPLOYMENT RISK FACTOR ATTRIBUTED TO MOTHER

Location: 473-474 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	34	1.9 %
2	2:Risk factor present and this person is the CM perp	131	7.2 %
-9 (M)	Blank	1655	90.9 %

Based upon 165 valid cases out of 1820 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00

- Study 25867 -

- Standard Deviation: 0.41

MOMLEGAL FINAL VERSION: 12A. LEGAL/CRIMINAL RISK FACTOR ATTRIBUTED TO MOTHER

Location: 475-476 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	35	1.9 %
2	2:Risk factor present and this person is the CM perp	127	7.0 %
-9 (M)	Blank	1658	91.1 %

Based upon 162 valid cases out of 1820 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.41

MOMFINANC FINAL VERSION: 12A. FINANCIAL RISK FACTOR ATTRIBUTED TO MOTHER

Location: 477-478 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	60	3.3 %
2	2:Risk factor present and this person is the CM perp	199	10.9 %
-9 (M)	Blank	1561	85.8 %

Based upon 259 valid cases out of 1820 total cases.

- Mean: 1.77
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.42

MOMPHYS FINAL VERSION: 12A. PHYSICAL ILLNESS/DISABILITY RISK FACTOR ATTRIBUTED TO MOTHER

Location: 479-480 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 25867 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	17	0.9 %
2	2:Risk factor present and this person is the CM perp	42	2.3 %
-9 (M)	Blank	1761	96.8 %

Based upon 59 valid cases out of 1820 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

DADSUBST FINAL VERSION: 12A. HOUSEHOLD RISK FACTOR ATTRIBUTED TO FATHER WITH SUBSTANCE ABUSE PROBLEMS

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	112	6.2 %
2	2:Risk factor present and this person is the CM perp	184	10.1 %
-9 (M)	Blank	1524	83.7 %

Based upon 296 valid cases out of 1820 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

DADDV FINAL VERSION: 12A. HOUSEHOLD DV RISK FACTOR ATTRIBUTED TO FATHER

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	120	6.6 %
2	2:Risk factor present and this person is the CM perp	177	9.7 %
-9 (M)	Blank	1523	83.7 %

- Study 25867 -

Based upon 297 valid cases out of 1820 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

DADMH FINAL VERSION: 12A. MENTAL HEALTH FACTOR ATTRIBUTED TO FATHER

Location: 485-486 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	13	0.7 %
2	2:Risk factor present and this person is the CM perp	32	1.8 %
-9 (M)	Blank	1775	97.5 %

Based upon 45 valid cases out of 1820 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

DADEMPLOY FINAL VERSION: EMPLOYMENT RISK FACTOR ATTRIBUTED TO FATHER

Location: 487-488 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	24	1.3 %
2	2:Risk factor present and this person is the CM perp	62	3.4 %
-9 (M)	Blank	1734	95.3 %

Based upon 86 valid cases out of 1820 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00

- Study 25867 -

- Standard Deviation: 0.45

DADLEGAL FINAL VERSION: 12A. LEGAL/CRIMINAL RISK FACTOR ATTRIBUTED TO FATHER

Location: 489-490 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	109	6.0 %
2	2:Risk factor present and this person is the cm perp	119	6.5 %
-9 (M)	Blank	1592	87.5 %

Based upon 228 valid cases out of 1820 total cases.

- Mean: 1.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

DADPHYS FINAL VERSION: 12A. PHYSICAL ILLNESS/DISABILITY RISK FACTOR ATTRIBUTED TO FATHER

Location: 491-492 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	11	0.6 %
2	2:Risk factor present and this person is the CM perp	14	0.8 %
-9 (M)	Blank	1795	98.6 %

Based upon 25 valid cases out of 1820 total cases.

- Mean: 1.56
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.51

DADFINAN FINAL VERSION: 12A. FINANCIAL RISK FACTOR ATTRIBUTED TO FATHER

Location: 493-494 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 25867 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	40	2.2 %
2	2:Risk factor present and this person is the CM perp	91	5.0 %
-9 (M)	Blank	1689	92.8 %

Based upon 131 valid cases out of 1820 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

PRIMSUBST FINAL VERSION: 12A. HOUSEHOLD RISK FACTOR ATTRIBUTED TO PRIMARY CAREGIVER WITH SUBSTANCE ABUSE PROBLEMS

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	25	1.4 %
2	2:Risk factor present and this person is the CM perp	38	2.1 %
-9 (M)	Blank	1757	96.5 %

Based upon 63 valid cases out of 1820 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

PRIMDV FINAL VERSION: 12A. HOUSEHOLD DV RISK FACTOR ATTRIBUTED TO PRIMARY CAREGIVER

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	17	0.9 %
2	2:Risk factor present and this person is the CM perp	29	1.6 %
-9 (M)	Blank	1774	97.5 %

- Study 25867 -

Based upon 46 valid cases out of 1820 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

PRIMMH FINAL VERSION: 12A. MENTAL HEALTH FACTOR ATTRIBUTED TO PRIMARY CAREGIVER

Location: 499-500 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	5	0.3 %
2	2:Risk factor present and this person is the CM perp	6	0.3 %
-9 (M)	Blank	1809	99.4 %

Based upon 11 valid cases out of 1820 total cases.

- Mean: 1.55
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

PRIMEEMPLOY FINAL VERSION: EMPLOYMENT RISK FACTOR ATTRIBUTED TO PRIMARY CAREGIVER

Location: 501-502 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	3	0.2 %
2	2:Risk factor present and this person is the CM perp	13	0.7 %
-9 (M)	Blank	1804	99.1 %

Based upon 16 valid cases out of 1820 total cases.

- Mean: 1.81
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00

- Study 25867 -

- Standard Deviation: 0.40

PRIMLEGAL FINAL VERSION: 12A. LEGAL/CRIMINAL RISK FACTOR ATTRIBUTED TO PRIMARY CAREGIVER

Location: 503-504 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	11	0.6 %
2	2:Risk factor present and this person is the CM perp	29	1.6 %
-9 (M)	Blank	1780	97.8 %

Based upon 40 valid cases out of 1820 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

PRIMFINAN FINAL VERSION: 12A. FINANCIAL RISK FACTOR ATTRIBUTED TO PRIMARY CAREGIVER

Location: 505-506 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	4	0.2 %
2	2:Risk factor present and this person is the CM perp	28	1.5 %
-9 (M)	Blank	1788	98.2 %

Based upon 32 valid cases out of 1820 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.34

PRIMPHYS FINAL VERSION: 12A. PHYSICAL ILLNESS/DISABILITY RISK FACTOR ATTRIBUTED TO PRIMARY CAREGIVER

Location: 507-508 (width: 2; decimal: 0)

- Study 25867 -

Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2:Risk factor present and this person is the CM perp	6	0.3 %
-9 (M)	Blank	1814	99.7 %

Based upon 6 valid cases out of 1820 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

OTHERSUBST FINAL VERSION: 12A. HOUSEHOLD RISK FACTOR ATTRIBUTED TO OTHER CAREGIVER WITH SUBSTANCE ABUSE PROBLEMS

Location: 509-510 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	25	1.4 %
2	2:Risk factor present and this person is the CM perp	23	1.3 %
-9 (M)	Blank	1772	97.4 %

Based upon 48 valid cases out of 1820 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

OTHERDV FINAL VERSION: 12A. HOUSEHOLD DV RISK FACTOR ATTRIBUTED TO OTHER CAREGIVER

Location: 511-512 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	35	1.9 %
2	2:Risk factor present and this person is the CM perp	17	0.9 %
-9 (M)	Blank	1768	97.1 %

- Study 25867 -

Based upon 52 valid cases out of 1820 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

OTHERMH FINAL VERSION: 12A. MENTAL HEALTH FACTOR ATTRIBUTED TO OTHER CAREGIVER

Location: 513-514 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	24	1.3 %
2	2:Risk factor present and this person is the CM perp	10	0.5 %
-9 (M)	Blank	1786	98.1 %

Based upon 34 valid cases out of 1820 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

OTHEREMPLOY FINAL VERSION: EMPLOYMENT RISK FACTOR ATTRIBUTED TO OTHER CAREGIVER

Location: 515-516 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	2	0.1 %
2	2:Risk factor present and this person is the CM perp	4	0.2 %
-9 (M)	Blank	1814	99.7 %

Based upon 6 valid cases out of 1820 total cases.

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00

- Study 25867 -

- Standard Deviation: 0.52

OTHERLEGAL FINAL VERSION: 12A. LEGAL/CRIMINAL RISK FACTOR ATTRIBUTED TO OTHER CAREGIVER

Location: 517-518 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	26	1.4 %
2	2:Risk factor present and this person is the CM perp	23	1.3 %
-9 (M)	Blank	1771	97.3 %

Based upon 49 valid cases out of 1820 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

OTHERFINAN FINAL VERSION: 12A. FINANCIAL RISK FACTOR ATTRIBUTED TO OTHER CAREGIVER

Location: 519-520 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	7	0.4 %
2	2:Risk factor present and this person is the CM perp	6	0.3 %
-9 (M)	Blank	1807	99.3 %

Based upon 13 valid cases out of 1820 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.52

OTHERPHYS FINAL VERSION: 12A. PHYSICAL ILLNESS/DISABILITY RISK FACTOR ATTRIBUTED TO OTHER CAREGIVER

Location: 521-522 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 25867 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1:Risk factor present	15	0.8 %
2	2:Risk factor present and this person is the CM perp	1	0.1 %
-9 (M)	Blank	1804	99.1 %

Based upon 16 valid cases out of 1820 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.25

SCINT FINAL VERSION: 13A. STANDARD INTAKE DATE

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1008	55.4 %
1	Yes	812	44.6 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

SCINTDT FINAL VERSION: 13A. STANDARD INTAKE DATE

Location: 524-534 (width: 11; decimal: 0)

Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

SCINTID FINAL VERSION: 13A. DV IDENTIFIED THRU STANDARD INTAKE

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	191	10.5 %
2	No	570	31.3 %
9 (M)	Unknown	1059	58.2 %

Based upon 761 valid cases out of 1820 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

SCICMV

FINAL VERSION: 13B. DV ASSESSED THRU CM VICTIM INTERVIEW

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1633	89.7 %
1	Yes	187	10.3 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

SCICMDT

FINAL VERSION:13B. CM INTERVIEW DATE

Location: 537-547 (width: 11; decimal: 0)

Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

SCICMID

FINAL VERSION: DV IDENTIFIED THRU CM INTERVIEW?

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	126	6.9 %

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	51	2.8 %
9 (M)	Unknown	1643	90.3 %

Based upon 177 valid cases out of 1820 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

SCIPA FINAL VERSION: 13C. DV ASSESSED THRU PRIMARY CAREGIVER INTERVIEW

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1523	83.7 %
1	Yes	297	16.3 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

SCIPADT FINAL VERSION: 13C. PRIMARY CAREGIVER INTERVIEW DATE

Location: 550-560 (width: 11; decimal: 0)

Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

SCIPAID FINAL VERSION: 13C. DV IDENTIFIED THRU PRIMARY CAREGIVER INTERVIEW?

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	210	11.5 %
2	No	68	3.7 %

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9 (M)	Unknown	1542	84.7 %

Based upon 278 valid cases out of 1820 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

SCOTH FINAL VERSION: 13D. DV ASSESSED THRU OTHER?

Location: 562-562 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1453	79.8 %
1	Yes	367	20.2 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

SCOTHDT FINAL VERSION: 13D. DV ASSESSED THRU OTHER DATE

Location: 563-573 (width: 11; decimal: 0)

Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

SCOTHID FINAL VERSION: 13D. DV IDENTIFIED THRU OTHER SOURCE?

Location: 574-574 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	110	6.0 %
2	No	150	8.2 %
9 (M)	Unknown	1560	85.7 %

- Study 25867 -

Based upon 260 valid cases out of 1820 total cases.

- Mean: 1.58
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

SCNONE FINAL VERSION: 13E. THERE WAS NO INDICATION OF ACTIVE CPS SCREENING FOR IPV

Location: 575-575 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1178	64.7 %
1	Yes	642	35.3 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

RORD FINAL VERSION: 14A. DV DOCUMENT THRU RESTRAINING ORDER

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	128	7.0 %
-9 (M)	Blank	1692	93.0 %

Based upon 128 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

HOSP FINAL VERSION: 14B. DV DOCUMENT THRU HOSPITAL RECORDS

- Study 25867 -

Location: 578-579 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	5	0.3 %
-9 (M)	Blank	1815	99.7 %

Based upon 5 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

POLICE FINAL VERSION: 14C. DV DOCUMENT THRU POLICE REPORT

Location: 580-581 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	216	11.9 %
-9 (M)	Blank	1604	88.1 %

Based upon 216 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHDOC FINAL VERSION: 14D. DV DOCUMENT THRU OTHER SOURCE

Location: 582-583 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	449	24.7 %
-9 (M)	Blank	1371	75.3 %

Based upon 449 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

VDISC FINAL VERSION: 14E. DV DOCUMENTED THRU VICTIM DISCLOSURE

Location: 584-585 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	190	10.4 %
-9 (M)	Blank	1630	89.6 %

Based upon 190 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DVADV FINAL VERSION: 14F. DV DOCUMENTED THRU DV ADVOCATE

Location: 586-587 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	23	1.3 %
-9 (M)	Blank	1797	98.7 %

Based upon 23 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

IPVSRV FINAL VERSION: 14G. DV DOCUMENTED THRU USE OF DV SERVICES

- Study 25867 -

Location: 588-589 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	70	3.8 %
-9 (M)	Blank	1750	96.2 %

Based upon 70 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PSYCH FINAL VERSION: 14H. DV DOCUMENT THRU PSYCH EVAL

Location: 590-591 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	120	6.6 %
-9 (M)	Blank	1700	93.4 %

Based upon 120 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

NOIPVDOC FINAL VERSION: 14I. THERE WAS NO INDICATION OF PASSIVE IDENTIFICATION OR OTHER DOCUMENTATION OF IPV

Location: 592-593 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	732	40.2 %
1	Yes	1017	55.9 %
-9 (M)	Blank	71	3.9 %

- Study 25867 -

Based upon 1749 valid cases out of 1820 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

IPVVTYP 15. RELATIONSHIP OF DV VICTIM TO CM VICTIM

Location: 594-595 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Child's biological parent	717	39.4 %
2	Spouse of biological parent	25	1.4 %
3	Boy/girlfriend of biological parent	27	1.5 %
4	Other	9	0.5 %
5	Child's primary caregiver	6	0.3 %
6	Other relative of child	7	0.4 %
7	Non-relative child sees regularly	2	0.1 %
8	-	2	0.1 %
-9 (M)	Blank	994	54.6 %
9 (M)	Missing or unknown	31	1.7 %

Based upon 795 valid cases out of 1820 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.88

IPVDATE 16. MOST RECENT DV DATE

Location: 596-606 (width: 11; decimal: 0)
 Variable Type: character

Based upon 1820 valid cases out of 1820 total cases.

IPVREC 16. DV APPEARED TO BE RECENT

Location: 607-608 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 25867 -

Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	211	11.6 %
2	No	230	12.6 %
-9 (M)	Blank	910	50.0 %
9 (M)	Missing	469	25.8 %

Based upon 441 valid cases out of 1820 total cases.

- Mean: 1.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

CONSENT

FINAL VERSION: 26. CONSENT FORM PRESENT?

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	224	12.3 %
2	No	125	6.9 %
-9 (M)	Blank	1343	73.8 %
9 (M)	Missing	128	7.0 %

Based upon 349 valid cases out of 1820 total cases.

- Mean: 1.36
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.48

OTHRDOCU

FINAL VERSION: 27. OTHER WRITTEN DOCUMENTS PRESENT?

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	69	3.8 %

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	189	10.4 %
-9 (M)	Blank	1358	74.6 %
9 (M)	Missing	204	11.2 %

Based upon 258 valid cases out of 1820 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.44

REF2OTHR

FINAL VERSION: 28. REFERENCE TO CONFIDENTIALITY FORMS?

Location: 613-614 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	9	0.5 %
2	No	230	12.6 %
-9 (M)	Blank	1357	74.6 %
9 (M)	Missing	224	12.3 %

Based upon 239 valid cases out of 1820 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.19

DOCMAIN

FINAL VERSION: 29. WHERE ARE DOCUMENTS MAINTAINED?

Location: 615-814 (width: 200; decimal: 0)
 Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	1746	95.9 %

Based upon 1820 valid cases out of 1820 total cases.

MOMSUBREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 815-816 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	450	24.7 %
-9 (M)	Blank	1370	75.3 %

Based upon 450 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DADSUBREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 817-818 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	296	16.3 %
-9 (M)	Blank	1524	83.7 %

Based upon 296 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMSUBREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 819-820 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	63	3.5 %
-9 (M)	Blank	1757	96.5 %

Based upon 63 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHERSUBREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 821-822 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	48	2.6 %
-9 (M)	Blank	1772	97.4 %

Based upon 48 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

MOMDVREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 823-824 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	223	12.3 %
-9 (M)	Blank	1597	87.7 %

Based upon 223 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DADDVREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 825-826 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	297	16.3 %
-9 (M)	Blank	1523	83.7 %

Based upon 297 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMDVREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 827-828 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	46	2.5 %
-9 (M)	Blank	1774	97.5 %

Based upon 46 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHERDVREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 829-830 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	52	2.9 %
-9 (M)	Blank	1768	97.1 %

Based upon 52 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

MOMMHREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 831-832 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	205	11.3 %
-9 (M)	Blank	1615	88.7 %

Based upon 205 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DADMHREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 833-834 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	45	2.5 %
-9 (M)	Blank	1775	97.5 %

Based upon 45 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMMHREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 835-836 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	11	0.6 %
-9 (M)	Blank	1809	99.4 %

Based upon 11 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHERMHREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 837-838 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	34	1.9 %
-9 (M)	Blank	1786	98.1 %

Based upon 34 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

MOMEMPLOYREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 839-840 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	165	9.1 %
-9 (M)	Blank	1655	90.9 %

Based upon 165 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DAEMPLOYREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 841-842 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	86	4.7 %
-9 (M)	Blank	1734	95.3 %

Based upon 86 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMEEMPLOYREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 843-844 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	16	0.9 %
-9 (M)	Blank	1804	99.1 %

Based upon 16 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHEREMPLOYREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 845-846 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	6	0.3 %
-9 (M)	Blank	1814	99.7 %

Based upon 6 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

MOMLEGALREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 847-848 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	162	8.9 %
-9 (M)	Blank	1658	91.1 %

Based upon 162 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DADLEGALREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 849-850 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	228	12.5 %
-9 (M)	Blank	1592	87.5 %

Based upon 228 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMLEGALREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 851-852 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	40	2.2 %
-9 (M)	Blank	1780	97.8 %

Based upon 40 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHERLEGALREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 853-854 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	49	2.7 %
-9 (M)	Blank	1771	97.3 %

Based upon 49 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

MOMFINANCREV 12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)

Location: 855-856 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	259	14.2 %
-9 (M)	Blank	1561	85.8 %

Based upon 259 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DADFINANREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 857-858 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	131	7.2 %
-9 (M)	Blank	1689	92.8 %

Based upon 131 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMFINANREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 859-860 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	32	1.8 %
-9 (M)	Blank	1788	98.2 %

Based upon 32 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHERFINANREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 861-862 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	13	0.7 %
-9 (M)	Blank	1807	99.3 %

Based upon 13 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

MOMPHYSREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 863-864 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	59	3.2 %
-9 (M)	Blank	1761	96.8 %

Based upon 59 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

DADPHYSREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 865-866 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	25	1.4 %
-9 (M)	Blank	1795	98.6 %

Based upon 25 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

PRIMPHYSREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 867-868 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	6	0.3 %
-9 (M)	Blank	1814	99.7 %

Based upon 6 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

OTHERPHYSREV **12. CALCULATES IF RISK FACTOR ATTRIBUTED TO EITHER A CM PERP OR NON-CMPERP (RECODES 2 INTO 1 FOR ORIGINAL QUESTION 12)**

Location: 869-870 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	16	0.9 %
-9 (M)	Blank	1804	99.1 %

Based upon 16 valid cases out of 1820 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

- Study 25867 -

SUBRISKALL **COMPUTED VARIABLE: IF ANY SUBSTANCE ABUSE RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 871-871 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1229	67.5 %
1	Yes	591	32.5 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

DVRISKALL **COMPUTED VARIABLE: IF ANY DOMESTIC VIOLENCE RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 872-872 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1422	78.1 %
1	Yes	398	21.9 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

MHRISKALL **COMPUTED VARIABLE: IF ANY MENTAL HEALTH RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 873-873 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1561	85.8 %
1	Yes	259	14.2 %

- Study 25867 -

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

EMPLOYRISKALL **COMPUTED VARIABLE: IF ANY EMPLOYMENT RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 874-874 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1625	89.3 %
1	Yes	195	10.7 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

LEGALRISKALL **COMPUTED VARIABLE: IF ANY LEGAL/CRIMINAL RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 875-875 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1483	81.5 %
1	Yes	337	18.5 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

- Study 25867 -

FINANCRISKALL **COMPUTED VARIABLE: IF ANY FINANCIAL RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 876-876 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1540	84.6 %
1	Yes	280	15.4 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

PHYSRISKALL **COMPUTED VARIABLE: IF ANY PHYSICAL ILLNESS/DISABILITY RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 877-877 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1726	94.8 %
1	Yes	94	5.2 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

OTHERRISKALL **COMPUTED VARIABLE: IF ANY OTHER RISK FACTOR CHECKED FOR ANY PRIMARY CAREGIVER**

Location: 878-878 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1820	100.0 %

Based upon 1820 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RCMDATE RECODED CHILD MALTREATMENT DATE

Location: 879-889 (width: 11; decimal: 0)
 Variable Type: character
 Based upon 1820 valid cases out of 1820 total cases.

CMVAGE CM VICTIM AGE AT CM INCIDENT

Location: 890-896 (width: 7; decimal: 4)
 Variable Type: numeric
 Range of Missing Values (M): -9

Value	Label
-9 (M)	Blank

* Frequencies not displayed for this variable.
 Based upon 1808 valid cases out of 1820 total cases.

- Mean: 7.0424
- Minimum: -1.4648
- Maximum: 18.3217
- Standard Deviation: 5.2099

SCACTIVE WAS THERE ACTIVE CW SCREENING FOR CO-OCCURRENCE?

Location: 897-897 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%
0	-	641	35.2 %
1	Yes	1179	64.8 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

- Study 25867 -

SCPASSIV WAS THERE PASSIVE CW SCREENING FOR CO-OCCURRENCE?

Location: 898-898 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1017	55.9 %
1	Yes	732	40.2 %
9 (M)	Unknown	71	3.9 %

Based upon 1749 valid cases out of 1820 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

COIDACT DID ACTIVE SCREENING IDENTIFY IPV?

Location: 899-899 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	720	39.6 %
1	Yes	458	25.2 %
8 (M)	No active screening occurred	642	35.3 %

Based upon 1178 valid cases out of 1820 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

COIDPASS DID PASSIVE SCREENING IDENTIFY IPV?

Location: 900-900 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8 , 9

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1017	55.9 %
1	Yes	732	40.2 %
9 (M)	Unknown	71	3.9 %

Based upon 1749 valid cases out of 1820 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

ANYIPV	ANY IPV IDENTIFIED IN CASE?
---------------	------------------------------------

Location: 901-901 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 8 , 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	492	27.0 %
1	Yes	864	47.5 %
8 (M)	No active or passive screening occurred	416	22.9 %
9 (M)	Unknown	48	2.6 %

Based upon 1356 valid cases out of 1820 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

IPVPRIM	IS IPV VICTIM THE CHILDS PARENT OR PRIMARY CAREGIVER?
----------------	--

Location: 902-902 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1097	60.3 %
1	Yes	723	39.7 %

Based upon 1820 valid cases out of 1820 total cases.

- Study 25867 -

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

CMDAYSDV DAYS BETWEEN CM AND DV

Location: 903-906 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 378 valid cases out of 1820 total cases.

- Mean: 310.65
- Median: 6.50
- Mode: 1.00
- Minimum: -600.00
- Maximum: 4656.00
- Standard Deviation: 702.31

CMINYRDV WAS CM WITHIN 1 YEAR OF DV?

Location: 907-907 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1375	75.5 %
1	Yes	445	24.5 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

CMCOOCDV DID DV CO-OCCUR WITH CM?

Location: 908-908 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1434	78.8 %
1	Yes	386	21.2 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

ANYCNSNT ANY CONSENT TO SHARE INFO PRESENT OR REFERENCED?

Location: 909-909 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	191	10.5 %
2	No	195	10.7 %
9 (M)	Missing	1434	78.8 %

Based upon 386 valid cases out of 1820 total cases.

- Mean: 1.51
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

RSCACTIVE RECODED ACTIVE SCREENING 9 - UNKNOWN INTO 0

Location: 910-910 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	641	35.2 %
1	Yes	1179	64.8 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.65
- Median: 1.00

- Study 25867 -

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

RCOIDPASS RECODED PASSIVE SCREENING 9 - UNKNOWN INTO 0

Location: 911-911 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	1088	59.8 %
1	Yes	732	40.2 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

RANYIPV RECODED ANYIPV 8 INTO 0S

Location: 912-912 (width: 1; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	DV not indicated actively or passively	908	49.9 %
1	DV indicated actively or passively	864	47.5 %
9 (M)	Unknown	48	2.6 %

Based upon 1772 valid cases out of 1820 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

FILTER TIME = 3 AND SITE = 5 (FILTER)

Location: 913-913 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 25867 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not selected	1670	91.8 %
1	Selected	150	8.2 %

Based upon 1820 valid cases out of 1820 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28