



ICPSR 25924

Evaluation of a Demonstration for Enhanced Judicial Oversight of Domestic Violence Cases in Milwaukee, Wisconsin; Washtenaw County, Michigan; and Dorchester, Massachusetts; 1997-2004

Adele Harrell
Urban Institute

Jennifer Yahner
Urban Institute

Lisa Newmark
Urban Institute

Christy Visher
Urban Institute

Codebook for ~~Uæ ÅÄ~~ Dorchester, Massachusetts,
Batterer Intervention Program Data



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25924.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR Processing Notes

1. The data are restricted from general dissemination. Users interested in obtaining these data must complete a Restricted Data Use Agreement form and specify the reasons for the request. A copy of the Restricted Data Use Agreement form can be requested by calling 800-999-0960. Researchers can also download this form as a Portable Document Format (PDF) file from the download page associated with this dataset.

Completed forms should be returned to: Director, National Archive of Criminal Justice Data, Inter-university Consortium for Political and Social Research, Institute for Social Research, P.O. Box 1248, University of Michigan, Ann Arbor, MI 48106-1248, or by fax: 734-647-8200.

2. ICPSR recoded blanks in numeric variables to -9 and labeled them Blank. All declared missing codes other than -9 were assigned by the principal investigators in the original data file.

3. Users should be aware that this data collection may contain undocumented codes. These codes were not labeled by the principal investigator nor were they labeled by ICPSR.

4. The variable ID_NUM (UNIQUE ID NUMBER CREATED BY ICPSR) was added to each data file by ICPSR.

5. ICPSR repeated variable names as variable labels for the variables ELEMENT and SITE in Parts 1, 2, 3, 4, 5, and 6, the variable GUILT1_F in Part 14, and the variable PROSE_M1 in Part 18.

6. Numerous variables in the data files contain values of -2. Where there is no value label for this value, the principal investigators indicated this may designate missing data. These values were left as they were in the original data files.

7. All JOD data submitted for archival purposes was stripped of identifying information about the defendants and their victims. Dates included with the submission were randomly but uniformly modified to protect the anonymity of defendants, victims, cases, and outcomes.

8. The variables U_DOB_OF (OFFENDER DATE OF BIRTH (U-CIFS/OB)) and U_DOB_VI (VICTIM DATE OF BIRTH (U-CIFS/VB)) in Part 7, and the variables OFFENDER (OFFENDER DOB) and VICTIM_Y (VICTIM DOB) in Part 20 were masked by ICPSR. For these variables, users should note that values of "01/01/1900" should be interpreted as "masked". ICPSR retained the original status of the values as to whether the value was valid or missing.

9. The Stata setup files do not include value labels for the variable UOB_Q125 (WHY LESS LIKELY THAT POLICE WOULD BE CALLED? (SPECIFIED) (U-OB-Q125)) in Part 7. The value labels are provided in the codebook.

10. For confidentiality reasons, the following variables in Part 7 contain generic value labels. The data values for these variables were retained.

UOB_Q89A (NAME OF BATTERER INTERVENTION PROGRAM (SPECIFIED) (U-OB-Q89))

UOF_Q56A (WHAT IS THE NAME OF THE BIP OR ANGER MANAGEMENT PROGRAM? (U-OF-Q56A))

11. For confidentiality reasons, the variables OTHER_1 (OTHER SENTENCE CONDITION #1) and OTHER_2 (OTHER SENTENCE CONDITION #2) in Part 20 had specific information masked. This includes information bracketed between "[" and "]". For example, the variable OTHER_1 includes the text "[program]" which masks identifying data.

12. For confidentiality reasons, the variable J_NO (JUSTICE NUMBER) was masked by ICPSR.

13. The following abbreviations and acronyms are used in the data files:

Part 1 - Dorchester, Massachusetts, Batterer Intervention Program Data

BIP = Batterer Intervention Programs

COC = Cases without Contact

CRC = Court Referred Cases

JOD = Judicial Oversight Demonstration

RV: = Rule Violation

SS = Summary Statistics

WL = Wait List

Part 2 - Dorchester, Massachusetts, Court Data

A: = All

F = Felony

FTA = Failed to Appear

H2S = Hearings in 2nd Session

LE FTA = Law Enforcement Failed to Appear

M = Misdemeanor

PT = Pretrial Cases

RO = Restraining Orders

ROR = Released on Recognizance

S2C = Session 2 DV Cases

SS = Summary Statistics

WC = With Counsel

WCONT = With Continuation

Part 3 - Dorchester, Massachusetts, Law Enforcement Data

CR = Calls Received

DFT = Dispatched as Family Violence

SS = Summary Statistics

VORO = Violation of Restraining Order

Part 4 - Dorchester, Massachusetts, Outreach Worker's Advocacy and Services Data

NPBT = Number of Presentations by Type
NSBA = Number Served By Age
NSBR = Number Served By Race
NSBS = Number Served By Sex
NSPBT = Number Services Provided by Type
RO = Restraining Order
SA = Sexual Assault
SS = Summary Statistics

Part 5 - Dorchester, Massachusetts, Community Supervision Data

AOD = Alcohol or Other Drugs
BIP = Batterer Intervention Programs
MH = Mental Health
NC = Non-compliant
OCC = Office of Community Corrections
PC = Probations Conditions
RH = Review Hearing
S2CC = Session 2 Case Contacts
S2CCL = Session 2 Case Closed
SA = Sexual Assault
SP = Service Provider
SS = Summary Statistics
Tx = Treatment
WP = With Probationer

Part 6 - Dorchester, Massachusetts, Victim Advocacy and Services Data

CJA = Criminal Justice Advocacy
RO = Restraining Order
SS = Summary Statistics
T: = Triage
VSP = Victim Services Provided

Part 7 - Dorchester, Massachusetts, and Washtenaw County, Michigan, Impact Evaluation Data

BIP = Batterer Intervention Programs
CIFS = Case Incident Fact Sheet
DART = Domestic Assault Response Team
JOD = Judicial Oversight Demonstration
OB-int = Offender Baseline Interview variable (raw data)
OF-int = Offender Follow-up Interview variable (raw data)
ROR = Released on Recognizance
SPR = Supervision Performance Reports variable (raw data)
U-CIFS = Urban-recoded Case Information Fact Sheet variable

U-OB = Urban-recoded Offender Baseline Interview variable
U-VB = Urban-recoded Victim Baseline Interview variable
U-VF = Urban-recoded Victim Follow-up Interview variable
U-VSL = Urban-recoded Victim Services Log variable
VB = Victim Baseline Interview variable (raw data)
VF = Victim Follow-up interview variable (raw data)
VSL = Victim Services Log variable (raw data)
WCPO = Washtenaw County Prosecutor's Office

Part 8 - Washtenaw County, Michigan, Batterer Intervention Program Data

ADA = Alternatives to Domestic Aggression
BIP = Batterer Intervention Programs
CE = Cases Enrolled
CL = Cases Left
ETRS = Education, Training, and Research Services
SS = Summary Statistics

Part 9 - Washtenaw County, Michigan, Victims Served (Governmental) Data

SS = Summary Statistics

Part 10 - Washtenaw County, Michigan, Victims Served (Non-Governmental) Data

CJ = Criminal Justice
SP = Service Provided
SS = Summary Statistics
TOC = Type of Contact
VS = Victims Served

Part 11 - Washtenaw County, Michigan, Law Enforcement Data

LE = Law Enforcement
PPO = Personal Protection Order
SS = Summary Statistics

Part 12 - Washtenaw County, Michigan, Probation Data

ADA = Alternatives to Domestic Aggression
AOD = Alcohol or Other Drugs
BIP = Batterer Intervention Programs
CR = Court Report
ETRS = Education, Training, and Research Services
FTA = Failed to Appear
JOD = Judicial Overview Demo
M = Misdemeanor
ND = Non-deferred
SS = Summary Statistics
TREDA = Taking Responsibility to End Domestic Aggression

Part 13 - Washtenaw County, Michigan, Prosecution Data (File 1 of 2)

DR = Dispositions Reached
DVC = DV Cases
SS = Summary Statistics

Part 14 - Washtenaw County, Michigan, Prosecution Data (File 2 of 2)

SS = Summary Statistics
DVC = DV Cases
SOR = Screened or Received
ADJ = Adjournments
DSP = Deferred Sentence Program
VIC = Victim

Part 15 - Milwaukee, Wisconsin, Batterer Intervention Program Data

DPA = Deferred Prosecution Agreements
IS = Intakes Scheduled
SS = Summary Statistics
TN = Total Number

Part 16 - Milwaukee, Wisconsin, Court Data

BRC = Bail Release Condition
CA = Cases Assigned
CFT = Cases with felony top
DPA = Deferred Prosecution Agreements
DR = Dispositions Reached
FTA = Failed to Appear
JT = Jury Trial
N = Number
PO = Protective Order
PS = Pretrial Status
SS = Summary Statistics
STM = Sentenced this Month
TC = Total Cases
TN = Total Number

Part 17 - Milwaukee, Wisconsin, Law Enforcement Data

DV = Domestic Violence
MPD = Milwaukee Police Department
NDVFATM = Number of DV (felony) Arrests This Month
NODVCRTM = Number of DV Calls Reported This Month
SS = Summary Statistics
TN = Total Number

Part 18 - Milwaukee, Wisconsin, Probation Data

DPA = Deferred Prosecution Agreements

DV = Domestic Violence

SS = Summary Statistics

Part 19 - Milwaukee, Wisconsin, Victim Services

LE = Law Enforcement

OTH = Other

RO = Restraining Order

SS = Summary Statistics

TFFV = Task Force on Family Violence

Part 20 - Milwaukee, Wisconsin, Impact Evaluation Data

AODA = Alcohol and Other Drug Addiction

BIP = Batterer Intervention Programs

CCAP = Consolidated Court Automated Program

DoC = Department of Corrections

RO = Restraining Order

ICPSR 25924

Evaluation of a Demonstration for Enhanced Judicial Oversight of Domestic Violence Cases in Milwaukee, Wisconsin; Washtenaw County, Michigan; and Dorchester, Massachusetts; 1997-2004

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Evaluation of a Demonstration for Enhanced Judicial Oversight of Domestic Violence Cases in Milwaukee, Wisconsin; Washtenaw County, Michigan; and Dorchester, Massachusetts; 1997-2004

Dorchester, Massachusetts, Batterer Intervention Program Data

ID_NUM UNIQUE ID NUMBER CREATED BY ICPSR

Location: 1-2 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 18.50
- Median: 18.50
- Minimum: 1.00
- Maximum: 36.00
- Standard Deviation: 10.54

ELEMENT ELEMENT

Location: 3-14 (width: 12; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
BIP	36	100.0 %

Based upon 36 valid cases out of 36 total cases.

SITE SITE

Location: 15-26 (width: 12; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
Dorchester	36	100.0 %

Based upon 36 valid cases out of 36 total cases.

DATE_M SUMMARY STATISTICS (SS) FOR MONTH XX

Location: 27-38 (width: 12; decimal: 0)
Variable Type: character
Based upon 36 valid cases out of 36 total cases.

DATE_Y SS FOR YEAR XX

Location: 39-50 (width: 12; decimal: 0)
Variable Type: character

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2001	12	33.3 %
2002	12	33.3 %
2003	12	33.3 %

Based upon 36 valid cases out of 36 total cases.

WAIT_1 CP:JOD COURT REFERRED CASES:WAIT LIST (WL)

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	1	2.8 %
0	35	97.2 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.06
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.33

BIP_1 CP:JOD COURT REFERRED CASES:ENTERED BIP

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 28.69
- Median: 28.00
- Mode: 32.00
- Minimum: 18.00
- Maximum: 46.00
- Standard Deviation: 6.59

REFUSE_1 CP:JOD COURT REFERRED CASES:REFUSED

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	8	22.2 %
0	28	77.8 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.44
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.84

NOCON_1 CP: JOD CRC:DID NOT CONTACT BIP

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	28	77.8 %
0	8	22.2 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.56
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.84

READMT_1 CP:JOD COURT REFERRED CASES: READMITTED

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 8.03
- Median: 8.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.97

WAIT_2 TH:JOD COURT REFERRED CASES:WL

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	12	33.3 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	24	66.7 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.67
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.96

BIP_2 TH:JOD COURT REFERRED CASES:ENTERED BIP

Location: 63-64 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	12	33.3 %
0	14	38.9 %
1	7	19.4 %
2	1	2.8 %
5	1	2.8 %
7	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.08
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 7.00
- Standard Deviation: 1.95

REFUSE_2 TH:JOD COURT REFERRED CASES:REFUSED

Location: 65-66 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	17	47.2 %
0	19	52.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.94

- Study 25924 -

- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 1.01

NOCON_2 **TH: JOD CRC:DID NOT CONTACT BIP**

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	28	77.8 %
0	8	22.2 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.56
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.84

READMT_2 **TH:JOD COURT REFERRED CASES: READMITTED**

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	18	50.0 %
0	16	44.4 %
1	1	2.8 %
2	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.92
- Median: -1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.16

WAIT_3 **R:JOD COURT REFERRED CASES:WL**

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	4	11.1 %
0	31	86.1 %
4	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.11
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 4.00
- Standard Deviation: 0.95

BIP_3

R:JOD COURT REFERRED CASES:ENTERED BIP

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	3	8.3 %
0	12	33.3 %
1	11	30.6 %
2	2	5.6 %
3	5	13.9 %
5	2	5.6 %
7	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.14
- Median: 1.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 7.00
- Standard Deviation: 1.91

REFUSE_3

R:JOD COURT REFERRED CASES:REFUSED

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

NOCON_3

R: JOD CRC:DID NOT CONTACT BIP

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	28	77.8 %
0	8	22.2 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.56
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.84

READMT_3

R:JOD COURT REFERRED CASES: READMITTED

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	8	22.2 %
0	15	41.7 %
1	7	19.4 %
2	5	13.9 %
3	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 3.00
- Standard Deviation: 1.39

- Study 25924 -

WAIT_4 **S:JOD COURT REFERRED CASES:WL**

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

BIP_4 **S:JOD COURT REFERRED CASES:ENTERED BIP**

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	10	27.8 %
0	23	63.9 %
2	1	2.8 %
3	1	2.8 %
6	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.25
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 6.00
- Standard Deviation: 1.57

REFUSE_4 **S:JOD COURT REFERRED CASES:REFUSED**

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

NOCON_4 S: JOD CRC:DID NOT CONTACT BIP

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

READMT_4 S:JOD COURT REFERRED CASES: READMITTED

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	24	66.7 %
1	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.58
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 0.97

WAIT_5 E:JOD COURT REFERRED CASES:WL

- Study 25924 -

Location: 91-92 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	18	50.0 %
0	18	50.0 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.00
- Median: -1.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 1.01

BIP_5 E:JOD COURT REFERRED CASES:ENTERED BIP

Location: 93-94 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	8	22.2 %
0	2	5.6 %
1	6	16.7 %
2	12	33.3 %
3	4	11.1 %
4	2	5.6 %
5	1	2.8 %
6	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.25
- Median: 2.00
- Mode: 2.00
- Minimum: -2.00
- Maximum: 6.00
- Standard Deviation: 2.13

REFUSE_5 E:JOD COURT REFERRED CASES (CRC):REFUSED

Location: 95-96 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	24	66.7 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	12	33.3 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.33
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.96

NOCON_5 E: JOD CRC:DID NOT CONTACT BIP

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	30	83.3 %
0	6	16.7 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.67
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.76

READMT_5 E:JOD COURT REFERRED CASES: READMITTED

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	22	61.1 %
0	11	30.6 %
1	2	5.6 %
2	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.11
- Median: -2.00
- Mode: -2.00

- Study 25924 -

- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.19

COMP_1

CP: CASES ENROLLED: ATTENDED SESSIONS

Location: 101-103 (width: 3; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 184.81
- Median: 189.50
- Minimum: 126.00
- Maximum: 216.00
- Standard Deviation: 20.62

NON_1

CP: CASES ENROLLED: ATTENDED INTAKE ONLY

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 10.00
- Median: 9.00
- Mode: 9.00
- Minimum: 2.00
- Maximum: 31.00
- Standard Deviation: 6.28

INACT_1

CP: CASES ENROLLED: INACTIVE

Location: 106-107 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	24	66.7 %
9	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.36
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 9.00
- Standard Deviation: 1.85

- Study 25924 -

COMP_2 TH: CASES ENROLLED: ATTENDED SESSIONS

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	9	25.0 %
0	8	22.2 %
1	2	5.6 %
2	4	11.1 %
3	1	2.8 %
5	3	8.3 %
8	7	19.4 %
23	1	2.8 %
25	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 3.17
- Median: 1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 25.00
- Standard Deviation: 6.28

NON_2 TH: CASES ENROLLED: ATTENDED INTAKE ONLY

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	14	38.9 %
0	20	55.6 %
2	1	2.8 %
3	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.64
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 3.00
- Standard Deviation: 1.25

INACT_2 TH: CASES ENROLLED: INACTIVE

- Study 25924 -

Location: 112-113 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	16	44.4 %
0	17	47.2 %
1	2	5.6 %
3	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.75
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 3.00
- Standard Deviation: 1.25

COMP_3 R: CASES ENROLLED: ATTENDED SESSIONS

Location: 114-115 (width: 2; decimal: 0)
Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 18.08
- Median: 16.50
- Minimum: 0.00
- Maximum: 69.00
- Standard Deviation: 13.18

NON_3 R: CASES ENROLLED: ATTENDED INTAKE ONLY

Location: 116-117 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	7	19.4 %
0	22	61.1 %
1	5	13.9 %
2	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.14
- Median: 0.00
- Mode: 0.00

- Study 25924 -

- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.07

INACT_3 R: CASES ENROLLED: INACTIVE

Location: 118-119 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	16	44.4 %
1	5	13.9 %
2	1	2.8 %
3	2	5.6 %
4	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.14
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 4.00
- Standard Deviation: 1.57

COMP_4 S: CASES ENROLLED: ATTENDED SESSIONS

Location: 120-121 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	10	27.8 %
0	23	63.9 %
14	1	2.8 %
22	1	2.8 %
29	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.25
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 29.00
- Standard Deviation: 6.56

- Study 25924 -

NON_4 S: CASES ENROLLED: ATTENDED INTAKE ONLY

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	24	66.7 %
4	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.50
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 4.00
- Standard Deviation: 1.21

INACT_4 S: CASES ENROLLED: INACTIVE

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

COMP_5 E: CASES ENROLLED: ATTENDED SESSIONS

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 28.06
- Median: 36.50
- Mode: -2.00
- Minimum: -2.00

- Study 25924 -

- Maximum: 51.00
- Standard Deviation: 20.14

NON_5

E: CASES ENROLLED: ATTENDED INTAKE ONLY

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	23	63.9 %
0	11	30.6 %
1	1	2.8 %
2	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.19
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.14

INACT_5

E: CASES ENROLLED: INACTIVE

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	24	66.7 %
0	10	27.8 %
2	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.22
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.20

PC_1

CP: CASES LEFT: GRADUATED

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Study 25924 -

- Mean: 14.53
- Median: 14.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 26.00
- Standard Deviation: 5.55

TERM_1 CP:CASES LEFT: TOTAL TERMINATED

Location: 134-135 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 23.81
- Median: 25.00
- Minimum: 4.00
- Maximum: 42.00
- Standard Deviation: 10.50

DROP_1 CP:CASES LEFT:TERMINATED:DROPPED OUT

Location: 136-137 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 11.92
- Median: 12.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.81

TERM2_1 CP:CASES LEFT:TERMINATED:RULE VIOL

Location: 138-139 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 7.28
- Median: 6.50
- Mode: 6.00
- Minimum: -2.00
- Maximum: 20.00
- Standard Deviation: 5.70

RULEA_1 CP:CASES LEFT:T:RV:FINANCIAL

Location: 140-141 (width: 2; decimal: 0)

- Study 25924 -

Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 24 valid cases out of 36 total cases.

- Mean: 8.71
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 5.71

RULEB_1 CP:CASES LEFT:T:RV:NON-PARTICIPATION

Location: 142-143 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	24	66.7 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

RULEC_1 CP:CASES LEFT:T:RV:OTHER

Location: 144-145 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	19	52.8 %
1	-	1	2.8 %
2	-	4	11.1 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Study 25924 -

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.77

TERM8_1 CP:CASES LEFT:TERMINATED:NEW ARREST

Location: 146-147 (width: 2; decimal: 0)
 Variable Type: numeric
 Based upon 36 valid cases out of 36 total cases.

- Mean: 3.64
- Median: 3.00
- Mode: 3.00
- Minimum: -2.00
- Maximum: 10.00
- Standard Deviation: 2.52

TRANS_1 CP:CASES LEFT:T:TRANSFERRED OUT

Location: 148-149 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	15	41.7 %
0	21	58.3 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.83
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 1.00

OTH_1 CP:CASES LEFT:T:OTHER

Location: 150-151 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	16	44.4 %
0	20	55.6 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.89
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 1.01

REPORT_1 CP:CASES W OUT CNTCT(COC):MONTHLY REPORTS TO PROB(MRP)

Location: 152-154 (width: 3; decimal: 0)
 Variable Type: numeric
 Based upon 36 valid cases out of 36 total cases.

- Mean: 188.78
- Median: 200.00
- Mode: 200.00
- Minimum: 126.00
- Maximum: 216.00
- Standard Deviation: 21.60

VIC_1 CP:COC:VICTIM CONTACT

Location: 155-156 (width: 2; decimal: 0)
 Variable Type: numeric
 Based upon 36 valid cases out of 36 total cases.

- Mean: 43.72
- Median: 42.00
- Mode: 30.00
- Minimum: 23.00
- Maximum: 69.00
- Standard Deviation: 12.89

OTHCON_1 CP:COC:ADDL REPORTS TO PROB

Location: 157-159 (width: 3; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	1	2.8 %
200	9	25.0 %
210	1	2.8 %
220	1	2.8 %
300	23	63.9 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
350	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 263.28
- Median: 300.00
- Mode: 300.00
- Minimum: -2.00
- Maximum: 350.00
- Standard Deviation: 65.39

PC_2 TH:CASES LEFT: GRADUATED

Location: 160-161 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	16	44.4 %
0	17	47.2 %
1	3	8.3 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.81
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.12

TERM_2 TH:CASES LEFT: TOTAL TERMINATED

Location: 162-163 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	16	44.4 %
0	17	47.2 %
1	3	8.3 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.81
- Median: 0.00
- Mode: 0.00

- Study 25924 -

- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.12

DROP_2 TH:CASES LEFT:TERMINATED:DROPPED OUT

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	20	55.6 %
0	15	41.7 %
1	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.08
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.05

TERM2_2 TH:CASES LEFT:TERMINATED:RULE VIOL

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	19	52.8 %
0	16	44.4 %
1	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.03
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.06

RULEA_2 TH:CASES LEFT:T:RV:FINANCIAL

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 25924 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	1	2.8 %
0	-	22	61.1 %
1	-	1	2.8 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: -0.04
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 0.46

RULEB_2 TH:CASES LEFT:T:RV:NON-PARTICIPATION

Location: 170-171 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	1	2.8 %
0	-	22	61.1 %
1	-	1	2.8 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: -0.04
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 0.46

RULEC_2 TH:CASES LEFT:T:RV:OTHER

Location: 172-173 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	1	2.8 %
0	-	23	63.9 %

- Study 25924 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: -0.08
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.41

TERM8_2 TH:CASES LEFT:TERMINATED:NEW ARREST

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	20	55.6 %
0	16	44.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.11
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 1.01

TRANS_2 TH:CASES LEFT:T:TRANSFERRED OUT

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	22	61.1 %
0	14	38.9 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.22
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.99

- Study 25924 -

OTH_2 TH:CASES LEFT:T:OTHER

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	21	58.3 %
0	14	38.9 %
1	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.14
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.05

REPORT_2 TH:COC:MRP

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	13	36.1 %
0	4	11.1 %
1	1	2.8 %
2	5	13.9 %
3	1	2.8 %
5	3	8.3 %
8	7	19.4 %
21	1	2.8 %
25	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 2.92
- Median: 1.50
- Mode: -2.00
- Minimum: -2.00
- Maximum: 25.00
- Standard Deviation: 6.24

VIC_2 TH:COC:VICTIM CONTACT

Location: 182-183 (width: 2; decimal: 0)

- Study 25924 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	15	41.7 %
0	5	13.9 %
1	9	25.0 %
2	3	8.3 %
3	2	5.6 %
5	1	2.8 %
8	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 8.00
- Standard Deviation: 2.31

OTHCON_2 TH:COC:ADDL REPORTS TO PROB

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 2.17
- Median: 0.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 15.00
- Standard Deviation: 5.08

PC_3 R:CASES LEFT: GRADUATED

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	5	13.9 %
0	8	22.2 %
1	8	22.2 %
2	7	19.4 %
3	4	11.1 %
4	2	5.6 %
7	2	5.6 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.28
- Median: 1.00
- Minimum: -2.00
- Maximum: 7.00
- Standard Deviation: 2.16

TERM_3 R:CASES LEFT: TOTAL TERMINATED

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	2	5.6 %
0	7	19.4 %
1	15	41.7 %
2	6	16.7 %
3	5	13.9 %
5	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.19
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 5.00
- Standard Deviation: 1.37

DROP_3 R:CASES LEFT:TERMINATED:DROPPED OUT

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	7	19.4 %
0	13	36.1 %
1	13	36.1 %
2	1	2.8 %
3	1	2.8 %
5	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.25

- Study 25924 -

- Median: 0.00
- Minimum: -2.00
- Maximum: 5.00
- Standard Deviation: 1.48

TERM2_3 R:CASES LEFT:TERMINATED:RULE VIOL

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	14	38.9 %
1	9	25.0 %
3	1	2.8 %
4	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.17
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 4.00
- Standard Deviation: 1.48

RULEA_3 R:CASES LEFT:T:RV:FINANCIAL

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	20	55.6 %
1	-	4	11.1 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

RULEB_3 R:CASES LEFT:T:RV:NON-PARTICIPATION

- Study 25924 -

Location: 196-197 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	23	63.9 %
1	-	1	2.8 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

RULEC_3 R:CASES LEFT:T:RV:OTHER

Location: 198-199 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	22	61.1 %
1	-	2	5.6 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

TERM8_3 R:CASES LEFT:TERMINATED:NEW ARREST

Location: 200-201 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	13	36.1 %
0	16	44.4 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	7	19.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.53
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.18

TRANS_3 R:CASES LEFT:T:TRANSFERRED OUT

Location: 202-203 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	18	50.0 %
0	16	44.4 %
1	1	2.8 %
2	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.92
- Median: -1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.16

OTH_3 R:CASES LEFT:T:OTHER

Location: 204-205 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	17	47.2 %
0	17	47.2 %
1	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.89
- Median: 0.00

- Study 25924 -

- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.09

REPORT_3

R:COC:MRP

Location: 206-207 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 13.00
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 41.00
- Standard Deviation: 11.40

VIC_3

R:COC:VICTIM CONTACT

Location: 208-209 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 3.06
- Median: 2.00
- Mode: 2.00
- Minimum: -2.00
- Maximum: 29.00
- Standard Deviation: 5.13

OTHCON_3

R:COC:ADDL REPORTS TO PROB

Location: 210-211 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 6.00
- Median: 6.00
- Minimum: -2.00
- Maximum: 26.00
- Standard Deviation: 5.45

PC_4

S:CASES LEFT: GRADUATED

Location: 212-213 (width: 2; decimal: 0)
Variable Type: numeric

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	10	27.8 %
0	24	66.7 %
2	1	2.8 %
6	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.33
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 6.00
- Standard Deviation: 1.47

TERM_4 S:CASES LEFT: TOTAL TERMINATED

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	23	63.9 %
2	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.50
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.11

DROP_4 S:CASES LEFT:TERMINATED:DROPPED OUT

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61

- Study 25924 -

- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

TERM2_4 S:CASES LEFT:TERMINATED:RULE VIOL

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

RULEA_4 S:CASES LEFT:T:RV:FINANCIAL

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	1	2.8 %
0	-	23	63.9 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: -0.08
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.41

RULEB_4 S:CASES LEFT:T:RV:NON-PARTICIPATION

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

- Study 25924 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	1	2.8 %
0	-	23	63.9 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: -0.08
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.41

RULEC_4 **S:CASES LEFT:T:RV:OTHER**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	1	2.8 %
0	-	23	63.9 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: -0.08
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.41

TERM8_4 **S:CASES LEFT:TERMINATED:NEW ARREST**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	24	66.7 %
2	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Study 25924 -

- Mean: -0.56
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 2.00
- Standard Deviation: 1.03

TRANS_4 S:CASES LEFT:T:TRANSFERRED OUT

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

OTH_4 S:CASES LEFT:T:OTHER

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	25	69.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.61
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.93

REPORT_4 S:COC:MRP

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	22	61.1 %
22	1	2.8 %
27	1	2.8 %
29	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.56
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 29.00
- Standard Deviation: 7.58

VIC_4 **S:COC:VICTIM CONTACT**

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	23	63.9 %
6	1	2.8 %
10	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.17
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 10.00
- Standard Deviation: 2.26

OTHCON_4 **S:COC:ADDL REPORTS TO PROB**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	11	30.6 %
0	22	61.1 %
5	1	2.8 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
11	1	2.8 %
14	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 14.00
- Standard Deviation: 3.31

PC_5 **E:CASES LEFT: GRADUATED**

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	9	25.0 %
0	5	13.9 %
1	9	25.0 %
2	11	30.6 %
3	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 2.00
- Minimum: -2.00
- Maximum: 3.00
- Standard Deviation: 1.66

TERM_5 **E:CASES LEFT: TOTAL TERMINATED**

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	9	25.0 %
0	6	16.7 %
1	6	16.7 %
2	5	13.9 %
3	7	19.4 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	2	5.6 %
5	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 5.00
- Standard Deviation: 2.09

DROP_5

E:CASES LEFT:TERMINATED:DROPPED OUT

Location:

242-243 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	15	41.7 %
0	7	19.4 %
1	5	13.9 %
2	5	13.9 %
3	4	11.1 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.08
- Median: 0.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 3.00
- Standard Deviation: 1.86

TERM2_5

E:CASES LEFT:TERMINATED(T):RULE VIOL (RV)

Location:

244-245 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	25	69.4 %
0	6	16.7 %
1	3	8.3 %
2	1	2.8 %
3	1	2.8 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.17
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 3.00
- Standard Deviation: 1.38

RULEA_5 **E:CASES LEFT:T:RV:FINANCIAL**

Location: 246-247 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	21	58.3 %
1	-	3	8.3 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

RULEB_5 **E:CASES LEFT:T:RV:NON-PARTICIPATION**

Location: 248-249 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	22	61.1 %
1	-	2	5.6 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Study 25924 -

- Standard Deviation: 0.28

RULEC_5 **E:CASES LEFT:T:RV:OTHER**

Location: 250-251 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	24	66.7 %
-9 (M)	Blank	12	33.3 %

Based upon 24 valid cases out of 36 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

TERM8_5 **E:CASES LEFT:TERMINATED:NEW ARREST**

Location: 252-253 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	26	72.2 %
0	9	25.0 %
1	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.42
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 0.97

TRANS_5 **E:CASES LEFT:T:TRANSFERRED OUT**

Location: 254-255 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	28	77.8 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	7	19.4 %
1	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.53
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 0.91

OTH_5 **E:CASES LEFT:T:OTHER**

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	29	80.6 %
0	7	19.4 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -1.61
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 0.00
- Standard Deviation: 0.80

REPORT_5 **E:COC:MRP**

Location: 258-260 (width: 3; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 32.44
- Median: 40.00
- Minimum: -2.00
- Maximum: 206.00
- Standard Deviation: 36.44

VIC_5 **E:COC:VICTIM CONTACT**

Location: 261-262 (width: 2; decimal: 0)

- Study 25924 -

Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 7.36
- Median: 8.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 56.00
- Standard Deviation: 9.83

OTHCON_5 **E:COC:ADDL REPORTS TO PROB**

Location: 263-265 (width: 3; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 17.67
- Median: 10.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 307.00
- Standard Deviation: 50.64

TOTREF1 **CP: TOTAL JOD CRC (COUNT ON OUTCOME)**

Location: 266-267 (width: 2; decimal: 0)
Variable Type: numeric
Based upon 36 valid cases out of 36 total cases.

- Mean: 36.72
- Median: 36.00
- Minimum: 20.00
- Maximum: 54.00
- Standard Deviation: 7.35

TOTREF2 **TH: TOTAL JOD CRC (COUNT ON OUTCOME)**

Location: 268-269 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	7	19.4 %
0	18	50.0 %
1	8	22.2 %
2	1	2.8 %
7	2	5.6 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 7.00
- Standard Deviation: 1.97

TOTREF3 R: TOTAL JOD CRC (COUNT ON OUTCOME)

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	1	2.8 %
0	6	16.7 %
1	14	38.9 %
2	5	13.9 %
3	4	11.1 %
4	1	2.8 %
5	3	8.3 %
7	1	2.8 %
9	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.92
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 9.00
- Standard Deviation: 2.16

TOTREF4 S: TOTAL JOD CRC (COUNT ON OUTCOME)

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	8	22.2 %
0	24	66.7 %
1	1	2.8 %
2	1	2.8 %
3	1	2.8 %
6	1	2.8 %

- Study 25924 -

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.11
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 6.00
- Standard Deviation: 1.53

TOTREF5 E: TOTAL JOD CRC (COUNT ON OUTCOME)

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	6	16.7 %
0	3	8.3 %
1	6	16.7 %
2	12	33.3 %
3	5	13.9 %
4	2	5.6 %
6	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.47
- Median: 2.00
- Mode: 2.00
- Minimum: -2.00
- Maximum: 6.00
- Standard Deviation: 2.06

TOTEN1 CP: TOTAL CASES ENROLLED (COUNT ON STATUS)

Location: 276-278 (width: 3; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 194.81
- Median: 194.00
- Mode: 183.00
- Minimum: 144.00
- Maximum: 247.00
- Standard Deviation: 23.07

TOTEN2 TH: TOTAL CASES ENROLLED (COUNT ON STATUS)

- Study 25924 -

Location: 279-280 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	10	27.8 %
0	7	19.4 %
1	1	2.8 %
2	5	13.9 %
5	2	5.6 %
7	2	5.6 %
8	7	19.4 %
24	1	2.8 %
28	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 3.42
- Median: 1.50
- Mode: -2.00
- Minimum: -2.00
- Maximum: 28.00
- Standard Deviation: 6.75

TOTEN3 R: TOTAL CASES ENROLLED (COUNT ON STATUS)

Location: 281-282 (width: 2; decimal: 0)
 Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 19.44
- Median: 19.00
- Mode: 9.00
- Minimum: 4.00
- Maximum: 70.00
- Standard Deviation: 13.05

TOTEN4 S: TOTAL CASES ENROLLED (COUNT ON STATUS)

Location: 283-284 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	8	22.2 %
0	25	69.4 %
14	1	2.8 %
22	1	2.8 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.47
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 33.00
- Standard Deviation: 7.02

TOTEN5 E: TOTAL CASES ENROLLED (COUNT ON STATUS)

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 29.47
- Median: 39.50
- Mode: -2.00
- Minimum: -2.00
- Maximum: 51.00
- Standard Deviation: 19.81

TOTLEFT1 CP:TOTAL CASES LEFT (COUNT ON OUTCOME)

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Based upon 36 valid cases out of 36 total cases.

- Mean: 38.33
- Median: 42.00
- Mode: 44.00
- Minimum: 8.00
- Maximum: 57.00
- Standard Deviation: 13.48

TOTLEFT2 TH:TOTAL CASES LEFT (COUNT ON OUTCOME)

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	9	25.0 %
0	22	61.1 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5	13.9 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.36
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 1.00
- Standard Deviation: 1.02

TOTLEFT3 R:TOTAL CASES LEFT (COUNT ON OUTCOME)

Location: 291-292 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	4	11.1 %
1	11	30.6 %
2	5	13.9 %
3	3	8.3 %
4	5	13.9 %
5	1	2.8 %
6	4	11.1 %
7	2	5.6 %
8	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 8.00
- Standard Deviation: 2.64

TOTLEFT4 S:TOTAL CASES LEFT (COUNT ON OUTCOME)

Location: 293-294 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	7	19.4 %
0	27	75.0 %

- Study 25924 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	1	2.8 %
8	1	2.8 %

Based upon 36 valid cases out of 36 total cases.

- Mean: -0.06
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 8.00
- Standard Deviation: 1.76

TOTLEFT5

E:TOTAL CASES LEFT (COUNT ON OUTCOME)

Location: 295-296 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	6	16.7 %
0	7	19.4 %
1	4	11.1 %
2	3	8.3 %
3	7	19.4 %
4	2	5.6 %
5	5	13.9 %
6	2	5.6 %

Based upon 36 valid cases out of 36 total cases.

- Mean: 1.78
- Median: 2.00
- Minimum: -2.00
- Maximum: 6.00
- Standard Deviation: 2.50

TOTCON1

CP:TOTAL CASES WITH OUTSIDE CONTACT(COUNT BY TYPE)

Location: 297-299 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

- Study 25924 -

Based upon 32 valid cases out of 36 total cases.

- Mean: 523.09
- Median: 545.00
- Minimum: 391.00
- Maximum: 630.00
- Standard Deviation: 61.92

TOTCON2 TH:TOTAL CASES WITH OUTSIDE CONTACT(COUNT BY TYPE)

Location: 300-301 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 31 valid cases out of 36 total cases.

- Mean: 4.10
- Median: 0.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 24.00
- Standard Deviation: 8.12

TOTCON3 R:TOTAL CASES WITH OUTSIDE CONTACT(COUNT BY TYPE)

Location: 302-303 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 32 valid cases out of 36 total cases.

- Mean: 20.25
- Median: 18.50
- Minimum: 1.00
- Maximum: 44.00
- Standard Deviation: 13.20

TOTCON4 S:TOTAL CASES WITH OUTSIDE CONTACT(COUNT BY TYPE)

Location: 304-305 (width: 2; decimal: 0)
Variable Type: numeric

- Study 25924 -

Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-2	-	7	19.4 %
0	-	24	66.7 %
7	-	1	2.8 %
-9 (M)	Blank	4	11.1 %

Based upon 32 valid cases out of 36 total cases.

- Mean: -0.22
- Median: 0.00
- Mode: 0.00
- Minimum: -2.00
- Maximum: 7.00
- Standard Deviation: 1.56

TOTCON5 E:TOTAL CASES WITH OUTSIDE CONTACT(COUNT BY TYPE)

Location: 306-308 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

<i>Value</i>	<i>Label</i>
-9 (M)	Blank

* Frequencies not displayed for this variable.

Based upon 32 valid cases out of 36 total cases.

- Mean: 63.41
- Median: 61.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 569.00
- Standard Deviation: 96.31

DATENUM (DERIVED) NUMBER WITH SS MM/YY INFO

Location: 309-310 (width: 2; decimal: 0)
 Variable Type: numeric
 Based upon 36 valid cases out of 36 total cases.

- Mean: 18.50
- Median: 18.50
- Minimum: 1.00
- Maximum: 36.00
- Standard Deviation: 10.54