

ICPSR 26341

Kentucky Professional Development Framework Impact on Quality and Child Outcomes, 2006-2007

Beth Rous

University of Kentucky. Human Development
Institute

Jennifer Grisham Brown

University of Kentucky. Human Development
Institute

Codebook for ECERS Classroom Level
Public-Use Data


ICPSR | INTER-UNIVERSITY
CONSORTIUM FOR
POLITICAL AND
SOCIAL RESEARCH

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

About *Research Connections*

These data are made available by the Child Care and Early Education *Research Connections* project. *Research Connections* promotes high quality research in child care and early education and the use of that research in policymaking.

Research Connections is operated by the National Center for Children in Poverty at the Mailman School of Public Health, Columbia University and the Inter-university Consortium for Political and Social Research at the Institute for Social Research, University of Michigan, through a cooperative agreement with the Child Care Bureau, Office of Family Assistance and the Office of Planning, Research, and Evaluation, Administration for Children and Families in the U.S. Department of Health and Human Services.



Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/26341.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 26341

Kentucky Professional Development Framework Impact on Quality and Child Outcomes, 2006-2007

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Kentucky Professional Development Framework Impact on Quality and Child Outcomes, 2006-2007

ECERS Classroom Level Public-Use Data

PROGRAMID Center/program number (Public-Use Data)

Location: 1-8(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Center/program number (Public-Use Data)

- Mean: 117.69
- Median: 118.50
- Minimum: 1.00
- Maximum: 235.00
- Standard Deviation: 69.68

Based upon 310 valid cases out of 310 total cases.

URBAN Urban or Rural designation

Location: 9-16(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Urban or Rural designation

<i>URBAN: Urban or Rural designation</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	urban	161	51.9 %
2	rural	149	48.1 %

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Based upon 310 valid cases out of 310 total cases.

TYPE Center Type

Location: 17-24(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Center Type

<i>TYPE: Center Type</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	child care	141	45.5 %
2	head start	86	27.7 %

- Study 26341 -

<i>TYPE: Center Type</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	PreK	83	26.8 %

- Mean: 1.81
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.83

Based upon 310 valid cases out of 310 total cases.

ATRISK **Is this student population at risk?**

Location: 25-32(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Is this student population at risk?

<i>ATRISK: Is this student population at risk?</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	no	141	45.5 %
1	yes	169	54.5 %

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 310 valid cases out of 310 total cases.

STAFF5 **Number of staff present**

Location: 33-40(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Number of staff present

<i>STAFF5: Number of staff present</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1	0.3 %
1	52	16.8 %
2	108	34.8 %
3	74	23.9 %
4	14	4.5 %
5	5	1.6 %

- Study 26341 -

<i>STAFF5: Number of staff present</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	1	0.3 %
. (M)	55	17.7 %

- Mean: 2.27
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.99

Based upon 255 valid cases out of 310 total cases.

KIDEN5	Number of children enrolled in class
---------------	---

Location: 41-48(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Number of children enrolled in class

<i>KIDEN5: Number of children enrolled in class</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	1	0.3 %
8	2	0.6 %
9	1	0.3 %
10	8	2.6 %
12	15	4.8 %
13	4	1.3 %
14	11	3.5 %
15	5	1.6 %
16	7	2.3 %
17	7	2.3 %
18	12	3.9 %
19	2	0.6 %
20	109	35.2 %
21	5	1.6 %
22	4	1.3 %
24	7	2.3 %
25	2	0.6 %
28	7	2.3 %
29	1	0.3 %
30	1	0.3 %
31	1	0.3 %
34	1	0.3 %

- Study 26341 -

<i>KIDEN5: Number of children enrolled in class</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	1	0.3 %
. (M)	96	31.0 %

- Mean: 18.78
- Median: 20.00
- Mode: 20.00
- Minimum: 7.00
- Maximum: 49.00
- Standard Deviation: 4.81

Based upon 214 valid cases out of 310 total cases.

KIDPRES5 Number of children present

Location: 49-56(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Number of children present

<i>KIDPRES5: Number of children present</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	4	1.3 %
5	7	2.3 %
6	3	1.0 %
7	8	2.6 %
8	9	2.9 %
9	17	5.5 %
10	11	3.5 %
11	14	4.5 %
12	13	4.2 %
13	8	2.6 %
14	15	4.8 %
15	31	10.0 %
16	26	8.4 %
17	27	8.7 %
18	21	6.8 %
19	16	5.2 %
20	19	6.1 %
21	2	0.6 %
22	2	0.6 %
24	2	0.6 %
26	1	0.3 %
33	1	0.3 %

- Study 26341 -

<i>KIDPRES5: Number of children present</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
34	1	0.3 %
. (M)	52	16.8 %

- Mean: 14.38
- Median: 15.00
- Mode: 15.00
- Minimum: 3.00
- Maximum: 34.00
- Standard Deviation: 4.77

Based upon 258 valid cases out of 310 total cases.

NUMDIS5	Number of children with identified disabilities
----------------	--

Location: 57-64(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Number of children with identified disabilities

<i>NUMDIS5: Number of children with identified disabilities</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	79	25.5 %
1	55	17.7 %
2	23	7.4 %
3	20	6.5 %
4	15	4.8 %
5	11	3.5 %
6	11	3.5 %
7	9	2.9 %
8	7	2.3 %
9	7	2.3 %
10	3	1.0 %
11	1	0.3 %
12	2	0.6 %
13	3	1.0 %
14	1	0.3 %
15	1	0.3 %
16	2	0.6 %
17	3	1.0 %
18	4	1.3 %
19	2	0.6 %
20	1	0.3 %
. (M)	50	16.1 %

- Study 26341 -

- Mean: 3.35
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.49

Based upon 260 valid cases out of 310 total cases.

DISTYPE5 **Type of disability**

Location: 65-72(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Question: Type of disability

<i>DISTYPE5: Type of disability</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	not designated	6	1.9 %
1	physical/sensory	53	17.1 %
2	cognitive/language	73	23.5 %
3	social/emotional	10	3.2 %
4	other	31	10.0 %
5	multiple	3	1.0 %
. (M)	-	134	43.2 %

- Mean: 2.09
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.16

Based upon 176 valid cases out of 310 total cases.

DESOTHE5 **Description of type of disability**

Location: 73-147(width: 75; decimal: 0)
 Variable Type: character (ISO)
 Question: Description of type of disability

<i>DESOTHE5: Description of type of disability</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	195	62.9 %
2 dd, 7 speech	1	0.3 %
ADD	1	0.3 %
ADHD	1	0.3 %

- Study 26341 -

<i>DESOTHE5: Description of type of disability</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
ADHD, speech	1	0.3 %
DD	1	0.3 %
OT, PT	1	0.3 %
adhd	2	0.6 %
all speech	1	0.3 %
all types	1	0.3 %
also speech	2	0.6 %
as well as developmental delay	1	0.3 %
as well speech/DD	1	0.3 %
autism	2	0.6 %
autistic	1	0.3 %
cerebral palsy, physical therapy	1	0.3 %
cognitive and social/emotional	1	0.3 %
cognitive, social	2	0.6 %
cognitive, social and phsyical	1	0.3 %
cognitive, social emotional	2	0.6 %
cognitive/language	9	2.9 %
cognitive/language & socail/emotional	1	0.3 %
cognitive/language & social/emotional	1	0.3 %
cognitive/language, social/emotional	6	1.9 %
dd	2	0.6 %
developmental delay	2	0.6 %
gross motor	1	0.3 %
language	1	0.3 %
language, social emotional	1	0.3 %
partial hearing/also speech	1	0.3 %
physical & cognitive	1	0.3 %
physical and cognitive	1	0.3 %
physical and cognitive/language	1	0.3 %
physical&cognitive	1	0.3 %
physical, autism, cognitive, social/emotional	1	0.3 %
physical, cognitive, hearing	1	0.3 %
physical, cognitive, social	2	0.6 %
physical, cognitive, social, fetal alcohol	1	0.3 %
physical, cognitive, social, hearing impaired	1	0.3 %
physical, language	1	0.3 %
physical, social, cognitive	1	0.3 %
physical, social, cognitve	2	0.6 %
physical,cognitve	1	0.3 %

- Study 26341 -

<i>DESOTHE5: Description of type of disability</i>		
<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
physical/social/speech	1	0.3 %
ruebenstein, speech, autism	1	0.3 %
sensory & social & speech	1	0.3 %
sight	1	0.3 %
social emotional	1	0.3 %
social&cognitive	1	0.3 %
social, cognitive	1	0.3 %
social/emotional	4	1.3 %
specch	1	0.3 %
speech	31	10.0 %
speech and DD	1	0.3 %
speech as well	2	0.6 %
speech, behavior, motor	1	0.3 %
speech,ot,pt	1	0.3 %
speech/DD	1	0.3 %
speech/motor	1	0.3 %
spinal bifida	1	0.3 %

Based upon 310 valid cases out of 310 total cases.

INDOOR5

1. Indoor space

Location: 148-155(width: 8; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): .

Question: 1.indoor space

<i>INDOOR5: 1. Indoor space</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %
2	-	10	3.2 %
3	minimal	26	8.4 %
4	-	115	37.1 %
5	good	10	3.2 %
6	-	20	6.5 %
7	excellent	82	26.5 %
.(M)	-	40	12.9 %

- Mean: 4.85
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00

- Study 26341 -

- Maximum: 7.00
- Standard Deviation: 1.68

Based upon 270 valid cases out of 310 total cases.

FURNITU5 2. Furn. for routine care, play & learning

Location: 156-163(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 2. Furn. for routine care, play & learning

<i>FURNITU5: 2. Furn. for routine care, play & learning</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	17	5.5 %
2	-	2	0.6 %
3	minimal	0	0.0 %
4	-	16	5.2 %
5	good	10	3.2 %
6	-	62	20.0 %
7	excellent	163	52.6 %
. (M)	-	40	12.9 %

- Mean: 6.10
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.60

Based upon 270 valid cases out of 310 total cases.

FURELAX5 3. Furn. for relaxation

Location: 164-171(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 3. Furn. for relaxation

<i>FURELAX5: 3. Furn. for relaxation</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	14	4.5 %
2	-	25	8.1 %
3	minimal	57	18.4 %
4	-	108	34.8 %
5	good	3	1.0 %
6	-	22	7.1 %

- Study 26341 -

<i>FURELAX5: 3. Furn. for relaxation</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	excellent	40	12.9 %
. (M)	-	41	13.2 %

- Mean: 4.07
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.65

Based upon 269 valid cases out of 310 total cases.

ROOM5 4. Room arrangement for play

Location: 172-179(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 4. Room arrangement for play

<i>ROOM5: 4. Room arrangement for play</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	6	1.9 %
2	-	11	3.5 %
3	minimal	36	11.6 %
4	-	82	26.5 %
5	good	3	1.0 %
6	-	25	8.1 %
7	excellent	107	34.5 %
. (M)	-	40	12.9 %

- Mean: 5.10
- Median: 4.50
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.80

Based upon 270 valid cases out of 310 total cases.

PRIVACY5 5. Space for privacy

Location: 180-187(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 5. Space for privacy

- Study 26341 -

<i>PRIVACY5: 5. Space for privacy</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	4	1.3 %
2	-	8	2.6 %
3	minimal	43	13.9 %
4	-	139	44.8 %
5	good	9	2.9 %
6	-	20	6.5 %
7	excellent	47	15.2 %
. (M)	-	40	12.9 %

- Mean: 4.44
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.46

Based upon 270 valid cases out of 310 total cases.

CHILDIS5

6. Child-related display

Location: 188-195(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .
 Question: 6. Child-related display

<i>CHILDIS5: 6. Child-related display</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	2	0.6 %
2	-	40	12.9 %
3	minimal	60	19.4 %
4	-	80	25.8 %
5	good	31	10.0 %
6	-	33	10.6 %
7	excellent	23	7.4 %
8 (M)	-	1	0.3 %
. (M)	-	40	12.9 %

- Mean: 4.07
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.50

- Study 26341 -

Based upon 269 valid cases out of 310 total cases.

GROSSPA5 7. Space for gross motor

Location: 196-203(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 7. Space for gross motor

<i>GROSSPA5: 7. Space for gross motor</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	133	42.9 %
2	-	50	16.1 %
3	minimal	15	4.8 %
4	-	25	8.1 %
5	good	20	6.5 %
6	-	21	6.8 %
7	excellent	6	1.9 %
. (M)	-	40	12.9 %

- Mean: 2.39
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.80

Based upon 270 valid cases out of 310 total cases.

GROSEQU5 8. Gross motor equipment

Location: 204-211(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 8. Gross motor equipment

<i>GROSEQU5: 8. Gross motor equipment</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	29	9.4 %
2	-	90	29.0 %
3	minimal	6	1.9 %
4	-	30	9.7 %
5	good	8	2.6 %
6	-	36	11.6 %
7	excellent	71	22.9 %
. (M)	-	40	12.9 %

- Study 26341 -

- Mean: 4.07
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.29

Based upon 270 valid cases out of 310 total cases.

GREETIN5 9. Greeting/departing

Location: 212-219(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 9. Greeting/departing

<i>GREETIN5: 9. Greeting/departing</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	13	4.2 %
2	-	8	2.6 %
3	minimal	10	3.2 %
4	-	53	17.1 %
5	good	3	1.0 %
6	-	17	5.5 %
7	excellent	164	52.9 %
. (M)	-	42	13.5 %

- Mean: 5.73
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.84

Based upon 268 valid cases out of 310 total cases.

MEALS5 10. Meals/snacks

Location: 220-227(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 10. Meals/snacks

<i>MEALS5: 10. Meals/snacks</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	1	0.3 %
1	inadequate	237	76.5 %

- Study 26341 -

<i>MEALS5: 10. Meals/snacks</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	5	1.6 %
3	minimal	1	0.3 %
4	-	12	3.9 %
5	good	3	1.0 %
6	-	8	2.6 %
7	excellent	3	1.0 %
. (M)	-	40	12.9 %

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.26

Based upon 270 valid cases out of 310 total cases.

NAPREST5

11. Nap/Rest

Location: 228-235(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .
 Question: 11. Nap/Rest

<i>NAPREST5: 11. Nap/Rest</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	81	26.1 %
2	-	43	13.9 %
3	minimal	4	1.3 %
4	-	30	9.7 %
5	good	2	0.6 %
6	-	9	2.9 %
7	excellent	4	1.3 %
8 (M)	NA	97	31.3 %
. (M)	-	40	12.9 %

- Mean: 2.26
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.63

- Study 26341 -

Based upon 173 valid cases out of 310 total cases.

TOILET5 12. Toileting/diapering

Location: 236-243(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 12. Toileting/diapering

<i>TOILET5: 12. Toileting/diapering</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	188	60.6 %
2	-	24	7.7 %
3	minimal	0	0.0 %
4	-	9	2.9 %
5	good	2	0.6 %
6	-	20	6.5 %
7	excellent	27	8.7 %
. (M)	-	40	12.9 %

- Mean: 2.19
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.14

Based upon 270 valid cases out of 310 total cases.

HEALTHP5 13. Health practices

Location: 244-251(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 13. Health practices

<i>HEALTHP5: 13. Health practices</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	126	40.6 %
2	-	106	34.2 %
3	minimal	2	0.6 %
4	-	9	2.9 %
5	good	1	0.3 %
6	-	9	2.9 %
7	excellent	17	5.5 %
. (M)	-	40	12.9 %

- Study 26341 -

- Mean: 2.07
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.66

Based upon 270 valid cases out of 310 total cases.

SAFETYP5 14. Safety practices

Location: 252-259(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 14. Safety practices

<i>SAFETYP5: 14. Safety practices</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	136	43.9 %
2	-	72	23.2 %
3	minimal	3	1.0 %
4	-	36	11.6 %
5	good	1	0.3 %
6	-	4	1.3 %
7	excellent	18	5.8 %
. (M)	-	40	12.9 %

- Mean: 2.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.72

Based upon 270 valid cases out of 310 total cases.

BOOKS5 15. Books & pictures

Location: 260-267(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 15. Books & pictures

<i>BOOKS5: 15. Books & pictures</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	10	3.2 %
2	-	10	3.2 %

- Study 26341 -

<i>BOOKS5: 15. Books & pictures</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	minimal	10	3.2 %
4	-	202	65.2 %
5	good	2	0.6 %
6	-	5	1.6 %
7	excellent	31	10.0 %
. (M)	-	40	12.9 %

- Mean: 4.17
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.27

Based upon 270 valid cases out of 310 total cases.

CHIDCOM5

16. Encourage children to communicate

Location: 268-275(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 16. Encourage children to communicate

<i>CHIDCOM5: 16. Encourage children to communicate</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	6	1.9 %
2	-	15	4.8 %
3	minimal	7	2.3 %
4	-	47	15.2 %
5	good	14	4.5 %
6	-	100	32.3 %
7	excellent	81	26.1 %
. (M)	-	40	12.9 %

- Mean: 5.49
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.57

Based upon 270 valid cases out of 310 total cases.

LANGRES5

17. Using language to develop reasoning skills

- Study 26341 -

Location: 276-283(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 17. Using language to develop reasoning skills

<i>LANGRES5: 17. Using language to develop reasoning skills</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	38	12.3 %
2	-	32	10.3 %
3	minimal	41	13.2 %
4	-	63	20.3 %
5	good	22	7.1 %
6	-	20	6.5 %
7	excellent	54	17.4 %
. (M)	-	40	12.9 %

- Mean: 4.02
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.02

Based upon 270 valid cases out of 310 total cases.

INFRMAL5 18. Informal use of language

Location: 284-291(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 18. Informal use of language

<i>INFRMAL5: 18. Informal use of language</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	1	0.3 %
2	-	2	0.6 %
3	minimal	30	9.7 %
4	-	68	21.9 %
5	good	8	2.6 %
6	-	29	9.4 %
7	excellent	132	42.6 %
. (M)	-	40	12.9 %

- Mean: 5.57
- Median: 6.00

- Study 26341 -

- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.60

Based upon 270 valid cases out of 310 total cases.

FINEMOT5

19. Fine motor

Location: 292-299(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 19. Fine motor

<i>FINEMOT5: 19. Fine motor</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	11	3.5 %
2	-	29	9.4 %
3	minimal	21	6.8 %
4	-	149	48.1 %
5	good	1	0.3 %
6	-	12	3.9 %
7	excellent	47	15.2 %
. (M)	-	40	12.9 %

- Mean: 4.20
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.61

Based upon 270 valid cases out of 310 total cases.

ART5

20. Art

Location: 300-307(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 20. Art

<i>ART5: 20. Art</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	37	11.9 %
2	-	17	5.5 %
3	minimal	87	28.1 %
4	-	94	30.3 %

- Study 26341 -

<i>ART5: 20. Art</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	good	2	0.6 %
6	-	18	5.8 %
7	excellent	15	4.8 %
. (M)	-	40	12.9 %

- Mean: 3.45
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.51

Based upon 270 valid cases out of 310 total cases.

MUSIC5

21. Music/movement

Location: 308-315(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 21. Music/movement

<i>MUSIC5: 21. Music/movement</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	15	4.8 %
2	-	85	27.4 %
3	minimal	32	10.3 %
4	-	80	25.8 %
5	good	12	3.9 %
6	-	22	7.1 %
7	excellent	24	7.7 %
. (M)	-	40	12.9 %

- Mean: 3.56
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.69

Based upon 270 valid cases out of 310 total cases.

BLOCKS5

22. Blocks

Location: 316-323(width: 8; decimal: 0)

- Study 26341 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 22. Blocks

<i>BLOCKS5: 22. Blocks</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	18	5.8 %
2	-	20	6.5 %
3	minimal	14	4.5 %
4	-	159	51.3 %
5	good	16	5.2 %
6	-	30	9.7 %
7	excellent	13	4.2 %
. (M)	-	40	12.9 %

- Mean: 4.03
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.38

Based upon 270 valid cases out of 310 total cases.

SANDWAT5 **23. Sand/water**

Location: 324-331(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 23. Sand/water

<i>SANDWAT5: 23. Sand/water</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	62	20.0 %
2	-	11	3.5 %
3	minimal	36	11.6 %
4	-	59	19.0 %
5	good	15	4.8 %
6	-	46	14.8 %
7	excellent	41	13.2 %
. (M)	-	40	12.9 %

- Mean: 3.95
- Median: 4.00
- Mode: 1.00

- Study 26341 -

- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.12

Based upon 270 valid cases out of 310 total cases.

DRAMATI5 **24. Dramatic play**

Location: 332-340(width: 9; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 24. Dramatic play

<i>DRAMATI5: 24. Dramatic play</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	16	5.2 %
2	-	37	11.9 %
3	minimal	34	11.0 %
4	-	137	44.2 %
5	good	9	2.9 %
6	-	25	8.1 %
7	excellent	11	3.5 %
. (M)	-	41	13.2 %

- Mean: 3.76
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.39

Based upon 269 valid cases out of 310 total cases.

NATURE5 **25. Nature/science**

Location: 341-348(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 25. Nature/science

<i>NATURE5: 25. Nature/science</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	47	15.2 %
2	-	39	12.6 %
3	minimal	39	12.6 %
4	-	117	37.7 %
5	good	5	1.6 %

- Study 26341 -

<i>NATURE5: 25. Nature/science</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	10	3.2 %
7	excellent	13	4.2 %
. (M)	-	40	12.9 %

- Mean: 3.28
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.54

Based upon 270 valid cases out of 310 total cases.

MATH5 26. Math/number

Location: 349-356(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 26. Math/number

<i>MATH5: 26. Math/number</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	16	5.2 %
2	-	43	13.9 %
3	minimal	38	12.3 %
4	-	141	45.5 %
5	good	1	0.3 %
6	-	9	2.9 %
7	excellent	22	7.1 %
. (M)	-	40	12.9 %

- Mean: 3.68
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.44

Based upon 270 valid cases out of 310 total cases.

TVVIDEO5 27. Use of tv/video and/or computers

Location: 357-364(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .

- Study 26341 -

Question:

27. Use of tv/video and/or computers

<i>TVVIDEO5: 27. Use of tv/video and/or computers</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	28	9.0 %
2	-	44	14.2 %
3	minimal	4	1.3 %
4	-	55	17.7 %
5	good	5	1.6 %
6	-	45	14.5 %
7	excellent	31	10.0 %
8 (M)	NA	58	18.7 %
. (M)	-	40	12.9 %

- Mean: 4.06
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.06

Based upon 212 valid cases out of 310 total cases.

DIVERSI5

28. Promoting acceptance of diversity

Location:

365-372(width: 8; decimal: 0)

Variable Type:

numeric (ISO)

Range of Missing Values (M):

.

Question:

28. Promoting acceptance of diversity

<i>DIVERSI5: 28. Promoting acceptance of diversity</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	14	4.5 %
2	-	11	3.5 %
3	minimal	70	22.6 %
4	-	101	32.6 %
5	good	21	6.8 %
6	-	22	7.1 %
7	excellent	31	10.0 %
. (M)	-	40	12.9 %

- Mean: 4.09
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00

- Study 26341 -

- Maximum: 7.00
- Standard Deviation: 1.53

Based upon 270 valid cases out of 310 total cases.

SUPGROS5 29. Supervision of gross motor activities

Location: 373-380(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .
 Question: 29. Supervision of gross motor activities

<i>SUPGROS5: 29. Supervision of gross motor activities</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %
2	-	9	2.9 %
3	minimal	10	3.2 %
4	-	92	29.7 %
5	good	44	14.2 %
6	-	48	15.5 %
7	excellent	59	19.0 %
8 (M)	-	1	0.3 %
. (M)	-	40	12.9 %

- Mean: 5.00
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.51

Based upon 269 valid cases out of 310 total cases.

GENSU5 30. General supervision of children

Location: 381-388(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 30. General supervision of children

<i>GENSU5: 30. General supervision of children</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %
2	-	17	5.5 %
3	minimal	4	1.3 %
4	-	35	11.3 %
5	good	28	9.0 %

- Study 26341 -

<i>GENSU5: 30. General supervision of children</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	-	46	14.8 %
7	excellent	133	42.9 %
. (M)	-	40	12.9 %

- Mean: 5.70
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.68

Based upon 270 valid cases out of 310 total cases.

DISCIPL5

31. Discipline-ECERS

Location: 389-396(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 31. Discipline-ECERS

<i>DISCIPL5: 31. Discipline-ECERS</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	5	1.6 %
2	-	3	1.0 %
3	minimal	19	6.1 %
4	-	29	9.4 %
5	good	42	13.5 %
6	-	75	24.2 %
7	excellent	97	31.3 %
. (M)	-	40	12.9 %

- Mean: 5.64
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.45

Based upon 270 valid cases out of 310 total cases.

STAFCHI5

32. Staff-child interactions

Location: 397-404(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .

- Study 26341 -

Question:

32. Staff-child interactions

<i>STAFCHI5: 32. Staff-child interactions</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %
2	-	8	2.6 %
3	minimal	4	1.3 %
4	-	32	10.3 %
5	good	3	1.0 %
6	-	18	5.8 %
7	excellent	198	63.9 %
. (M)	-	40	12.9 %

- Mean: 6.19
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.56

Based upon 270 valid cases out of 310 total cases.

INTRCHI5

33. Interactions among children

Location:

405-412(width: 8; decimal: 0)

Variable Type:

numeric (ISO)

Range of Missing Values (M):

.

Question:

33. Interactions among children

<i>INTRCHI5: 33. Interactions among children</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %
2	-	8	2.6 %
3	minimal	3	1.0 %
4	-	77	24.8 %
5	good	0	0.0 %
6	-	54	17.4 %
7	excellent	121	39.0 %
. (M)	-	40	12.9 %

- Mean: 5.60
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.63

- Study 26341 -

Based upon 270 valid cases out of 310 total cases.

SCHED5 34. Schedule

Location: 413-420(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 34. Schedule

<i>SCHED5: 34. Schedule</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	5	1.6 %
2	-	51	16.5 %
3	minimal	0	0.0 %
4	-	74	23.9 %
5	good	5	1.6 %
6	-	23	7.4 %
7	excellent	112	36.1 %
. (M)	-	40	12.9 %

- Mean: 5.00
- Median: 5.50
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.01

Based upon 270 valid cases out of 310 total cases.

FREPLAY5 35. Free play

Location: 421-428(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 35. Free play

<i>FREPLAY5: 35. Free play</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	10	3.2 %
2	-	17	5.5 %
3	minimal	17	5.5 %
4	-	88	28.4 %
5	good	5	1.6 %
6	-	33	10.6 %
7	excellent	100	32.3 %
. (M)	-	40	12.9 %

- Study 26341 -

- Mean: 5.07
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.83

Based upon 270 valid cases out of 310 total cases.

GRUPTIM5 36. Group time

Location: 429-436(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 36. Group time

<i>GRUPTIM5: 36. Group time</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	14	4.5 %
2	-	5	1.6 %
3	minimal	9	2.9 %
4	-	51	16.5 %
5	good	7	2.3 %
6	-	39	12.6 %
7	excellent	145	46.8 %
. (M)	-	40	12.9 %

- Mean: 5.70
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.77

Based upon 270 valid cases out of 310 total cases.

PROVDIS5 37. Provisions for children w/disabilities

Location: 437-444(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .
 Question: 37. Provisions for children w/disabilities

<i>PROVDIS5: 37. Provisions for children w/disabilities</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	9	2.9 %
2	-	10	3.2 %

- Study 26341 -

<i>PROVDIS5: 37. Provisions for children w/disabilities</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	minimal	1	0.3 %
4	-	13	4.2 %
5	good	8	2.6 %
6	-	31	10.0 %
7	excellent	86	27.7 %
8 (M)	NA	112	36.1 %
. (M)	-	40	12.9 %

- Mean: 5.77
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.84

Based upon 158 valid cases out of 310 total cases.

PROVPAR5

38. Provisions for parents

Location: 445-452(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 38. Provisions for parents

<i>PROVPAR5: 38. Provisions for parents</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	1	0.3 %
2	-	5	1.6 %
3	minimal	1	0.3 %
4	-	37	11.9 %
5	good	20	6.5 %
6	-	54	17.4 %
7	excellent	151	48.7 %
. (M)	-	41	13.2 %

- Mean: 6.11
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.27

Based upon 269 valid cases out of 310 total cases.

- Study 26341 -

PROVPER5 39. Provisions for personal needs of staff

Location: 453-460(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 39. Provisions for personal needs of staff

<i>PROVPER5: 39. Provisions for personal needs of staff</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	35	11.3 %
2	-	56	18.1 %
3	minimal	3	1.0 %
4	-	115	37.1 %
5	good	8	2.6 %
6	-	22	7.1 %
7	excellent	31	10.0 %
. (M)	-	40	12.9 %

- Mean: 3.72
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.83

Based upon 270 valid cases out of 310 total cases.

PROVPRO5 40. Provisions for professional needs of staff

Location: 461-468(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 40. Provisions for professional needs of staff

<i>PROVPRO5: 40. Provisions for professional needs of staff</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %
2	-	25	8.1 %
3	minimal	7	2.3 %
4	-	52	16.8 %
5	good	3	1.0 %
6	-	25	8.1 %
7	excellent	151	48.7 %
. (M)	-	40	12.9 %

- Study 26341 -

- Mean: 5.59
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.88

Based upon 270 valid cases out of 310 total cases.

STAFINT5 41. Staff interaction and cooperation

Location: 469-476(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .
 Question: 41. Staff interaction and cooperation

<i>STAFINT5: 41. Staff interaction and cooperation</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	3	1.0 %
2	-	2	0.6 %
3	minimal	1	0.3 %
4	-	6	1.9 %
5	good	4	1.3 %
6	-	44	14.2 %
7	excellent	186	60.0 %
8 (M)	NA	24	7.7 %
. (M)	-	40	12.9 %

- Mean: 6.59
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.00

Based upon 246 valid cases out of 310 total cases.

SUPSTAF5 42. Supervision and evaluation of staff

Location: 477-484(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): 8 , .
 Question: 42. Supervision and evaluation of staff

<i>SUPSTAF5: 42. Supervision and evaluation of staff</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	7	2.3 %

- Study 26341 -

<i>SUPSTAF5: 42. Supervision and evaluation of staff</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	4	1.3 %
3	minimal	8	2.6 %
4	-	28	9.0 %
5	good	12	3.9 %
6	-	63	20.3 %
7	excellent	145	46.8 %
8 (M)	NA	3	1.0 %
. (M)	-	40	12.9 %

- Mean: 6.01
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.48

Based upon 267 valid cases out of 310 total cases.

OPPROFG5

43. Opportunities for professional growth

Location: 485-492(width: 8; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): .
 Question: 43. Opportunities for professional growth

<i>OPPROFG5: 43. Opportunities for professional growth</i>			
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	inadequate	8	2.6 %
2	-	20	6.5 %
3	minimal	8	2.6 %
4	-	70	22.6 %
5	good	16	5.2 %
6	-	51	16.5 %
7	excellent	97	31.3 %
. (M)	-	40	12.9 %

- Mean: 5.25
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.76

- Study 26341 -

Based upon 270 valid cases out of 310 total cases.