ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 26561

Long Beach Longitudinal Study

Elizabeth Zelinski
University of Southern California

Robert Kennison
California State University, Los Angeles

Panels 1 and 2 1994 STAMAT File Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/26561.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 26561

Long Beach Longitudinal Study

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Long Beach Longitudinal Study

Panels 1 and 2 1994 STAMAT File

ID	ID

Location: 1-10(width: 10; decimal: 0)

Variable Type: numeric

Based upon 790 valid cases out of 790 total cases.

- Mean: 3975642.13
- Minimum: 1022228.00
- Maximum: 7421001.00
- Standard Deviation: 1015342.35

RV9401	recognition vocab 94 #1

Location: 11-18(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9401: recognition vocab 94 #1

Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	8	1.0 %
1	correct	722	91.4 %
999 (M)	-	57	7.2 %
. (M)	-	3	0.4 %

Based upon 730 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RV9402	recognition vocab 94 #2

Location: 19-26(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9402: recognition vocab 94 #2

Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	41	5.2 %

RV9402: recognition vocab 94 #2			
Value	*Label*	*Unweighted Frequency*	*%*
1	correct	685	86.7 %
999 (M)	-	61	7.7 %
. (M)	-	3	0.4 %

Based upon 726 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

RV9403 **recognition vocab 94 #3**

Location: 27-34(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9403: recognition vocab 94 #3			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	4	0.5 %
1	correct	722	91.4 %
999 (M)	-	61	7.7 %
. (M)	-	3	0.4 %

Based upon 726 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

RV9404 **recognition vocab 94 #4**

Location: 35-42(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9404: recognition vocab 94 #4			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	35	4.4 %
1	correct	684	86.6 %
999 (M)	-	68	8.6 %
. (M)	-	3	0.4 %

Based upon 719 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

RV9405 **recognition vocab 94 #5**

Location: 43-50(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9405: recognition vocab 94 #5			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	9	1.1 %
1	correct	700	88.6 %
999 (M)	-	78	9.9 %
. (M)	-	3	0.4 %

Based upon 709 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

RV9406 **recognition vocab 94 #6**

Location: 51-58(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9406: recognition vocab 94 #6			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	13	1.6 %
1	correct	718	90.9 %
999 (M)	-	56	7.1 %
. (M)	-	3	0.4 %

Based upon 731 valid cases out of 790 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

RV9407 **recognition vocab 94 #7**

Location: 59-66(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9407: recognition vocab 94 #7			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	20	2.5 %
1	correct	703	89.0 %
999 (M)	-	64	8.1 %
. (M)	-	3	0.4 %

Based upon 723 valid cases out of 790 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

RV9408 **recognition vocab 94 #8**

Location: 67-74(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9408: recognition vocab 94 #8			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	6	0.8 %
1	correct	717	90.8 %
999 (M)	-	64	8.1 %
. (M)	-	3	0.4 %

Based upon 723 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

RV9409 **recognition vocab 94 #9**

Location: 75-82(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9409: recognition vocab 94 #9			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	29	3.7 %
1	correct	681	86.2 %
999 (M)	-	77	9.7 %
. (M)	-	3	0.4 %

Based upon 710 valid cases out of 790 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

RV9410 **recognition vocab 94 #10**

Location: 83-90(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9410: recognition vocab 94 #10			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	16	2.0 %
1	correct	708	89.6 %
999 (M)	-	63	8.0 %
. (M)	-	3	0.4 %

Based upon 724 valid cases out of 790 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

RV9411 **recognition vocab 94 #11**

Location: 91-98(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9411: recognition vocab 94 #11			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	10	1.3 %
1	correct	716	90.6 %
999 (M)	-	61	7.7 %
. (M)	-	3	0.4 %

Based upon 726 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

RV9412 **recognition vocab 94 #12**

Location: 99-106(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9412: recognition vocab 94 #12			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	5	0.6 %
1	correct	713	90.3 %
999 (M)	-	69	8.7 %
. (M)	-	3	0.4 %

Based upon 718 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

RV9413 **recognition vocab 94 #13**

Location: 107-114(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9413: recognition vocab 94 #13			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	23	2.9 %
1	correct	695	88.0 %
999 (M)	-	69	8.7 %
. (M)	-	3	0.4 %

Based upon 718 valid cases out of 790 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

RV9414 **recognition vocab 94 #14**

Location: 115-122(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9414: recognition vocab 94 #14			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	25	3.2 %
1	correct	670	84.8 %
999 (M)	-	92	11.6 %
. (M)	-	3	0.4 %

Based upon 695 valid cases out of 790 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RV9415 **recognition vocab 94 #15**

Location: 123-130(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9415: recognition vocab 94 #15			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	12	1.5 %
1	correct	694	87.8 %
999 (M)	-	81	10.3 %
. (M)	-	3	0.4 %

Based upon 706 valid cases out of 790 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

RV9416 **recognition vocab 94 #16**

Location: 131-138(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9416: recognition vocab 94 #16			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	52	6.6 %
1	correct	651	82.4 %
999 (M)	-	84	10.6 %
. (M)	-	3	0.4 %

Based upon 703 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RV9417 **recognition vocab 94 #17**

Location: 139-146(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9417: recognition vocab 94 #17			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	213	27.0 %
1	correct	440	55.7 %
999 (M)	-	134	17.0 %
. (M)	-	3	0.4 %

Based upon 653 valid cases out of 790 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

RV9418 **recognition vocab 94 #18**

Location: 147-154(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9418: recognition vocab 94 #18			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	27	3.4 %
1	correct	672	85.1 %
999 (M)	-	88	11.1 %
. (M)	-	3	0.4 %

Based upon 699 valid cases out of 790 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RV9419 **recognition vocab 94 #19**

Location: 155-162(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9419: recognition vocab 94 #19			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	42	5.3 %
1	correct	638	80.8 %
999 (M)	-	107	13.5 %
. (M)	-	3	0.4 %

Based upon 680 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

RV9420 **recognition vocab 94 #20**

Location: 163-170(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9420: recognition vocab 94 #20			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	80	10.1 %
1	correct	606	76.7 %
999 (M)	-	101	12.8 %
. (M)	-	3	0.4 %

Based upon 686 valid cases out of 790 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

RV9421 **recognition vocab 94 #21**

Location: 171-178(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9421: recognition vocab 94 #21			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	27	3.4 %
1	correct	675	85.4 %
999 (M)	-	85	10.8 %
. (M)	-	3	0.4 %

Based upon 702 valid cases out of 790 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

RV9422 **recognition vocab 94 #22**

Location: 179-186(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9422: recognition vocab 94 #22			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	78	9.9 %
1	correct	587	74.3 %
999 (M)	-	122	15.4 %
. (M)	-	3	0.4 %

Based upon 665 valid cases out of 790 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

RV9423 **recognition vocab 94 #23**

Location: 187-194(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9423: recognition vocab 94 #23			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	13	1.6 %
1	correct	676	85.6 %
999 (M)	-	98	12.4 %
. (M)	-	3	0.4 %

Based upon 689 valid cases out of 790 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

RV9424 **recognition vocab 94 #24**

Location: 195-202(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9424: recognition vocab 94 #24			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	31	3.9 %
1	correct	634	80.3 %
999 (M)	-	122	15.4 %
. (M)	-	3	0.4 %

Based upon 665 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

RV9425 **recognition vocab 94 #25**

Location: 203-210(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9425: recognition vocab 94 #25			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	9	1.1 %
1	correct	672	85.1 %
999 (M)	-	106	13.4 %
. (M)	-	3	0.4 %

Based upon 681 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

RV9426 **recognition vocab 94 #26**

Location: 211-218(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9426: recognition vocab 94 #26			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	60	7.6 %
1	correct	539	68.2 %
999 (M)	-	188	23.8 %
. (M)	-	3	0.4 %

Based upon 599 valid cases out of 790 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

RV9427 **recognition vocab 94 #27**

Location: 219-226(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9427: recognition vocab 94 #27			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	31	3.9 %
1	correct	610	77.2 %
999 (M)	-	146	18.5 %
. (M)	-	3	0.4 %

Based upon 641 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

RV9428 **recognition vocab 94 #28**

Location: 227-234(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9428: recognition vocab 94 #28			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	5	0.6 %
1	correct	627	79.4 %
999 (M)	-	155	19.6 %
. (M)	-	3	0.4 %

Based upon 632 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

RV9429 **recognition vocab 94 #29**

Location: 235-242(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9429: recognition vocab 94 #29			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	71	9.0 %
1	correct	540	68.4 %
999 (M)	-	176	22.3 %
. (M)	-	3	0.4 %

Based upon 611 valid cases out of 790 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

RV9430 **recognition vocab 94 #30**

Location: 243-250(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9430: recognition vocab 94 #30			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	116	14.7 %
1	correct	388	49.1 %
999 (M)	-	283	35.8 %
. (M)	-	3	0.4 %

Based upon 504 valid cases out of 790 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

RV9431 **recognition vocab 94 #31**

Location: 251-258(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9431: recognition vocab 94 #31			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	53	6.7 %
1	correct	524	66.3 %
999 (M)	-	210	26.6 %
. (M)	-	3	0.4 %

Based upon 577 valid cases out of 790 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

RV9432 **recognition vocab 94 #32**

Location: 259-266(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9432: recognition vocab 94 #32			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	26	3.3 %
1	correct	552	69.9 %
999 (M)	-	209	26.5 %
. (M)	-	3	0.4 %

Based upon 578 valid cases out of 790 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

RV9433 **recognition vocab 94 #33**

Location: 267-274(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9433: recognition vocab 94 #33			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	34	4.3 %
1	correct	532	67.3 %
999 (M)	-	221	28.0 %
. (M)	-	3	0.4 %

Based upon 566 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

RV9434 **recognition vocab 94 #34**

Location: 275-282(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9434: recognition vocab 94 #34			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	48	6.1 %
1	correct	512	64.8 %
999 (M)	-	227	28.7 %
. (M)	-	3	0.4 %

Based upon 560 valid cases out of 790 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

RV9435 **recognition vocab 94 #35**

Location: 283-290(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9435: recognition vocab 94 #35			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	6	0.8 %
1	correct	548	69.4 %
999 (M)	-	233	29.5 %
. (M)	-	3	0.4 %

Based upon 554 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

RV9436 **recognition vocab 94 #36**

Location: 291-298(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9436: recognition vocab 94 #36			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	213	27.0 %
1	correct	335	42.4 %
999 (M)	-	239	30.3 %
. (M)	-	3	0.4 %

Based upon 548 valid cases out of 790 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

RV9437 **recognition vocab 94 #37**

Location: 299-306(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9437: recognition vocab 94 #37			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	85	10.8 %
1	correct	432	54.7 %
999 (M)	-	270	34.2 %
. (M)	-	3	0.4 %

Based upon 517 valid cases out of 790 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

RV9438 **recognition vocab 94 #38**

Location: 307-314(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9438: recognition vocab 94 #38			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	57	7.2 %
1	correct	448	56.7 %
999 (M)	-	282	35.7 %
. (M)	-	3	0.4 %

Based upon 505 valid cases out of 790 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

RV9439 **recognition vocab 94 #39**

Location: 315-322(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9439: recognition vocab 94 #39			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	27	3.4 %
1	correct	456	57.7 %
999 (M)	-	304	38.5 %
. (M)	-	3	0.4 %

Based upon 483 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

RV9440 **recognition vocab 94 #40**

Location: 323-330(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9440: recognition vocab 94 #40			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	10	1.3 %
1	correct	472	59.7 %
999 (M)	-	305	38.6 %
. (M)	-	3	0.4 %

Based upon 482 valid cases out of 790 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

RV9441 **recognition vocab 94 #41**

Location: 331-338(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

RV9441: recognition vocab 94 #41			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	6	0.8 %
1	correct	472	59.7 %
999 (M)	-	309	39.1 %
. (M)	-	3	0.4 %

Based upon 478 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

RV9442 **recognition vocab 94 #42**

Location: 339-346(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

RV9442: recognition vocab 94 #42			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	22	2.8 %
1	correct	436	55.2 %
999 (M)	-	329	41.6 %
. (M)	-	3	0.4 %

Based upon 458 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

RV9443 **recognition vocab 94 #43**

Location: 347-354(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9443: recognition vocab 94 #43			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	27	3.4 %
1	correct	414	52.4 %
999 (M)	-	346	43.8 %
. (M)	-	3	0.4 %

Based upon 441 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

RV9444 **recognition vocab 94 #44**

Location: 355-362(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9444: recognition vocab 94 #44			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	74	9.4 %
1	correct	342	43.3 %
999 (M)	-	371	47.0 %
. (M)	-	3	0.4 %

Based upon 416 valid cases out of 790 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

RV9445 **recognition vocab 94 #45**

Location: 363-370(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9445: recognition vocab 94 #45			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	50	6.3 %
1	correct	295	37.3 %
999 (M)	-	442	55.9 %
. (M)	-	3	0.4 %

Based upon 345 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

RV9446 **recognition vocab 94 #46**

Location: 371-378(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9446: recognition vocab 94 #46			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	11	1.4 %
1	correct	378	47.8 %
999 (M)	-	398	50.4 %
. (M)	-	3	0.4 %

Based upon 389 valid cases out of 790 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

RV9447 **recognition vocab 94 #47**

Location: 379-386(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9447: recognition vocab 94 #47			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	17	2.2 %
1	correct	357	45.2 %
999 (M)	-	413	52.3 %
. (M)	-	3	0.4 %

Based upon 374 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

RV9448 **recognition vocab 94 #48**

Location: 387-394(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9448: recognition vocab 94 #48			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	10	1.3 %
1	correct	353	44.7 %
999 (M)	-	424	53.7 %
. (M)	-	3	0.4 %

Based upon 363 valid cases out of 790 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

RV9449 **recognition vocab 94 #49**

Location: 395-402(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9449: recognition vocab 94 #49			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	24	3.0 %
1	correct	319	40.4 %
999 (M)	-	444	56.2 %
. (M)	-	3	0.4 %

Based upon 343 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

RV9450 **recognition vocab 94 #50**

Location: 403-410(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

RV9450: recognition vocab 94 #50			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	11	1.4 %
1	correct	323	40.9 %
999 (M)	-	453	57.3 %
. (M)	-	3	0.4 %

Based upon 334 valid cases out of 790 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

FR94C01 **figure rotat 94 correct #1**

Location: 411-418(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C01: figure rotat 94 correct #1		
Value	*Unweighted Frequency*	*%*
0	33	4.2 %
1	232	29.4 %
2	462	58.5 %
999 (M)	60	7.6 %
. (M)	3	0.4 %

Based upon 727 valid cases out of 790 total cases.

- Mean: 1.59
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.58

FR94W01 **figure rotat 94 wrong #1**

Location: 419-426(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W01: figure rotat 94 wrong #1		
Value	*Unweighted Frequency*	*%*
0	530	67.1 %
1	141	17.8 %
2	51	6.5 %
3	4	0.5 %
4	1	0.1 %
999 (M)	60	7.6 %
. (M)	3	0.4 %

Based upon 727 valid cases out of 790 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.65

FR94C02 **figure rotat 94 correct #2**

Location: 427-434(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C02: figure rotat 94 correct #2		
Value	*Unweighted Frequency*	*%*
0	42	5.3 %
1	132	16.7 %
2	220	27.8 %
3	323	40.9 %
999 (M)	70	8.9 %
. (M)	3	0.4 %

Based upon 717 valid cases out of 790 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.92

FR94W02 **figure rotat 94 wrong #2**

Location: 435-442(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

FR94W02: figure rotat 94 wrong #2		
Value	*Unweighted Frequency*	*%*
0	516	65.3 %
1	160	20.3 %
2	35	4.4 %
3	4	0.5 %
999 (M)	72	9.1 %
. (M)	3	0.4 %

Based upon 715 valid cases out of 790 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.60

FR94C03 **figure rotat 94 correct #3**

Location: 443-450(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

FR94C03: figure rotat 94 correct #3		
Value	*Unweighted Frequency*	*%*
0	86	10.9 %
1	249	31.5 %
2	348	44.1 %
999 (M)	104	13.2 %
. (M)	3	0.4 %

Based upon 683 valid cases out of 790 total cases.

- Mean: 1.38
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.70

FR94W03 **figure rotat 94 wrong #3**

Location: 451-458(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

FR94W03: figure rotat 94 wrong #3		
Value	*Unweighted Frequency*	*%*
0	361	45.7 %
1	239	30.3 %
2	65	8.2 %
3	18	2.3 %
999 (M)	104	13.2 %
. (M)	3	0.4 %

Based upon 683 valid cases out of 790 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.76

FR94C04 **figure rotat 94 correct #4**

Location: 459-466(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

FR94C04: figure rotat 94 correct #4		
Value	*Unweighted Frequency*	*%*
0	40	5.1 %
1	105	13.3 %
2	205	25.9 %
3	360	45.6 %
999 (M)	77	9.7 %
. (M)	3	0.4 %

Based upon 710 valid cases out of 790 total cases.

- Mean: 2.25
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.91

FR94W04	figure rotat 94 wrong #4

Location: 467-474(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W04: figure rotat 94 wrong #4

Value	*Unweighted Frequency*	*%*
0	570	72.2 %
1	95	12.0 %
2	34	4.3 %
3	8	1.0 %
999 (M)	80	10.1 %
. (M)	3	0.4 %

Based upon 707 valid cases out of 790 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.60

FR94C05	figure rotat 94 correct #5

Location: 475-482(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C05: figure rotat 94 correct #5

Value	*Unweighted Frequency*	*%*
0	24	3.0 %
1	156	19.7 %
2	289	36.6 %
3	233	29.5 %
999 (M)	85	10.8 %
. (M)	3	0.4 %

Based upon 702 valid cases out of 790 total cases.

- Mean: 2.04
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.83

FR94W05	figure rotat 94 wrong #5

Location: 483-490(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W05: figure rotat 94 wrong #5

Value	*Unweighted Frequency*	*%*
0	492	62.3 %
1	186	23.5 %
2	22	2.8 %
3	2	0.3 %
999 (M)	85	10.8 %
. (M)	3	0.4 %

Based upon 702 valid cases out of 790 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.55

FR94C06	figure rotat 94 correct #6

Location: 491-498(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C06: figure rotat 94 correct #6

Value	*Unweighted Frequency*	*%*
0	75	9.5 %
1	232	29.4 %
2	347	43.9 %
999 (M)	133	16.8 %
. (M)	3	0.4 %

Based upon 654 valid cases out of 790 total cases.

- Mean: 1.42
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00

- Maximum: 2.00
- Standard Deviation: 0.69

FR94W06	figure rotat 94 wrong #6

Location: 499-506(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W06: figure rotat 94 wrong #6

Value	*Unweighted Frequency*	*%*
0	422	53.4 %
1	176	22.3 %
2	47	5.9 %
3	7	0.9 %
4	2	0.3 %
999 (M)	133	16.8 %
. (M)	3	0.4 %

Based upon 654 valid cases out of 790 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.70

FR94C07	figure rotat 94 correct #7

Location: 507-514(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C07: figure rotat 94 correct #7

Value	*Unweighted Frequency*	*%*
0	65	8.2 %
1	146	18.5 %
2	180	22.8 %
3	253	32.0 %
999 (M)	143	18.1 %
. (M)	3	0.4 %

Based upon 644 valid cases out of 790 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.01

FR94W07	**figure rotat 94 wrong #7**

Location: 515-522(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W07: figure rotat 94 wrong #7		
Value	*Unweighted Frequency*	*%*
0	451	57.1 %
1	142	18.0 %
2	43	5.4 %
3	6	0.8 %
999 (M)	145	18.4 %
. (M)	3	0.4 %

Based upon 642 valid cases out of 790 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.65

FR94C08	**figure rotat 94 correct #8**

Location: 523-530(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C08: figure rotat 94 correct #8		
Value	*Unweighted Frequency*	*%*
0	56	7.1 %
1	182	23.0 %
2	326	41.3 %
3	2	0.3 %
999 (M)	221	28.0 %
. (M)	3	0.4 %

Based upon 566 valid cases out of 790 total cases.

- Mean: 1.48
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.67

FR94W08	**figure rotat 94 wrong #8**

Location: 531-538(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W08: figure rotat 94 wrong #8		
Value	*Unweighted Frequency*	*%*
0	397	50.3 %
1	136	17.2 %
2	30	3.8 %
3	3	0.4 %
999 (M)	221	28.0 %
. (M)	3	0.4 %

Based upon 566 valid cases out of 790 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.61

FR94C09	**figure rotat 94 correct #9**

Location: 539-546(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C09: figure rotat 94 correct #9		
Value	*Unweighted Frequency*	*%*
0	24	3.0 %
1	119	15.1 %
2	223	28.2 %
3	211	26.7 %
999 (M)	210	26.6 %

FR94C09: figure rotat 94 correct #9		
Value	*Unweighted Frequency*	*%*
. (M)	3	0.4 %

Based upon 577 valid cases out of 790 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

FR94W09 **figure rotat 94 wrong #9**

Location: 547-554(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W09: figure rotat 94 wrong #9		
Value	*Unweighted Frequency*	*%*
0	434	54.9 %
1	117	14.8 %
2	20	2.5 %
3	5	0.6 %
999 (M)	211	26.7 %
. (M)	3	0.4 %

Based upon 576 valid cases out of 790 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.58

FR94C10 **figure rotat 94 correct #10**

Location: 555-562(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C10: figure rotat 94 correct #10		
Value	*Unweighted Frequency*	*%*
0	18	2.3 %
1	128	16.2 %
2	174	22.0 %
3	188	23.8 %
999 (M)	279	35.3 %
. (M)	3	0.4 %

Based upon 508 valid cases out of 790 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.87

FR94W10 **figure rotat 94 wrong #10**

Location: 563-570(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W10: figure rotat 94 wrong #10		
Value	*Unweighted Frequency*	*%*
0	374	47.3 %
1	118	14.9 %
2	15	1.9 %
3	1	0.1 %
999 (M)	279	35.3 %
. (M)	3	0.4 %

Based upon 508 valid cases out of 790 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.53

FR94C11 **figure rotat 94 correct #11**

Location: 571-578(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C11: figure rotat 94 correct #11		
Value	*Unweighted Frequency*	*%*
0	29	3.7 %
1	153	19.4 %
2	119	15.1 %
3	84	10.6 %
999 (M)	402	50.9 %
. (M)	3	0.4 %

Based upon 385 valid cases out of 790 total cases.

- Mean: 1.67
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.90

FR94W11 **figure rotat 94 wrong #11**

Location: 579-586(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W11: figure rotat 94 wrong #11		
Value	*Unweighted Frequency*	*%*
0	225	28.5 %
1	135	17.1 %
2	23	2.9 %
3	1	0.1 %
999 (M)	403	51.0 %
. (M)	3	0.4 %

Based upon 384 valid cases out of 790 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.62

FR94C12 **figure rotat 94 correct #12**

Location: 587-594(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

FR94C12: figure rotat 94 correct #12		
Value	*Unweighted Frequency*	*%*
0	37	4.7 %
1	80	10.1 %
2	217	27.5 %
999 (M)	453	57.3 %
. (M)	3	0.4 %

Based upon 334 valid cases out of 790 total cases.

- Mean: 1.54
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.69

FR94W12 **figure rotat 94 wrong #12**

Location: 595-602(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

FR94W12: figure rotat 94 wrong #12		
Value	*Unweighted Frequency*	*%*
0	235	29.7 %
1	68	8.6 %
2	24	3.0 %
3	6	0.8 %
999 (M)	454	57.5 %
. (M)	3	0.4 %

Based upon 333 valid cases out of 790 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.70

FR94C13	figure rotat 94 correct #13

Location: 603-610(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C13: figure rotat 94 correct #13

Value	*Unweighted Frequency*	*%*
0	29	3.7 %
1	116	14.7 %
2	138	17.5 %
999 (M)	504	63.8 %
. (M)	3	0.4 %

Based upon 283 valid cases out of 790 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.67

FR94W13	figure rotat 94 wrong #13

Location: 611-618(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W13: figure rotat 94 wrong #13

Value	*Unweighted Frequency*	*%*
0	183	23.2 %
1	77	9.7 %
2	20	2.5 %
3	3	0.4 %
999 (M)	504	63.8 %
. (M)	3	0.4 %

Based upon 283 valid cases out of 790 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.67

FR94C14	figure rotat 94 correct #14

Location: 619-626(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C14: figure rotat 94 correct #14

Value	*Unweighted Frequency*	*%*
0	13	1.6 %
1	49	6.2 %
2	64	8.1 %
3	85	10.8 %
999 (M)	576	72.9 %
. (M)	3	0.4 %

Based upon 211 valid cases out of 790 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.94

FR94W14	figure rotat 94 wrong #14

Location: 627-634(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W14: figure rotat 94 wrong #14

Value	*Unweighted Frequency*	*%*
0	175	22.2 %
1	32	4.1 %
2	3	0.4 %
999 (M)	577	73.0 %
. (M)	3	0.4 %

Based upon 210 valid cases out of 790 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.42

FR94C15	figure rotat 94 correct #15

Location: 635-642(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C15: figure rotat 94 correct #15		
Value	*Unweighted Frequency*	*%*
0	14	1.8 %
1	47	5.9 %
2	44	5.6 %
3	60	7.6 %
999 (M)	622	78.7 %
. (M)	3	0.4 %

Based upon 165 valid cases out of 790 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.99

FR94W15	figure rotat 94 wrong #15

Location: 643-650(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W15: figure rotat 94 wrong #15		
Value	*Unweighted Frequency*	*%*
0	120	15.2 %
1	39	4.9 %
2	4	0.5 %
3	1	0.1 %
999 (M)	623	78.9 %
. (M)	3	0.4 %

Based upon 164 valid cases out of 790 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.55

FR94C16	figure rotat 94 correct #16

Location: 651-658(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C16: figure rotat 94 correct #16

Value	*Unweighted Frequency*	*%*
0	17	2.2 %
1	32	4.1 %
2	29	3.7 %
3	37	4.7 %
999 (M)	672	85.1 %
. (M)	3	0.4 %

Based upon 115 valid cases out of 790 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.07

FR94W16	figure rotat 94 wrong #16

Location: 659-666(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W16: figure rotat 94 wrong #16

Value	*Unweighted Frequency*	*%*
0	63	8.0 %
1	42	5.3 %
2	9	1.1 %
3	1	0.1 %
999 (M)	672	85.1 %
. (M)	3	0.4 %

Based upon 115 valid cases out of 790 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

FR94C17	figure rotat 94 correct #17

Location: 667-674(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C17: figure rotat 94 correct #17

Value	*Unweighted Frequency*	*%*
0	11	1.4 %
1	22	2.8 %
2	24	3.0 %
3	32	4.1 %
999 (M)	698	88.4 %
. (M)	3	0.4 %

Based upon 89 valid cases out of 790 total cases.

- Mean: 1.87
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.05

FR94W17	figure rotat 94 wrong #17

Location: 675-682(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W17: figure rotat 94 wrong #17

Value	*Unweighted Frequency*	*%*
0	63	8.0 %
1	15	1.9 %
2	9	1.1 %
3	1	0.1 %
999 (M)	699	88.5 %
. (M)	3	0.4 %

Based upon 88 valid cases out of 790 total cases.

- Mean: 0.41

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

FR94C18	**figure rotat 94 correct #18**

Location: 683-690(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C18: figure rotat 94 correct #18

Value	*Unweighted Frequency*	*%*
0	5	0.6 %
1	30	3.8 %
2	26	3.3 %
3	14	1.8 %
999 (M)	712	90.1 %
. (M)	3	0.4 %

Based upon 75 valid cases out of 790 total cases.

- Mean: 1.65
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

FR94W18	**figure rotat 94 wrong #18**

Location: 691-698(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W18: figure rotat 94 wrong #18

Value	*Unweighted Frequency*	*%*
0	56	7.1 %
1	14	1.8 %
2	4	0.5 %
3	1	0.1 %
999 (M)	712	90.1 %
. (M)	3	0.4 %

Based upon 75 valid cases out of 790 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.64

FR94C19	**figure rotat 94 correct #19**

Location: 699-706(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C19: figure rotat 94 correct #19

Value	*Unweighted Frequency*	*%*
0	7	0.9 %
1	20	2.5 %
2	12	1.5 %
3	19	2.4 %
999 (M)	729	92.3 %
. (M)	3	0.4 %

Based upon 58 valid cases out of 790 total cases.

- Mean: 1.74
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.05

FR94W19	**figure rotat 94 wrong #19**

Location: 707-714(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W19: figure rotat 94 wrong #19

Value	*Unweighted Frequency*	*%*
0	39	4.9 %
1	16	2.0 %
2	2	0.3 %
3	1	0.1 %
999 (M)	729	92.3 %
. (M)	3	0.4 %

Based upon 58 valid cases out of 790 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.65

FR94C20	**figure rotat 94 correct #20**

Location: 715-722(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94C20: figure rotat 94 correct #20		
Value	*Unweighted Frequency*	*%*
0	8	1.0 %
1	16	2.0 %
2	17	2.2 %
3	11	1.4 %
999 (M)	735	93.0 %
. (M)	3	0.4 %

Based upon 52 valid cases out of 790 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

FR94W20	**figure rotat 94 wrong #20**

Location: 723-730(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

FR94W20: figure rotat 94 wrong #20		
Value	*Unweighted Frequency*	*%*
0	30	3.8 %
1	21	2.7 %
3	1	0.1 %
999 (M)	735	93.0 %
. (M)	3	0.4 %

Based upon 52 valid cases out of 790 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.61

OR94C01 **object rotat 94 correct #1**

Location: 731-738(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C01: object rotat 94 correct #1		
Value	*Unweighted Frequency*	*%*
0	13	1.6 %
1	132	16.7 %
2	580	73.4 %
999 (M)	62	7.8 %
. (M)	3	0.4 %

Based upon 725 valid cases out of 790 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.45

OR94W01 **object rotat 94 wrong #1**

Location: 739-746(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W01: object rotat 94 wrong #1		
Value	*Unweighted Frequency*	*%*
0	567	71.8 %
1	125	15.8 %
2	24	3.0 %
3	6	0.8 %
999 (M)	65	8.2 %

OR94W01: object rotat 94 wrong #1		
Value	*Unweighted Frequency*	*%*
. (M)	3	0.4 %

Based upon 722 valid cases out of 790 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.56

OR94C02 **object rotat 94 correct #2**

Location: 747-754(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C02: object rotat 94 correct #2		
Value	*Unweighted Frequency*	*%*
0	14	1.8 %
1	62	7.8 %
2	220	27.8 %
3	427	54.1 %
999 (M)	64	8.1 %
. (M)	3	0.4 %

Based upon 723 valid cases out of 790 total cases.

- Mean: 2.47
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.73

OR94W02 **object rotat 94 wrong #2**

Location: 755-762(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W02: object rotat 94 wrong #2		
Value	*Unweighted Frequency*	*%*
0	612	77.5 %
1	97	12.3 %
2	9	1.1 %
3	1	0.1 %
4	1	0.1 %
999 (M)	67	8.5 %
. (M)	3	0.4 %

Based upon 720 valid cases out of 790 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.44

OR94C03 **object rotat 94 correct #3**

Location: 763-770(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C03: object rotat 94 correct #3		
Value	*Unweighted Frequency*	*%*
0	35	4.4 %
1	154	19.5 %
2	527	66.7 %
3	3	0.4 %
999 (M)	68	8.6 %
. (M)	3	0.4 %

Based upon 719 valid cases out of 790 total cases.

- Mean: 1.69
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.56

OR94W03 **object rotat 94 wrong #3**

Location: 771-778(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

OR94W03: object rotat 94 wrong #3		
Value	*Unweighted Frequency*	*%*
0	501	63.4 %
1	159	20.1 %
2	48	6.1 %
3	8	1.0 %
999 (M)	71	9.0 %
. (M)	3	0.4 %

Based upon 716 valid cases out of 790 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.66

OR94C04 **object rotat 94 correct #4**

Location: 779-786(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

OR94C04: object rotat 94 correct #4		
Value	*Unweighted Frequency*	*%*
0	24	3.0 %
1	43	5.4 %
2	198	25.1 %
3	457	57.8 %
999 (M)	65	8.2 %
. (M)	3	0.4 %

Based upon 722 valid cases out of 790 total cases.

- Mean: 2.51
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.75

OR94W04	object rotat 94 wrong #4

Location: 787-794(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W04: object rotat 94 wrong #4

Value	*Unweighted Frequency*	*%*
0	633	80.1 %
1	65	8.2 %
2	18	2.3 %
3	5	0.6 %
999 (M)	66	8.4 %
. (M)	3	0.4 %

Based upon 721 valid cases out of 790 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

OR94C05	object rotat 94 correct #5

Location: 795-802(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C05: object rotat 94 correct #5

Value	*Unweighted Frequency*	*%*
0	26	3.3 %
1	99	12.5 %
2	272	34.4 %
3	309	39.1 %
999 (M)	81	10.3 %
. (M)	3	0.4 %

Based upon 706 valid cases out of 790 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.82

OR94W05	object rotat 94 wrong #5

Location: 803-810(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W05: object rotat 94 wrong #5		
Value	*Unweighted Frequency*	*%*
0	570	72.2 %
1	114	14.4 %
2	17	2.2 %
3	1	0.1 %
999 (M)	85	10.8 %
. (M)	3	0.4 %

Based upon 702 valid cases out of 790 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

OR94C06	object rotat 94 correct #6

Location: 811-818(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C06: object rotat 94 correct #6		
Value	*Unweighted Frequency*	*%*
0	34	4.3 %
1	199	25.2 %
2	479	60.6 %
3	1	0.1 %
999 (M)	74	9.4 %
. (M)	3	0.4 %

Based upon 713 valid cases out of 790 total cases.

- Mean: 1.63
- Median: 2.00
- Mode: 2.00

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.58

OR94W06	object rotat 94 wrong #6

Location: 819-826(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W06: object rotat 94 wrong #6		
Value	*Unweighted Frequency*	*%*
0	510	64.6 %
1	148	18.7 %
2	52	6.6 %
3	2	0.3 %
999 (M)	75	9.5 %
. (M)	3	0.4 %

Based upon 712 valid cases out of 790 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

OR94C07	object rotat 94 correct #7

Location: 827-834(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C07: object rotat 94 correct #7		
Value	*Unweighted Frequency*	*%*
0	62	7.8 %
1	151	19.1 %
2	256	32.4 %
3	216	27.3 %
999 (M)	102	12.9 %
. (M)	3	0.4 %

Based upon 685 valid cases out of 790 total cases.

- Mean: 1.91

- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.94

OR94W07	**object rotat 94 wrong #7**

Location: 835-842(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W07: object rotat 94 wrong #7

Value	*Unweighted Frequency*	*%*
0	445	56.3 %
1	178	22.5 %
2	43	5.4 %
3	17	2.2 %
999 (M)	104	13.2 %
. (M)	3	0.4 %

Based upon 683 valid cases out of 790 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

OR94C08	**object rotat 94 correct #8**

Location: 843-850(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C08: object rotat 94 correct #8

Value	*Unweighted Frequency*	*%*
0	27	3.4 %
1	160	20.3 %
2	492	62.3 %
999 (M)	108	13.7 %
. (M)	3	0.4 %

Based upon 679 valid cases out of 790 total cases.

- Mean: 1.68
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.54

OR94W08	**object rotat 94 wrong #8**

Location: 851-858(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W08: object rotat 94 wrong #8		
Value	*Unweighted Frequency*	*%*
0	503	63.7 %
1	135	17.1 %
2	32	4.1 %
3	6	0.8 %
999 (M)	111	14.1 %
. (M)	3	0.4 %

Based upon 676 valid cases out of 790 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.61

OR94C09	**object rotat 94 correct #9**

Location: 859-866(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C09: object rotat 94 correct #9		
Value	*Unweighted Frequency*	*%*
0	20	2.5 %
1	92	11.6 %
2	203	25.7 %
3	349	44.2 %
999 (M)	123	15.6 %
. (M)	3	0.4 %

Based upon 664 valid cases out of 790 total cases.

- Mean: 2.33
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

OR94W09	**object rotat 94 wrong #9**

Location: 867-874(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W09: object rotat 94 wrong #9		
Value	*Unweighted Frequency*	*%*
0	488	61.8 %
1	149	18.9 %
2	23	2.9 %
3	4	0.5 %
999 (M)	123	15.6 %
. (M)	3	0.4 %

Based upon 664 valid cases out of 790 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.57

OR94C10	**object rotat 94 correct #10**

Location: 875-882(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C10: object rotat 94 correct #10		
Value	*Unweighted Frequency*	*%*
0	12	1.5 %
1	50	6.3 %
2	163	20.6 %
3	408	51.6 %
999 (M)	154	19.5 %

OR94C10: object rotat 94 correct #10		
Value	*Unweighted Frequency*	*%*
. (M)	3	0.4 %

Based upon 633 valid cases out of 790 total cases.

- Mean: 2.53
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

OR94W10 **object rotat 94 wrong #10**

Location: 883-890(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W10: object rotat 94 wrong #10		
Value	*Unweighted Frequency*	*%*
0	575	72.8 %
1	46	5.8 %
2	10	1.3 %
999 (M)	156	19.7 %
. (M)	3	0.4 %

Based upon 631 valid cases out of 790 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.35

OR94C11 **object rotat 94 correct #11**

Location: 891-898(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C11: object rotat 94 correct #11		
Value	*Unweighted Frequency*	*%*
0	28	3.5 %

OR94C11: object rotat 94 correct #11		
Value	*Unweighted Frequency*	*%*
1	106	13.4 %
2	194	24.6 %
3	217	27.5 %
999 (M)	242	30.6 %
. (M)	3	0.4 %

Based upon 545 valid cases out of 790 total cases.

- Mean: 2.10
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.89

OR94W11 **object rotat 94 wrong #11**

Location: 899-906(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W11: object rotat 94 wrong #11		
Value	*Unweighted Frequency*	*%*
0	384	48.6 %
1	139	17.6 %
2	20	2.5 %
3	1	0.1 %
999 (M)	243	30.8 %
. (M)	3	0.4 %

Based upon 544 valid cases out of 790 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.55

OR94C12 **object rotat 94 correct #12**

Location: 907-914(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C12: object rotat 94 correct #12		
Value	*Unweighted Frequency*	*%*
0	19	2.4 %
1	62	7.8 %
2	417	52.8 %
3	1	0.1 %
999 (M)	288	36.5 %
. (M)	3	0.4 %

Based upon 499 valid cases out of 790 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.49

OR94W12 **object rotat 94 wrong #12**

Location: 915-922(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W12: object rotat 94 wrong #12		
Value	*Unweighted Frequency*	*%*
0	396	50.1 %
1	87	11.0 %
2	12	1.5 %
3	1	0.1 %
999 (M)	291	36.8 %
. (M)	3	0.4 %

Based upon 496 valid cases out of 790 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.49

OR94C13 **object rotat 94 correct #13**

Location: 923-930(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

OR94C13: object rotat 94 correct #13		
Value	*Unweighted Frequency*	*%*
0	8	1.0 %
1	127	16.1 %
2	295	37.3 %
3	2	0.3 %
999 (M)	355	44.9 %
. (M)	3	0.4 %

Based upon 432 valid cases out of 790 total cases.

- Mean: 1.67
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.52

OR94W13 **object rotat 94 wrong #13**

Location: 931-938(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

OR94W13: object rotat 94 wrong #13		
Value	*Unweighted Frequency*	*%*
0	350	44.3 %
1	57	7.2 %
2	23	2.9 %
3	2	0.3 %
999 (M)	355	44.9 %
. (M)	3	0.4 %

Based upon 432 valid cases out of 790 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.57

OR94C14	object rotat 94 correct #14

Location: 939-946(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C14: object rotat 94 correct #14

Value	*Unweighted Frequency*	*%*
0	9	1.1 %
1	39	4.9 %
2	111	14.1 %
3	250	31.6 %
999 (M)	378	47.8 %
. (M)	3	0.4 %

Based upon 409 valid cases out of 790 total cases.

- Mean: 2.47
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.76

OR94W14	object rotat 94 wrong #14

Location: 947-954(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W14: object rotat 94 wrong #14

Value	*Unweighted Frequency*	*%*
0	364	46.1 %
1	38	4.8 %
2	3	0.4 %
3	1	0.1 %
999 (M)	381	48.2 %
. (M)	3	0.4 %

Based upon 406 valid cases out of 790 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.36

OR94C15	object rotat 94 correct #15

Location: 955-962(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C15: object rotat 94 correct #15		
Value	*Unweighted Frequency*	*%*
0	8	1.0 %
1	48	6.1 %
2	107	13.5 %
3	207	26.2 %
999 (M)	417	52.8 %
. (M)	3	0.4 %

Based upon 370 valid cases out of 790 total cases.

- Mean: 2.39
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

OR94W15	object rotat 94 wrong #15

Location: 963-970(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W15: object rotat 94 wrong #15		
Value	*Unweighted Frequency*	*%*
0	316	40.0 %
1	49	6.2 %
2	3	0.4 %
3	1	0.1 %
999 (M)	418	52.9 %
. (M)	3	0.4 %

Based upon 369 valid cases out of 790 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.41

OR94C16	object rotat 94 correct #16

Location: 971-978(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C16: object rotat 94 correct #16

Value	*Unweighted Frequency*	*%*
0	14	1.8 %
1	33	4.2 %
2	60	7.6 %
3	196	24.8 %
999 (M)	484	61.3 %
. (M)	3	0.4 %

Based upon 303 valid cases out of 790 total cases.

- Mean: 2.45
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

OR94W16	object rotat 94 wrong #16

Location: 979-986(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W16: object rotat 94 wrong #16

Value	*Unweighted Frequency*	*%*
0	251	31.8 %
1	37	4.7 %
2	14	1.8 %
999 (M)	485	61.4 %
. (M)	3	0.4 %

Based upon 302 valid cases out of 790 total cases.

- Mean: 0.22
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.51

OR94C17	**object rotat 94 correct #17**

Location: 987-994(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C17: object rotat 94 correct #17

Value	*Unweighted Frequency*	*%*
0	15	1.9 %
1	41	5.2 %
2	75	9.5 %
3	131	16.6 %
999 (M)	525	66.5 %
. (M)	3	0.4 %

Based upon 262 valid cases out of 790 total cases.

- Mean: 2.23
- Median: 2.50
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.91

OR94W17	**object rotat 94 wrong #17**

Location: 995-1002(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W17: object rotat 94 wrong #17

Value	*Unweighted Frequency*	*%*
0	183	23.2 %
1	56	7.1 %
2	18	2.3 %
3	4	0.5 %
999 (M)	526	66.6 %
. (M)	3	0.4 %

Based upon 261 valid cases out of 790 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.69

OR94C18	**object rotat 94 correct #18**

Location: 1003-1010(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C18: object rotat 94 correct #18		
Value	*Unweighted Frequency*	*%*
0	5	0.6 %
1	33	4.2 %
2	60	7.6 %
3	114	14.4 %
999 (M)	575	72.8 %
. (M)	3	0.4 %

Based upon 212 valid cases out of 790 total cases.

- Mean: 2.33
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

OR94W18	**object rotat 94 wrong #18**

Location: 1011-1018(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W18: object rotat 94 wrong #18		
Value	*Unweighted Frequency*	*%*
0	179	22.7 %
1	30	3.8 %
2	3	0.4 %
999 (M)	575	72.8 %
. (M)	3	0.4 %

Based upon 212 valid cases out of 790 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

OR94C19	**object rotat 94 correct #19**

Location: 1019-1026(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C19: object rotat 94 correct #19		
Value	*Unweighted Frequency*	*%*
0	5	0.6 %
1	42	5.3 %
2	56	7.1 %
3	76	9.6 %
999 (M)	608	77.0 %
. (M)	3	0.4 %

Based upon 179 valid cases out of 790 total cases.

- Mean: 2.13
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.87

OR94W19	**object rotat 94 wrong #19**

Location: 1027-1034(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W19: object rotat 94 wrong #19		
Value	*Unweighted Frequency*	*%*
0	117	14.8 %
1	54	6.8 %
2	7	0.9 %
3	1	0.1 %
999 (M)	608	77.0 %
. (M)	3	0.4 %

Based upon 179 valid cases out of 790 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.59

OR94C20	**object rotat 94 correct #20**

Location: 1035-1042(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94C20: object rotat 94 correct #20		
Value	*Unweighted Frequency*	*%*
0	3	0.4 %
1	19	2.4 %
2	30	3.8 %
3	103	13.0 %
999 (M)	632	80.0 %
. (M)	3	0.4 %

Based upon 155 valid cases out of 790 total cases.

- Mean: 2.50
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.78

OR94W20	**object rotat 94 wrong #20**

Location: 1043-1050(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

OR94W20: object rotat 94 wrong #20		
Value	*Unweighted Frequency*	*%*
0	145	18.4 %
1	8	1.0 %
2	2	0.3 %
999 (M)	632	80.0 %

OR94W20: object rotat 94 wrong #20		
Value	*Unweighted Frequency*	*%*
. (M)	3	0.4 %

Based upon 155 valid cases out of 790 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.31

LS9401 **letter series 94 #1**

Location: 1051-1058(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9401: letter series 94 #1			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	78	9.9 %
1	correct	636	80.5 %
999 (M)	-	73	9.2 %
. (M)	-	3	0.4 %

Based upon 714 valid cases out of 790 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

LS9402 **letter series 94 #2**

Location: 1059-1066(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9402: letter series 94 #2			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	162	20.5 %
1	correct	518	65.6 %

LS9402: letter series 94 #2			
Value	*Label*	*Unweighted Frequency*	*%*
999 (M)	-	107	13.5 %
. (M)	-	3	0.4 %

Based upon 680 valid cases out of 790 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

LS9403 **letter series 94 #3**

Location: 1067-1074(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9403: letter series 94 #3			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	332	42.0 %
1	correct	310	39.2 %
999 (M)	-	145	18.4 %
. (M)	-	3	0.4 %

Based upon 642 valid cases out of 790 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LS9404 **letter series 94 #4**

Location: 1075-1082(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9404: letter series 94 #4			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	253	32.0 %

LS9404: letter series 94 #4			
Value	*Label*	*Unweighted Frequency*	*%*
1	correct	391	49.5 %
999 (M)	-	143	18.1 %
. (M)	-	3	0.4 %

Based upon 644 valid cases out of 790 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LS9405 **letter series 94 #5**

Location: 1083-1090(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9405: letter series 94 #5			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	301	38.1 %
1	correct	394	49.9 %
999 (M)	-	92	11.6 %
. (M)	-	3	0.4 %

Based upon 695 valid cases out of 790 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LS9406 **letter series 94 #6**

Location: 1091-1098(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9406: letter series 94 #6			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	83	10.5 %
1	correct	570	72.2 %
999 (M)	-	134	17.0 %
. (M)	-	3	0.4 %

Based upon 653 valid cases out of 790 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

LS9407 **letter series 94 #7**

Location: 1099-1106(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

LS9407: letter series 94 #7			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	96	12.2 %
1	correct	490	62.0 %
999 (M)	-	201	25.4 %
. (M)	-	3	0.4 %

Based upon 586 valid cases out of 790 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

LS9408 **letter series 94 #8**

Location: 1107-1114(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

LS9408: letter series 94 #8			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	96	12.2 %
1	correct	587	74.3 %
999 (M)	-	104	13.2 %
. (M)	-	3	0.4 %

Based upon 683 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

LS9409 **letter series 94 #9**

Location: 1115-1122(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9409: letter series 94 #9			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	256	32.4 %
1	correct	307	38.9 %
999 (M)	-	224	28.4 %
. (M)	-	3	0.4 %

Based upon 563 valid cases out of 790 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LS9410 **letter series 94 #10**

Location: 1123-1130(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9410: letter series 94 #10			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	278	35.2 %
1	correct	381	48.2 %
999 (M)	-	128	16.2 %
. (M)	-	3	0.4 %

Based upon 659 valid cases out of 790 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LS9411 **letter series 94 #11**

Location: 1131-1138(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9411: letter series 94 #11			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	243	30.8 %
1	correct	237	30.0 %
999 (M)	-	307	38.9 %
. (M)	-	3	0.4 %

Based upon 480 valid cases out of 790 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LS9412 **letter series 94 #12**

Location: 1139-1146(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9412: letter series 94 #12			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	359	45.4 %
1	correct	267	33.8 %
999 (M)	-	161	20.4 %
. (M)	-	3	0.4 %

Based upon 626 valid cases out of 790 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LS9413 **letter series 94 #13**

Location: 1147-1154(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9413: letter series 94 #13			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	102	12.9 %
1	correct	385	48.7 %
999 (M)	-	300	38.0 %
. (M)	-	3	0.4 %

Based upon 487 valid cases out of 790 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

LS9414 **letter series 94 #14**

Location: 1155-1162(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9414: letter series 94 #14			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	159	20.1 %
1	correct	377	47.7 %
999 (M)	-	251	31.8 %
. (M)	-	3	0.4 %

Based upon 536 valid cases out of 790 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

LS9415 **letter series 94 #15**

Location: 1163-1170(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

LS9415: letter series 94 #15			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	201	25.4 %
1	correct	233	29.5 %
999 (M)	-	353	44.7 %
. (M)	-	3	0.4 %

Based upon 434 valid cases out of 790 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LS9416 **letter series 94 #16**

Location: 1171-1178(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

LS9416: letter series 94 #16			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	68	8.6 %
1	correct	294	37.2 %
999 (M)	-	425	53.8 %
. (M)	-	3	0.4 %

Based upon 362 valid cases out of 790 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

LS9417 **letter series 94 #17**

Location: 1179-1186(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9417: letter series 94 #17			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	61	7.7 %
1	correct	362	45.8 %
999 (M)	-	364	46.1 %
. (M)	-	3	0.4 %

Based upon 423 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

LS9418 **letter series 94 #18**

Location: 1187-1194(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9418: letter series 94 #18			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	47	5.9 %
1	correct	301	38.1 %
999 (M)	-	439	55.6 %
. (M)	-	3	0.4 %

Based upon 348 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

LS9419 **letter series 94 #19**

Location: 1195-1202(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9419: letter series 94 #19			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	96	12.2 %
1	correct	213	27.0 %
999 (M)	-	478	60.5 %
. (M)	-	3	0.4 %

Based upon 309 valid cases out of 790 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

LS9420 **letter series 94 #20**

Location: 1203-1210(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9420: letter series 94 #20			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	44	5.6 %
1	correct	241	30.5 %
999 (M)	-	502	63.5 %
. (M)	-	3	0.4 %

Based upon 285 valid cases out of 790 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

LS9421 **letter series 94 #21**

Location: 1211-1218(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

LS9421: letter series 94 #21			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	39	4.9 %
1	correct	245	31.0 %
999 (M)	-	503	63.7 %
. (M)	-	3	0.4 %

Based upon 284 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

LS9422 **letter series 94 #22**

Location: 1219-1226(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

LS9422: letter series 94 #22			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	77	9.7 %
1	correct	138	17.5 %
999 (M)	-	572	72.4 %
. (M)	-	3	0.4 %

Based upon 215 valid cases out of 790 total cases.

- Mean: 0.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

LS9423 **letter series 94 #23**

Location: 1227-1234(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9423: letter series 94 #23			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	65	8.2 %
1	correct	46	5.8 %
999 (M)	-	676	85.6 %
. (M)	-	3	0.4 %

Based upon 111 valid cases out of 790 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

LS9424 **letter series 94 #24**

Location: 1235-1242(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9424: letter series 94 #24			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	34	4.3 %
1	correct	73	9.2 %
999 (M)	-	680	86.1 %
. (M)	-	3	0.4 %

Based upon 107 valid cases out of 790 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

LS9425 **letter series 94 #25**

Location: 1243-1250(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9425: letter series 94 #25			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	26	3.3 %
1	correct	93	11.8 %
999 (M)	-	668	84.6 %
. (M)	-	3	0.4 %

Based upon 119 valid cases out of 790 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

LS9426 **letter series 94 #26**

Location: 1251-1258(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9426: letter series 94 #26			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	39	4.9 %
1	correct	30	3.8 %
999 (M)	-	718	90.9 %
. (M)	-	3	0.4 %

Based upon 69 valid cases out of 790 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

LS9427 **letter series 94 #27**

Location: 1259-1266(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9427: letter series 94 #27			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	34	4.3 %
1	correct	16	2.0 %
999 (M)	-	737	93.3 %
. (M)	-	3	0.4 %

Based upon 50 valid cases out of 790 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

LS9428 **letter series 94 #28**

Location: 1267-1274(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9428: letter series 94 #28			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	4	0.5 %
1	correct	55	7.0 %
999 (M)	-	728	92.2 %
. (M)	-	3	0.4 %

Based upon 59 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

LS9429 **letter series 94 #29**

Location: 1275-1282(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9429: letter series 94 #29			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	13	1.6 %
1	correct	12	1.5 %
999 (M)	-	762	96.5 %
. (M)	-	3	0.4 %

Based upon 25 valid cases out of 790 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.51

LS9430 **letter series 94 #30**

Location: 1283-1290(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

LS9430: letter series 94 #30			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	14	1.8 %
1	correct	9	1.1 %
999 (M)	-	764	96.7 %
. (M)	-	3	0.4 %

Based upon 23 valid cases out of 790 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

WS9401 **word series 94 #1**

Location: 1291-1298(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9401: word series 94 #1			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	46	5.8 %
1	correct	670	84.8 %
999 (M)	-	71	9.0 %
. (M)	-	3	0.4 %

Based upon 716 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

WS9402 **word series 94 #2**

Location: 1299-1306(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9402: word series 94 #2			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	123	15.6 %
1	correct	591	74.8 %
999 (M)	-	73	9.2 %
. (M)	-	3	0.4 %

Based upon 714 valid cases out of 790 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

WS9403 **word series 94 #3**

Location: 1307-1314(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9403: word series 94 #3			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	325	41.1 %
1	correct	346	43.8 %
999 (M)	-	116	14.7 %
. (M)	-	3	0.4 %

Based upon 671 valid cases out of 790 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

WS9404 **word series 94 #4**

Location: 1315-1322(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9404: word series 94 #4			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	194	24.6 %
1	correct	500	63.3 %
999 (M)	-	93	11.8 %
. (M)	-	3	0.4 %

Based upon 694 valid cases out of 790 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

WS9405 **word series 94 #5**

Location: 1323-1330(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9405: word series 94 #5			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	219	27.7 %
1	correct	486	61.5 %
999 (M)	-	82	10.4 %
. (M)	-	3	0.4 %

Based upon 705 valid cases out of 790 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

WS9406 **word series 94 #6**

Location: 1331-1338(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9406: word series 94 #6			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	49	6.2 %
1	correct	645	81.6 %
999 (M)	-	93	11.8 %
. (M)	-	3	0.4 %

Based upon 694 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

WS9407 **word series 94 #7**

Location: 1339-1346(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9407: word series 94 #7			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	91	11.5 %
1	correct	592	74.9 %
999 (M)	-	104	13.2 %
. (M)	-	3	0.4 %

Based upon 683 valid cases out of 790 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

WS9408 **word series 94 #8**

Location: 1347-1354(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9408: word series 94 #8			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	90	11.4 %
1	correct	578	73.2 %
999 (M)	-	119	15.1 %
. (M)	-	3	0.4 %

Based upon 668 valid cases out of 790 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

WS9409 **word series 94 #9**

Location: 1355-1362(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9409: word series 94 #9			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	118	14.9 %
1	correct	513	64.9 %
999 (M)	-	156	19.7 %
. (M)	-	3	0.4 %

Based upon 631 valid cases out of 790 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

WS9410 **word series 94 #10**

Location: 1363-1370(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9410: word series 94 #10			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	223	28.2 %
1	correct	424	53.7 %
999 (M)	-	140	17.7 %
. (M)	-	3	0.4 %

Based upon 647 valid cases out of 790 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

WS9411 **word series 94 #11**

Location: 1371-1378(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9411: word series 94 #11			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	249	31.5 %
1	correct	342	43.3 %
999 (M)	-	196	24.8 %
. (M)	-	3	0.4 %

Based upon 591 valid cases out of 790 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

WS9412 **word series 94 #12**

Location: 1379-1386(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9412: word series 94 #12			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	163	20.6 %
1	correct	425	53.8 %
999 (M)	-	199	25.2 %
. (M)	-	3	0.4 %

Based upon 588 valid cases out of 790 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

WS9413 **word series 94 #13**

Location: 1387-1394(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9413: word series 94 #13			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	71	9.0 %
1	correct	446	56.5 %
999 (M)	-	270	34.2 %
. (M)	-	3	0.4 %

Based upon 517 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

WS9414 **word series 94 #14**

Location: 1395-1402(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9414: word series 94 #14			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	94	11.9 %
1	correct	379	48.0 %
999 (M)	-	314	39.7 %
. (M)	-	3	0.4 %

Based upon 473 valid cases out of 790 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

WS9415 **word series 94 #15**

Location: 1403-1410(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9415: word series 94 #15			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	174	22.0 %
1	correct	159	20.1 %
999 (M)	-	454	57.5 %
. (M)	-	3	0.4 %

Based upon 333 valid cases out of 790 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

WS9416 **word series 94 #16**

Location: 1411-1418(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9416: word series 94 #16			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	41	5.2 %
1	correct	304	38.5 %
999 (M)	-	442	55.9 %
. (M)	-	3	0.4 %

Based upon 345 valid cases out of 790 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

WS9417 **word series 94 #17**

Location: 1419-1426(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9417: word series 94 #17			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	15	1.9 %
1	correct	316	40.0 %
999 (M)	-	456	57.7 %
. (M)	-	3	0.4 %

Based upon 331 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

WS9418 **word series 94 #18**

Location: 1427-1434(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9418: word series 94 #18			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	14	1.8 %
1	correct	286	36.2 %
999 (M)	-	487	61.6 %
. (M)	-	3	0.4 %

Based upon 300 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

WS9419 **word series 94 #19**

Location: 1435-1442(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9419: word series 94 #19			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	55	7.0 %
1	correct	208	26.3 %
999 (M)	-	524	66.3 %
. (M)	-	3	0.4 %

Based upon 263 valid cases out of 790 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

WS9420 **word series 94 #20**

Location: 1443-1450(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9420: word series 94 #20			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	13	1.6 %
1	correct	209	26.5 %
999 (M)	-	565	71.5 %
. (M)	-	3	0.4 %

Based upon 222 valid cases out of 790 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

WS9421 **word series 94 #21**

Location: 1451-1458(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9421: word series 94 #21			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	16	2.0 %
1	correct	188	23.8 %
999 (M)	-	583	73.8 %
. (M)	-	3	0.4 %

Based upon 204 valid cases out of 790 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

WS9422 **word series 94 #22**

Location: 1459-1466(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9422: word series 94 #22			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	75	9.5 %
1	correct	66	8.4 %
999 (M)	-	646	81.8 %
. (M)	-	3	0.4 %

Based upon 141 valid cases out of 790 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

WS9423 **word series 94 #23**

Location: 1467-1474(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9423: word series 94 #23			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	31	3.9 %
1	correct	36	4.6 %
999 (M)	-	720	91.1 %
. (M)	-	3	0.4 %

Based upon 67 valid cases out of 790 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

WS9424 **word series 94 #24**

Location: 1475-1482(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9424: word series 94 #24			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	5	0.6 %
1	correct	70	8.9 %
999 (M)	-	712	90.1 %
. (M)	-	3	0.4 %

Based upon 75 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

WS9425 **word series 94 #25**

Location: 1483-1490(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9425: word series 94 #25			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	5	0.6 %
1	correct	56	7.1 %
999 (M)	-	726	91.9 %
. (M)	-	3	0.4 %

Based upon 61 valid cases out of 790 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

WS9426 **word series 94 #26**

Location: 1491-1498(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9426: word series 94 #26			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	12	1.5 %
1	correct	25	3.2 %
999 (M)	-	750	94.9 %
. (M)	-	3	0.4 %

Based upon 37 valid cases out of 790 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

WS9427 **word series 94 #27**

Location: 1499-1506(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9427: word series 94 #27			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	16	2.0 %
1	correct	8	1.0 %
999 (M)	-	763	96.6 %
. (M)	-	3	0.4 %

Based upon 24 valid cases out of 790 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

WS9428 **word series 94 #28**

Location: 1507-1514(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

WS9428: word series 94 #28			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	1	0.1 %
1	correct	19	2.4 %
999 (M)	-	767	97.1 %
. (M)	-	3	0.4 %

Based upon 20 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

WS9429 **word series 94 #29**

Location: 1515-1522(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9429: word series 94 #29			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	2	0.3 %
1	correct	7	0.9 %
999 (M)	-	778	98.5 %
. (M)	-	3	0.4 %

Based upon 9 valid cases out of 790 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

WS9430 **word series 94 #30**

Location: 1523-1530(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

WS9430: word series 94 #30			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	3	0.4 %
1	correct	4	0.5 %
999 (M)	-	780	98.7 %
. (M)	-	3	0.4 %

Based upon 7 valid cases out of 790 total cases.

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.53

VT9401 **book 2 vocab test 94 #1**

Location: 1531-1538(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9401: book 2 vocab test 94 #1			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	25	3.2 %
1	correct	639	80.9 %
999 (M)	-	123	15.6 %
. (M)	-	3	0.4 %

Based upon 664 valid cases out of 790 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

VT9402 **vocab 94 #2**

Location: 1539-1546(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9402: vocab 94 #2			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	9	1.1 %
1	correct	658	83.3 %
999 (M)	-	120	15.2 %
. (M)	-	3	0.4 %

Based upon 667 valid cases out of 790 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

VT9403 **vocab 94 #3**

Location: 1547-1554(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9403: vocab 94 #3			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	162	20.5 %
1	correct	494	62.5 %
999 (M)	-	131	16.6 %
. (M)	-	3	0.4 %

Based upon 656 valid cases out of 790 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

VT9404 **vocab 94 #4**

Location: 1555-1562(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9404: vocab 94 #4			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	78	9.9 %
1	correct	588	74.4 %
999 (M)	-	121	15.3 %
. (M)	-	3	0.4 %

Based upon 666 valid cases out of 790 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

VT9405 **vocab 94 #5**

Location: 1563-1570(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9405: vocab 94 #5			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	92	11.6 %
1	correct	552	69.9 %
999 (M)	-	143	18.1 %
. (M)	-	3	0.4 %

Based upon 644 valid cases out of 790 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

VT9406 **vocab 94 #6**

Location: 1571-1578(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9406: vocab 94 #6			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	173	21.9 %
1	correct	485	61.4 %
999 (M)	-	129	16.3 %
. (M)	-	3	0.4 %

Based upon 658 valid cases out of 790 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

VT9407 **vocab 94 #7**

Location: 1579-1586(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9407: vocab 94 #7			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	46	5.8 %
1	correct	616	78.0 %
999 (M)	-	125	15.8 %
. (M)	-	3	0.4 %

Based upon 662 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

VT9408 **vocab 94 #8**

Location: 1587-1594(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9408: vocab 94 #8			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	212	26.8 %
1	correct	448	56.7 %
999 (M)	-	127	16.1 %
. (M)	-	3	0.4 %

Based upon 660 valid cases out of 790 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

VT9409 **vocab 94 #9**

Location: 1595-1602(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9409: vocab 94 #9			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	332	42.0 %
1	correct	290	36.7 %
999 (M)	-	165	20.9 %
. (M)	-	3	0.4 %

Based upon 622 valid cases out of 790 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

VT9410 **vocab 94 #10**

Location: 1603-1610(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9410: vocab 94 #10			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	502	63.5 %
1	correct	68	8.6 %
999 (M)	-	217	27.5 %
. (M)	-	3	0.4 %

Based upon 570 valid cases out of 790 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

VT9411 **vocab 94 #11**

Location: 1611-1618(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9411: vocab 94 #11			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	516	65.3 %
1	correct	124	15.7 %
999 (M)	-	147	18.6 %
. (M)	-	3	0.4 %

Based upon 640 valid cases out of 790 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

VT9412 **vocab 94 #12**

Location: 1619-1626(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9412: vocab 94 #12			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	212	26.8 %
1	correct	417	52.8 %
999 (M)	-	158	20.0 %
. (M)	-	3	0.4 %

Based upon 629 valid cases out of 790 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

VT9413 **vocab 94 #13**

Location: 1627-1634(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9413: vocab 94 #13			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	175	22.2 %
1	correct	434	54.9 %
999 (M)	-	178	22.5 %
. (M)	-	3	0.4 %

Based upon 609 valid cases out of 790 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

VT9414 **vocab 94 #14**

Location: 1635-1642(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9414: vocab 94 #14			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	307	38.9 %
1	correct	285	36.1 %
999 (M)	-	195	24.7 %
. (M)	-	3	0.4 %

Based upon 592 valid cases out of 790 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

VT9415	**vocab 94 #15**

Location: 1643-1650(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

VT9415: vocab 94 #15			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	410	51.9 %
1	correct	148	18.7 %
999 (M)	-	229	29.0 %
. (M)	-	3	0.4 %

Based upon 558 valid cases out of 790 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

VT9416	**vocab 94 #16**

Location: 1651-1658(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

VT9416: vocab 94 #16			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	370	46.8 %
1	correct	217	27.5 %
999 (M)	-	200	25.3 %
. (M)	-	3	0.4 %

Based upon 587 valid cases out of 790 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

VT9417	**vocab 94 #17**

Location: 1659-1666(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

VT9417: vocab 94 #17			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	215	27.2 %
1	correct	331	41.9 %
999 (M)	-	241	30.5 %
. (M)	-	3	0.4 %

Based upon 546 valid cases out of 790 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

VT9418	**vocab 94 #18**

Location: 1667-1674(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

VT9418: vocab 94 #18			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	405	51.3 %
1	correct	189	23.9 %
999 (M)	-	193	24.4 %
. (M)	-	3	0.4 %

Based upon 594 valid cases out of 790 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

VT9419 **vocab 94 #19**

Location: 1675-1682(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9419: vocab 94 #19			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	15	1.9 %
1	correct	653	82.7 %
999 (M)	-	119	15.1 %
. (M)	-	3	0.4 %

Based upon 668 valid cases out of 790 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

VT9420 **vocab 94 #20**

Location: 1683-1690(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9420: vocab 94 #20			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	43	5.4 %
1	correct	613	77.6 %
999 (M)	-	131	16.6 %
. (M)	-	3	0.4 %

Based upon 656 valid cases out of 790 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

VT9421 **vocab 94 #21**

Location: 1691-1698(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9421: vocab 94 #21			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	21	2.7 %
1	correct	646	81.8 %
999 (M)	-	120	15.2 %
. (M)	-	3	0.4 %

Based upon 667 valid cases out of 790 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

VT9422 **vocab 94 #22**

Location: 1699-1706(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9422: vocab 94 #22			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	97	12.3 %
1	correct	567	71.8 %
999 (M)	-	123	15.6 %
. (M)	-	3	0.4 %

Based upon 664 valid cases out of 790 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

VT9423 **vocab 94 #23**

Location: 1707-1714(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

VT9423: vocab 94 #23			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	33	4.2 %
1	correct	623	78.9 %
999 (M)	-	131	16.6 %
. (M)	-	3	0.4 %

Based upon 656 valid cases out of 790 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

VT9424 **vocab 94 #24**

Location: 1715-1722(width: 8; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999 , .

VT9424: vocab 94 #24			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	140	17.7 %
1	correct	497	62.9 %
999 (M)	-	150	19.0 %
. (M)	-	3	0.4 %

Based upon 637 valid cases out of 790 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

VT9425 **vocab 94 #25**

Location: 1723-1730(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9425: vocab 94 #25			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	286	36.2 %
1	correct	335	42.4 %
999 (M)	-	166	21.0 %
. (M)	-	3	0.4 %

Based upon 621 valid cases out of 790 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

VT9426 **vocab 94 #26**

Location: 1731-1738(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9426: vocab 94 #26			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	181	22.9 %
1	correct	472	59.7 %
999 (M)	-	134	17.0 %
. (M)	-	3	0.4 %

Based upon 653 valid cases out of 790 total cases.

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

VT9427 **vocab 94 #27**

Location: 1739-1746(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9427: vocab 94 #27			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	194	24.6 %
1	correct	457	57.8 %
999 (M)	-	136	17.2 %
. (M)	-	3	0.4 %

Based upon 651 valid cases out of 790 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

VT9428 **vocab 94 #28**

Location: 1747-1754(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9428: vocab 94 #28			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	382	48.4 %
1	correct	251	31.8 %
999 (M)	-	154	19.5 %
. (M)	-	3	0.4 %

Based upon 633 valid cases out of 790 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

VT9429 **vocab 94 #29**

Location: 1755-1762(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9429: vocab 94 #29			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	418	52.9 %
1	correct	201	25.4 %
999 (M)	-	168	21.3 %
. (M)	-	3	0.4 %

Based upon 619 valid cases out of 790 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

VT9430 **vocab 94 #30**

Location: 1763-1770(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9430: vocab 94 #30			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	469	59.4 %
1	correct	107	13.5 %
999 (M)	-	211	26.7 %
. (M)	-	3	0.4 %

Based upon 576 valid cases out of 790 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

VT9431 **vocab 94 #31**

Location: 1771-1778(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9431: vocab 94 #31			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	145	18.4 %
1	correct	492	62.3 %
999 (M)	-	150	19.0 %
. (M)	-	3	0.4 %

Based upon 637 valid cases out of 790 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

VT9432 **vocab 94 #32**

Location: 1779-1786(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9432: vocab 94 #32			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	351	44.4 %
1	correct	223	28.2 %
999 (M)	-	213	27.0 %
. (M)	-	3	0.4 %

Based upon 574 valid cases out of 790 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

VT9433 **vocab 94 #33**

Location: 1787-1794(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9433: vocab 94 #33			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	337	42.7 %
1	correct	240	30.4 %
999 (M)	-	210	26.6 %
. (M)	-	3	0.4 %

Based upon 577 valid cases out of 790 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

VT9434 **vocab 94 #34**

Location: 1795-1802(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9434: vocab 94 #34			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	187	23.7 %
1	correct	374	47.3 %
999 (M)	-	226	28.6 %
. (M)	-	3	0.4 %

Based upon 561 valid cases out of 790 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

VT9435 **vocab 94 #35**

Location: 1803-1810(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9435: vocab 94 #35			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	301	38.1 %
1	correct	266	33.7 %
999 (M)	-	220	27.8 %
. (M)	-	3	0.4 %

Based upon 567 valid cases out of 790 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

VT9436 **vocab 94 #36**

Location: 1811-1818(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 999 , .

VT9436: vocab 94 #36			
Value	*Label*	*Unweighted Frequency*	*%*
0	wrong	165	20.9 %
1	correct	396	50.1 %
999 (M)	-	226	28.6 %
. (M)	-	3	0.4 %

Based upon 561 valid cases out of 790 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46