DSDR | DATA SHARING FOR DEMOGRAPHIC RESEARCH

ICPSR 27021

National Longitudinal Study of Adolescent Health (Add Health), 1994-2008: Core Files [Restricted Use]

Kathleen Mullan Harris
University of North Carolina-Chapel Hill

J. Richard Udry
University of North Carolina-Chapel Hill

Wave III Add Health Picture Vocabulary Test Data Codebook

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/27021.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 27021

National Longitudinal Study of Adolescent Health (Add Health), 1994-2008: Core Files [Restricted Use]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Longitudinal Study of Adolescent Health (Add Health), 1994-2008: Core Files [Restricted Use]

Wave III Add Health Picture Vocabulary Test Data

AID	RESPONDENT IDENTIFIER
Location:	1-8 (width: 8; decimal: 0)
Variable Type:	character
	Based upon 20772 valid cases out of 20772 total cases.

AH_RAW	RAW AH_PVT SCORE
Location:	9-11 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	996 , .
Question:	

NOTE: Of these 5,604 cases with missing scores, 29 are Wave III respondents and 5,575 are Wave I respondents not interviewed at Wave III.

Value	*Label*	*Unweighted Frequency*	*%*
0	-	44	0.2 %
1	-	113	0.5 %
2	-	13	0.1 %
3	-	7	0.0 %
4	-	3	0.0 %
5	-	4	0.0 %
6	-	5	0.0 %
8	-	4	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
18	-	1	0.0 %
19	-	4	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	4	0.0 %
27	-	3	0.0 %

Value	*Label*	*Unweighted Frequency*	*%*
28	-	2	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	3	0.0 %
33	-	5	0.0 %
34	-	11	0.1 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	7	0.0 %
38	-	12	0.1 %
39	-	9	0.0 %
40	-	8	0.0 %
41	-	13	0.1 %
42	-	8	0.0 %
43	-	13	0.1 %
44	-	12	0.1 %
45	-	18	0.1 %
46	-	27	0.1 %
47	-	41	0.2 %
48	-	53	0.3 %
49	-	93	0.4 %
50	-	140	0.7 %
51	-	89	0.4 %
52	-	187	0.9 %
53	-	176	0.8 %
54	-	124	0.6 %
55	-	206	1.0 %
56	-	194	0.9 %
57	-	220	1.1 %
58	-	468	2.3 %
59	-	266	1.3 %
60	-	177	0.9 %
61	-	324	1.6 %
62	-	381	1.8 %
63	-	575	2.8 %
64	-	609	2.9 %
65	-	362	1.7 %
66	-	271	1.3 %
67	-	239	1.2 %
68	-	225	1.1 %

Value	*Label*	*Unweighted Frequency*	*%*
69	-	233	1.1 %
70	-	275	1.3 %
71	-	342	1.6 %
72	-	473	2.3 %
73	-	571	2.7 %
74	-	860	4.1 %
75	-	851	4.1 %
76	-	776	3.7 %
77	-	665	3.2 %
78	-	474	2.3 %
79	-	442	2.1 %
80	-	436	2.1 %
81	-	375	1.8 %
82	-	400	1.9 %
83	-	441	2.1 %
84	-	366	1.8 %
85	-	432	2.1 %
86	-	289	1.4 %
87	-	159	0.8 %
996 (M)	Refused	516	2.5 %
. (M)	-	5604	27.0 %

Based upon 14652 valid cases out of 20772 total cases.

- Mean: 69.52
- Median: 73.00
- Mode: 74.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 12.95

PVTPCT3	**CROSS-SECT/LONG PVT PERCENTILE RANK-W3**
Location:	12-14 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	996 , .
Question:	

NOTE: Of these 5,604 cases with missing scores, 29 are Wave III respondents and 5,575 are Wave I respondents not interviewed at Wave III.

Value	*Label*	*Unweighted Frequency*	*%*
0	-	194	0.9 %
1	-	178	0.9 %
2	-	94	0.5 %
3	-	233	1.1 %
4	-	89	0.4 %
5	-	187	0.9 %
6	-	176	0.8 %
7	-	124	0.6 %
8	-	206	1.0 %
10	-	194	0.9 %
11	-	220	1.1 %
13	-	468	2.3 %
15	-	266	1.3 %
17	-	177	0.9 %
20	-	324	1.6 %
23	-	381	1.8 %
25	-	575	2.8 %
28	-	609	2.9 %
30	-	362	1.7 %
33	-	271	1.3 %
35	-	239	1.2 %
36	-	225	1.1 %
38	-	233	1.1 %
39	-	275	1.3 %
41	-	342	1.6 %
45	-	473	2.3 %
50	-	571	2.7 %
56	-	860	4.1 %
63	-	851	4.1 %
68	-	776	3.7 %
71	-	665	3.2 %
75	-	474	2.3 %
79	-	442	2.1 %
82	-	436	2.1 %
85	-	375	1.8 %
88	-	400	1.9 %
91	-	441	2.1 %
94	-	366	1.8 %
96	-	432	2.1 %
98	-	289	1.4 %

Value	Label	Unweighted Frequency	%
100	-	159	0.8 %
996 (M)	Refused	516	2.5 %
. (M)	-	5604	27.0 %

Based upon 14652 valid cases out of 20772 total cases.

- Mean: 49.48
- Median: 50.00
- Mode: 56.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.67

PVTSTD3C	CROSS-SECTIONAL STANDARDIZED SCORE-W3

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 996 , .

Question:

NOTE: Of these 5,604 cases with missing scores, 29 are Wave III respondents and 5,575 are Wave I respondents not interviewed at Wave III.

Value	Label	Unweighted Frequency	%
7	-	44	0.2 %
8	-	113	0.5 %
10	-	13	0.1 %
11	-	7	0.0 %
12	-	3	0.0 %
13	-	4	0.0 %
15	-	5	0.0 %
17	-	4	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
31	-	1	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %

Value	*Label*	*Unweighted Frequency*	*%*
39	-	2	0.0 %
40	-	2	0.0 %
41	-	4	0.0 %
42	-	3	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	3	0.0 %
50	-	5	0.0 %
52	-	11	0.1 %
53	-	2	0.0 %
54	-	3	0.0 %
56	-	7	0.0 %
57	-	12	0.1 %
58	-	9	0.0 %
60	-	8	0.0 %
61	-	13	0.1 %
62	-	8	0.0 %
64	-	13	0.1 %
65	-	12	0.1 %
66	-	18	0.1 %
67	-	27	0.1 %
69	-	41	0.2 %
70	-	53	0.3 %
71	-	93	0.4 %
73	-	140	0.7 %
74	-	89	0.4 %
75	-	187	0.9 %
77	-	176	0.8 %
78	-	124	0.6 %
79	-	206	1.0 %
81	-	194	0.9 %
82	-	220	1.1 %
83	-	468	2.3 %
85	-	266	1.3 %
86	-	177	0.9 %
87	-	324	1.6 %
89	-	381	1.8 %
90	-	575	2.8 %
91	-	609	2.9 %

Value	*Label*	*Unweighted Frequency*	*%*
93	-	362	1.7 %
94	-	271	1.3 %
95	-	239	1.2 %
96	-	225	1.1 %
98	-	233	1.1 %
99	-	275	1.3 %
100	-	342	1.6 %
102	-	473	2.3 %
103	-	571	2.7 %
104	-	860	4.1 %
106	-	851	4.1 %
107	-	776	3.7 %
108	-	665	3.2 %
110	-	474	2.3 %
111	-	442	2.1 %
112	-	436	2.1 %
114	-	375	1.8 %
115	-	400	1.9 %
116	-	441	2.1 %
118	-	366	1.8 %
119	-	432	2.1 %
120	-	289	1.4 %
122	-	159	0.8 %
996 (M)	Refused	516	2.5 %
. (M)	-	5604	27.0 %

Based upon 14652 valid cases out of 20772 total cases.

- Mean: 98.48
- Median: 103.00
- Mode: 104.00
- Minimum: 7.00
- Maximum: 122.00
- Standard Deviation: 17.09

PVTSTD3L	**LONGITUDINAL STANDARDIZED SCORE-W3**
Location:	18-20 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	996 , .
Question:	

NOTE: Of these 5,604 cases with missing scores, 29 are Wave III respondents and 5,575

are Wave I respondents not interviewed at Wave III.

Value	*Label*	*Unweighted Frequency*	*%*
9	-	44	0.2 %
10	-	113	0.5 %
11	-	13	0.1 %
13	-	7	0.0 %
14	-	3	0.0 %
15	-	4	0.0 %
17	-	5	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
33	-	1	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	3	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
51	-	3	0.0 %
54	-	5	0.0 %
55	-	11	0.1 %
56	-	2	0.0 %
58	-	3	0.0 %
59	-	7	0.0 %
60	-	12	0.1 %
61	-	9	0.0 %
63	-	8	0.0 %
64	-	13	0.1 %
65	-	8	0.0 %
67	-	13	0.1 %
68	-	12	0.1 %

Value	*Label*	*Unweighted Frequency*	*%*
69	-	18	0.1 %
70	-	27	0.1 %
72	-	41	0.2 %
73	-	53	0.3 %
74	-	93	0.4 %
75	-	140	0.7 %
77	-	89	0.4 %
78	-	187	0.9 %
79	-	176	0.8 %
81	-	124	0.6 %
82	-	206	1.0 %
83	-	194	0.9 %
84	-	220	1.1 %
86	-	468	2.3 %
87	-	266	1.3 %
88	-	177	0.9 %
90	-	324	1.6 %
91	-	381	1.8 %
92	-	575	2.8 %
93	-	609	2.9 %
95	-	362	1.7 %
96	-	271	1.3 %
97	-	239	1.2 %
98	-	225	1.1 %
100	-	233	1.1 %
101	-	275	1.3 %
102	-	342	1.6 %
104	-	473	2.3 %
105	-	571	2.7 %
106	-	860	4.1 %
107	-	851	4.1 %
109	-	776	3.7 %
110	-	665	3.2 %
111	-	474	2.3 %
113	-	442	2.1 %
114	-	436	2.1 %
115	-	375	1.8 %
116	-	400	1.9 %
118	-	441	2.1 %
119	-	366	1.8 %

Value	*Label*	*Unweighted Frequency*	*%*
120	-	432	2.1 %
121	-	289	1.4 %
123	-	159	0.8 %
996 (M)	Refused	516	2.5 %
. (M)	-	5604	27.0 %

Based upon 14652 valid cases out of 20772 total cases.

- Mean: 100.37
- Median: 105.00
- Mode: 106.00
- Minimum: 9.00
- Maximum: 123.00
- Standard Deviation: 16.75

PVTPCT1C **CROSS-SECTIONAL PVT PERCENTILE RANK-W1**

Location: 21-23 (width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 995

Value	*Label*
995 (M)	Not interviewed at Wave I

* Frequencies not displayed for this variable.

Based upon 19713 valid cases out of 20772 total cases.

- Mean: 48.48
- Median: 48.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.45

PVTPCT1L **LONGITUDINAL PVT PERCENTILE RANK-W1**

Location: 24-26 (width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): 995

Value	*Label*
995 (M)	Not interviewed at Wave I

* Frequencies not displayed for this variable.

Based upon 13943 valid cases out of 20772 total cases.

- Mean: 48.95
- Median: 48.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.25

PVTSTD1	**CROSS-SECT/LONG PVT STANDRDIZED SCORE-W1**

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 995

Value	*Label*
995 (M)	Not interviewed at Wave I

* Frequencies not displayed for this variable.

Based upon 19713 valid cases out of 20772 total cases.

- Mean: 98.56
- Median: 99.00
- Mode: 97.00
- Minimum: 9.00
- Maximum: 141.00
- Standard Deviation: 15.55