

ICPSR 2751

**Monitoring the Future: A
Continuing Study of American
Youth (12th-Grade Survey), 1998**

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

Codebook for 12th Grade, Form 4 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

CONTENTS

item	page
Introduction	ii
Data Collection Description	ii
Data Collection Procedures	ii
Sampling Information	iii
Stage 1: Geographic Areas	iii
Stage 2: Schools	iii
Stage 3: Students	iii
School Recruiting Procedure	iv
Advance Contact with Teachers and Students	iv
Questionnaire Administration	v
Procedures for Protecting Confidentiality	v
Content Areas and Questionnaire Design	vi
Measurement Content Areas	vi
Representativeness and Validity	viii
School Participation	viii
Student Participation	ix
Validity of Self-Report Data	ix
Accuracy of Sample	x
Consistency and the Measurement of Trends	x
Interpreting Racial Differences	x
Differential Representation	xi
Differential Response Tendencies	xii
Covariance with Other Factors	xii
Weighting Information	xiii
File Structure	xiv
Codebook Information	xv
ICPSR Processing Information	xvi
Frequencies	1

APPENDICES

Appendix A - Publications	174
Appendix B - Sample Size and Student Response Rates	184
Table 1 - Subject Area Key	186
Key To: "& & - renumbered in second year"	192

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 1998, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling.

For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing

the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name

and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments.
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.

- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
 - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
 - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
 - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
 - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
 - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
 - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
 - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
 - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are

included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is

associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for

some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 1998 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	#variables	logical record length	unweighted N
Part 1	Core	108	122	15780
Part 2	Form 1	612	627	2655
Part 3	Form 2	329	342	2648
Part 4	Form 3	361	375	2619
Part 5	Form 4	293	308	2621
Part 6	Form 5	317	330	2619
Part 7	Form 6	332	346	2618

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

```

.....
[1] v6115          [2] 966B07A:#XMJ+HS/LIFETIME

      [3] B07:  On how many occasions (if any) have you used marijuana
            (grass, pot) or hashish (hash, hash oil) . . .
            B07A:  . . . in your lifetime?

      [4]  [5]  [6]  [7]  [8]
      PCT  PCT   N  VALUE LABEL
VALID  ALL
52.6   51.3 1275    1  0 OCCAS
 9.2    9.0  223    2  1-2X
 5.8    5.6  140    3  3-5X
 5.6    5.5  136    4  6-9X
 5.0    4.9  122    5 10-19X
 5.7    5.6  138    6 20-39X
16.0   15.6  388    7 40+OCCAS
      2.6    64    9
      ----
      [9] 2487 cases(Wtd)

      [10] Type: numeric   [12] Min: 1   [14] MD Codes: 9
      [11] Decimals:    0   [13] Max: 7

      [15] Input location: 1/27
.....

```

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.

[5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.

[6] Indicates the weighted frequency of occurrence of each code value for this variable.

[7] Indicates the code values occurring in the data for this variable.

[8] Indicates the textual definitions of the codes for this variable.

[9] Indicates the number of cases (weighted) for this variable (including the missing cases).

[10] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. ALPHANUMERIC variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[11] Indicates the number of decimal places in the variable.

[12] Indicates the minimum value of the variable.

[13] Indicates the maximum value of the variable.

[14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[15] Indicates the input record number and the starting column location of this variable. In this example, the variable named "966B07A:#XMJ+HS/LIFETIME" was read from record 1 and is located in the 27th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

v4208 984A01 :VRY HPY THS DAYS

A01: Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.9	362	1	NT HAPPY:(1)
65.3	65.0	1701	2	PRTY HPY:(2)
20.8	20.7	542	3	VRY HPY:(3)
	0.4	10	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/106

v4209 984A02 :FUTR CNTRY WORSE

A02: Looking ahead to the next five years, do you think that things in this country will get better or worse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	92	1	MCH BETR:(1)
26.4	26.3	688	2	SMWT BTR:(2)
32.3	32.2	842	3	SAME:(3)
28.5	28.4	744	4	SMWT WSE:(4)
9.2	9.2	241	5	MCH WRSE:(5)
	0.3	9	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/107

v4210

984A03 :FUTR WORLD WORSE

A03: Looking ahead to the next five years, do you think that things in the rest of the world will get better or worse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	75	1	MCH BETR:(1)
20.7	20.7	541	2	SMWT BTR:(2)
30.8	30.7	802	3	SAME:(3)
34.5	34.4	901	4	SMWT WSE:(4)
11.1	11.0	288	5	MCH WRSE:(5)
	0.3	8	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/108

v4211

984A04 :FUTR R LIFE WRSE

A04: How do you think your own life will go in the next five years--do you think it will get better or worse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	44.5	1164	1	MCH BETR:(1)
45.0	44.8	1172	2	SMWT BTR:(2)
8.1	8.1	211	3	SAME:(3)
1.7	1.7	43	4	SMWT WSE:(4)
0.6	0.6	16	5	MCH WRSE:(5)
	0.4	10	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/109

v4212 984A05 :THK ABT SOC ISSU

A05: Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.8	125	1	NEVER:(1)
23.5	23.4	613	2	SELDOM:(2)
48.0	47.8	1251	3	SOMETIME:(3)
18.9	18.8	492	4	OFTEN:(4)
4.8	4.8	126	5	GRT DEAL:(5)
	0.3	9	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/110

v4213 984A06A:PLLTN INCR IN US

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
A06A: In general, pollution has increased in the U.S. in the last ten years.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	83	1	DISAGREE:(1)
6.3	6.3	164	2	MOST DIS:(2)
7.3	7.3	190	3	NEITHER:(3)
33.9	33.7	881	4	MOST AGR:(4)
49.2	48.9	1279	5	AGREE:(5)
	0.7	18	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/111

v4214

984A06B:PLLTN NT SO DANG

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.

A06B: The dangers of pollution are not really as great as government, the media, and environmental groups would like us to believe

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.4	33.1	866	1	DISAGREE:(1)
27.5	27.3	714	2	MOST DIS:(2)
14.3	14.2	371	3	NEITHER:(3)
15.5	15.3	401	4	MOST AGR:(4)
9.3	9.3	242	5	AGREE:(5)
	0.8	20	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/112

v4215

984A06C:PLLTN NEC 4 GRTH

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06C: America needs growth to survive, and that is going to require some increase in pollution

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	0	0	
35.1	34.5	904	1	DISAGREE:(1)
23.3	22.9	600	2	MOST DIS:(2)
14.8	14.6	381	3	NEITHER:(3)
17.1	16.8	439	4	MOST AGR:(4)
9.7	9.5	249	5	AGREE:(5)
	1.6	42	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
 Decimals: 0 Max: 5

Input location: 1/113

v4216

984A06D:INDVL RESP 4 ENV

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06D: People will have to change their buying habits and way of life to correct our environmental problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.4	220	1	DISAGREE:(1)
7.7	7.6	200	2	MOST DIS:(2)
12.2	12.1	315	3	NEITHER:(3)
34.2	33.8	883	4	MOST AGR:(4)
37.4	37.0	967	5	AGREE:(5)
	1.2	30	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/114

v4217

984A06E:GOVT RESP 4 ENV

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06E: Government should take action to solve our environmental problems even if it means that some of the products we now use would have to be changed or banned

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	192	1	DISAGREE:(1)
7.4	7.4	192	2	MOST DIS:(2)
15.6	15.4	403	3	NEITHER:(3)
36.0	35.7	934	4	MOST AGR:(4)
33.6	33.3	870	5	AGREE:(5)
	0.9	24	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/115

v4218

984A06F:GOVT TAX PLLTRS

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06F: Government should place higher taxes on products which cause pollution in their manufacture or disposal, so that companies will be encouraged to find better ways to produce them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.6	381	1	DISAGREE:(1)
11.7	11.6	303	2	MOST DIS:(2)
15.8	15.6	409	3	NEITHER:(3)
26.5	26.2	686	4	MOST AGR:(4)
31.2	30.9	808	5	AGREE:(5)
	1.1	30	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/116

v4219

984A06G:GOVT BAN DSPSBLE

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06G: I wish that government would ban throwaway bottles and beverage cans

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	29.0	759	1	DISAGREE:(1)
17.8	17.6	459	2	MOST DIS:(2)
29.5	29.1	761	3	NEITHER:(3)
12.9	12.7	331	4	MOST AGR:(4)
10.3	10.2	266	5	AGREE:(5)
	1.5	40	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/117

v4220

984A06H:TV COMM CRT NDS

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06H: T.V. commercials stimulate people to buy a lot of things they don't really need

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	192	1	DISAGREE:(1)
7.6	7.6	198	2	MOST DIS:(2)
11.5	11.4	299	3	NEITHER:(3)
29.0	28.7	752	4	MOST AGR:(4)
44.4	44.0	1151	5	AGREE:(5)
	0.9	25	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/118

v4221

984A06I:TV COMMRCLS GOOD

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06I: T.V. commercials do a lot of good by showing new products that we might not know about otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.6	173	1	DISAGREE:(1)
10.2	10.1	263	2	MOST DIS:(2)
20.2	20.0	523	3	NEITHER:(3)
37.1	36.7	960	4	MOST AGR:(4)
25.7	25.4	665	5	AGREE:(5)
	1.2	32	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/119

v4222

984A06J:FAM BUYS THG -ND

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06J: My family and I often buy things we don't really need; we could get along with much less

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.7	332	1	DISAGREE:(1)
15.0	14.9	389	2	MOST DIS:(2)
16.2	16.1	421	3	NEITHER:(3)
30.3	30.0	785	4	MOST AGR:(4)
25.6	25.4	664	5	AGREE:(5)
	0.9	24	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/120

v4223

984A06K:POL SLVD BY 2000

A06: These questions are about pollution and the environment. Please mark the circle that shows how much you agree or disagree with each statement below.
 A06K: Within the next 25 years, engineers and scientists will probably have invented devices that will solve our pollution problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.8	231	1	DISAGREE:(1)
15.3	15.2	397	2	MOST DIS:(2)
22.0	21.8	570	3	NEITHER:(3)
34.7	34.4	900	4	MOST AGR:(4)
19.1	18.9	494	5	AGREE:(5)
	0.9	24	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/121

v4224

984A07 :R EFRT 2 HLP ENV

A07: In your own actions--the things you buy and the things you do--how much of an effort do you make to conserve energy and protect the environment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.6	278	1	NONE:(1)
35.7	34.3	897	2	A LITTLE:(2)
44.9	43.1	1127	3	SOME:(3)
8.3	8.0	210	4	QUITEBIT:(4)
	4.0	104	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 4

Input location: 1/122

v4225

984A08A:JOB IMPC SE RSLT

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08A: A job where you can see the results of what you do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	58	1	NOT IMPT:(1)
8.4	8.3	218	2	LIT IMPT:(2)
39.0	38.8	1016	3	PRTY IMP:(3)
50.4	50.3	1315	4	VRY IMPT:(4)
	0.3	9	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/123

v4226

984A08B:JOB IMPC STATUS

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08B: A job that has high status and prestige

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
10.2	10.1	264	1	NOT IMPT:(1)
24.7	24.6	643	2	LIT IMPT:(2)
36.0	35.8	937	3	PRTY IMP:(3)
29.1	28.9	757	4	VRY IMPT:(4)
	0.5	14	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/124

v4227

984A08C:JOB IMPC INTRSTG

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08C: A job which is interesting to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	14	1	NOT IMPT:(1)
2.1	2.1	54	2	LIT IMPT:(2)
12.4	12.3	322	3	PRTY IMP:(3)
85.0	84.1	2201	4	VRY IMPT:(4)
	1.0	26	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/125

v4228

984A08D:JOB IMPC ADVNCMT

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08D: A job where the chances for advancement and promotion are good

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
1.8	1.8	47	1	NOT IMPT:(1)
8.0	8.0	209	2	LIT IMPT:(2)
28.6	28.5	745	3	PRTY IMP:(3)
61.5	61.2	1602	4	VRY IMPT:(4)
	0.4	11	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/126

v4229

984A08E:JOB IMPC HLP OTH

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08E: A job that gives you an opportunity to be directly helpful to others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
4.4	4.4	114	1	NOT IMPT:(1)
15.9	15.8	413	2	LIT IMPT:(2)
36.4	36.2	946	3	PRTY IMP:(3)
43.4	43.2	1130	4	VRV IMPT:(4)
	0.5	12	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/127

v4230 984A08F:JOB IMPC EARN \$

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08F: A job which provides you with a chance to earn a good deal of money

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	77	1	NOT IMPT:(1)
9.6	9.5	249	2	LIT IMPT:(2)
30.2	30.0	784	3	PRTY IMP:(3)
57.3	56.9	1487	4	VRY IMPT:(4)
	0.7	18	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/128

v4231 984A08G:JOB IMPC CREATVY

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08G: A job where you have the chance to be creative

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	146	1	NOT IMPT:(1)
20.1	19.9	521	2	LIT IMPT:(2)
35.3	35.0	916	3	PRTY IMP:(3)
39.0	38.7	1012	4	VRY IMPT:(4)
	0.8	21	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/129

v4232

984A08H:JOB IMPC UTILITY

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08H: A job where the skills you learn will not go out of date

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	141	1	NOT IMPT:(1)
13.3	13.2	346	2	LIT IMPT:(2)
31.6	31.3	819	3	PRTY IMP:(3)
49.6	49.2	1287	4	VRY IMPT:(4)
	0.9	23	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/130

v4233

984A08I:JOB IMPC MK FRND

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08I: A job that gives you a chance to make friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.4	114	1	NOT IMPT:(1)
18.7	18.6	487	2	LIT IMPT:(2)
35.5	35.2	921	3	PRTY IMP:(3)
41.4	41.1	1076	4	VRY IMPT:(4)
	0.7	19	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/131

v4234

984A08J:JOB IMPC USE SKL

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08J: A job which uses your skills and abilities--lets you do the things you can do best

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
1.0	1.0	26	1	NOT IMPT:(1)
4.1	4.1	107	2	LIT IMPT:(2)
25.4	25.3	660	3	PRTY IMP:(3)
69.5	69.1	1807	4	VRY IMPT:(4)
	0.6	14	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/132

v4235

984A08K:JOB IMPC WRTHWLE

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08K: A job that is worthwhile to society

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	146	1	NOT IMPT:(1)
16.7	16.5	430	2	LIT IMPT:(2)
36.5	36.1	943	3	PRTY IMP:(3)
41.2	40.7	1064	4	VRY IMPT:(4)
	1.3	33	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/133

v4236

984A08L:JOB IMPC VACATN

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08L: A job where you have more than two weeks vacation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.7	385	1	NOT IMPT:(1)
30.0	29.8	778	2	LIT IMPT:(2)
25.2	25.0	654	3	PRTY IMP:(3)
30.1	29.8	781	4	VRY IMPT:(4)
	0.7	18	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/134

v4237

984A08M:JOB IMPC MK DCSN

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08M: A job where you get a chance to participate in decision making

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	99	1	NOT IMPT:(1)
17.5	17.4	455	2	LIT IMPT:(2)
43.1	42.8	1121	3	PRTY IMP:(3)
35.6	35.3	924	4	VRY IMPT:(4)
	0.6	17	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/135

v4238

984A08N:JOB IMPC FRE TIM

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08N: A job which leaves a lot of time for other things in your life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	65	1	NOT IMPT:(1)
14.4	14.3	373	2	LIT IMPT:(2)
37.9	37.7	985	3	PRTY IMP:(3)
45.2	44.8	1173	4	VRV IMPT:(4)
	0.8	20	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/136

v4239

984A080:JOB IMPC NO MVNG

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A080: A job which allows you to establish roots in a community and not have to move from place to place

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
9.1	9.1	237	1	NOT IMPT:(1)
19.5	19.4	508	2	LIT IMPT:(2)
33.0	32.7	856	3	PRTY IMP:(3)
38.4	38.1	997	4	VRV IMPT:(4)
	0.7	17	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/137

v4240

984A08P:JOB IMPC NO SPRV

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08P: A job which leaves you mostly free of supervision by others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.1	238	1	NOT IMPT:(1)
24.4	24.2	633	2	LIT IMPT:(2)
37.3	37.1	970	3	PRTY IMP:(3)
29.1	28.9	757	4	VRY IMPT:(4)
	0.6	17	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/138

v4241

984A08Q:JOB IMPC SECURITY

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08Q: A job that offers a reasonably predictable, secure future

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	49	1	NOT IMPT:(1)
6.3	6.3	164	2	LIT IMPT:(2)
28.8	28.5	745	3	PRTY IMP:(3)
63.0	62.4	1631	4	VRY IMPT:(4)
	1.0	27	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/139

v4242

984A08R:JOB IMPC LRNING

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08R: A job where you can learn new things, learn new skills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	58	1	NOT IMPT:(1)
14.9	14.8	387	2	LIT IMPT:(2)
39.9	39.6	1036	3	PRTY IMP:(3)
42.9	42.5	1112	4	VRY IMPT:(4)
	0.9	23	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/140

v4243

984A08S:JOB IMPC BE SELF

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08S: A job where you do not have to pretend to be a type of person that you are not

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	121	1	NOT IMPT:(1)
5.5	5.4	141	2	LIT IMPT:(2)
20.4	20.2	529	3	PRTY IMP:(3)
69.5	68.8	1800	4	VRY IMPT:(4)
	0.9	24	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/141

v4244

984A08T:JOB IMPC RESPECT

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08T: A job that most people look up to and respect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	150	1	NOT IMPT:(1)
16.6	16.4	428	2	LIT IMPT:(2)
34.6	34.2	894	3	PRTY IMP:(3)
43.0	42.5	1112	4	VRY IMPT:(4)
	1.2	31	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/142

v4245

984A08U:JOB IMPC CNTC PL

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08U: A job that permits contact with a lot of people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.8	284	1	NOT IMPT:(1)
23.2	23.0	602	2	LIT IMPT:(2)
32.8	32.5	851	3	PRTY IMP:(3)
33.0	32.7	855	4	VRY IMPT:(4)
	0.9	25	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/143

v4246

984A08V:JOB IMPC EZ PACE

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08V: A job with an easy pace that lets you work slowly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	22.4	586	1	NOT IMPT:(1)
36.4	36.0	943	2	LIT IMPT:(2)
26.4	26.2	685	3	PRTY IMP:(3)
14.6	14.4	377	4	VRY IMPT:(4)
	0.9	24	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/144

v4247

984A08W:JOB IMPC HRD PRB

A08: Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A08W: A job where most problems are quite difficult and challenging

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.1	552	1	NOT IMPT:(1)
36.8	36.4	953	2	LIT IMPT:(2)
30.2	29.9	783	3	PRTY IMP:(3)
11.8	11.7	305	4	VRY IMPT:(4)
	0.9	24	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/145

v4248

984A09 :KIND OF WORK @30

A09: What kind of work do you think you will be doing when you are 30 years old? Mark the one that comes closest to what you expect to be doing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	2.1	56	0	
0.4	0.3	8	1	LABORER:(1)
1.6	1.4	37	2	SERV WKR:(2)
1.7	1.5	39	3	SEMISKL:(3)
0.5	0.4	11	4	RETAIL:(4)
3.0	2.6	69	5	CLERICAL:(5)
4.1	3.5	93	6	PROTECT:(6)
3.6	3.1	81	7	MILITARY:(7)
6.3	5.5	143	8	SKLD WKR:(8)
0.9	0.7	20	9	FARM:(9)
7.0	6.1	159	10	OWN SHOP:(10)
1.9	1.6	43	11	SALESREP:(11)
5.1	4.4	116	12	MANAGER:(12)
41.2	35.8	937	13	NOPHDPRO:(13)
21.4	18.6	488	14	PHD PRO:(14)
1.4	1.2	32	15	HOMEMKR:(15)
	7.5	197	16	DK:(16)
	3.4	88	99	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,16-*
Decimals: 0 Max: 15

Input location: 1/146-147

v4249

984A10 :R SURE GT THS WK

A10: How likely do you think it is that you will actually get to do this kind of work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.2	4	0	
1.3	1.2	31	1	NOT LKLY:(1)
7.1	6.4	167	2	SMWT LIK:(2)
21.2	19.1	499	3	FRLY LIK:(3)
43.3	39.1	1022	4	VY LIKLY:(4)
21.1	19.0	498	5	CERTAIN:(5)
6.1	5.5	143	6	ALRDY DO:(6)
	7.5	197	8	INAP:(8)
	2.1	55	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/148

v4250

984A11 :R SURE WK GD CHC

All: How certain are you that this kind of work is a good choice for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.7	46	1	NT CERTN:(1)
7.5	6.8	177	2	SMWT CTN:(2)
28.7	25.9	677	3	FRLY CTN:(3)
38.1	34.4	899	4	VY CERTN:(4)
23.8	21.5	562	5	COMP CTN:(5)
	7.5	197	8	INAP:(8)
	2.2	57	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/149

v4251

984A12 :R THNK WK BE SAT

A12: How satisfying do you think this kind of work will be for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.0	27	1	NT SATIS:(1)
4.4	4.0	104	2	SMWT SAT:(2)
22.2	20.0	523	3	QUITE ST:(3)
39.6	35.7	934	4	VY SATIS:(4)
32.7	29.5	772	5	EXTR SAT:(5)
	7.5	197	8	INAP:(8)
	2.2	57	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/150

v4252

984A13A:JOB OBSTC RELGN

A13: To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A13A: Your religion

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	86.4	2259	1	NOT @ALL:(1)
5.4	5.1	132	2	SOMEWHAT:(2)
1.6	1.5	39	3	A LOT:(3)
	4.1	107	8	DK:(8)
	3.0	79	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/151

v4253

984A13B:JOB OBSTC SEX

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13B: Your sex

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	71.2	1862	1	NOT @ALL:(1)
19.7	18.4	482	2	SOMEWHAT:(2)
4.3	4.0	104	3	A LOT:(3)
	3.5	92	8	DK:(8)
	2.9	76	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/152

v4254

984A13C:JOB OBSTC RACE

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13C: Your race

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
78.3	73.2	1916	1	NOT @ALL:(1)
16.6	15.5	406	2	SOMEWHAT:(2)
5.2	4.8	126	3	A LOT:(3)
	3.4	88	8	DK:(8)
	3.0	79	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/153

v4255 984A13D:JOB OBSTC BKGRND

A13: To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A13D: Your family background

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	82.1	2146	1	NOT @ALL:(1)
8.8	8.2	214	2	SOMEWHAT:(2)
3.4	3.2	84	3	A LOT:(3)
	3.6	95	8	DK:(8)
	2.9	76	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/154

v4256 984A13E:JOB OBSTC POL VW

A13: To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A13E: Your political views

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	78.2	2044	1	NOT @ALL:(1)
10.8	9.8	256	2	SOMEWHAT:(2)
2.6	2.3	61	3	A LOT:(3)
	6.6	172	8	DK:(8)
	3.2	82	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/155

v4257

984A13F:JOB OBSTC EDUCTN

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13F: Your education

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
43.6	41.2	1077	1	NOT @ALL:(1)
21.5	20.3	531	2	SOMEWHAT:(2)
34.9	32.9	860	3	A LOT:(3)
	2.8	73	8	DK:(8)
	2.8	74	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 3

Input location: 1/156

v4258

984A13G:JOB OBSTC -VOC T

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13G: Lack of vocational training

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	50.4	1318	1	NOT @ALL:(1)
25.5	22.3	583	2	SOMEWHAT:(2)
17.1	15.0	391	3	A LOT:(3)
	9.2	240	8	DK:(8)
	3.2	84	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/157

v4259

984A13H:JOB OBSTC -ABLTY

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13H: Lack of ability

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	50.2	1312	1	NOT @ALL:(1)
16.8	15.6	409	2	SOMEWHAT:(2)
29.4	27.4	717	3	A LOT:(3)
	3.8	98	8	DK:(8)
	3.0	79	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/158

v4260

984A13I:JOB OBSTC - PULL

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13I: Not knowing the right people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	42.7	1117	1	NOT @ALL:(1)
40.5	37.0	969	2	SOMEWHAT:(2)
12.8	11.7	307	3	A LOT:(3)
	5.7	148	8	DK:(8)
	2.8	74	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/159

v4261 984A13J:JOB OBSTC -WK HD

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13J: Not wanting to work hard

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	49.8	1303	1	NOT @ALL:(1)
12.2	11.4	298	2	SOMEWHAT:(2)
34.5	32.3	844	3	A LOT:(3)
	3.7	96	8	DK:(8)
	2.9	75	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/160

v4262 984A13K:JOB OBSTC -CONFM

A13: To what extent do you think the things listed below
will prevent you from getting the kind of work you
would like to have?

A13K: Not wanting to conform

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	45.1	1179	1	NOT @ALL:(1)
26.1	22.2	582	2	SOMEWHAT:(2)
20.9	17.8	467	3	A LOT:(3)
	11.4	298	8	DK:(8)
	3.5	91	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 3

Input location: 1/161

v4263 984A14 :ENUF\$,NT WNT WRK

A14: If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.2	6	0	
75.3	74.3	1945	1	WORK:(1)
24.7	24.4	638	2	NOT WORK:(2)
	1.1	28	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 2

Input location: 1/162

v4264 984A15A:FEW GD MAR, ? IT

(This question is omitted from Western Region questionnaires.)

A15: How much do you agree or disagree with each statement below?

A15A: One sees so few good or happy marriages that one questions it as a way of life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	22.4	586	1	DISAGREE:(1)
16.7	13.4	349	2	MOST DIS:(2)
26.1	20.8	545	3	NEITHER:(3)
18.2	14.6	381	4	MOST AGR:(4)
11.0	8.8	229	5	AGREE:(5)
	18.7	488	6	
	1.4	37	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 6-*
Decimals: 0 Max: 5

Input location: 1/163

v4265

984A15B:GD LIV TG BF MRG

(This question is omitted from Western Region Questionnaires.)

A15: How much do you agree or disagree with each statement below?

A15B: It is usually a good idea for a couple to live together before getting married in order to find out whether they really get along

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
18.5	14.9	390	1	DISAGREE:(1)
9.2	7.4	193	2	MOST DIS:(2)
11.2	9.0	236	3	NEITHER:(3)
25.5	20.6	538	4	MOST AGR:(4)
35.6	28.7	750	5	AGREE:(5)
	18.7	488	6	
	0.8	20	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/164

v4266

984A15C:1 PRTNR=RSTRCTVE

(This question is omitted from Western Region questionnaires.)

A15: How much do you agree or disagree with each statement below?

A15C: Having a close intimate relationship with only one partner is too restrictive for the average person

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	40.8	1068	1	DISAGREE:(1)
19.7	15.8	414	2	MOST DIS:(2)
13.6	10.9	285	3	NEITHER:(3)
10.5	8.4	220	4	MOST AGR:(4)
5.5	4.5	116	5	AGREE:(5)
	18.7	488	6	
	0.9	24	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 5

Input location: 1/165

v4267

984A15D:JB INTFR REL HBD

A15: How much do you agree or disagree with each statement below?

A15D: Having a job takes away from a woman's relationship with her husband

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
54.8	54.3	1419	1	DISAGREE:(1)
21.3	21.1	553	2	MOST DIS:(2)
14.1	14.0	366	3	NEITHER:(3)
6.7	6.6	174	4	MOST AGR:(4)
3.0	3.0	78	5	AGREE:(5)
	0.9	24	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 5

Input location: 1/166

v4268

984A15E:JB DVLP WF PERSN

A15: How much do you agree or disagree with each statement below?

A15E: Having a job gives a wife more of a chance to develop herself as a person

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	109	1	DISAGREE:(1)
3.3	3.3	86	2	MOST DIS:(2)
12.2	12.1	316	3	NEITHER:(3)
30.8	30.5	797	4	MOST AGR:(4)
49.5	49.0	1281	5	AGREE:(5)
	1.0	27	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/167

v4269

984A15F:RS CHLD + FR MAN

A15: How much do you agree or disagree with each statement below?

A15F: Being a father and raising children is one of the most fulfilling experiences a man can have

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
3.3	3.3	86	1	DISAGREE:(1)
2.5	2.5	65	2	MOST DIS:(2)
17.2	16.9	442	3	NEITHER:(3)
28.0	27.6	721	4	MOST AGR:(4)
49.0	48.2	1261	5	AGREE:(5)
	1.5	39	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 5

Input location: 1/168

v4270

984A15G:MO SH B W CHL>TM

A15: How much do you agree or disagree with each statement below?

A15G: Most mothers should spend more time with their children than they do now

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	110	1	DISAGREE:(1)
5.9	5.8	152	2	MOST DIS:(2)
24.3	24.0	628	3	NEITHER:(3)
31.5	31.0	812	4	MOST AGR:(4)
34.0	33.6	878	5	AGREE:(5)
	1.4	36	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/169

v4271 984A15H:WF WK,HBD SHD>HW

A15: How much do you agree or disagree with each statement below?

A15H: If a wife works, her husband should take a greater part in housework and child care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
5.5	5.4	142	1	DISAGREE:(1)
5.5	5.4	142	2	MOST DIS:(2)
17.9	17.7	462	3	NEITHER:(3)
32.2	31.8	831	4	MOST AGR:(4)
38.9	38.4	1004	5	AGREE:(5)
	1.3	33	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 5

Input location: 1/170

v4272 984A16 :#HRS TV/DAY/5+

A16: How much TV do you estimate you watch on an average weekday?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	1	0	
4.6	4.5	119	1	NONE:(1)
16.4	16.2	423	2	1/2 HOUR:(2)
22.5	22.2	581	3	ONE HOUR:(3)
22.4	22.1	579	4	2 HOURS:(4)
14.5	14.3	375	5	3 HOURS:(5)
9.0	8.9	233	6	4 HOURS:(6)
10.6	10.5	275	7	5+ HRS:(7)
	1.1	29	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 7

Input location: 1/171

v4273 984A17 :#BKS LAST YR/10+

A17: In the past year, how many books have you read just because you wanted to--that is, without their being assigned?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	26.0	681	1	NONE:(1)
16.3	16.1	421	2	ONE:(2)
35.8	35.3	924	3	2-5:(3)
8.8	8.7	228	4	6-9:(4)
12.7	12.5	328	5	10+:(5)
	1.3	34	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/172

v4274 984A18 :INTEREST IN GOVT

A18: Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.5	249	1	NO INTR:(1)
23.0	22.7	595	2	LIT INTR:(2)
44.0	43.4	1136	3	SOM INTR:(3)
17.1	16.8	440	4	LOT INTR:(4)
6.2	6.2	161	5	VGRT INT:(5)
	1.3	35	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/173

v4275

984A19A:>INFLC LARG CORP

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19A: Large corporations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	5.4	140	1	MCH LESS:(1)
29.6	23.0	602	2	LESS:(2)
46.2	35.9	939	3	SAME NOW:(3)
12.5	9.7	254	4	MORE:(4)
4.8	3.7	98	5	MCH MORE:(5)
	20.0	524	8	NO OPIN:(8)
	2.2	59	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 5

Input location: 1/174

v4276

984A19B:>INFLC LBR UNION

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19B: Major labor unions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
4.6	3.5	91	1	MCH LESS:(1)
18.8	14.2	371	2	LESS:(2)
42.1	31.7	830	3	SAME NOW:(3)
26.9	20.3	530	4	MORE:(4)
7.7	5.8	152	5	MCH MORE:(5)
	22.2	581	8	NO OPIN:(8)
	2.3	61	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/175

v4277

984A19C:>INFLC CHURCHES

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19C: Churches and religious organizations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	3	0	
	8.7	7.5	195	1 MCH LESS:(1)
	11.0	9.4	247	2 LESS:(2)
	29.5	25.3	661	3 SAME NOW:(3)
	27.5	23.5	615	4 MORE:(4)
	23.2	19.9	520	5 MCH MORE:(5)
		12.0	315	8 NO OPIN:(8)
		2.3	60	9

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/176

v4278

984A19D:>INFLC NEWS MDIA

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19D: The national news media (TV, magazines, news services)?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.3	17.8	466	1	MCH LESS:(1)
37.5	33.0	862	2	LESS:(2)
29.5	26.0	680	3	SAME NOW:(3)
7.4	6.5	171	4	MORE:(4)
5.3	4.7	122	5	MCH MORE:(5)
	9.4	247	8	NO OPIN:(8)
	2.6	68	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 5

Input location: 1/177

v4279

984A19E:>INFLC PRES&ADMN

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19E: The presidency and the administration?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.0	158	1	MCH LESS:(1)
15.4	12.6	329	2	LESS:(2)
47.8	39.1	1023	3	SAME NOW:(3)
20.2	16.6	433	4	MORE:(4)
9.2	7.5	196	5	MCH MORE:(5)
	15.8	414	8	NO OPIN:(8)
	2.3	61	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 5

Input location: 1/178

v4280

984A19F:>INFLC CONGRESS

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19F: The Congress--that is, the U.S. Senate and House of Representatives?

PCT VALID	PCT ALL	N	VALUE	LABEL
	0.0	1	0	
6.1	4.8	125	1	MCH LESS:(1)
13.9	11.0	288	2	LESS:(2)
50.0	39.5	1034	3	SAME NOW:(3)
22.0	17.4	456	4	MORE:(4)
8.0	6.3	165	5	MCH MORE:(5)
	18.5	485	8	NO OPIN:(8)
	2.4	63	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/179

v4281

984A19G:>INFLC SUPRM CRT

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19G: The U.S. Supreme Court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
4.7	3.7	98	1	MCH LESS:(1)
7.4	5.9	154	2	LESS:(2)
51.7	41.0	1073	3	SAME NOW:(3)
26.0	20.6	539	4	MORE:(4)
10.2	8.1	213	5	MCH MORE:(5)
	18.0	470	8	NO OPIN:(8)
	2.6	69	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/180

v4282

984A19H:>INFLC JUSTC SYS

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19H: All the courts and the justice system in general?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
4.8	3.8	99	1	MCH LESS:(1)
9.8	7.8	203	2	LESS:(2)
47.2	37.6	984	3	SAME NOW:(3)
28.7	22.8	597	4	MORE:(4)
9.6	7.6	199	5	MCH MORE:(5)
	17.6	461	8	NO OPIN:(8)
	2.7	70	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 5

Input location: 1/181

v4283

984A19I:>INFLC POLICE

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19I: The police and other law enforcement agencies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	6.5	169	1	MCH LESS:(1)
12.7	10.9	285	2	LESS:(2)
32.7	28.2	736	3	SAME NOW:(3)
30.4	26.2	685	4	MORE:(4)
16.7	14.4	377	5	MCH MORE:(5)
	11.3	297	8	NO OPIN:(8)
	2.5	66	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 5

Input location: 1/182

v4284

984A19J:>INFLC MILITARY

A19: Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now? How much influence should there be for . . .

A19J: The U.S. military?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	5.3	139	1	MCH LESS:(1)
10.4	8.5	222	2	LESS:(2)
49.0	39.7	1040	3	SAME NOW:(3)
21.7	17.6	460	4	MORE:(4)
12.4	10.0	262	5	MCH MORE:(5)
	16.4	429	8	NO OPIN:(8)
	2.4	64	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 5

Input location: 1/183

v4285

984A20A:ILGL AD MRJ PRIV

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20A: Smoking marijuana (pot, weed) in private

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	45.5	1191	1	NO:(1)
13.9	13.7	358	2	NOT SURE:(2)
39.8	39.2	1025	3	YES:(3)
	1.6	42	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/184

v4286

984A20B:ILGL AD MRJ PUBL

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20B: Smoking marijuana in public places

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
17.6	17.3	452	1	NO:(1)
10.5	10.4	271	2	NOT SURE:(2)
71.9	70.7	1850	3	YES:(3)
	1.6	42	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/185

v4287

984A20C:ILGL AD LSD PRIV

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20C: Taking LSD in private

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	1	0	
23.9	23.5	614	1	NO:(1)
11.4	11.2	292	2	NOT SURE:(2)
64.7	63.6	1663	3	YES:(3)
	1.7	45	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/186

v4288

984A20D:ILGL AD LSD PUBL

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20D: Taking LSD in public places

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
11.4	11.2	292	1	NO:(1)
6.0	5.9	154	2	NOT SURE:(2)
82.6	80.9	2117	3	YES:(3)
	1.9	51	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/187

v4289

984A20E:ILGL AD AMP PRIV

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20E: Taking amphetamines (uppers) or barbiturates (downers) in private

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	24.8	647	1	NO:(1)
16.3	16.0	419	2	NOT SURE:(2)
58.4	57.3	1498	3	YES:(3)
	2.0	52	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/188

v4290

984A20F:ILGL AD AMP PUBL

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20F: Taking amphetamines or barbiturates in public places

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
11.9	11.7	306	1	NO:(1)
10.9	10.7	279	2	NOT SURE:(2)
77.2	75.7	1979	3	YES:(3)
	1.9	50	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/189

v4291 984A20G:ILGL AD HRN PRIV

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20G: Taking heroin in private

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	18.7	489	1	NO:(1)
7.0	6.9	180	2	NOT SURE:(2)
74.0	72.6	1900	3	YES:(3)
	1.8	47	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/190

v4292 984A20H:ILGL AD HRN PUBL

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A20H: Taking heroin in public places

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
10.2	10.0	261	1	NO:(1)
3.6	3.5	91	2	NOT SURE:(2)
86.3	84.7	2216	3	YES:(3)
	1.8	46	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/191

v4293

984A20I:ILGL AD DRNK PRV

A20: Do you think that people (who are 18 or older)
should be prohibited by law from doing each of the
following?

A20I: Getting drunk in private

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	67.0	1752	1	NO:(1)
11.5	11.3	296	2	NOT SURE:(2)
20.1	19.7	516	3	YES:(3)
	2.0	52	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/192

v4294

984A20J:ILGL AD DRNK PBL

A20: Do you think that people (who are 18 or older)
should be prohibited by law from doing each of the
following?

A20J: Getting drunk in public places

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	29.2	763	1	NO:(1)
19.2	18.8	492	2	NOT SURE:(2)
51.2	50.3	1315	3	YES:(3)
	1.7	46	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/193

v4295 984A20K:LAW 4 SMK TOBPUB

A20: Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?
 A20K: Smoking tobacco in certain specified public places

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	44.4	1162	1	NO:(1)
13.5	13.3	347	2	NOT SURE:(2)
41.2	40.4	1057	3	YES:(3)
	1.9	49	9	

2616 cases (Wtd)				

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/194

v4296 984A21 :CRIME 2 USE MARJ

A21: In particular, there has been a great deal of public debate about whether marijuana use should be legal. Which of the following policies would you favor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	3	0	
33.0	27.5	719	1	LEGAL:(1)
28.6	23.8	624	2	TICKET:(2)
38.5	32.1	840	3	CRIME:(3)
	14.7	384	4	DK:(4)
	1.8	46	9	

2616 cases (Wtd)				

Type: numeric Min: 1 MD Codes: 0,4-*
 Decimals: 0 Max: 3

Input location: 1/195

v4297

984A22 :LEGAL 2 SELL MRJ

A22: If it were legal for people to USE marijuana, should it also be legal to SELL marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	29.7	776	1	NO:(1)
50.3	41.9	1096	2	ADULTS:(2)
14.1	11.7	306	3	ANYONE:(3)
	15.1	394	4	DK:(4)
	1.6	43	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 4-*
Decimals: 0 Max: 3

Input location: 1/196

v4298

984A23 :USE<MJ IF LEGAL

A23: If marijuana were legal to use and legally available, which of the following would you be most likely to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	57.1	1495	1	NOT USE:(1)
8.9	8.0	210	2	TRY IT:(2)
19.4	17.6	459	3	AS OFTEN:(3)
6.6	6.0	156	4	MOR OFTN:(4)
2.1	1.9	51	5	LESS OFT:(5)
	7.6	199	6	DK:(6)
	1.7	45	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 6-*
Decimals: 0 Max: 5

Input location: 1/197

v4101 984B01 :EVR SMK CIG,REGL

B01: Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	3	0	
33.0	32.3	846	1	NEVER:(1)
21.5	21.0	549	2	1-2X:(2)
18.8	18.4	481	3	OCCASNLY:(3)
7.3	7.1	187	4	REG PAST:(4)
19.4	19.0	496	5	REG NOW:(5)
	2.0	53	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 5

Input location: 1/19

v4102 984B02 :#CIGS SMKD/30DAY

B02: How frequently have you smoked cigarettes during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	63.0	1649	1	NONE:(1)
12.8	12.5	327	2	<1 CIG/D:(2)
9.5	9.3	242	3	1-5/DAY:(3)
7.0	6.9	180	4	1/2PK/D:(4)
4.3	4.2	110	5	1 PK/DA:(5)
0.8	0.8	21	6	1.5 PK/D:(6)
1.2	1.1	30	7	2+ PKS/D:(7)
0.0	0.0	0	8	INAP:(8)
	2.1	56	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/20

v4103

984B03 :EVER DRINK

B03: Have you ever had any beer, wine, wine coolers, or
liquor to drink--more than just a few sips?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	18.1	474	1	NO:(1)
81.2	78.2	2047	2	YES:(2)
	3.6	95	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 2

Input location: 1/21

v4104

984B04A:#X ALC/LIF SIPS

B04: On how many occasions have you had alcoholic
beverages to drink--more than just a few sips . . .
B04A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	18.1	474	1	0 OCCAS:(1)
7.9	7.5	196	2	1-2X:(2)
9.2	8.8	229	3	3-5X:(3)
9.6	9.1	239	4	6-9X:(4)
13.6	12.9	338	5	10-19X:(5)
12.1	11.4	299	6	20-39X:(6)
28.4	26.9	703	7	40+OCCAS:(7)
	5.3	139	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/22

v4105 984B04B:#X ALC/ANN SIPS

B04: On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .
 B04B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	25.4	664	1	0 OCCAS:(1)
15.3	14.4	376	2	1-2X:(2)
13.0	12.2	318	3	3-5X:(3)
11.5	10.8	284	4	6-9X:(4)
13.7	12.9	337	5	10-19X:(5)
8.7	8.2	214	6	20-39X:(6)
10.7	10.1	263	7	40+OCCAS:(7)
	6.1	159	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/23

v4106 984B04C:#X ALC/30D SIPS

B04: On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .
 B04C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	45.7	1195	1	0 OCCAS:(1)
21.0	19.8	518	2	1-2X:(2)
13.6	12.9	336	3	3-5X:(3)
7.8	7.4	193	4	6-9X:(4)
5.6	5.3	139	5	10-19X:(5)
1.6	1.5	39	6	20-39X:(6)
1.9	1.8	47	7	40+OCCAS:(7)
	5.7	150	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/24

v4107

984B05 :#X DRK ENF FL HI

B05: On the occasions that you drink alcoholic beverages,
how often do you drink enough to feel pretty high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	16.0	418	1	NONE:(1)
26.1	20.5	535	2	FEW:(2)
15.3	12.0	314	3	HALF:(3)
21.3	16.7	437	4	MOST:(4)
16.9	13.2	346	5	NRLY ALL:(5)
	18.1	474	8	
	3.5	91	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 5

Input location: 1/25

v4108

984B06 :5+DRK ROW/LST 2W

B06: Think back over the LAST TWO WEEKS. How many times
have you had five or more drinks in a row? (A
"drink" is a glass of wine, a bottle of beer, a wine
cooler, a shot glass or liquor, or a mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	63.7	1665	1	NONE:(1)
9.9	9.2	242	2	ONCE:(2)
9.3	8.7	227	3	TWICE:(3)
8.4	7.9	207	4	3-5X:(4)
2.6	2.4	63	5	6-9X:(5)
1.9	1.8	46	6	10+ TIME:(6)
	1.7	43	8	
	4.7	122	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 6

Input location: 1/26

v4115 984B07A:#XMJ+HS/LIFETIME

B07: On how many occasions (if any) have you used
 marijuana (grass, pot) or hashish (hash, hash oil) . . .
 B07A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	47.7	1247	1	0 OCCAS:(1)
10.0	9.6	252	2	1-2X:(2)
7.5	7.2	189	3	3-5X:(3)
4.6	4.4	116	4	6-9X:(4)
5.5	5.3	139	5	10-19X:(5)
5.3	5.1	134	6	20-39X:(6)
17.5	16.8	440	7	40+OCCAS:(7)
	3.8	98	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/27

v4116 984B07B:#XMJ+HS/LAST12MO

B07: On how many occasions (if any) have you used
 marijuana (grass, pot) or hashish (hash, hash oil) . . .
 B07B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	59.6	1560	1	0 OCCAS:(1)
10.2	9.8	257	2	1-2X:(2)
6.3	6.0	158	3	3-5X:(3)
4.5	4.3	113	4	6-9X:(4)
4.3	4.1	108	5	10-19X:(5)
3.5	3.3	87	6	20-39X:(6)
9.1	8.8	229	7	40+OCCAS:(7)
	4.0	105	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/28

v4117

984B07C:#XMJ+HS/LAST30DA

B07: On how many occasions (if any) have you used
marijuana (grass, pot) or hashish (hash, hash oil) . . .
B07C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	73.7	1929	1	0 OCCAS:(1)
7.4	7.1	187	2	1-2X:(2)
4.2	4.1	106	3	3-5X:(3)
2.6	2.5	66	4	6-9X:(4)
3.3	3.2	83	5	10-19X:(5)
2.6	2.5	67	6	20-39X:(6)
3.1	3.0	79	7	40+OCCAS:(7)
	3.8	99	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/29

v4118

984B08A:#X LSD/LIFETIME

B08: On how many occasions (if any) have you used LSD
("acid") . . .
B08A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	84.1	2200	1	0 OCCAS:(1)
6.3	6.1	159	2	1-2X:(2)
2.2	2.2	57	3	3-5X:(3)
1.7	1.7	44	4	6-9X:(4)
1.2	1.2	30	5	10-19X:(5)
0.9	0.8	22	6	20-39X:(6)
1.0	1.0	27	7	40+OCCAS:(7)
	2.9	77	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/30

v4119 984B08B:#X LSD/LAST 12MO

B08: On how many occasions (if any) have you used LSD
 ("acid") . . .
 B08B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	89.4	2338	1	0 OCCAS:(1)
4.6	4.5	117	2	1-2X:(2)
1.3	1.3	34	3	3-5X:(3)
0.8	0.7	19	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	3.1	81	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/31

v4120 984B08C:#X LSD/LAST 30DA

B08: On how many occasions (if any) have you used LSD
 ("acid") . . .
 B08C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	93.5	2447	1	0 OCCAS:(1)
2.5	2.4	64	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.2	83	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/32

v4121

984B09A:#X PSYD/LIFETIME

B09: On how many occasions (if any) have you used
 psychedelics other than LSD (like mescaline, peyote,
 psilocybin, PCP) . . .
 B09A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	89.5	2342	1	0 OCCAS:(1)
3.8	3.7	97	2	1-2X:(2)
1.9	1.8	47	3	3-5X:(3)
0.6	0.6	16	4	6-9X:(4)
0.6	0.5	14	5	10-19X:(5)
0.3	0.3	9	6	20-39X:(6)
0.6	0.5	14	7	40+OCCAS:(7)
	2.9	76	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/33

v4122

984B09B:#X PSYD/LAST12MO

B09: On how many occasions (if any) have you used
 psychedelics other than LSD (like mescaline, peyote,
 psilocybin, PCP) . . .
 B09B: . . . during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.9	92.1	2409	1	0 OCCAS:(1)
3.1	3.0	78	2	1-2X:(2)
1.1	1.1	29	3	3-5X:(3)
0.4	0.3	9	4	6-9X:(4)
0.1	0.1	4	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.0	78	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/34

v4123

984B09C:#X PSYD/LAST30DA

B09: On how many occasions (if any) have you used
 psychedelics other than LSD (like mescaline, peyote,
 psilocybin, PCP) . . .
 B09C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.5	2497	1	0 OCCAS:(1)
1.0	1.0	26	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	2.9	77	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/35

v4127

984B10A:#X AMPH/LIFETIME

B10: On how many occasions (if any) have you taken
 amphetamines on your own--that is, without a doctor
 telling you to take them . . .
 B10A: . . . in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.2	81.7	2136	1	0 OCCAS:(1)
7.0	6.8	177	2	1-2X:(2)
2.9	2.8	74	3	3-5X:(3)
1.7	1.7	44	4	6-9X:(4)
1.7	1.6	43	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
1.6	1.6	41	7	40+OCCAS:(7)
	3.0	79	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/39

v4128

984B10B:#X AMPH/LAST12MO

B10: On how many occasions (if any) have you taken
amphetamines on your own--that is, without a doctor
telling you to take them . . .
B10B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	87.6	2291	1	0 OCCAS:(1)
5.2	5.0	131	2	1-2X:(2)
1.3	1.3	33	3	3-5X:(3)
1.0	1.0	26	4	6-9X:(4)
1.0	1.0	26	5	10-19X:(5)
0.7	0.6	17	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	3.3	87	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/40

v4129

984B10C:#X AMPH/LAST30DA

B10: On how many occasions (if any) have you taken
 amphetamines on your own--that is, without a doctor
 telling you to take them . . .
 B10C: . . . during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	92.4	2416	1	0 OCCAS:(1)
2.9	2.8	73	2	1-2X:(2)
0.7	0.6	17	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.4	0.3	9	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.3	87	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/41

v4436

984B11A:#X CRACK/LIFETIM

B11: On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

B11A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	92.6	2423	1	0 OCCAS (1)
2.5	2.4	63	2	1-2X (2)
1.2	1.1	30	3	3-5X (3)
0.3	0.3	8	4	6-9X (4)
0.2	0.2	5	5	10-19X (5)
0.3	0.3	7	6	20-39X (6)
0.4	0.4	11	7	40+X (7)
	2.7	69	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/12

v4437

984B11B:#X CRACK/LAST12M

B11: On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

B11B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.1	2487	1	0 OCCAS (1)
0.9	0.9	24	2	1-2X (2)
0.4	0.4	11	3	3-5X (3)
0.4	0.4	10	4	6-9X (4)
0.3	0.2	6	5	10-19X (5)
0.1	0.1	3	6	20-39X (6)
0.2	0.2	5	7	40+X (7)
	2.7	70	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/13

v4438 984B11C:#X CRACK/LAST30D

B11: On how many occasions (if any) have you used "crack"
 (cocaine in chunk or rock form) . . .
 B11C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.5	2524	1	0 OCCAS (1)
0.5	0.5	13	2	1-2X (2)
0.1	0.1	1	3	3-5X (3)
0.0	0.0	1	4	6-9X (4)
0.1	0.1	2	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.2	0.2	4	7	40+X (7)
	2.7	71	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/14

v4439 984B12A:#XOTH COKE/LIFE

B12: On how many occasions (if any) have you used cocaine
 in any other form . . .
 B12A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	87.4	2287	1	0 OCCAS (1)
5.1	4.9	128	2	1-2X (2)
1.6	1.6	42	3	3-5X (3)
1.0	1.0	26	4	6-9X (4)
1.1	1.0	27	5	10-19X (5)
0.4	0.4	10	6	20-39X (6)
0.8	0.7	19	7	40+X (7)
	2.9	77	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/15

v4440 984B12B:#XOTH COKE/12MO

B12: On how many occasions (if any) have you used cocaine
in any other form . . .

B12B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	91.4	2391	1	0 OCCAS (1)
3.2	3.1	81	2	1-2X (2)
0.9	0.9	24	3	3-5X (3)
0.6	0.6	16	4	6-9X (4)
0.3	0.3	9	5	10-19X (5)
0.3	0.2	6	6	20-39X (6)
0.3	0.3	8	7	40+X (7)
	3.1	80	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/16

v4441 984B12C:#XOTH COKE/30DA

B12: On how many occasions (if any) have you used cocaine
in any other form . . .

B12C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.2	2491	1	0 OCCAS (1)
1.0	1.0	26	2	1-2X (2)
0.2	0.2	5	3	3-5X (3)
0.3	0.3	7	4	6-9X (4)
0.2	0.2	4	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.0	0.0	1	7	40+X (7)
	3.1	82	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/17

v4124 984R :#X COKE/LIFETIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	86.2	2254	1	0 OCCAS:(1)
4.5	4.4	114	2	1-2X:(2)
2.7	2.7	70	3	3-5X:(3)
0.9	0.9	24	4	6-9X:(4)
1.5	1.4	37	5	10-19X:(5)
0.4	0.4	11	6	20-39X:(6)
1.1	1.0	27	7	40+OCCAS:(7)
	3.0	79	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/36

v4125 984R :#X COKE/LAST12MO

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	90.6	2370	1	0 OCCAS:(1)
3.1	3.0	78	2	1-2X:(2)
1.1	1.1	28	3	3-5X:(3)
0.9	0.9	24	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.4	0.4	11	7	40+OCCAS:(7)
	3.1	82	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/37

v4126 984R :#X COKE/LAST30DA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	94.9	2483	1	0 OCCAS:(1)
1.2	1.1	30	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.1	82	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/38

v4133 984B13A:#X BRBT/LIFETIME

B13: On how many occasions (if any) have you taken
barbiturates on your own--that is, without a doctor
telling you to take them . . .
B13A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	88.7	2319	1	0 OCCAS:(1)
3.2	3.1	82	2	1-2X:(2)
2.1	2.1	55	3	3-5X:(3)
1.3	1.2	32	4	6-9X:(4)
1.0	1.0	26	5	10-19X:(5)
0.6	0.6	16	6	20-39X:(6)
0.4	0.4	11	7	40+OCCAS:(7)
	2.8	74	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/42

v4134

984B13B:#X BRBT/LAST12MO

B13: On how many occasions (if any) have you taken
 barbiturates on your own--that is, without a doctor
 telling you to take them . . .
 B13B: . . . during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.5	91.7	2399	1	0 OCCAS:(1)
2.7	2.6	69	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
1.1	1.0	27	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.1	0.1	4	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	2.9	76	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/43

v4135

984B13C:#X BRBT/LAST30DA

B13: On how many occasions (if any) have you taken
barbiturates on your own--that is, without a doctor
telling you to take them . . .

B13C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	94.6	2473	1	0 OCCAS:(1)
1.6	1.6	41	2	1-2X:(2)
0.3	0.3	9	3	3-5X:(3)
0.4	0.4	11	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.9	75	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/44

v4136

984B14A:#X TRQL/LIFETIME

B14: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .
 B14A: . . . in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.3	88.6	2318	1	0 OCCAS:(1)
4.2	4.1	108	2	1-2X:(2)
1.9	1.8	47	3	3-5X:(3)
1.0	0.9	24	4	6-9X:(4)
0.7	0.7	19	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.6	0.6	14	7	40+OCCAS:(7)
	2.9	77	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/45

v4137

984B14B:#X TRQL/LAST12MO

B14: On how many occasions (if any) have you taken
tranquilizers on your own--that is, without a doctor
telling you to take them . . .

B14B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	91.9	2405	1	0 OCCAS:(1)
2.8	2.7	70	2	1-2X:(2)
1.0	1.0	25	3	3-5X:(3)
0.6	0.6	16	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	3.0	78	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/46

v4138 984B14C:#X TRQL/LAST30DA

B14: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .
 B14C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	94.6	2474	1	0 OCCAS:(1)
1.7	1.7	43	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.2	0.2	6	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.0	78	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/47

v4139 984B15A:#X H/LIFETIME

B15: On how many occasions (if any) have you used heroin . . .
 B15A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	94.9	2481	1	0 OCCAS:(1)
1.2	1.1	29	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.2	82	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/48

v4140

984B15B:#X H/LAST 12MO

B15: On how many occasions (if any) have you used heroin . . .
B15B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	95.8	2507	1	0 OCCAS:(1)
0.4	0.3	9	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.2	83	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/49

v4141

984B15C:#X H/LAST 30DA

B15: On how many occasions (if any) have you used heroin . . .
B15C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.2	2516	1	0 OCCAS:(1)
0.3	0.3	8	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	4	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.2	83	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/50

v4142

984B16A:#X NARC/LIFETIME

B16: On how many occasions (if any) have you taken
 narcotics other than heroin on your own--that is,
 without a doctor telling you to take them . . .
 B16A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	87.0	2276	1	0 OCCAS:(1)
4.6	4.5	118	2	1-2X:(2)
2.3	2.2	57	3	3-5X:(3)
1.3	1.2	32	4	6-9X:(4)
1.0	1.0	26	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.5	0.5	13	7	40+OCCAS:(7)
	3.2	83	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/51

v4143

984B16B:#X NARC/LAST12MO

B16: On how many occasions (if any) have you taken
narcotics other than heroin on your own--that is,
without a doctor telling you to take them . . .
B16B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	90.6	2370	1	0 OCCAS:(1)
3.4	3.3	86	2	1-2X:(2)
1.6	1.6	42	3	3-5X:(3)
0.5	0.5	14	4	6-9X:(4)
0.4	0.4	11	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	3.3	86	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/52

v4144

984B16C:#X NARC/LAST30DA

B16: On how many occasions (if any) have you taken
 narcotics other than heroin on your own--that is,
 without a doctor telling you to take them . . .
 B16C: . . . during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.9	94.6	2474	1	0 OCCAS:(1)
1.4	1.3	35	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	6	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.4	88	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/53

v4145

984B17A:#X INHL/LIFETIME

B17: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B17A: . . . in your lifetime?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.0	82.1	2147	1	0 OCCAS:(1)
8.1	7.8	204	2	1-2X:(2)
2.6	2.5	65	3	3-5X:(3)
1.2	1.2	31	4	6-9X:(4)
1.4	1.3	34	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
1.1	1.1	28	7	40+OCCAS:(7)
	3.5	91	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/54

v4146

984B17B:#X INHL/LAST12MO

B17: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B17B: . . . during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
94.1	90.6	2371	1	0 OCCAS:(1)
3.3	3.1	82	2	1-2X:(2)
0.8	0.8	20	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	3.6	95	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/55

v4147

984B17C:#X INHL/LAST30DA

B17: On how many occasions (if any) have you sniffed
glue, or breathed the contents of aerosol spray
cans, or inhaled any other gases or sprays in order
to get high . . .

B17C: . . . during the last 30 days?

PCT VALID	PCT ALL	N	VALUE	LABEL
97.4	93.8	2454	1	0 OCCAS:(1)
1.5	1.4	37	2	1-2X:(2)
0.3	0.3	9	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	3.7	96	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/56

v4442 984B18A:#X ROHYPNOL/LIFE

B18: On how many occasions (if any) have you used
 Rohypnol ("rophies," "roofies") . . .
 B18A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	93.6	2447	1	0 OCCAS (1)
1.4	1.4	36	2	1-2X (2)
0.7	0.7	18	3	3-5X (3)
0.4	0.4	10	4	6-9X (4)
0.2	0.2	5	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.2	0.2	6	7	40+X (7)
	3.6	94	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/296

v4443 984B18B:#X ROHYPNOL/12MO

B18: On how many occasions (if any) have you used
 Rohypnol ("rophies," "roofies") . . .
 B18B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	95.0	2486	1	0 OCCAS (1)
0.9	0.9	24	2	1-2X (2)
0.2	0.2	6	3	3-5X (3)
0.1	0.1	4	4	6-9X (4)
0.0	0.0	1	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.1	0.1	3	7	40+X (7)
	3.6	93	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/297

v4444

984B18C:#X ROHYPNOL/30DA

B18: On how many occasions (if any) have you used
 Rohypnol ("rophies," "roofies") . . .
 B18C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.1	2514	1	0 OCCAS (1)
0.1	0.1	3	2	1-2X (2)
0.0	0.0	1	3	3-5X (3)
0.1	0.1	2	4	6-9X (4)
0.0	0.0	0	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.1	0.1	2	7	40+X (7)
	3.6	93	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/298

v4148

984(R) :AGE <>18 DICHOTOMY

C01: In what year were you born?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	42.4	1109	1	< 18:(1)
56.4	54.8	1433	2	18+:(2)
	2.8	73	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 2

Input location: 1/57

v4150 984C03 :R'S SEX

C03: What is your sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
48.6	45.7	1195	1	MALE:(1)
51.4	48.3	1263	2	FEMALE:(2)
	6.0	157	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 2

Input location: 1/58

v4151 984C04(R)R'S RACE

C04: How do you describe yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	65.6	1717	0	WHITE
14.6	11.2	293	1	BLACK
	23.2	606	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/59

v4152 984C05 :R SPD >TIM R-URB

C05: Where did you grow up mostly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	11.1	290	0	DK/MIXED:(0)
5.8	5.1	134	1	FARM:(1)
15.2	13.5	353	2	COUNTRY:(2)
32.1	28.6	748	3	SML TOWN:(3)
12.6	11.2	292	4	MED CITY:(4)
6.7	6.0	156	5	SUBURB 4:(5)
9.0	8.0	209	6	LRG CITY:(6)
6.0	5.3	140	7	SUBURB 6:(7)
8.2	7.3	190	8	VRYLG CY:(8)
4.4	3.9	103	9	SUBURB 8:(9)

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/60

v4153 984C06 :R NOT MARRIED

C06: What is your present marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	45	1	MARRIED:(1)
5.6	5.4	142	2	ENGAGED:(2)
0.7	0.7	19	3	SEP/DIV:(3)
91.9	89.0	2328	4	SINGLE:(4)
	3.1	82	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/61

v49

98C07R:# SIBLINGS

C07: How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.4	142	0	NONE
29.3	28.2	738	1	1 SIBLING
28.2	27.1	710	2	2 SIBLINGS
36.9	35.5	929	3	3 OR MORE
	0.1	4	7	
	3.5	93	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 7-*
Decimals: 0 Max: 3

Input location: 1/18

v4155

984C07Cb(R):R'S HSHLD FATHER

C07C: Which of the following people live in the same household with you?

C07Ca: Father (or male guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	26.0	680	0	NT MARKD:(0)
73.0	70.4	1842	1	MARKED:(1)
	3.6	94	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/62

v4156 984C07Cc(R):R'S HSHLD MOTHER

C07C: Which of the following people live in the same household with you?

C07Cb: Mother (or female guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.2	292	0	NT MARKD:(0)
88.4	85.2	2229	1	MARKED:(1)
	3.6	94	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/63

v4157 984C07Cd(R):R'S HSHLD BR/SR

C07C: Which of the following people live in the same household with you?

C07Cc: Brother(s) and/or sister(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	34.5	902	0	NT MARKD:(0)
64.2	61.9	1619	1	MARKED:(1)
	3.6	94	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/64

v4163

984C08 :FATHR EDUC LEVEL

C08: What is the highest level of schooling your father completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.5	91	1	GRDE SCH:(1)
10.1	9.1	238	2	SOME HS:(2)
30.2	27.2	711	3	HS GRAD:(3)
18.5	16.7	436	4	SOME CLG:(4)
21.5	19.3	506	5	CLG GRAD:(5)
15.8	14.3	373	6	GRAD SCH:(6)
	6.0	158	7	DK:(7)
	4.0	103	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 7-*
Decimals: 0 Max: 6

Input location: 1/65

v4164

984C09 :MOTHR EDUC LEVEL

C09: What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.9	75	1	GRDE SCH:(1)
9.1	8.5	223	2	SOME HS:(2)
30.6	28.6	748	3	HS GRAD:(3)
20.5	19.2	501	4	SOME CLG:(4)
25.9	24.2	633	5	CLG GRAD:(5)
10.9	10.2	266	6	GRAD SCH:(6)
	2.7	70	7	DK:(7)
	3.8	101	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 7-*
Decimals: 0 Max: 6

Input location: 1/66

v4165

984C10 :MOTH PD JB R YNG

C10: Did your mother have a paid job (half-time or more) during the time you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	15.0	392	1	NO:(1)
21.1	20.2	529	2	SOMETIME:(2)
18.6	17.8	466	3	MOSTTIME:(3)
44.7	42.8	1120	4	ALL TIME:(4)
	4.1	108	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/67

v4166

984C11 :R'S POLTL PRFNC

C11: How would you describe your political preference?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	2.9	75	0	
9.9	6.6	174	1	STRG GOP:(1)
15.7	10.6	277	2	MILD GOP:(2)
18.1	12.2	319	3	MILD DEM:(3)
8.9	6.0	157	4	STRG DEM:(4)
14.2	9.6	250	5	INDEPNDT:(5)
31.2	21.0	550	6	NO PREF:(6)
1.9	1.3	34	7	OTHER:(7)
	25.7	672	8	DK:(8)
	4.2	109	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 7

Input location: 1/68

v4167

984C12 :R'POL BLF RADCL

C12: How would you describe your political beliefs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	3	0	
6.3	3.8	101	1	VRY CONS:(1)
18.5	11.2	293	2	CONSERV:(2)
41.1	24.9	652	3	MODERATE:(3)
23.4	14.2	371	4	LIBERAL:(4)
6.4	3.9	102	5	VRY LIB:(5)
4.3	2.6	68	6	RADICAL:(6)
	34.8	909	8	NONE/DK:(8)
	4.5	117	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/69

v4169

984C13B:R'ATTND REL SVC

C13: The next three questions are about religion. (This question is omitted from Western Region questionnaires.)

C13B: How often do you attend religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	10.4	273	1	NEVER:(1)
35.8	27.8	726	2	RARELY:(2)
18.9	14.7	384	3	1-2X/MO:(3)
31.8	24.7	645	4	1/WK OR+:(4)
	18.7	488	6	
	3.8	101	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 6-*
Decimals: 0 Max: 4

Input location: 1/70

v4170

984C13C:RLGN IMP R'S LF

C13: The next three questions are about religion. (This question is omitted from Western Region questionnaires.)

C13C: How important is religion in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	11.5	302	1	NOT IMPT:(1)
24.7	19.1	498	2	LITL IMP:(2)
28.7	22.2	581	3	PRTY IMP:(3)
31.7	24.5	641	4	VERY IMP:(4)
	18.7	488	6	
	4.1	106	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 6-*
Decimals: 0 Max: 4

Input location: 1/71

v4171

984C14 :WHEN R XPCT GRAD

C14: When are you most likely to graduate from high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
97.5	93.7	2451	1	BY JUNE:(1)
1.9	1.9	49	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.5	0.5	14	6	WONT:(6)
	3.9	102	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 6

Input location: 1/72

v4172

984C15 :R'S HS PROGRAM

C15: Which of the following best describes your present high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.4	11	0	
57.3	54.7	1430	1	CLG PREP:(1)
27.9	26.7	697	2	GENERAL:(2)
8.6	8.2	216	3	VOC-TECH:(3)
6.2	5.9	155	4	OTH/DK:(4)
	4.1	106	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/73

v4173

984C16 :RT SF SCH AB>AVG

C16: Compared with others your age throughout the country, how do you rate yourself on school ability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	1	0	
0.9	0.9	23	1	FAR BLOW:(1)
2.2	2.1	54	2	BELOW AV:(2)
4.5	4.3	112	3	SL BELOW:(3)
32.1	30.4	794	4	AVERAGE:(4)
22.8	21.6	566	5	SL ABOVE:(5)
29.6	28.0	733	6	ABOVE AV:(6)
7.8	7.4	194	7	FAR ABOV:(7)
	5.2	137	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 7

Input location: 1/74

v4174

984C17 :RT SF INTELL>AVG

C17: How intelligent do you think you are compared with others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	17	1	FAR BLOW:(1)
1.8	1.7	44	2	BELOW AV:(2)
3.1	2.9	76	3	SL BELOW:(3)
31.7	30.0	784	4	AVERAGE:(4)
21.3	20.2	528	5	SL ABOVE:(5)
32.4	30.6	801	6	ABOVE AV:(6)
9.1	8.6	225	7	FAR ABOV:(7)
	5.4	141	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/75

v4175

984C18A:#DA/4W SC MS ILL

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C18A: Because of illness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
60.0	55.5	1452	1	NONE:(1)
19.3	17.8	466	2	1 DAY:(2)
9.2	8.5	223	3	2 DAYS:(3)
5.3	4.9	128	4	3 DAYS:(4)
3.5	3.2	85	5	4-5 DAYS:(5)
1.8	1.6	43	6	6-10 DA:(6)
1.0	0.9	24	7	11+ DAYS:(7)
	7.5	195	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 7

Input location: 1/76

v4176 984C18B:#DA/4W SC MS CUT

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed . . .
 C18B: Because you skipped or "cut"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	59.5	1556	1	NONE:(1)
17.0	15.3	401	2	1 DAY:(2)
7.3	6.6	173	3	2 DAYS:(3)
3.7	3.4	89	4	3 DAYS:(4)
3.2	2.9	76	5	4-5 DAYS:(5)
1.6	1.5	39	6	6-10 DA:(6)
1.4	1.2	33	7	11+ DAYS:(7)
	9.6	251	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/77

v4177 984C18C:#DA/4W SC MS OTH

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed . . .
 C18C: For other reasons

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	50.9	1330	1	NONE:(1)
19.4	17.7	464	2	1 DAY:(2)
12.3	11.3	295	3	2 DAYS:(3)
5.5	5.1	133	4	3 DAYS:(4)
4.3	4.0	104	5	4-5 DAYS:(5)
1.8	1.6	42	6	6-10 DA:(6)
1.0	0.9	24	7	11+ DAYS:(7)
	8.5	223	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/78

v4178

984C19 :#DA/4W SKP CLASS

C19: During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	60.8	1591	1	NONE:(1)
21.4	20.3	531	2	1-2:(2)
8.8	8.4	219	3	3-5:(3)
3.3	3.1	82	4	6-10:(4)
1.2	1.1	29	5	11-20:(5)
1.2	1.2	30	6	21+:(6)
	5.1	133	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 6

Input location: 1/79

v4179

984C20 :R HS GRADE/D=1

C20: Which of the following best describes your average grade so far in high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	5.6	147	0	
1.2	1.1	30	1	D:(1)
2.5	2.4	62	2	C-:(2)
5.8	5.5	144	3	C:(3)
9.8	9.2	241	4	C+:(4)
12.3	11.6	304	5	B-:(5)
18.6	17.6	460	6	B:(6)
18.1	17.1	447	7	B+:(7)
16.4	15.5	404	8	A-:(8)
15.3	14.4	377	9	A:(9)

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/80

v4180 984C21A:R WL DO VOC/TEC

C21: How likely is it that you will do each of the following things after high school?
 C21A: Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	49.2	1286	1	DEF WONT:(1)
22.3	19.8	518	2	PRB WONT:(2)
14.8	13.2	344	3	PRB WILL:(3)
7.7	6.9	180	4	DEF WILL:(4)
	11.0	287	9	

2616 cases (Wtd)				

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 4

Input location: 1/81

v4181 984C21B:R WL DO ARMD FC

C21: How likely is it that you will do each of the following things after high school?
 C21B: Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	64.1	1678	1	DEF WONT:(1)
16.3	14.4	378	2	PRB WONT:(2)
5.8	5.2	135	3	PRB WILL:(3)
5.6	5.0	130	4	DEF WILL:(4)
	11.3	295	9	

2616 cases (Wtd)				

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 4

Input location: 1/82

v4182

984C21C:R WL DO 2YR CLG

C21: How likely is it that you will do each of the following things after high school?

C21C: Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
40.0	35.4	926	1	DEF WONT:(1)
19.8	17.5	457	2	PRB WONT:(2)
22.8	20.2	528	3	PRB WILL:(3)
17.4	15.4	404	4	DEF WILL:(4)
	11.5	300	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/83

v4183

984C21D:R WL DO 4YR CLG

C21: How likely is it that you will do each of the following things after high school?

C21D: Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	10.8	283	1	DEF WONT:(1)
10.8	9.8	257	2	PRB WONT:(2)
23.1	21.0	550	3	PRB WILL:(3)
54.2	49.4	1293	4	DEF WILL:(4)
	8.9	232	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/84

v4184 984C21E:R WL DO GRD/PRF

C21: How likely is it that you will do each of the following things after high school?
 C21E: Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	17.9	468	1	DEF WONT:(1)
26.2	23.2	608	2	PRB WONT:(2)
35.1	31.1	814	3	PRB WILL:(3)
18.6	16.5	432	4	DEF WILL:(4)
	11.2	294	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 4

Input location: 1/85

v4185 984C22A:R WNTDO VOC/TEC

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?
 C22A: Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	76.2	1994	0	NT MARKD:(0)
17.2	15.8	414	1	MARKED:(1)
	7.9	208	9	

 2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
 Decimals: 0 Max: 1

Input location: 1/86

v4186

984C22B:R WNTDO ARMD FC

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22B: Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	79.9	2089	0	NT MARKD:(0)
13.2	12.2	319	1	MARKED:(1)
	7.9	208	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/87

v4187

984C22C:R WNTDO 2YR CLG

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22C: Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	69.7	1824	0	NT MARKD:(0)
24.3	22.3	584	1	MARKED:(1)
	7.9	208	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/88

v4188 984C22D:R WNTDO 4YR CLG

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?
 C22D: Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	21.0	548	0	NT MARKD:(0)
77.2	71.1	1860	1	MARKED:(1)
	7.9	208	9	

2616 cases (Wtd)				

Type: numeric Min: 0 MD Codes: 9
 Decimals: 0 Max: 1

Input location: 1/89

v4189 984C22E:R WNTDO GRD/PRF

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?
 C22E: Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	39.3	1028	0	NT MARKD:(0)
57.3	52.8	1380	1	MARKED:(1)
	7.9	208	9	

2616 cases (Wtd)				

Type: numeric Min: 0 MD Codes: 9
 Decimals: 0 Max: 1

Input location: 1/90

v4190

984C22F:R WNTDO NONE

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

C22F: None of the above

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	87.8	2297	0	NT MARKD:(0)
4.6	4.2	111	1	MARKED:(1)
	7.9	208	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 1

Input location: 1/91

v4191

984C23 :HRS/W WRK SCHYR

C23: On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.2	5	0	
24.0	22.2	581	1	NONE:(1)
9.8	9.1	237	2	5 OR <:(2)
9.1	8.4	219	3	6-10 HRS:(3)
10.5	9.7	253	4	11-15 HR:(4)
15.1	13.9	364	5	16-20 HR:(5)
13.6	12.5	328	6	21-25 HR:(6)
9.4	8.7	228	7	26-30 HR:(7)
8.6	8.0	208	8	30+ HRS:(8)
	7.4	193	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 8

Input location: 1/92

v4192

984C24A:R\$/AVG WEEK JOB

C24: During an average week, how much money do you get from . . .

C24A: A job or other work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	9.3	243	0	
29.5	26.8	701	1	NONE:(1)
1.3	1.2	31	2	\$1-5:(2)
3.1	2.8	72	3	\$6-10:(3)
2.1	1.9	49	4	\$11-20:(4)
4.6	4.2	110	5	\$21-35:(5)
6.5	5.9	155	6	\$36-50:(6)
11.0	10.0	261	7	\$51-75:(7)
23.2	21.1	551	8	\$76-125:(8)
18.7	16.9	443	9	\$126+:(9)

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/93

v4193

984C24B:R\$/AVG WEEK OTH

C24: During an average week, how much money do you get
from . . .

C24B: Other sources (allowances, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	11.1	291	0	
38.2	34.0	888	1	NONE:(1)
6.4	5.7	149	2	\$1-5:(2)
11.8	10.5	276	3	\$6-10:(3)
18.5	16.4	430	4	\$11-20:(4)
11.4	10.1	264	5	\$21-35:(5)
5.5	4.9	128	6	\$36-50:(6)
2.9	2.6	67	7	\$51-75:(7)
1.5	1.4	35	8	\$76-125:(8)
3.8	3.3	87	9	\$126+:(9)

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0
Decimals: 0 Max: 9

Input location: 1/94

v4194 984C25 :#X/AV WK GO OUT

C25: During a typical week, on how many evenings do you go out for fun and recreation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
8.4	7.8	204	1	< 1:(1)
13.5	12.6	328	2	ONE:(2)
27.1	25.1	658	3	TWO:(3)
25.6	23.7	620	4	THREE:(4)
16.3	15.1	395	5	4-5:(5)
9.1	8.4	220	6	6-7:(6)
	7.2	189	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 6

Input location: 1/95

v4195 984C26 :#X DATE 3+/WK

C26: On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	17.1	447	1	NEVER:(1)
18.6	17.2	449	2	1/MO OR<:(2)
16.3	15.0	393	3	2-3/MO:(3)
16.5	15.2	399	4	1/WK:(4)
17.5	16.1	422	5	2-3/WK:(5)
12.5	11.5	302	6	3+/WK:(6)
	7.8	204	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 6

Input location: 1/96

v4196

984C27 :DRIVE>200 MI/WK

C27: During an average week, how much do you usually drive a car, truck, or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
15.5	14.3	375	1	NONE:(1)
7.8	7.2	189	2	1-10 MI:(2)
20.9	19.3	504	3	11-50:(3)
21.9	20.2	530	4	51-100:(4)
19.2	17.7	464	5	101-200:(5)
14.6	13.5	352	6	> 200:(6)
	7.7	201	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 6

Input location: 1/97

v4197

984C28 :#X/12MO R TCKTD

C28: Within the LAST 12 MONTHS how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	62.6	1637	0	NONE:(0)
18.1	16.5	433	1	ONE:(1)
7.8	7.2	187	2	TWO:(2)
3.3	3.0	79	3	THREE:(3)
2.3	2.1	56	4	4+:(4)
	8.6	224	9	

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
Decimals: 0 Max: 4

Input location: 1/98

v4198

984C29AR#TCKTS AFT DRNK

C29: How many of these tickets or warnings occurred after you were . . .

C29A: Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	26.0	681	0	None:(0)
7.2	2.1	54	1	One:(1)
1.4	0.4	10	2	Two:(2)
0.4	0.1	3	3	3-4 or +:(3-4)
	62.6	1637	8	
	8.8	230	9	

2616 cases (Wtd)				

Type: numeric Min: 0 MD Codes: 8-*

Decimals: 0 Max: 3

Input location: 1/99

v4199

984C29BR#TCKTS AFT MARJ

C29: How many of these tickets or warnings occurred after you were . . .

C29B: Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	26.7	700	0	None:(0)
3.7	1.0	27	1	One:(1)
1.7	0.5	13	2	Two:(2)
0.8	0.2	6	3	3-4 or +:(3-4)
	62.6	1637	8	
	8.9	233	9	

2616 cases (Wtd)				

Type: numeric Min: 0 MD Codes: 8-*

Decimals: 0 Max: 3

Input location: 1/100

v4200

984C29CR#TCKTS AFT OTDG

C29: How many of these tickets or warnings occurred after you were . . .

C29C: Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	27.8	727	0	None:(0)
1.2	0.4	9	1	One:(1)
0.7	0.2	6	2	Two:(2)
0.2	0.1	2	3	3-4 or +:(3-4)
	62.6	1637	8	
	9.0	235	9	

		2616		cases (Wtd)

Type: numeric Min: 0 MD Codes: 8-*
 Decimals: 0 Max: 3

Input location: 1/101

v4201

984C30 :#ACCIDNTS/12 MO

C30: During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	65.6	1716	0	NONE:(0)
20.8	18.9	494	1	ONE:(1)
5.0	4.5	118	2	TWO:(2)
1.2	1.1	30	3	THREE:(3)
0.8	0.7	19	4	4+:(4)
	9.2	240	9	

		2616		cases (Wtd)

Type: numeric Min: 0 MD Codes: 9
 Decimals: 0 Max: 4

Input location: 1/102

v4202

984C31AR#ACDTS AFT DRNK

C31: How many of these accidents occurred after you were . . .
 C31A: Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	23.6	618	0	None:(0)
4.7	1.2	31	1	One:(1)
0.6	0.1	4	2	Two:(2)
0.7	0.2	5	3	3-4 or +:(3-4)
	65.6	1716	8	
	9.3	242	9	

2616 cases (Wtd)				

Type: numeric Min: 0 MD Codes: 8-*
 Decimals: 0 Max: 3

Input location: 1/103

v4203

984C31BR#ACDTS AFT MARJ

C31: How many of these accidents occurred after you were . . .
 C31B: Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	23.9	625	0	None:(0)
3.2	0.8	21	1	One:(1)
0.4	0.1	3	2	Two:(2)
0.2	0.0	1	3	3-4 or +:(3-4)
	65.6	1716	8	
	9.6	250	9	

2616 cases (Wtd)				

Type: numeric Min: 0 MD Codes: 8-*
 Decimals: 0 Max: 3

Input location: 1/104

v4204

984C31CR#ACDTS AFT OTDG

C31: How many of these accidents occurred after you were . . .
 C31C: Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	24.6	644	0	None:(0)
0.4	0.1	3	1	One:(1)
0.2	0.1	1	2	Two:(2)
0.2	0.0	1	3	3-4 or +:(3-4)
	65.6	1716	8	
	9.6	250	9	

		2616		cases (Wtd)

Type: numeric Min: 0 MD Codes: 8-*
 Decimals: 0 Max: 3

Input location: 1/105

v4434

984D01A:# HRS PREF WORK

D01A: Think about the kinds of paid jobs that people your
 age usually have. If you could work just the number
 of hours that you wanted, how many hours per week
 would you PREFER to work during the school year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	8.9	232	0	
9.6	8.2	215	1	NONE:(1)
4.5	3.9	102	2	5 OR < H:(2)
11.4	9.8	258	3	6-10:(3)
14.7	12.7	332	4	11-15:(4)
20.7	17.9	467	5	16-20:(5)
15.9	13.7	359	6	21-25:(6)
11.1	9.6	250	7	26-30:(7)
12.0	10.3	270	8	31+ HRS:(8)
	5.0	130	9	DK:(9)

		2616		cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
 Decimals: 0 Max: 8

Input location: 1/294

v4435

984D01B:PRT #HR PREF WRK

D01B: How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	8.8	230	0	
16.3	12.7	332	1	NONE:(1)
7.0	5.4	142	2	5 OR < H:(2)
12.4	9.6	251	3	6-10:(3)
15.7	12.2	319	4	11-15:(4)
21.3	16.6	434	5	16-20:(5)
11.6	9.1	237	6	21-25:(6)
7.5	5.8	152	7	26-30:(7)
8.2	6.4	168	8	31+ HRS:(8)
	13.4	351	9	DK:(9)

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 8

Input location: 1/295

v4385

984D02A:RCNT EMPLYMT EXP

D02A: Which best describes your recent employment experience?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
57.9	52.4	1369	1	JOB NOW:(1)
13.2	11.9	312	2	JOB 3MO:(2)
19.9	18.0	470	3	NOJOB 3M:(3)
9.1	8.2	215	4	NEVER:(4)
	9.5	248	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/251

v4432

984D02B:KIND OF PAID JOB

D02B: Which of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	5.4	142	0	
0.8	0.5	13	1	HVNT WKD
2.2	1.4	36	2	LAWN
12.1	7.6	199	3	FASTFOOD
7.3	4.6	121	4	WAITER
8.7	5.4	142	5	OTH REST
0.3	0.2	4	6	PAPER RT
5.7	3.6	94	7	BABYSIT
3.8	2.4	62	8	FARM
25.2	15.8	414	9	SALES
7.0	4.4	115	10	OFFICE
1.5	1.0	25	11	ODD JOBS
25.5	16.0	419	12	OTHER
	31.7	830	99	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,99
Decimals: 0 Max: 12

Input location: 1/291-292

v4300

984D02C: CMP SATFD W/JOB

D02C: All things considered, how satisfied are (were) you with that job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	3.4	89	1	COMP DIS:(1)
9.4	5.8	151	2	QUITE DS:(2)
9.9	6.1	159	3	SMWT DIS:(3)
13.5	8.2	216	4	NEITHER:(4)
24.0	14.7	385	5	SMWT SAT:(5)
27.0	16.5	432	6	QUITE ST:(6)
10.7	6.6	171	7	COMP SAT:(7)
	38.8	1014	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/198

v4386

984D03 :JOB-#HRS/WEEK

D03: On the average, how many hours per week do (did) you work on this particular job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
7.5	5.1	132	1	5 OR <:(1)
12.0	8.0	210	2	6-10 HRS:(2)
14.9	10.0	262	3	11-15 HR:(3)
20.4	13.7	359	4	16-20 HR:(4)
18.4	12.3	323	5	21-25 HR:(5)
12.1	8.1	212	6	26-30 HR:(6)
8.0	5.4	141	7	31-35 HR:(7)
6.6	4.4	115	8	36+ HRS:(8)
	32.9	860	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 8

Input location: 1/252

v4387

984D04 :JOB-SUPERVSR AGE

D04: About how old is (was) your supervisor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.2	5	0	
2.2	1.4	38	1	20 OR <:(1)
11.6	7.7	202	2	21-25:(2)
23.6	15.6	409	3	26-30:(3)
62.6	41.4	1084	4	31+ YRS:(4)
	33.6	879	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 4

Input location: 1/253

v4388

984D05 :JOB-#WKRS OWN AG

D05: How many of the other workers are within 2 or 3 years of your own age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
18.1	12.0	314	1	NONE:(1)
28.9	19.1	499	2	A FEW:(2)
18.9	12.5	327	3	ABT HALF:(3)
16.4	10.9	284	4	MOST:(4)
12.9	8.5	223	5	NRLY ALL:(5)
4.7	3.1	81	6	ALL:(6)
	33.9	887	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 6

Input location: 1/254

v4389

984D06A:JOB-USE BEST SKL

D06: To what extent does (did) this job . . .
 D06A: Use your skills and abilities--let you do the things you do best?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	11.8	310	1	NOT @ALL:(1)
28.7	18.9	494	2	A LITTLE:(2)
28.8	18.9	495	3	SOME:(3)
13.2	8.7	227	4	CNSIDRBL:(4)
11.3	7.5	195	5	GREAT:(5)
	34.2	894	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/255

v4390

984D06B:JOB-TEACH SKILLS

D06: To what extent does (did) this job . . .
 D06B: Teach you new skills that will be useful in your future work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	13.4	350	1	NOT @ALL:(1)
24.4	16.0	419	2	A LITTLE:(2)
23.8	15.7	410	3	SOME:(3)
16.3	10.7	279	4	CNSIDRBL:(4)
15.1	9.9	259	5	GREAT:(5)
	34.4	899	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/256

v4391 984D06C:JOB-USE LRND SKL

D06: To what extent does (did) this job . . .
 D06C: Make good use of special skills you learned
 in technical, vocational, business, or professional
 studies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	31.8	831	1	NOT @ALL:(1)
17.3	11.3	295	2	A LITTLE:(2)
16.6	10.8	283	3	SOME:(3)
9.7	6.3	166	4	CNSIDRBL:(4)
7.7	5.0	132	5	GREAT:(5)
	34.8	910	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/257

v4392 984D06D:JOB-DIF SOC BKGD

D06: To what extent does (did) this job . . .
 D06D: Let you get to know people with social
 backgrounds very different from yours?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	12.1	317	1	NOT @ALL:(1)
20.1	13.1	342	2	A LITTLE:(2)
23.4	15.2	398	3	SOME:(3)
20.2	13.2	344	4	CNSIDRBL:(4)
17.7	11.5	301	5	GREAT:(5)
	34.9	914	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/258

v4393 984D06E:JOB-OVER AGE 30

D06: To what extent does (did) this job . . .
 D06E: Let you get to know people over age 30?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	7.6	198	1	NOT @ALL:(1)
14.4	9.4	246	2	A LITTLE:(2)
24.1	15.7	412	3	SOME:(3)
22.6	14.8	386	4	CNSIDRBL:(4)
27.3	17.9	468	5	GREAT:(5)
	34.6	906	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/259

v4394 984D06F:JOB-->STRESS

D06: To what extent does (did) this job . . .
 D06F: Cause you stress and tension?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
21.8	14.2	372	1	NOT @ALL:(1)
24.5	16.0	419	2	A LITTLE:(2)
25.7	16.8	438	3	SOME:(3)
14.4	9.4	246	4	CNSIDRBL:(4)
13.5	8.8	230	5	GREAT:(5)
	34.7	907	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
 Decimals: 0 Max: 5

Input location: 1/260

v4395

984D06G:JOB-INTRFR W ED

D06: To what extent does (did) this job . . .
 D06G: Interfere with your education?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	29.4	769	1	NOT @ALL:(1)
24.8	16.2	424	2	A LITTLE:(2)
18.2	11.9	311	3	SOME:(3)
7.1	4.6	120	4	CNSIDRBL:(4)
4.8	3.1	81	5	GREAT:(5)
	34.8	911	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/261

v4396

984D06H:JOB-INTRFR W SOC

D06: To what extent does (did) this job . . .
 D06H: Interfere with your social life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	14.1	369	1	NOT @ALL:(1)
26.8	17.4	456	2	A LITTLE:(2)
24.9	16.2	425	3	SOME:(3)
14.4	9.4	246	4	CNSIDRBL:(4)
12.2	7.9	207	5	GREAT:(5)
	34.9	913	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/262

v4397

984D06I:JOB-INTRFR W FAM

D06: To what extent does (did) this job . . .
 D06I: Interfere with your family life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	25.7	672	1	NOT @ALL:(1)
23.9	15.6	408	2	A LITTLE:(2)
18.8	12.2	320	3	SOME:(3)
10.3	6.7	176	4	CNSIDRBL:(4)
7.5	4.9	128	5	GREAT:(5)
	34.9	912	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/263

v4398

984D07A:JOB-INTERESTING

D07: To what extent is (was) this job . . .
 D07A: An interesting job to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	12.0	313	1	NOT @ALL:(1)
21.5	13.9	364	2	A LITTLE:(2)
28.4	18.4	482	3	SOME:(3)
19.2	12.4	325	4	CNSIDRBL:(4)
12.6	8.2	213	5	GREAT:(5)
	35.1	919	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/264

v4399

984D07B:JOB-HAPPY FR LIF

D07: To what extent is (was) this job . . .

D07B: A job you COULD be happy doing for most of
your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	41.5	1085	1	NOT @ALL:(1)
11.8	7.6	200	2	A LITTLE:(2)
12.9	8.3	218	3	SOME:(3)
5.7	3.7	96	4	CNSIDRBL:(4)
5.6	3.6	94	5	GREAT:(5)
	35.3	924	9	

2616 cases (Wtd)Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/265

v4400

984D07C:JOB-EXPCT FR LIF

D07: To what extent is (was) this job . . .

D07C: The type of work you EXPECT to be doing for
most of your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	48.5	1269	1	NOT @ALL:(1)
8.3	5.4	140	2	A LITTLE:(2)
8.4	5.4	142	3	SOME:(3)
3.5	2.2	59	4	CNSIDRBL:(4)
4.8	3.1	82	5	GREAT:(5)
	35.3	924	9	

2616 cases (Wtd)Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/266

v4401 984D07D:JOB-STEP STONE

D07: To what extent is (was) this job . . .
 D07D: A good stepping-stone toward the kind of work
 you want in the long run?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
53.6	34.6	905	1	NOT @ALL:(1)
18.7	12.1	316	2	A LITTLE:(2)
11.2	7.3	190	3	SOME:(3)
7.0	4.5	118	4	CNSIDRBL:(4)
9.4	6.1	158	5	GREAT:(5)
	35.4	926	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
 Decimals: 0 Max: 5

Input location: 1/267

v4402 984D07E:JOB-DO JST FOR \$

D07: To what extent is (was) this job . . .
 D07E: The kind of work people do just for the
 money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	11.3	295	1	NOT @ALL:(1)
16.1	10.4	272	2	A LITTLE:(2)
22.3	14.4	378	3	SOME:(3)
18.3	11.8	309	4	CNSIDRBL:(4)
25.9	16.8	439	5	GREAT:(5)
	35.3	922	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/268

v4403

984D08 :JOB-TCHR HELP GT

D08: To what extent did any high school teacher or counselor help you get this job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	53.2	1391	1	NOT @ALL:(1)
4.6	2.9	76	2	A LITTLE:(2)
5.3	3.4	88	3	SOME:(3)
2.5	1.6	42	4	CNSIDRBL:(4)
4.9	3.1	82	5	GREAT:(5)
	35.8	936	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/269

v4404

984D09 :JOB-WORK STUDY

D09: Is (was) this job part of a work-study program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
10.6	6.8	177	1	YES:(1)
89.4	57.0	1490	2	NO:(2)
	36.2	948	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 2

Input location: 1/270

v4301

984D10A:I CNT CHNG WORLD

D10: People have different opinions about world problems.
 How much do you agree or disagree with each of the
 following statements?

D10A: I feel that I can do very little to change
 the way the world is today

PCT VALID	PCT ALL	N	VALUE	LABEL
14.9	12.8	334	1	DISAGREE:(1)
22.9	19.6	512	2	MOST DIS:(2)
26.9	23.0	602	3	NEITHER:(3)
23.4	20.0	523	4	MOST AGR:(4)
11.8	10.1	265	5	AGREE:(5)
	14.5	380	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/199

v4302

984D10B:SOCTY WONT LAST

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the
following statements?

D10B: It does little good to clean up air and water
pollution because this society will not last long
enough for it to matter

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	29.9	782	1	DISAGREE:(1)
28.0	23.9	625	2	MOST DIS:(2)
20.7	17.7	462	3	NEITHER:(3)
8.6	7.4	192	4	MOST AGR:(4)
7.6	6.5	170	5	AGREE:(5)
	14.7	384	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/200

v4303

984D10C:THG TUF,TCHN SLV

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the
following statements?

D10C: When things get tough enough, we'll put our
minds to it and find a technological solution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	6.6	173	1	DISAGREE:(1)
11.1	9.4	247	2	MOST DIS:(2)
30.3	25.8	675	3	NEITHER:(3)
34.0	28.9	756	4	MOST AGR:(4)
16.8	14.3	374	5	AGREE:(5)
	14.9	391	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/201

v4304

984D10D:NO HOPE 4 WORLD

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the
following statements?

D10D: When I think about all the terrible things
that have been happening, it is hard for me to hold
out much hope for the world

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	14.3	375	1	DISAGREE:(1)
24.4	20.7	541	2	MOST DIS:(2)
31.4	26.7	698	3	NEITHER:(3)
18.4	15.6	409	4	MOST AGR:(4)
8.9	7.6	198	5	AGREE:(5)
	15.1	394	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/202

v4305 984D10E:WNDR PURPS 2 LIF

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the following statements?

D10E: I often wonder if there is any real purpose to my life in light of the world situation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	23.7	620	1	DISAGREE:(1)
19.5	16.4	430	2	MOST DIS:(2)
29.1	24.5	640	3	NEITHER:(3)
15.4	13.0	340	4	MOST AGR:(4)
7.8	6.6	173	5	AGREE:(5)
	15.8	413	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/203

v4306 984D10F:WRLD UPHVL 10 YR

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the following statements?

D10F: My guess is that this country will be caught up in a major world upheaval in the next 10 years

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	10.8	284	1	DISAGREE:(1)
14.3	12.1	316	2	MOST DIS:(2)
39.3	33.1	866	3	NEITHER:(3)
21.2	17.9	467	4	MOST AGR:(4)
12.3	10.4	272	5	AGREE:(5)
	15.7	411	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/204

v4307

984D10G:ANNIHLTN IN LFTM

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the
following statements?

D10G: Nuclear or biological annihilation will
probably be the fate of all mankind, within my
lifetime

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	20.6	538	1	DISAGREE:(1)
18.2	15.3	401	2	MOST DIS:(2)
36.4	30.6	801	3	NEITHER:(3)
12.6	10.6	278	4	MOST AGR:(4)
8.3	7.0	182	5	AGREE:(5)
	15.8	415	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/205

v4308

984D10H:HMN RCE RSILIENT

D10: People have different opinions about world problems.
How much do you agree or disagree with each of the following statements?

D10H: The human race has come through tough times before, and will do so again

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.4	114	1	DISAGREE:(1)
7.4	6.2	162	2	MOST DIS:(2)
28.4	23.9	624	3	NEITHER:(3)
34.1	28.7	751	4	MOST AGR:(4)
24.9	20.9	548	5	AGREE:(5)
	15.9	416	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/206

v4309

984D11A:#X BEER/LIFETIME

D11: On how many occasions (if any) have you had beer to drink . . .

D11A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	16.1	422	1	0 OCCAS:(1)
13.3	10.4	272	2	1-2X:(2)
9.0	7.0	184	3	3-5X:(3)
8.2	6.4	168	4	6-9X:(4)
11.7	9.1	239	5	10-19X:(5)
11.0	8.6	226	6	20-39X:(6)
26.1	20.4	533	7	40+OCCAS:(7)
	21.8	571	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/207

v4310 984D11B:#X BEER/LAST12MO

D11: On how many occasions (if any) have you had beer to
drink . . .

D11B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	27.1	708	1	0 OCCAS:(1)
13.4	10.3	271	2	1-2X:(2)
12.0	9.3	243	3	3-5X:(3)
9.6	7.4	194	4	6-9X:(4)
11.8	9.1	239	5	10-19X:(5)
7.7	5.9	155	6	20-39X:(6)
10.7	8.3	217	7	40+OCCAS:(7)
	22.6	590	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/208

v4311 984D11C:#X BEER/LAST30DA

D11: On how many occasions (if any) have you had beer to
drink . . .

D11C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	42.0	1099	1	0 OCCAS:(1)
17.6	13.6	356	2	1-2X:(2)
12.1	9.3	245	3	3-5X:(3)
7.6	5.8	153	4	6-9X:(4)
4.5	3.5	91	5	10-19X:(5)
1.9	1.4	38	6	20-39X:(6)
2.0	1.6	41	7	40+OCCAS:(7)
	22.7	593	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/209

v4312 984D12 :5+BR/LST2WK,10+X

D12: Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	54.4	1423	1	NONE:(1)
8.4	6.4	166	2	ONCE:(2)
7.2	5.5	143	3	TWICE:(3)
7.9	6.0	156	4	3-5X:(4)
3.2	2.4	63	5	6-9X:(5)
2.0	1.5	39	6	10+ TIME:(6)
	1.6	42	8	
	22.3	583	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 6

Input location: 1/210

v4428 984D13A:#X WIN COOL/LIFE

D13: On how many occasions (if any) have you had wine cooler(s) to drink . . .
D13A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	21.1	553	1	0 OCCAS:(1)
20.2	15.8	413	2	1-2X:(2)
16.8	13.1	344	3	3-5X:(3)
11.9	9.3	243	4	6-9X:(4)
10.9	8.5	223	5	10-19X:(5)
6.6	5.1	134	6	20-39X:(6)
6.6	5.2	136	7	40+OCCAS:(7)
	21.8	571	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/287

v4429 984D13B:#X WIN COOL/12MO

D13: On how many occasions (if any) have you had wine cooler(s) to drink . . .

D13B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	39.2	1024	1	0 OCCAS:(1)
22.5	17.5	457	2	1-2X:(2)
12.4	9.6	252	3	3-5X:(3)
6.7	5.2	135	4	6-9X:(4)
4.6	3.6	94	5	10-19X:(5)
1.6	1.3	33	6	20-39X:(6)
1.6	1.2	32	7	40+OCCAS:(7)
	22.5	588	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/288

v4430 984D13C:#X WIN COOL/30DA

D13: On how many occasions (if any) have you had wine cooler(s) to drink . . .

D13C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	61.8	1617	1	0 OCCAS:(1)
12.3	9.5	249	2	1-2X:(2)
5.1	4.0	104	3	3-5X:(3)
1.0	0.8	20	4	6-9X:(4)
1.1	0.9	23	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	22.7	593	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/289

v4431

984D14 :5+WINCOOL/LST2WK

D14: Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce bottles of wine cooler (or the equivalent) in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
90.5	67.8	1774	1	NONE:(1)
4.1	3.1	80	2	ONCE:(2)
2.4	1.8	47	3	TWICE:(3)
2.0	1.5	39	4	3-5X:(4)
0.5	0.4	10	5	6-9X:(5)
0.6	0.4	11	6	10+ TIME:(6)
	3.2	85	8	
	21.8	570	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/290

v4313 984D15A:#X WINE/LIFETIME

D15: On how many occasions (if any) have you had wine to
drink, not counting wine coolers . . .

D15A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	28.0	733	1	0 OCCAS:(1)
22.4	17.3	454	2	1-2X:(2)
16.3	12.6	330	3	3-5X:(3)
9.8	7.6	198	4	6-9X:(4)
7.4	5.8	151	5	10-19X:(5)
4.5	3.5	91	6	20-39X:(6)
3.5	2.7	70	7	40+OCCAS:(7)
	22.5	588	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/211

v4314 984D15B:#X WINE/LAST12MO

D15: On how many occasions (if any) have you had wine to
drink, not counting wine coolers . . .

D15B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	43.0	1125	1	0 OCCAS:(1)
25.0	19.2	503	2	1-2X:(2)
10.2	7.8	205	3	3-5X:(3)
4.3	3.3	86	4	6-9X:(4)
2.7	2.1	54	5	10-19X:(5)
0.9	0.7	18	6	20-39X:(6)
1.1	0.9	22	7	40+OCCAS:(7)
	23.1	603	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/212

v4315

984D15C:#X WINE/LAST30DA

D15: On how many occasions (if any) have you had wine to
 drink, not counting wine coolers . . .
 D15C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	64.5	1687	1	0 OCCAS:(1)
11.0	8.5	221	2	1-2X:(2)
3.1	2.4	62	3	3-5X:(3)
1.0	0.7	19	4	6-9X:(4)
0.4	0.3	9	5	10-19X:(5)
0.3	0.2	5	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	23.1	605	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 1/213

v4316

984D16 :#X 200Z+ WN/2 WK

D16: Think back over the LAST TWO WEEKS. How many times have you had five or more 4-ounce glasses of wine in a row (or the equivalent, which is about three-fourths of a bottle)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
93.6	70.4	1841	1	NONE:(1)
3.1	2.3	60	2	ONCE:(2)
1.7	1.3	34	3	TWICE:(3)
1.2	0.9	24	4	3-5X:(4)
0.3	0.3	7	5	6-9X:(5)
0.1	0.1	1	6	10+ TIME:(6)
	2.2	57	8	
	22.6	591	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/214

v4317

984D17A:#X LIQR/LIFETIME

D17: On how many occasions (if any) have you had liquor to drink . . .

D17A: . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	18.0	472	1	0 OCCAS:(1)
13.1	10.1	264	2	1-2X:(2)
14.0	10.8	283	3	3-5X:(3)
11.2	8.6	226	4	6-9X:(4)
12.9	10.0	261	5	10-19X:(5)
10.8	8.4	218	6	20-39X:(6)
14.5	11.2	293	7	40+OCCAS:(7)
	22.8	598	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/215

v4318

984D17B:#X LIQR/LAST12MO

D17: On how many occasions (if any) have you had liquor to drink . . .

D17B: . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	28.5	746	1	0 OCCAS:(1)
18.7	14.4	377	2	1-2X:(2)
13.3	10.2	267	3	3-5X:(3)
10.7	8.2	216	4	6-9X:(4)
10.4	8.0	209	5	10-19X:(5)
5.5	4.2	110	6	20-39X:(6)
4.3	3.3	86	7	40+OCCAS:(7)
	23.2	606	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/216

v4319

984D17C:#X LIQR/LAST30DA

D17: On how many occasions (if any) have you had liquor
to drink . . .

D17C: . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	48.1	1258	1	0 OCCAS:(1)
18.7	14.3	375	2	1-2X:(2)
10.1	7.8	203	3	3-5X:(3)
5.2	4.0	104	4	6-9X:(4)
1.9	1.4	38	5	10-19X:(5)
0.8	0.6	17	6	20-39X:(6)
0.7	0.5	14	7	40+OCCAS:(7)
	23.2	607	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 7

Input location: 1/217

v4320

984D18 :#X 5+LIQ/LST 2WK

D18: Think back over the LAST TWO WEEKS. How many times have you had five or more mixed drinks or shot glasses of hard liquor in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
76.3	56.5	1477	1	NONE:(1)
8.5	6.3	165	2	ONCE:(2)
7.0	5.1	135	3	TWICE:(3)
5.3	3.9	103	4	3-5X:(4)
1.6	1.2	31	5	6-9X:(5)
1.3	1.0	25	6	10+ TIME:(6)
	3.3	87	8	
	22.6	592	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/218

v4321 984E01A:MLTRY GET AHEAD

E01: To what extent do you think the following opportunities are available to people who work in the military services?

E01A: A chance to get ahead

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	1	0	
10.4	8.5	222	1	VLIT EXT:(1)
10.4	8.5	222	2	LITL EXT:(2)
40.7	33.1	866	3	SM EXTNT:(3)
24.7	20.1	525	4	GRT EXT:(4)
13.7	11.2	292	5	VGRT EXT:(5)
	18.6	488	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 5

Input location: 1/219

v4322 984E01B:MLTRY MORE ED

E01: To what extent do you think the following opportunities are available to people who work in the military services?

E01B: A chance to get more education

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.8	151	1	VLIT EXT:(1)
9.7	7.9	206	2	LITL EXT:(2)
32.1	26.1	682	3	SM EXTNT:(3)
32.1	26.1	684	4	GRT EXT:(4)
19.0	15.5	405	5	VGRT EXT:(5)
	18.7	488	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/220

v4323

984E01C:MLTRY ADVNC RESP

E01: To what extent do you think the following opportunities are available to people who work in the military services?

E01C: A chance to advance to a more responsible position

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.8	151	1	VLIT EXT:(1)
8.1	6.6	173	2	LITL EXT:(2)
29.3	23.7	621	3	SM EXTNT:(3)
36.1	29.3	765	4	GRT EXT:(4)
19.4	15.8	413	5	VGRT EXT:(5)
	18.9	493	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/221

v4324

984E01D:MLTRY >FLFLLG JB

E01: To what extent do you think the following opportunities are available to people who work in the military services?
 E01D: A chance to have a personally more fulfilling job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
11.1	9.0	236	1	VLIT EXT:(1)
11.5	9.3	244	2	LITL EXT:(2)
33.7	27.3	714	3	SM EXTNT:(3)
28.9	23.4	612	4	GRT EXT:(4)
14.8	12.0	315	5	VGRT EXT:(5)
	18.9	495	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
 Decimals: 0 Max: 5

Input location: 1/222

v4325

984E01E:MLTRY IDEAS HERD

E01: To what extent do you think the following opportunities are available to people who work in the military services?
 E01E: A chance to get their ideas heard

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	16.5	431	1	VLIT EXT:(1)
19.9	16.0	418	2	LITL EXT:(2)
33.8	27.2	712	3	SM EXTNT:(3)
15.7	12.6	331	4	GRT EXT:(4)
10.1	8.1	212	5	VGRT EXT:(5)
	19.5	511	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/223

v4326

984E02 :EXTNT MLTRY JSTC

E02: To what extent is it likely that a person in the military can get things changed and set right if treated unjustly by a superior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	17.2	451	1	VLIT EXT:(1)
25.3	20.2	530	2	LITL EXT:(2)
34.9	27.9	730	3	SM EXTNT:(3)
12.4	9.9	260	4	GRT EXT:(4)
5.9	4.7	123	5	VGRT EXT:(5)
	20.0	523	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/224

v4327

984E03 :MLTRY DSCRM WOMN

E03: To what extent do you think there is any discrimination against women who are in the armed services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	8.0	210	1	VLIT EXT:(1)
15.7	12.5	327	2	LITL EXT:(2)
36.3	29.0	759	3	SM EXTNT:(3)
23.1	18.5	483	4	GRT EXT:(4)
14.9	11.9	311	5	VGRT EXT:(5)
	20.1	525	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/225

v4328

984E04 :MLTRY DSCRM BLKS

E04: To what extent do you think there is any discrimination against African-American people who are in the armed services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	20.0	524	1	VLIT EXT:(1)
23.3	18.5	485	2	LITL EXT:(2)
34.9	27.8	727	3	SM EXTNT:(3)
11.3	9.0	235	4	GRT EXT:(4)
5.5	4.4	115	5	VGRT EXT:(5)
	20.3	531	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/226

v4433

984E05 :NT VOL 4 NEC WAR

E05: If YOU felt that it was necessary for the U.S. to fight in some future war, how likely is it that you would volunteer for military service in that war?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.4	11	0	
10.0	8.0	210	1	DEF VOLN:(1)
4.0	3.2	83	2	LKLY VOL:(2)
10.4	8.3	217	3	PRBL VOL:(3)
15.9	12.7	332	4	PRBL NOT:(4)
10.6	8.5	222	5	LKLY NOT:(5)
28.1	22.5	588	6	DEF NOT:(6)
21.2	17.0	443	7	NVR NECS:(7)
	19.5	509	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 7

Input location: 1/293

v4332

984E06A:P'IDEA OF DO LIF

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .
 E06A: What you should do with your life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	16.7	436	1	VY SIMLR:(1)
49.6	29.0	759	2	MST SIML:(2)
11.0	6.4	168	3	MST DIFF:(3)
10.9	6.4	167	4	VY DIFFT:(4)
	18.7	488	6	
	6.1	159	8	DK:(8)
	16.8	439	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 6-*
 Decimals: 0 Max: 4

Input location: 1/227

v4333

984E06B:P'IDEA OF LSR TM

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .
 E06B: What you do in your leisure time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
10.9	6.4	166	1	VY SIMLR:(1)
33.7	19.7	515	2	MST SIML:(2)
28.0	16.4	428	3	MST DIFF:(3)
27.5	16.1	421	4	VY DIFFT:(4)
	18.7	488	6	
	5.9	154	8	DK:(8)
	16.9	442	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
 Decimals: 0 Max: 4

Input location: 1/228

v4334

984E06C:P'IDEA OF CLTHES

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06C: How you dress--what clothes you wear

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
24.8	14.6	382	1	VY SIMLR:(1)
42.5	25.0	655	2	MST SIML:(2)
15.5	9.1	239	3	MST DIFF:(3)
17.2	10.1	264	4	VY DIFFT:(4)
	18.7	488	6	
	5.4	142	8	DK:(8)
	17.0	445	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/229

v4335

984E06D:P'IDEA OF SPND \$

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06D: How you spend your money

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
12.7	7.4	194	1	VY SIMLR:(1)
32.6	19.0	496	2	MST SIML:(2)
25.7	15.0	392	3	MST DIFF:(3)
29.0	16.9	441	4	VY DIFFT:(4)
	18.7	488	6	
	6.0	157	8	DK:(8)
	17.1	446	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/230

v4336

984E06E:P'IDEA OF DATE

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .
 E06E: What things are O.K. to do when you are on a date

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	10.8	283	1	VY SIMLR:(1)
33.6	18.2	476	2	MST SIML:(2)
24.2	13.1	343	3	MST DIFF:(3)
22.2	12.0	315	4	VY DIFFT:(4)
	18.7	488	6	
	9.9	259	8	DK:(8)
	17.3	452	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
 Decimals: 0 Max: 4

Input location: 1/231

v4337

984E06F:P'IDEA OF OK DRK

(This question is omitted from Western Region questions.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .
 E06F: Whether it is O.K. to drink

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	15.7	411	1	VY SIMLR:(1)
27.5	16.3	426	2	MST SIML:(2)
21.2	12.5	328	3	MST DIFF:(3)
24.7	14.6	382	4	VY DIFFT:(4)
	18.7	488	6	
	4.9	127	8	DK:(8)
	17.4	454	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
 Decimals: 0 Max: 4

Input location: 1/232

v4338

984E06G:P'IDEA OF OK MRJ

(This question is omitted from the Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06G: Whether it is O.K. to use marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
53.3	30.4	795	1	VY SIMLR:(1)
12.0	6.8	179	2	MST SIML:(2)
10.0	5.7	149	3	MST DIFF:(3)
24.7	14.1	368	4	VY DIFFT:(4)
	18.7	488	6	
	6.8	178	8	DK:(8)
	17.5	458	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/233

v4339

984E06H:P'IDEA OF OK DRG

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06H: Whether it is O.K. to use other drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
65.0	37.2	973	1	VY SIMLR:(1)
11.4	6.5	171	2	MST SIML:(2)
4.6	2.6	69	3	MST DIFF:(3)
19.0	10.9	284	4	VY DIFFT:(4)
	18.7	488	6	
	6.4	167	8	DK:(8)
	17.7	463	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/234

v4340

984E06I:P'IDEA OF VALUES

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .
 E06I: What values are important in life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	26.2	685	1	VY SIMLR:(1)
38.7	22.8	597	2	MST SIML:(2)
9.6	5.7	148	3	MST DIFF:(3)
7.3	4.3	112	4	VY DIFFT:(4)
	18.7	488	6	
	4.7	123	8	DK:(8)
	17.7	462	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
 Decimals: 0 Max: 4

Input location: 1/235

v4341

984E06J:P'IDEA OF EDUC

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .
 E06J: The value of education

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	1	0	
64.4	38.7	1013	1	VY SIMLR:(1)
26.1	15.7	410	2	MST SIML:(2)
5.7	3.4	90	3	MST DIFF:(3)
3.8	2.3	60	4	VY DIFFT:(4)
	18.7	488	6	
	3.6	93	8	DK:(8)
	17.6	461	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
 Decimals: 0 Max: 4

Input location: 1/236

v4342

984E06K:P'IDEA OF SX RLS

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06K: What are appropriate roles for women

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
45.6	24.7	645	1	VY SIMLR:(1)
36.4	19.7	515	2	MST SIML:(2)
10.9	5.9	155	3	MST DIFF:(3)
7.0	3.8	99	4	VY DIFFT:(4)
	18.7	488	6	
	9.4	247	8	DK:(8)
	17.7	464	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/237

v4343

984E06L:P'IDEA OF ECLOGY

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06L: Conservation and pollution issues

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	3	0	
28.5	12.2	319	1	VY SIMLR:(1)
48.7	20.9	546	2	MST SIML:(2)
13.2	5.6	148	3	MST DIFF:(3)
9.6	4.1	108	4	VY DIFFT:(4)
	18.7	488	6	
	20.5	538	8	DK:(8)
	17.9	467	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/238

v4344

984E06M:P'IDEA OF RCL IS

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06M: Racial issues

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
41.6	22.0	575	1	VY SIMLR:(1)
35.0	18.5	484	2	MST SIML:(2)
13.6	7.2	188	3	MST DIFF:(3)
9.7	5.1	134	4	VY DIFFT:(4)
	18.7	488	6	
	10.6	278	8	DK:(8)
	17.9	468	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/239

v4345

984E06N:P'IDEA OF RLGION

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E06N: Religion

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	25.2	660	1	VY SIMLR:(1)
31.7	17.3	452	2	MST SIML:(2)
10.9	5.9	155	3	MST DIFF:(3)
11.1	6.0	158	4	VY DIFFT:(4)
	18.7	488	6	
	8.9	232	8	DK:(8)
	18.0	471	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,6-*
Decimals: 0 Max: 4

Input location: 1/240

v4346

984E060:P'IDEA OF PLTICS

(This question is omitted from Western Region questionnaires.)

E06: How closely do your ideas agree with your PARENTS' ideas about . . . Our ideas are . . .

E060: Politics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	12.2	319	1	VY SIMLR:(1)
41.7	16.4	429	2	MST SIML:(2)
15.2	6.0	157	3	MST DIFF:(3)
12.1	4.8	125	4	VY DIFFT:(4)
	18.7	488	6	
	23.9	626	8	DK:(8)
	18.1	473	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 6-*
Decimals: 0 Max: 4

Input location: 1/241

v4356

984E07A:FRD DAP CIGS

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E07A: Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
31.2	24.6	643	1	NT DISAP:(1)
35.1	27.6	723	2	DISAPPRV:(2)
33.7	26.6	695	3	STRG DIS:(3)
	21.2	554	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/242

v4357

984E07B:FRD DAP TRY MARJ

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07B: Trying marijuana (pot, weed) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	36.3	949	1	NT DISAP:(1)
22.6	17.8	465	2	DISAPPRV:(2)
31.2	24.5	642	3	STRG DIS:(3)
	21.4	560	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/243

v4358

984E07C:FRD DAP MJ OCC

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07C: Smoking marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	31.1	813	1	NT DISAP:(1)
22.8	17.8	466	2	DISAPPRV:(2)
37.6	29.4	770	3	STRG DIS:(3)
	21.7	567	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/244

v4359

984E07D:FRD DAP MJ REG

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E07D: Smoking marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
25.4	19.8	519	1	NT DISAP:(1)
26.3	20.5	537	2	DISAPPRV:(2)
48.2	37.6	984	3	STRG DIS:(3)
	21.9	574	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/245

v4360

984E07E:FRD DAP TRY LSD

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E07E: Trying LSD once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
18.4	14.3	375	1	NT DISAP:(1)
23.4	18.2	477	2	DISAPPRV:(2)
58.2	45.3	1184	3	STRG DIS:(3)
	22.1	579	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
Decimals: 0 Max: 3

Input location: 1/246

v4361 984E07F:FRD DAP TRY AMP

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07F: Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	13.7	357	1	NT DISAP:(1)
25.7	20.0	524	2	DISAPPRV:(2)
56.8	44.4	1161	3	STRG DIS:(3)
	21.9	574	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/247

v4414 984E07G:FRD DAP TRY COKE

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07G: Trying cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	8.8	230	1	NT DISAP:(1)
21.0	16.4	430	2	DISAPPRV:(2)
67.7	52.9	1383	3	STRG DIS:(3)
	21.9	572	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/273

v4415

984E07H:FRD DAP COKE OCC

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E07H: Taking cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.2	162	1	NT DISAP:(1)
19.3	15.0	394	2	DISAPPRV:(2)
72.8	56.8	1485	3	STRG DIS:(3)
	22.0	574	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/274

v4362

984E07I:FRD DAP 1-2DR/DA

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E07I: Taking one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	21.7	568	1	NT DISAP:(1)
33.5	26.2	685	2	DISAPPRV:(2)
38.7	30.2	790	3	STRG DIS:(3)
	21.9	573	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 3

Input location: 1/248

v4363

984E07J:FRD DAP 4-5DR/DA

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07J: Taking four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	13.5	352	1	NT DISAP:(1)
28.0	21.8	571	2	DISAPPRV:(2)
54.7	42.7	1116	3	STRG DIS:(3)
	22.0	576	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/249

v4364

984E07K:FRD DAP 5+DR/WKD

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07K: Having five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	34.9	912	1	NT DISAP:(1)
22.7	17.6	462	2	DISAPPRV:(2)
32.6	25.4	664	3	STRG DIS:(3)
	22.1	578	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/250

v4412 984E07L:FRD DAP DRIV+2DR

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07L: Driving a car after having 1-2 drinks

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	18.9	495	1	NT DISAP:(1)
26.6	20.8	543	2	DISAPPRV:(2)
49.1	38.3	1002	3	STRG DIS:(3)
	22.0	576	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 3

Input location: 1/271

v4413 984E07M:FRD DAP DRIV+5DR

E07: How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?
 E07M: Driving a car after having 5 or more drinks

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	2	0	
8.6	6.7	175	1	NT DISAP:(1)
18.7	14.6	381	2	DISAPPRV:(2)
72.7	56.5	1479	3	STRG DIS:(3)
	22.1	579	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9
 Decimals: 0 Max: 3

Input location: 1/272

v4416

984E08A:USE DRUGS-ATHLTS

E08: These days, how many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

E08A: Professional athletes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	3	0	
11.5	8.0	209	1	0-10%:(1)
25.8	17.9	468	2	11-30%:(2)
28.3	19.6	513	3	31-50%:(3)
21.0	14.5	380	4	51-70%:(4)
9.0	6.2	163	5	71-90%:(5)
4.4	3.0	79	6	91-100%:(6)
	9.0	235	8	NO IDEA:(8)
	21.6	566	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/275

v4417

984E08B:USE DRUGS-ROCKRS

E08: These days, how many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

E08B: Rock music performers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.3	34	1	0-10%:(1)
3.6	2.6	67	2	11-30%:(2)
12.7	9.0	236	3	31-50%:(3)
25.1	17.9	468	4	51-70%:(4)
36.9	26.3	687	5	71-90%:(5)
19.9	14.2	371	6	91-100%:(6)
	6.9	180	8	NO IDEA:(8)
	21.9	573	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 6

Input location: 1/276

v4418

984E08C:USE DRUGS-ACTORS

E08: These days, how many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

E08C: Actors and actresses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
5.3	3.7	97	1	0-10%:(1)
16.2	11.2	293	2	11-30%:(2)
22.8	15.7	411	3	31-50%:(3)
25.8	17.8	467	4	51-70%:(4)
21.0	14.5	379	5	71-90%:(5)
8.9	6.1	160	6	91-100%:(6)
	8.9	234	8	NO IDEA:(8)
	22.0	575	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/277

v4419

984E09A:DISAP USE-ATHLTS

E09: How many people in the following groups would you guess strongly disapprove of such illicit drug use?

E09A: Professional athletes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	8.8	229	1	0-10%:(1)
26.0	17.2	449	2	11-30%:(2)
23.0	15.2	398	3	31-50%:(3)
17.8	11.7	307	4	51-70%:(4)
13.7	9.1	237	5	71-90%:(5)
6.2	4.1	107	6	91-100%:(6)
	11.4	297	8	NO IDEA:(8)
	22.6	591	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 6

Input location: 1/278

v4420

984E09B:DISAP USE-ROCKRS

E09: How many people in the following groups would you guess strongly disapprove of such illicit drug use?

E09B: Rock music performers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	20.9	546	1	0-10%:(1)
33.9	22.4	587	2	11-30%:(2)
17.7	11.7	307	3	31-50%:(3)
10.6	7.0	183	4	51-70%:(4)
4.0	2.6	69	5	71-90%:(5)
2.2	1.5	38	6	91-100%:(6)
	11.4	298	8	NO IDEA:(8)
	22.5	587	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
Decimals: 0 Max: 6

Input location: 1/279

v4421

984E09C:DISAP USE-ACTORS

E09: How many people in the following groups would you
 guess strongly disapprove of such illicit drug use?
 E09C: Actors and actresses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	10.1	264	1	0-10%:(1)
28.4	18.3	478	2	11-30%:(2)
25.2	16.2	425	3	31-50%:(3)
17.1	11.0	287	4	51-70%:(4)
10.4	6.7	174	5	71-90%:(5)
3.2	2.1	54	6	91-100%:(6)
	12.8	334	8	NO IDEA:(8)
	22.9	598	9	

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 8-*
 Decimals: 0 Max: 6

Input location: 1/280

v4422

984E09D:DISAP USE-PEOPLE

E09: How many people in the following groups would you
guess strongly disapprove of such illicit drug use?

E09D: People your age (in general)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
17.2	11.7	306	1	0-10%:(1)
27.8	19.0	496	2	11-30%:(2)
26.0	17.7	463	3	31-50%:(3)
18.1	12.3	322	4	51-70%:(4)
7.9	5.4	141	5	71-90%:(5)
3.1	2.1	55	6	91-100%:(6)
	9.4	247	8	NO IDEA:(8)
	22.4	585	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-*
Decimals: 0 Max: 6

Input location: 1/281

v4423 984E10 :#X SEE DRUG SPTS

E10: The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	8.4	218	1	NOT@ALL:(1)
15.7	12.0	313	2	<1/MONTH:(2)
33.2	25.3	663	3	1-3X/MON:(3)
22.9	17.5	457	4	1-3/WEEK:(4)
12.8	9.8	256	5	DAILY:(5)
4.3	3.3	86	6	>1/DAY:(6)
	23.8	622	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 6

Input location: 1/282

v4424 984E11A:ADS-PEOPL <FAVBL

E11: To what extent do you think such commercials have . . .
E11A: Made people your age less favorable toward drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	29.0	759	1	NOT @ALL:(1)
34.2	26.2	686	2	LTTL EXT:(2)
22.0	16.8	440	3	SOME EXT:(3)
3.7	2.8	74	4	GRT EXT:(4)
2.2	1.7	45	5	VRGR EXT:(5)
	23.4	612	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/283

v4425 984E11B:ADS-YOU <FAVORBL

E11: To what extent do you think such commercials have . . .
 E11B: Made you less favorable toward drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	31.5	824	1	NOT @ALL:(1)
23.0	17.6	461	2	LTTL EXT:(2)
19.6	15.0	393	3	SOME EXT:(3)
8.0	6.1	159	4	GRT EXT:(4)
8.3	6.4	167	5	VRGR EXT:(5)
	23.4	611	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/284

v4426 984E11C:ADS-YOU <TRY DRG

E11: To what extent do you think such commercials have . . .
 E11C: Made you less likely to use drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	33.4	873	1	NOT @ALL:(1)
20.5	15.7	410	2	LTTL EXT:(2)
17.5	13.4	349	3	SOME EXT:(3)
8.3	6.4	166	4	GRT EXT:(4)
9.9	7.6	198	5	VRGR EXT:(5)
	23.7	619	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 5

Input location: 1/285

v4427

984E11D:ADS-OVRST DANGER

E11: To what extent do you think such commercials have . . .
E11D: Overstated the dangers or risks of drug use

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	33.9	887	1	NOT @ALL:(1)
21.5	16.3	427	2	LTTL EXT:(2)
19.8	15.1	394	3	SOME EXT:(3)
6.5	5.0	130	4	GRT EXT:(4)
7.7	5.9	153	5	VRGR EXT:(5)
	23.9	625	9	

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: 9
Decimals: 0 Max: 5

Input location: 1/286

v1

984 :YEAR OF ADMINST

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2616	98	1998

2616 cases (Wtd)

Type: numeric Min: 98 MD Codes: none
Decimals: 0 Max: 98

Input location: 1/4-5

v3

984 :FORM ID

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2616	4	FORM 4

2616 cases (Wtd)

Type: numeric Min: 4 MD Codes: none
Decimals: 0 Max: 4

Input location: 1/6

v4 984 :R'S ID-SERIAL #

2616 cases (Wtd)

Type: numeric Min: 40001 MD Codes: 0,9
 Decimals: 0 Max: 42621

Input location: 1/7-11

v5 SAMPLING WEIGHT

2616 cases (Wtd)

Type: numeric Min: 0.1222 MD Codes: none
 Decimals: 4 Max: 4.4652

Input location: 1/299-304

v13 984 :SCHL RGN-4 CAT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	19.0	497	1	NE:(1)
24.6	24.6	643	2	NC:(2)
37.7	37.7	987	3	S:(3)
18.7	18.7	488	4	W:(4)

 2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: none
 Decimals: 0 Max: 4

Input location: 1/1

v16 984 :SELF-REP/NOT=0

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	71.2	1862	0	NOT SELF-REP
28.8	28.8	753	1	SELF REP

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: none
Decimals: 0 Max: 1

Input location: 1/2

v17 984 :SMSA/NON-SMSA=0

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	22.3	583	0	NON-SMSA
77.7	77.7	2033	1	SMSA

2616 cases (Wtd)

Type: numeric Min: 0 MD Codes: none
Decimals: 0 Max: 1

Input location: 1/3

CASEID Case identification number

2616 cases (Wtd)

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 2621

Input location: 1/305-308

APPENDIX A**PUBLICATIONS****MONOGRAPHS**

These monographs are the latest in a series of 24, published annually.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1999). National survey results on drug use from the Monitoring the Future study, 1975-1998 Volume I: Secondary school students (NIH Publication No. 99-4660). Rockville, MD: National Institute on Drug Abuse, c. 420 pp.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1999). National survey results on drug use from the Monitoring the Future study, 1975-1998 Volume II: College students and young adults (NIH Publication No. 99-4661). Rockville, MD: National Institute on Drug Abuse, c 218 pp.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1998). National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students. (NIH Publication No. 98-4345). Volume II: College students and young adults. (NIH Publication No. 98-4346). Rockville, MD: National Institute on Drug Abuse. 381pp. and 188 pp., respectively.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1996). National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students. (NIH Pub. No. 97-4139). Volume II: College students and young adults. (1997). (NIH Pub. No. 98-4140). Rockville, MD: National Institute on Drug Abuse. 381 pp. and 188 pp., respectively.

REFERENCE VOLUMES

These hard-bound volumes have been published for each year of the survey, seniors only, since 1975. To receive more information about ordering these publications, contact: MTFinfo@isr.umich.edu

Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1997). Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. Ann Arbor, MI: Institute for Social Research, 339 pp.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1997). Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. Ann Arbor, MI: Institute for Social Research, 339 pp.

Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1995). Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. Ann Arbor, MI: Institute for Social Research, 339 pp.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1993). Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992. Ann Arbor, MI: Institute for Social Research, 339 pp.

Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1993). Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991. Ann Arbor, MI: Institute for Social Research, 339 pp.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1993). Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990. Ann Arbor, MI: Institute for Social Research, 339 pp.

BOOKS

Andrews, F.M., Klem, L., O'Malley, P.M., Rodgers, W.L., Welch, K.B., & Davidson, T.N. (1998). Selecting statistical techniques for social science data: A guide for SAS Users. Cary, NC: SAS Institute Inc.

Bachman, J.G., Wadsworth, K.N., O'Malley, P.M., Johnston, L.D., & Schulenberg, J. (1997). Smoking, drinking, and drug use in young adulthood: The impacts of new freedoms and new responsibilities. Mahwah, NJ: Lawrence Erlbaum Associates.

Schulenberg, J., Maggs, J., & Hurrelmann, K. (Eds.) (1997). Health risks and developmental transitions during adolescence. New York: Cambridge University Press.

JOURNAL ARTICLES

O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. American Journal of Public Health 89: 678-684.

An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Change at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. American Journal of Public Health 89: 699-705.

Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. American Journal of Public Health 89: 672-677.

Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. Merrill-Palmer Quarterly, 45, 108-142.

- Wallace, J.M., Jr. (1999). Race, Risk, and Resilience: The Social Ecology of Addiction in America's Black and Hispanic Communities. *Pediatrics* 103(5): 1122-1127.
- Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88:887-892
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol Use among Adolescents. *Alcohol Health & Research World*, 22, 85-93.
- Bachman, J.G., Segal, D.R., Freedman-Doan, P., & O'Malley, P.M. (1998). Does enlistment propensity predict accession? High school seniors' plans and subsequent behavior. *Armed Forces and Society*, 25, 59-80.
- Maggs, J.L., & Schulenberg, J. (1998). Reasons to drink and not to drink: Altering trajectories of drinking through an alcohol misuse prevention program. *Applied Developmental Science*, 2, 48-60.
- Segal, M.W., Segal, D.R., Bachman, J.G., Freedman-Doan, P., & O'Malley, P.M. (1998). Gender and propensity to enlist in the U.S. military. *Gender Issues*, 16, 65-87.
- Wallace, J.M. Forman, T.A. Religion's Role in Promoting Health and Reducing Risk among American Youth (1998). *Health Education and Behavior* 25(6): 721-741.
- Astor, R.A., Behre, W.J., Fravil, K.A., Wallace, J.M., Jr. (1997). Perceptions of School Violence as a Problem and Reports of Violent Events: A National Survey of School Social Workers. *Social Work* 42(1): 55-68.
- Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993," Vol 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J.M., Jr. & Bachman, J.G. (1997). Issues and concerns on the validity of self-reports in student based studies on minority populations. *International Journal of the Addictions*.

- Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1):31-35.
- Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L.D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47:7, 39-41.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J.G., & Wallace, J.M. Jr. (1991). The "Drug Problem" among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1, Fall, 85-97.
- Bachman, J.G., Wallace, J.M. Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.
- Wallace, J.M., Jr., & Bachman, J.G. (1991). Explaining racial/ethnic differences in adolescent drug use: The impact of background and lifestyle. *Social Problems*, 38(3), 333-357.

CHAPTERS

- Johnston, L.D. (in press). Population-based surveys. In Manual on substance abuse epidemiology. Geneva: World Health Organization.
- Johnston, L.D. (in press). Selecting variables and measures for drug surveys. In Manual on substance abuse epidemiology. Geneva: World Health Organization.
- Hall, W., Johnston, L.D. & Donnelly, N. (1999). Epidemiological evidence on patterns of cannabis use and their health consequences. In The health implications of cannabis. Geneva: World Health Organization, pp. 69-126.
- Johnston, L.D. & O'Malley, P.M. (1999). Cigarettes, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg et al. (Eds.), Trends in the well-being of children and youth. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Thousand Oaks, CA: Sage Publications.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1999). Epidemiology of substance abuse in adolescence. In R.E. Tarter, R.T. Ammerman, & P.J. Ott (Eds.), Sourcebook on substance abuse: Etiology, methodology, and intervention. Allyn & Bacon.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), Addictive Behaviors: Readings on etiology, prevention, and treatment (pp 129-165). Washington, DC: American Psychological Association. [Originally appeared in *Developmental Psychology*, (1996) 32, 659-674.]
- (Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), The ESPAD report: Alcohol and other drug use among students in 26 European countries. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Johnston, L.D., & Wadsworth, K.N. (1997). Life paths into young adulthood: Differential courses of substance use and well-being. In R. Silbereisen & L. Crockett (Eds.), Negotiating adolescence in times of social change. Mahwah, NJ: Lawrence Erlbaum Associates.
- Johnston, L.D., & O'Malley, P.M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), Validity of Data in Longitudinal Studies. (NIDA Research Monograph 167.) Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G., & Wallace, J.M., Jr. Religion and drug use. In J.H. Jaffe et al. (Eds.), Encyclopedia of drugs and alcohol. New York: Macmillan Publishing.
- Hall, W., Johnston, L.D., & Donnelly, N. (1999). Epidemiological evidence on patterns of cannabis use and their health consequences. In Health implications of cannabis use. Geneva: World Health Organization.

- Bachman, J.G., Wadsworth, K.N., O'Malley, P.M., Schulenberg, J., & Johnston, L.D. (1997). Marriage, divorce, and parenthood during the transition to young adulthood: Impacts on drug use and abuse. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- O'Malley, P.M. The Monitoring the Future study. In J.H. Jaffe et al. (Eds.), *Encyclopedia of drugs and alcohol*. New York: Macmillan.
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.
- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale NJ: Lawrence Erlbaum Associates.
- Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington DC: Howard University Press.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59- 80). Thousand Oaks, CA: Sage.
- O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.

- Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andrados (Eds.) *Drug abuse among minority youth: Advances in research and methodology* (pp. 167-200). NIDA Research Monograph No. 130. Rockville, MD: National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.

RESEARCH REPORTS

- Chaloupka, F.J., Pacula, R.L., Farrelly, M.C., Johnston, L.D., O'Malley, P.M., & Bray, J.W. (Feb 1999). Do higher cigarette prices encourage youth to use marijuana? NBER Working Paper No. 6939.
- Astor, R.A., Behre, W.J., Wallace, J.M., Jr., Fravil, K.A. (1998) A National Survey on School Violence and School Social Workers: Descriptive Results. Social Work.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1998). Outcome measures from the Monitoring the Future Study relevant to Goal 7: Safe, disciplined, and alcohol- and drug-free schools. Report commissioned by the National Education Goals Panel.
- Freedman-Doan, P., Bachman, J.G., & O'Malley, P.M. (1998). Is there a gap between soldiers and civilians? Comparing the political attitudes of young recruits with their non-service peers, 1976-1997. (Technical Report). Ann Arbor: Institute for Social Research.
- Wallace, J.M., Jr. (1996). Social support systems and drug use among Hispanic adolescents: A brief summary. Report to the National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1996). Outcome measures from the Monitoring the Future study relevant to Goal 7: Safe, disciplined, and alcohol- and drug-free schools. Report commissioned by the National Education Goals Panel. (These reports have been provided annually since 1992.)

OCCASIONAL PAPERS

- Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (1999). Cigarette brand preferences among adolescents. (Monitoring the Future Occasional Paper 45.) Ann Arbor, MI: Institute for Social Research. 37 pp.
- Johnston, L.D. (1998). Reasons for use, abstention, and quitting illicit drug use by American adolescents. (Monitoring the Future Occasional Paper 44). A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. Ann Arbor, MI: Institute for Social Research.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1998). Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons. (Monitoring the Future Occasional Paper 43). Ann Arbor, MI: Institute for Social Research.
- Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Comparing drug using behaviors among high school graduates entering military service, college, and civilian employment. (Monitoring the Future Occasional Paper 42.) Ann Arbor, MI: Institute for Social Research.
- Bachman, J.G., Segal, D., Freedman-Doan, P., & O'Malley, P.M. (1998). Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors. (Monitoring the Future Occasional Paper 41). Ann Arbor, MI: The Institute for Social Research.

- Bachman, J.G., Freedman-Doan, P., Segal, D., & O'Malley, P.M. (1997). Trends in military propensity and the propensity-enlistment relationship. (Monitoring the Future Occasional Paper 40). Ann Arbor, MI: The Institute for Social Research.
- Bachman, J.G., O'Malley, P.M., Johnston, L.D., Rodgers, W.L., Schulenberg, J.E., Lim, J., & Wadsworth, K.N. (1996). Changes in drug use during ages 18-32. (Monitoring the Future Occasional Paper No. 39.) Ann Arbor, MI: Institute for Social Research.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1996). The Monitoring the Future project after twenty-two years: Design and procedures. (Monitoring the Future Occasional Paper No. 38.) Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D., O'Malley, P.M., Schulenberg, J. & Bachman, J.G. (1996). Aims and objectives of the Monitoring the Future study, 2nd revised edition. (Monitoring the Future Occasional Paper No. 34.) Ann Arbor, MI: Institute for Social Research.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1994). Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992. (Monitoring the Future Occasional Paper No. 37.) Ann Arbor, MI: Institute for Social Research.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1993). How educational success during adolescence continues to deter substance use during young adulthood: A panel analysis examining alternative causal models. (Monitoring the Future Occasional Paper No. 36.) Ann Arbor, MI: Institute for Social Research.
- Bachman, J.G., O'Malley, P.M., Johnston, L.D., Rodgers, W.L., & Schulenberg, J. (1992). Changes in drug use during the post-high school years. (Monitoring the Future Occasional Paper No. 35.) Ann Arbor, MI: Institute for Social Research.
- Bachman, J.G., & Schulenberg, J. (1992, revised). Part-time work by high school seniors: Sorting out correlates and possible consequences. (Monitoring the Future Occasional Paper No. 32.) Ann Arbor, MI: Institute for Social Research.

CONGRESSIONAL TESTIMONY

Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in the Congressional Record.

Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on "Recent trends in youthful drug use." Published in The Congressional Record.

Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in The Congressional Record.

Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In The Congressional Record.

Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The Congressional Record.

Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in The Congressional Record, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.

PUBLICATIONS BY STUDY STAFF

Freedman-Doan, P., & Libsch, M. (1997, October). Student Reports of Time Spent on Homework: Results from 20 Years of National Samples. NASSP Bulletin.

Libsch, M., & Breslow, M. (1996, December). Trends in Non-Assigned Reading by High School Seniors. NASSP Bulletin.

Libsch, M., & Freedman-Doan, P. (1995, Winter). Perceived Fairness of School Rules: Grades 8, 10, 12. NASSP AP Special, 11: 3.

Libsch, M., & Freedman-Doan, P. (1995, April). Perceptions of High School Counseling Activities: Response Differences According to College Plans. NASSP Bulletin, 79: 51- 59.

Freedman-Doan, P., & Libsch, M. (1994, November). Students and Their Meetings with Guidance Counselors: Findings from a National Study. NASSP Bulletin, 78: 103.

APPENDIX B

SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%
	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

SAMPLE SIZE AND STUDENT RESPONSE RATES
(continued)

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.

Table 1

SUBJECT AREA KEY

(Referenced by letter in the Question Index)

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- A01 Use of Various Licit and Illicit Drugs
 - A01a - . . . in lifetime
 - A01b - . . . in the last 12 months
 - A01c - . . . in the last 30 days
 - A01d -Quantity used
 - A01e -How high? (How often?)
 - A01f -How long high?
 - A01g -Incidence of first use
 - A01h -Use with other drugs
 - A01i -Try to stop?
 - A01j -Use on doctor's orders?
 - A01k -Bad trip?
 - A01l -Kinds of drugs
 - A02 Exposure to Drug Use
 - A02a -Friends' use of drugs
 - A02b -Exposure to users
 - A03a Availability of Drugs
 - A04a Expected Future Use
 - A05 Conditions of Use
 - A05a -Alone
 - A05b -With others
 - A05c -Settings (at school, at home, etc.)
 - A05d -Mode of drug administration
 - A06 Reasons for Use, Abstention, and Stopping
 - A06a -Reasons for drug use
 - A06b -Reasons for abstention from, or stopping drug use
 - A07 Drug Problems
 - A07a -Driving, tickets, and accidents after use
 - A07b -Other problems
 - A08a Sources of Help and Treatment regarding Drugs
 - A09 Others' Awareness of Use
 - A09a -Parental awareness of use
 - A09b -Others' awareness of use
 - A09c -Police awareness of use

- A10 Drug Education and Communication
 - A10a -In school
 - A10b -In the mass media
- A11 Own Attitudes regarding Drugs and Drug Users
 - A11a -For adults
 - A11b -For own children
 - A11c -Perception of drug users
 - A11d -Use by high school age people
- A12 Others' Attitudes regarding Drugs and Drug Users
 - A12a -Parents
 - A12b -Friends and students
 - A12c -Perception of drug users
- A13 Legal Issues regarding Drugs
 - A13a -Preferred legality for adults
 - A13b -Own response to legalization
 - A13c -Knowledge of marijuana laws
- A14 Risk of Drug Harm
 - A14a -To self
 - A14b -To others
- A15a Admitting Use in Questionnaire
- A16a Parent Groups
- A17 Role Models in the Larger Environment
 - A17a -Perceived use of drugs
 - A17b -Perceived attitudes regarding drugs

B. EDUCATION.

- B01 High school: scholastic status, objectives, experiences
- B02 Combining work and school: attitudes, experiences
- B03 Interracial contact at school
- B04 Student norms, misbehavior in class
- B05 Counseling
- B06 Absenteeism and truancy
- B07 Delinquency, victimization and feeling safe at school
- B08 Opinions regarding competency testing
- B09 Post high school: status, plans, characteristics
- B10 Attitudes regarding educational institutions
- B11 High school: length of experiences

C. WORK AND LEISURE

- C01 Present or recent work experience
- C02 Income sources; financial security
- C03 Vocational plans, aspirations, expectations
- C04 Preferences regarding job characteristics
- C05 Desirability of different working arrangements and settings
- C06 Work ethic/success orientation
- C07 Leisure time: extent, activities
- C08 Attitudes toward leisure time

D. SEX ROLES AND FAMILY.

- D01 Dating and marriage: status, attitudes, expectations
- D02 Parenthood: status, attitudes, expectations
- D03 Values surrounding marriage and family
- D04 Preferences regarding marital/familial arrangements
- D05 Sex role attitudes
- D06 Opinions regarding sex discrimination

E. POPULATION CONCERNS.

- E01 Overpopulation
- E02 Birth control

F. CONSERVATION, MATERIALISM, EQUITY, ETC.

- F01 Personal materialism
- F02 Societal materialism and advertising
- F03 Concern with world hunger and poverty
- F04 Ecological concerns
- F05 Concern with conservation of resources
- F06 Preferences regarding dwelling type and urbanicity

F07 Driving and use of mass transit

G. RELIGION. Religious preferences, activities, views.

H. POLITICS.

H01 Political interest and preferences

H02 Attitudes toward governmental policies and practices

H03 Views about the role of citizens in government (See also I02: Attitudes regarding activism)

H04 Confidence in government

H05 Voting, political activism

I. SOCIAL CHANGE.

I01 Expectations concerning societal change

I02 Attitudes regarding activism

I03 Reactions to personal and social change

J. SOCIAL PROBLEMS. Interest and concerns

K. MAJOR SOCIAL INSTITUTIONS.

K01 Trust (See also C05: Institutions as work settings)

K02 Satisfaction with performance

K03 Preferred influence

L. MILITARY.

L01 Plans for military service

L02 Attitudes toward a draft

L03 Views about the use of military force

L04 Attitudes toward the military as an institution and occupation

M. INTERPERSONAL RELATIONSHIPS.

M01 Dating

M02 Cross-age relationships with adults outside the family (See also B05)

- M03 Agreement/disagreement with parents
- M04 Friendships (See also Q03: Loneliness)
- M05 Community at large

N. RACE RELATIONS.

- N01 Preferred interracial contact
- N02 Attitudes about discrimination
- N03 Actual interracial contacts

O. CONCERN FOR OTHERS.

- O01 Attitudes regarding social service, charitable activism
- O02 Involvement in community, altruistic activities
- O03 Concern with the problems of others

P. HAPPINESS.

- P01 Happiness: satisfaction with life and self
- P02 Satisfaction with specific life domains

Q. OTHER PERSONALITY VARIABLES.

- Q01 Attitudes about self, self-esteem
- Q02 Locus of control
- Q03 Loneliness
- Q04 Risk taking
- Q05 Trust in others
- Q06 (Changed to Subject Areas T01-T04.)
- Q07 Importance placed on various life goals
- Q08 Social, political, cultural orientation
- Q09 Hostility

R. BACKGROUND.

R01 Age, sex, race, and marital status

R02 Family characteristics

R03 Living arrangements and household characteristics

S. DEVIANCE AND VICTIMIZATION.

S01 Delinquent behaviors

S02 Driving violations and accidents

S03 Victimization experiences

T. HEALTH.

T01 Symptoms

T02 Habits

T03 Height and weight

T04 Medical treatment

KEY TO:

"& & - renumbered in second year"

Question 4D13a was numbered 4D15a in 1988.
Question 4D15a was numbered 4D17a in 1988.

Question 4D13b was numbered 4D15b in 1988.
Question 4D15b was numbered 4D17b in 1988.

Question 4D13c was numbered 4D15c in 1988.
Question 4D15c was numbered 4D17c in 1988.
Question 4D14 was numbered 4D16 in 1988.
Question 4D16 was numbered 4D18 in 1988.

Questions 6A20a-m were numbered 6A21a-m in 1994-1995.
Question 6A17p was numbered 6A18p in 1994-1995.

Questions 6A15a-c were numbered 6A16a-c in 1994-1995.
Questions 6A16a-c were numbered 6A17a-c in 1994-1995.

Question 4E11 was numbered 4E10 in 1988.
Questions 4E12a-d were numbered 4E11a-d in 1988.
Questions 6A19a-o were numbered 6A20a-o in 1994-1995.

Questions 4E08a-m were numbered 4E07a-m in 1988.

Questions 6A18a-o were numbered 6A19a-o in 1994-1995.

Questions 5E09-11 were numbered 5E014-16 in 1981.
Questions 4E09a-c were numbered 4E08a-c in 1988.
Questions 4E10a-d were numbered 4E09a-d in 1988.

Question 6A14 was numbered 6A15 in 1994-1995.
Questions 6A15a-c were numbered 6A16a-c in 1994-1995.
Questions 6A16a-c were numbered 6A17a-c in 1994-1995.

Questions 5E08a-g were numbered 5E13a-g in 1981.
Questions 6A17c and 6A17n were numbered 6A18c and 6A18n in 1994-1995.

Questions 5D04a-f were numbered 5D02a-f in 1981.

Question 4E07b was numbered 4E06b in 1988.

Question 4E07k was numbered 4E06k in 1988.

Question 4E07I was numbered 4E06I in 1988.

Questions 4E07n-o were numbered 4E06n-o in 1988.